

Patricia A Arean

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/464994/publications.pdf>

Version: 2024-02-01

96
papers

7,483
citations

81743

39
h-index

56606

83
g-index

113
all docs

113
docs citations

113
times ranked

6654
citing authors

#	ARTICLE	IF	CITATIONS
1	Collaborative Care Management of Late-Life Depression in the Primary Care Setting. <i>JAMA - Journal of the American Medical Association</i> , 2002, 288, 2836.	3.8	2,031
2	Improving Access to Geriatric Mental Health Services: A Randomized Trial Comparing Treatment Engagement With Integrated Versus Enhanced Referral Care for Depression, Anxiety, and At-Risk Alcohol Use. <i>American Journal of Psychiatry</i> , 2004, 161, 1455-1462.	4.0	366
3	The Use and Effectiveness of Mobile Apps for Depression: Results From a Fully Remote Clinical Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e330.	2.1	282
4	Comparative effectiveness of social problem-solving therapy and reminiscence therapy as treatments for depression in older adults.. <i>Journal of Consulting and Clinical Psychology</i> , 1993, 61, 1003-1010.	1.6	273
5	Depression Treatment Preferences in Older Primary Care Patients. <i>Gerontologist, The</i> , 2006, 46, 14-22.	2.3	260
6	Towards a consensus around standards for smartphone apps and digital mental health. <i>World Psychiatry</i> , 2019, 18, 97-98.	4.8	237
7	Problem-Solving Therapy and Supportive Therapy in Older Adults With Major Depression and Executive Dysfunction. <i>American Journal of Psychiatry</i> , 2010, 167, 1391-1398.	4.0	223
8	REDEEM: A Pragmatic Trial to Reduce Diabetes Distress. <i>Diabetes Care</i> , 2013, 36, 2551-2558.	4.3	206
9	Improving Depression Care for Older, Minority Patients in Primary Care. <i>Medical Care</i> , 2005, 43, 381-390.	1.1	197
10	Problem-Solving Therapy and Supportive Therapy in Older Adults With Major Depression and Executive Dysfunction. <i>Archives of General Psychiatry</i> , 2011, 68, 33.	13.8	176
11	Low Use of Mental Health Services Among Older Americans With Mood and Anxiety Disorders. <i>Psychiatric Services</i> , 2012, 63, 66-72.	1.1	150
12	Conducting a fully mobile and randomised clinical trial for depression: access, engagement and expense. <i>BMJ Innovations</i> , 2016, 2, 14-21.	1.0	148
13	By the numbers: ratings and utilization of behavioral health mobile applications. <i>Npj Digital Medicine</i> , 2019, 2, 54.	5.7	141
14	Recruitment and Retention of Older Minorities in Mental Health Services Research. <i>Gerontologist, The</i> , 2003, 43, 36-44.	2.3	134
15	Psychotherapy and combined psychotherapy/pharmacotherapy for late life depression. <i>Biological Psychiatry</i> , 2002, 52, 293-303.	0.7	132
16	Physicians Are Less Willing to Treat Suicidal Ideation in Older Patients. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 188-192.	1.3	114
17	Would Older Medical Patients Use Psychological Services?. <i>Gerontologist, The</i> , 2002, 42, 392-398.	2.3	99
18	Use of Human-Centered Design to Improve Implementation of Evidence-Based Psychotherapies in Low-Resource Communities: Protocol for Studies Applying a Framework to Assess Usability. <i>JMIR Research Protocols</i> , 2019, 8, e14990.	0.5	87

#	ARTICLE	IF	CITATIONS
19	Preference for in-person psychotherapy versus digital psychotherapy options for depression: survey of adults in the U.S. <i>Npj Digital Medicine</i> , 2019, 2, 6.	5.7	83
20	Using Mobile Apps to Assess and Treat Depression in Hispanic and Latino Populations: Fully Remote Randomized Clinical Trial. <i>Journal of Medical Internet Research</i> , 2018, 20, e10130.	2.1	82
21	Reductions in Regimen Distress Are Associated With Improved Management and Glycemic Control Over Time. <i>Diabetes Care</i> , 2014, 37, 617-624.	4.3	81
22	The accuracy of passive phone sensors in predicting daily mood. <i>Depression and Anxiety</i> , 2019, 36, 72-81.	2.0	80
23	Improving late life depression and cognitive control through the use of therapeutic video game technology: A proof-of-concept randomized trial. <i>Depression and Anxiety</i> , 2017, 34, 508-517.	2.0	79
24	Mobile technology for mental health assessment. <i>Dialogues in Clinical Neuroscience</i> , 2016, 18, 163-169.	1.8	77
25	Engagement in Socially and Interpersonally Rewarding Activities as a Predictor of Outcome in "Engage" Behavioral Activation Therapy for Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 571-578.	0.6	76
26	Problem-Solving Therapy Reduces Suicidal Ideation In Depressed Older Adults with Executive Dysfunction. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 11-17.	0.6	75
27	Treatment of depression in low-income older adults.. <i>Psychology and Aging</i> , 2005, 20, 601-609.	1.4	73
28	Psychosocial Interventions for Late-life Major Depression: Evidence-Based Treatments, Predictors of Treatment Outcomes, and Moderators of Treatment Effects. <i>Psychiatric Clinics of North America</i> , 2011, 34, 377-401.	0.7	71
29	Problem solving therapy for the depression"executive dysfunction syndrome of late life. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 782-788.	1.3	69
30	Development of Clinical Practice Guidelines. <i>Annual Review of Clinical Psychology</i> , 2014, 10, 213-241.	6.3	69
31	Banbury Forum Consensus Statement on the Path Forward for Digital Mental Health Treatment. <i>Psychiatric Services</i> , 2021, 72, 677-683.	1.1	65
32	The Impact of Psychosocial Factors on Late-Life Depression. <i>Biological Psychiatry</i> , 2005, 58, 277-282.	0.7	64
33	"Engage" Therapy: Behavioral Activation and Improvement of Late-Life Major Depression. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 320-326.	0.6	60
34	Leveraging human-centered design to implement modern psychological science: Return on an early investment.. <i>American Psychologist</i> , 2020, 75, 1067-1079.	3.8	56
35	Association of Age at Depression Onset with Cognitive Functioning in Individuals with Late-Life Depression and Executive Dysfunction. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1633-1641.	0.6	48
36	Treating depression in disabled, low-income elderly: a conceptual model and recommendations for care. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 765-769.	1.3	45

#	ARTICLE	IF	CITATIONS
37	Comparing Engage with PST in Late-Life Major Depression: A Preliminary Report. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 506-513.	0.6	43
38	Treating Depression in Older Medical Patients with Psychotherapy. <i>Journal of Clinical Geropsychology</i> , 2001, 7, 93-104.	0.7	42
39	Service Use and Outcomes Among Elderly Persons With Low Incomes Being Treated for Depression. <i>Psychiatric Services</i> , 2007, 58, 1057-1064.	1.1	42
40	Cognitive Outcomes After Psychotherapeutic Interventions for Major Depression in Older Adults with Executive Dysfunction. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1496-1503.	0.6	40
41	Rethinking funding priorities in mental health research. <i>British Journal of Psychiatry</i> , 2016, 208, 507-509.	1.7	39
42	Depression Treatment Uptake in Integrated Primary Care: How a "Warm Handoff" and Other Factors Affect Decision Making by Latinos. <i>Psychiatric Services</i> , 2015, 66, 824-830.	1.1	38
43	Implementing Evidence-Based Psychotherapies in Settings Serving Older Adults: Challenges and Solutions. <i>Psychiatric Services</i> , 2012, 63, 605-607.	1.1	32
44	Understanding Psychological Distress and Protective Factors Amongst Older Adults During the COVID-19 Pandemic. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 881-894.	0.6	30
45	Comparing the streamlined psychotherapy "Engage" with problem-solving therapy in late-life major depression. A randomized clinical trial. <i>Molecular Psychiatry</i> , 2020, 26, 5180-5189.	4.1	29
46	Toward a Mobile Platform for Real-world Digital Measurement of Depression: User-Centered Design, Data Quality, and Behavioral and Clinical Modeling. <i>JMIR Mental Health</i> , 2021, 8, e27589.	1.7	29
47	Low-income depressed older adults with psychiatric comorbidity: secondary analyses of response to psychotherapy and case management. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 124-130.	1.3	28
48	Psychosocial Treatment Options for Major Depressive Disorder in Older Adults. <i>Current Treatment Options in Psychiatry</i> , 2017, 4, 1-12.	0.7	28
49	Clinical Case Management versus Case Management with Problem-Solving Therapy in Low-Income, Disabled Elders with Major Depression: A Randomized Clinical Trial. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 50-59.	0.6	27
50	A Future Research Agenda for Digital Geriatric Mental Healthcare. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1277-1285.	0.6	27
51	Contemporary Views of Research Participant Willingness to Participate and Share Digital Data in Biomedical Research. <i>JAMA Network Open</i> , 2019, 2, e1915717.	2.8	26
52	A Digital Mental Health Intervention in an Orthopedic Setting for Patients With Symptoms of Depression and/or Anxiety: Feasibility Prospective Cohort Study. <i>JMIR Formative Research</i> , 2022, 6, e34889.	0.7	26
53	A randomized controlled trial of internet-delivered cognitive behaviour therapy to prevent the development of depressive disorders in older adults with multimorbidity. <i>Journal of Affective Disorders</i> , 2020, 264, 464-473.	2.0	23
54	Assessment of Real-World Use of Behavioral Health Mobile Applications by a Novel Stickiness Metric. <i>JAMA Network Open</i> , 2020, 3, e2011978.	2.8	23

#	ARTICLE	IF	CITATIONS
55	Causal and bidirectional linkages over time between depression and diabetes regimen distress in adults with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 360-366.	1.1	21
56	“Engage” therapy: Prediction of change of late-life major depression. <i>Journal of Affective Disorders</i> , 2017, 221, 192-197.	2.0	21
57	Assessing the usability of complex psychosocial interventions: The Intervention Usability Scale. <i>Implementation Research and Practice</i> , 2021, 2, 263348952098782.	0.8	21
58	Effects of Problem-Solving Therapy and Clinical Case Management on Disability in Low-Income Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 1307-1314.	0.6	19
59	Smartphone-based passive assessment of mobility in depression: Challenges and opportunities. <i>Mental Health and Physical Activity</i> , 2018, 14, 136-139.	0.9	19
60	Behavioral Activation and Depression Symptomatology: Longitudinal Assessment of Linguistic Indicators in Text-Based Therapy Sessions. <i>Journal of Medical Internet Research</i> , 2021, 23, e28244.	2.1	19
61	Problem-solving versus cognitive restructuring of medically ill seniors with depression (PROMISE-D) Tj ETQq1 1 0.784314 rgBT/Overlock	1.1	18
62	The Role of Provider Attitudes in Prescribing Antidepressants to Older Adults: Leverage Points for Effective Provider Education. <i>International Journal of Psychiatry in Medicine</i> , 2003, 33, 241-256.	0.8	17
63	Modifiable predictors of nonresponse to psychotherapies for late-life depression with executive dysfunction: a machine learning approach. <i>Molecular Psychiatry</i> , 2021, 26, 5190-5198.	4.1	17
64	A digital intervention targeting cognitive control network dysfunction in middle age and older adults with major depression. <i>Translational Psychiatry</i> , 2021, 11, 269.	2.4	16
65	Comparing Approaches to Mobile Depression Assessment for Measurement-Based Care: Prospective Study. <i>Journal of Medical Internet Research</i> , 2018, 20, e10001.	2.1	16
66	Guidelines for Conducting Geropsychotherapy Research. <i>American Journal of Geriatric Psychiatry</i> , 2003, 11, 9-16.	0.6	15
67	Resting State Functional Connectivity and Outcomes of Psychotherapies for Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 859-868.	0.6	15
68	A Pilot Randomized Trial of Engage Psychotherapy to Increase Social Connection and Reduce Suicide Risk in Later Life. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 789-800.	0.6	15
69	Association Between Care Utilization and Anxiety Outcomes in an On-Demand Mental Health System: Retrospective Observational Study. <i>JMIR Formative Research</i> , 2021, 5, e24662.	0.7	14
70	Mental Health and the Perceived Usability of Digital Mental Health Tools Among Essential Workers and People Unemployed Due to COVID-19: Cross-sectional Survey Study. <i>JMIR Mental Health</i> , 2021, 8, e28360.	1.7	13
71	Understanding Participant Needs for Engagement and Attitudes towards Passive Sensing in Remote Digital Health Studies. , 2020, 2020, 347-362.		11
72	Usability Issues in Evidence-Based Psychosocial Interventions and Implementation Strategies: Cross-project Analysis. <i>Journal of Medical Internet Research</i> , 2022, 24, e37585.	2.1	11

#	ARTICLE	IF	CITATIONS
73	Personalizing behavioral interventions: the case of late-life depression. <i>Neuropsychiatry</i> , 2012, 2, 135-145.	0.4	10
74	Therapeutic relationship in the treatment of geriatric depression with executive dysfunction. <i>Journal of Affective Disorders</i> , 2017, 214, 130-137.	2.0	10
75	Digital Mental Health Intervention Plus Usual Care Compared With Usual Care Only and Usual Care Plus In-Person Psychological Counseling for Orthopedic Patients With Symptoms of Depression or Anxiety: Cohort Study. <i>JMIR Formative Research</i> , 2022, 6, e36203.	0.7	10
76	Perceived Utility and Characterization of Personal Google Search Histories to Detect Data Patterns Proximal to a Suicide Attempt in Individuals Who Previously Attempted Suicide: Pilot Cohort Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e27918.	2.1	8
77	Modifiable predictors of suicidal ideation during psychotherapy for late-life major depression. A machine learning approach. <i>Translational Psychiatry</i> , 2021, 11, 536.	2.4	8
78	Generational Perspectives on Technology's Role in Mental Health Care: A Survey of Adults With Lived Mental Health Experience. <i>Frontiers in Digital Health</i> , 2022, 4, 840169.	1.5	8
79	Making Psychotherapy Available in the United States: Implementation Challenges and Solutions. <i>Psychiatric Services</i> , 2021, 72, 222-224.	1.1	7
80	Protocol for a sequential, multiple assignment, randomised trial to test the effectiveness of message-based psychotherapy for depression compared with telepsychotherapy. <i>BMJ Open</i> , 2021, 11, e046958.	0.8	6
81	Sustained Adoption of an Evidence-Based Treatment: A Survey of Clinicians Certified in Problem-Solving Therapy. <i>Depression Research and Treatment</i> , 2012, 2012, 1-5.	0.7	4
82	Modernizing Training in Psychotherapy Competencies With Adaptive Learning Systems: Proof of Concept. <i>Research on Social Work Practice</i> , 2021, 31, 90-100.	1.1	4
83	Preventing depression in older people with multimorbidity: 24-month follow-up of a trial of internet-delivered cognitive behaviour therapy. <i>Age and Ageing</i> , 2021, 50, 2254-2258.	0.7	4
84	Choosing Treatment for Depression in Older Adults and Evaluating Response. <i>Clinics in Geriatric Medicine</i> , 2014, 30, 535-551.	1.0	3
85	Scientistâ€“practitioner training at the internship and postdoctoral level: Reflections over three decades.. <i>Training and Education in Professional Psychology</i> , 2015, 9, 105-112.	0.9	3
86	Refining Evidence-Based Treatments for Late-Life Depression. <i>GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry</i> , 2015, 28, 67-76.	0.2	3
87	Harnessing Innovative Technologies to Train Nurses in Suicide Safety Planning With Hospitalized Patients: Protocol for Formative and Pilot Feasibility Research. <i>JMIR Research Protocols</i> , 2021, 10, e33695.	0.5	2
88	Predictors of Disengagement and Symptom Improvement Among Adults With Depression Enrolled in Talkspace, a Technology-Mediated Psychotherapy Platform: Naturalistic Observational Study. <i>JMIR Formative Research</i> , 2022, 6, e36521.	0.7	2
89	Balancing Access to Medications and Psychosocial Treatments. , 2020, , 101-128.		1
90	Development of Human-Out-of-the-Loop Participant Recruitment, Data Collection, Data Handling, and Participant Management System. <i>Proceedings of the Human Factors and Ergonomics Society</i> , 2020, 64, 1770-1774.	0.2	1

#	ARTICLE	IF	CITATIONS
91	A low-intensity behavioral intervention for depression in older adults delivered by lay coaches: proof-of-concept trial. <i>Aging and Mental Health</i> , 0, , 1-8.	1.5	1
92	ENGAGEMENT IN SOCIALLY REWARDING ACTIVITIES AS A PREDICTOR OF OUTCOME IN BEHAVIORAL ACTIVATION THERAPY FOR LATE LIFE DEPRESSION. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, S122-S123.	0.6	0
93	A-148 Executive Dysfunction in Late-Life Depression: Changes and Relationship to Treatment Response in a Clinical Trial. <i>Archives of Clinical Neuropsychology</i> , 2021, 36, 1202-1202.	0.3	0
94	Epidemiology of selected mental disorders in later life. , 2020, , 7-22.		0
95	Collaboratively maximizing the impact of human-centered design in psychological and implementation science: Reply to Proctor et al. (2021).. <i>American Psychologist</i> , 2021, 76, 1189-1190.	3.8	0
96	Using Real-world Data for Decision Support: Recommendations from a Primary Care Provider Survey. , 2021, 25, 1-1.		0