
Patricia A Arean

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/464994/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Generational Perspectives on Technology's Role in Mental Health Care: A Survey of Adults With Lived Mental Health Experience. Frontiers in Digital Health, 2022, 4, 840169. | 2.8 | 8 |
| 2 | A Digital Mental Health Intervention in an Orthopedic Setting for Patients With Symptoms of Depression and/or Anxiety: Feasibility Prospective Cohort Study. JMIR Formative Research, 2022, 6, e34889. | 1.4 | 26 |
| 3 | Digital Mental Health Intervention Plus Usual Care Compared With Usual Care Only and Usual Care Plus In-Person Psychological Counseling for Orthopedic Patients With Symptoms of Depression or Anxiety: Cohort Study. JMIR Formative Research, 2022, 6, e36203. | 1.4 | 10 |
| 4 | Usability Issues in Evidence-Based Psychosocial Interventions and Implementation Strategies: Cross-project Analysis. Journal of Medical Internet Research, 2022, 24, e37585. | 4.3 | 11 |
| 5 | Predictors of Disengagement and Symptom Improvement Among Adults With Depression Enrolled in Talkspace, a Technology-Mediated Psychotherapy Platform: Naturalistic Observational Study. JMIR Formative Research, 2022, 6, e36521. | 1.4 | 2 |
| 6 | Modifiable predictors of nonresponse to psychotherapies for late-life depression with executive dysfunction: a machine learning approach. Molecular Psychiatry, 2021, 26, 5190-5198. | 7.9 | 17 |
| 7 | Making Psychotherapy Available in the United States: Implementation Challenges and Solutions. Psychiatric Services, 2021, 72, 222-224. | 2.0 | 7 |
| 8 | Modernizing Training in Psychotherapy Competencies With Adaptive Learning Systems: Proof of Concept. Research on Social Work Practice, 2021, 31, 90-100. | 1.9 | 4 |
| 9 | Association Between Care Utilization and Anxiety Outcomes in an On-Demand Mental Health System: Retrospective Observational Study. JMIR Formative Research, 2021, 5, e24662. | 1.4 | 14 |
| 10 | Assessing the usability of complex psychosocial interventions: The Intervention Usability Scale. Implementation Research and Practice, 2021, 2, 263348952098782. | 1.9 | 21 |
| 11 | A digital intervention targeting cognitive control network dysfunction in middle age and older adults with major depression. Translational Psychiatry, 2021, 11, 269. | 4.8 | 16 |
| 12 | Perceived Utility and Characterization of Personal Google Search Histories to Detect Data Patterns Proximal to a Suicide Attempt in Individuals Who Previously Attempted Suicide: Pilot Cohort Study. Journal of Medical Internet Research, 2021, 23, e27918. | 4.3 | 8 |
| 13 | Banbury Forum Consensus Statement on the Path Forward for Digital Mental Health Treatment. Psychiatric Services, 2021, 72, 677-683. | 2.0 | 65 |
| 14 | Behavioral Activation and Depression Symptomatology: Longitudinal Assessment of Linguistic Indicators in Text-Based Therapy Sessions. Journal of Medical Internet Research, 2021, 23, e28244. | 4.3 | 19 |
| 15 | Preventing depression in older people with multimorbidity: 24-month follow-up of a trial of internet-delivered cognitive behaviour therapy. Age and Ageing, 2021, 50, 2254-2258. | 1.6 | 4 |
| 16 | A-148 Executive Dysfunction in Late-Life Depression: Changes and Relationship to Treatment Response in a Clinical Trial. Archives of Clinical Neuropsychology, 2021, 36, 1202-1202. | 0.5 | 0 |
| 17 | Mental Health and the Perceived Usability of Digital Mental Health Tools Among Essential Workers and People Unemployed Due to COVID-19: Cross-sectional Survey Study. JMIR Mental Health, 2021, 8, e28360. | 3.3 | 13 |
| 18 | A Pilot Randomized Trial of Engage Psychotherapy to Increase Social Connection and Reduce Suicide Risk in Later Life, American Journal of Geriatric Psychiatry, 2021, 29, 789-800. | 1.2 | 15 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Toward a Mobile Platform for Real-world Digital Measurement of Depression: User-Centered Design, Data Quality, and Behavioral and Clinical Modeling. JMIR Mental Health, 2021, 8, e27589. | 3.3 | 29 |
| 20 | Understanding Psychological Distress and Protective Factors Amongst Older Adults During the COVID-19 Pandemic. American Journal of Geriatric Psychiatry, 2021, 29, 881-894. | 1.2 | 30 |
| 21 | Harnessing Innovative Technologies to Train Nurses in Suicide Safety Planning With Hospitalized Patients: Protocol for Formative and Pilot Feasibility Research. JMIR Research Protocols, 2021, 10, e33695. | 1.0 | 2 |
| 22 | Modifiable predictors of suicidal ideation during psychotherapy for late-life major depression. A machine learning approach. Translational Psychiatry, 2021, 11, 536. | 4.8 | 8 |
| 23 | Collaboratively maximizing the impact of human-centered design in psychological and implementation science: Reply to Proctor et al. (2021) American Psychologist, 2021, 76, 1189-1190. | 4.2 | 0 |
| 24 | Protocol for a sequential, multiple assignment, randomised trial to test the effectiveness of message-based psychotherapy for depression compared with telepsychotherapy. BMJ Open, 2021, 11, e046958. | 1.9 | 6 |
| 25 | Using Real-world Data for Decision Support: Recommendations from a Primary Care Provider Survey. , 2021, 25, 1-1. | | 0 |
| 26 | Balancing Access to Medications and Psychosocial Treatments. , 2020, , 101-128. | | 1 |
| 27 | A randomized controlled trial of internet-delivered cognitive behaviour therapy to prevent the development of depressive disorders in older adults with multimorbidity. Journal of Affective Disorders, 2020, 264, 464-473. | 4.1 | 23 |
| 28 | Assessment of Real-World Use of Behavioral Health Mobile Applications by a Novel Stickiness Metric. JAMA Network Open, 2020, 3, e2011978. | 5.9 | 23 |
| 29 | Comparing the streamlined psychotherapy "Engage―with problem-solving therapy in late-life major depression. A randomized clinical trial. Molecular Psychiatry, 2020, 26, 5180-5189. | 7.9 | 29 |
| 30 | Resting State Functional Connectivity and Outcomes of Psychotherapies for Late-Life Depression. American Journal of Geriatric Psychiatry, 2020, 28, 859-868. | 1.2 | 15 |
| 31 | Leveraging human-centered design to implement modern psychological science: Return on an early investment American Psychologist, 2020, 75, 1067-1079. | 4.2 | 56 |
| 32 | Understanding Participant Needs for Engagement and Attitudes towards Passive Sensing in Remote Digital Health Studies. , 2020, 2020, 347-362. | | 11 |
| 33 | Development of Human-Out-of-the-Loop Participant Recruitment, Data Collection, Data Handling, and Participant Management System. Proceedings of the Human Factors and Ergonomics Society, 2020, 64, 1770-1774. | 0.3 | 1 |
| 34 | Epidemiology of selected mental disorders in later life. , 2020, , 7-22. | | 0 |
| 35 | The accuracy of passive phone sensors in predicting daily mood. Depression and Anxiety, 2019, 36, 72-81. | 4.1 | 80 |
| 36 | By the numbers: ratings and utilization of behavioral health mobile applications. Npj Digital Medicine, 2019, 2, 54. | 10.9 | 141 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 37 | ENGAGEMENT IN SOCIALLY REWARDING ACTIVITIES AS A PREDICTOR OF OUTCOME IN BEHAVIORAL ACTIVATION THERAPY FOR LATE LIFE DEPRESSION. American Journal of Geriatric Psychiatry, 2019, 27, S122-S123. | 1.2 | 0 |
| 38 | Preference for in-person psychotherapy versus digital psychotherapy options for depression: survey of adults in the U.S. Npj Digital Medicine, 2019, 2, 6. | 10.9 | 83 |
| 39 | A Future Research Agenda for Digital Geriatric Mental Healthcare. American Journal of Geriatric Psychiatry, 2019, 27, 1277-1285. | 1.2 | 27 |
| 40 | Contemporary Views of Research Participant Willingness to Participate and Share Digital Data in Biomedical Research. JAMA Network Open, 2019, 2, e1915717. | 5.9 | 26 |
| 41 | Towards a consensus around standards for smartphone apps andÂdigital mental health. World Psychiatry, 2019, 18, 97-98. | 10.4 | 237 |
| 42 | Engagement in Socially and Interpersonally Rewarding Activities as a Predictor of Outcome in "Engage―Behavioral Activation Therapy for Late-Life Depression. American Journal of Geriatric Psychiatry, 2019, 27, 571-578. | 1.2 | 76 |
| 43 | Use of Human-Centered Design to Improve Implementation of Evidence-Based Psychotherapies in Low-Resource Communities: Protocol for Studies Applying a Framework to Assess Usability. JMIR Research Protocols, 2019, 8, e14990. | 1.0 | 87 |
| 44 | Smartphone-based passive assessment of mobility in depression: Challenges and opportunities. Mental Health and Physical Activity, 2018, 14, 136-139. | 1.8 | 19 |
| 45 | Comparing Approaches to Mobile Depression Assessment for Measurement-Based Care: Prospective Study. Journal of Medical Internet Research, 2018, 20, e10001. | 4.3 | 16 |
| 46 | Using Mobile Apps to Assess and Treat Depression in Hispanic and Latino Populations: Fully Remote Randomized Clinical Trial. Journal of Medical Internet Research, 2018, 20, e10130. | 4.3 | 82 |
| 47 | Improving late life depression and cognitive control through the use of therapeutic video game technology: A proof-of-concept randomized trial. Depression and Anxiety, 2017, 34, 508-517. | 4.1 | 79 |
| 48 | Therapeutic relationship in the treatment of geriatric depression with executive dysfunction. Journal of Affective Disorders, 2017, 214, 130-137. | 4.1 | 10 |
| 49 | "Engage―therapy: Prediction of change of late-life major depression. Journal of Affective Disorders, 2017, 221, 192-197. | 4.1 | 21 |
| 50 | Psychosocial Treatment Options for Major Depressive Disorder in Older Adults. Current Treatment Options in Psychiatry, 2017, 4, 1-12. | 1.9 | 28 |
| 51 | Conducting a fully mobile and randomised clinical trial for depression: access, engagement and expense. BMJ Innovations, 2016, 2, 14-21. | 1.7 | 148 |
| 52 | Rethinking funding priorities in mental health research. British Journal of Psychiatry, 2016, 208, 507-509. | 2.8 | 39 |
| 53 | "Engage―Therapy: Behavioral Activation and Improvement of Late-Life Major Depression. American Journal of Geriatric Psychiatry, 2016, 24, 320-326. | 1.2 | 60 |
| 54 | Problem-Solving Therapy Reduces Suicidal Ideation In Depressed Older Adults with Executive Dysfunction. American Journal of Geriatric Psychiatry, 2016, 24, 11-17. | 1.2 | 75 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Clinical Case Management versus Case Management with Problem-Solving Therapy in Low-Income, Disabled Elders with Major Depression: A Randomized Clinical Trial. American Journal of Geriatric Psychiatry, 2016, 24, 50-59. | 1.2 | 27 |
| 56 | The Use and Effectiveness of Mobile Apps for Depression: Results From a Fully Remote Clinical Trial. Journal of Medical Internet Research, 2016, 18, e330. | 4.3 | 282 |
| 57 | Mobile technology for mental health assessment. Dialogues in Clinical Neuroscience, 2016, 18, 163-169. | 3.7 | 77 |
| 58 | Scientist–practitioner training at the internship and postdoctoral level: Reflections over three decades Training and Education in Professional Psychology, 2015, 9, 105-112. | 1.2 | 3 |
| 59 | Depression Treatment Uptake in Integrated Primary Care: How a "Warm Handoff―and Other Factors Affect Decision Making by Latinos. Psychiatric Services, 2015, 66, 824-830. | 2.0 | 38 |
| 60 | Effects of Problem-Solving Therapy and Clinical Case Management on Disability in Low-Income Older Adults. American Journal of Geriatric Psychiatry, 2015, 23, 1307-1314. | 1.2 | 19 |
| 61 | Comparing Engage with PST in Late-Life Major Depression: A Preliminary Report. American Journal of Geriatric Psychiatry, 2015, 23, 506-513. | 1.2 | 43 |
| 62 | Causal and bidirectional linkages over time between depression and diabetes regimen distress in adults with type 2 diabetes. Diabetes Research and Clinical Practice, 2015, 108, 360-366. | 2.8 | 21 |
| 63 | Refining Evidence-Based Treatments for Late-Life Depression. GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry, 2015, 28, 67-76. | 0.5 | 3 |
| 64 | Reductions in Regimen Distress Are Associated With Improved Management and Glycemic Control Over Time. Diabetes Care, 2014, 37, 617-624. | 8.6 | 81 |
| 65 | Association of Age at Depression Onset with Cognitive Functioning in Individuals with Late-Life Depression and Executive Dysfunction. American Journal of Geriatric Psychiatry, 2014, 22, 1633-1641. | 1.2 | 48 |
| 66 | Cognitive Outcomes After Psychotherapeutic Interventions for Major Depression in Older Adults with Executive Dysfunction. American Journal of Geriatric Psychiatry, 2014, 22, 1496-1503. | 1.2 | 40 |
| 67 | Development of Clinical Practice Guidelines. Annual Review of Clinical Psychology, 2014, 10, 213-241. | 12.3 | 69 |
| 68 | Choosing Treatment for Depression in Older Adults and Evaluating Response. Clinics in Geriatric Medicine, 2014, 30, 535-551. | 2.6 | 3 |
| 69 | REDEEM: A Pragmatic Trial to Reduce Diabetes Distress. Diabetes Care, 2013, 36, 2551-2558. | 8.6 | 206 |
| 70 | Sustained Adoption of an Evidence-Based Treatment: A Survey of Clinicians Certified in Problem-Solving Therapy. Depression Research and Treatment, 2012, 2012, 1-5. | 1.3 | 4 |
| 71 | Low Use of Mental Health Services Among Older Americans With Mood and Anxiety Disorders. Psychiatric Services, 2012, 63, 66-72. | 2.0 | 150 |
| 72 | Implementing Evidence-Based Psychotherapies in Settings Serving Older Adults: Challenges and Solutions. Psychiatric Services, 2012, 63, 605-607. | 2.0 | 32 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Personalizing behavioral interventions: the case of late-life depression. Neuropsychiatry, 2012, 2, 135-145. | 0.4 | 10 |

Problem-solving versus cognitive restructuring of medically ill seniors with depression (PROMISE-D) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50

| 75 | Psychosocial Interventions for Late-life Major Depression: Evidence-Based Treatments, Predictors of Treatment Outcomes, and Moderators of Treatment Effects. Psychiatric Clinics of North America, 2011, 34, 377-401. | 1.3 | 71 |
|----|---|------|-------|
| 76 | Problem-Solving Therapy and Supportive Therapy in Older Adults With Major Depression and Executive Dysfunction. Archives of General Psychiatry, 2011, 68, 33. | 12.3 | 176 |
| 77 | Treating depression in disabled, lowâ€income elderly: a conceptual model and recommendations for care. International Journal of Geriatric Psychiatry, 2010, 25, 765-769. | 2.7 | 45 |
| 78 | Problem-Solving Therapy and Supportive Therapy in Older Adults With Major Depression and Executive Dysfunction. American Journal of Psychiatry, 2010, 167, 1391-1398. | 7.2 | 223 |
| 79 | Problem solving therapy for the depressionâ€executive dysfunction syndrome of late life. International Journal of Geriatric Psychiatry, 2008, 23, 782-788. | 2.7 | 69 |
| 80 | Service Use and Outcomes Among Elderly Persons With Low Incomes Being Treated for Depression. Psychiatric Services, 2007, 58, 1057-1064. | 2.0 | 42 |
| 81 | Low-income depressed older adults with psychiatric comorbidity: secondary analyses of response to psychotherapy and case management. International Journal of Geriatric Psychiatry, 2007, 22, 124-130. | 2.7 | 28 |
| 82 | Depression Treatment Preferences in Older Primary Care Patients. Gerontologist, The, 2006, 46, 14-22. | 3.9 | 260 |
| 83 | Improving Depression Care for Older, Minority Patients in Primary Care. Medical Care, 2005, 43, 381-390. | 2.4 | 197 |
| 84 | Treatment of depression in low-income older adults Psychology and Aging, 2005, 20, 601-609. | 1.6 | 73 |
| 85 | The Impact of Psychosocial Factors on Late-Life Depression. Biological Psychiatry, 2005, 58, 277-282. | 1.3 | 64 |
| 86 | Improving Access to Geriatric Mental Health Services: A Randomized Trial Comparing Treatment Engagement With Integrated Versus Enhanced Referral Care for Depression, Anxiety, and At-Risk Alcohol Use. American Journal of Psychiatry, 2004, 161, 1455-1462. | 7.2 | 366 |
| 87 | Guidelines for Conducting Geropsychotherapy Research. American Journal of Geriatric Psychiatry, 2003, 11, 9-16. | 1.2 | 15 |
| 88 | Recruitment and Retention of Older Minorities in Mental Health Services Research. Gerontologist, The, 2003, 43, 36-44. | 3.9 | 134 |
| 89 | The Role of Provider Attitudes in Prescribing Antidepressants to Older Adults: Leverage Points for Effective Provider Education. International Journal of Psychiatry in Medicine, 2003, 33, 241-256. | 1.8 | 17 |
| 90 | Collaborative Care Management of Late-Life Depression in the Primary Care Setting. JAMA - Journal of the American Medical Association, 2002, 288, 2836. | 7.4 | 2,031 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Would Older Medical Patients Use Psychological Services?. Gerontologist, The, 2002, 42, 392-398. | 3.9 | 99 |
| 92 | Psychotherapy and combined psychotherapy/pharmacotherapy for late life depression. Biological Psychiatry, 2002, 52, 293-303. | 1.3 | 132 |
| 93 | Treating Depression in Older Medical Patients with Psychotherapy. Journal of Clinical Geropsychology, 2001, 7, 93-104. | 0.7 | 42 |
| 94 | Physicians Are Less Willing to Treat Suicidal Ideation in Older Patients. Journal of the American Geriatrics Society, 2000, 48, 188-192. | 2.6 | 114 |
| 95 | Comparative effectiveness of social problem-solving therapy and reminiscence therapy as treatments for depression in older adults Journal of Consulting and Clinical Psychology, 1993, 61, 1003-1010. | 2.0 | 273 |
| 96 | A low-intensity behavioral intervention for depression in older adults delivered by lay coaches: proof-of-concept trial. Aging and Mental Health, 0, , 1-8. | 2.8 | 1 |