

Khalijah Awang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/465012/publications.pdf>

Version: 2024-02-01

283
papers

5,901
citations

87888

38
h-index

149698

56
g-index

301
all docs

301
docs citations

301
times ranked

6967
citing authors

#	ARTICLE	IF	CITATIONS
1	Giganteone A and malabaricone C as potential pharmacotherapy for diabetes mellitus. <i>Natural Product Research</i> , 2022, 36, 1581-1586.	1.8	4
2	Cytotoxic constituent of <i>Melicope latifolia</i> (DC.) T. G. Hartley. <i>Natural Product Research</i> , 2022, 36, 1416-1424.	1.8	1
3	Topical Administration Effect of <i>Sargassum duplicatum</i> and <i>Garcinia mangostana</i> Extracts Combination on Open Wound Healing Process in Diabetic Mice. <i>Scientifica</i> , 2022, 2022, 1-7.	1.7	8
4	Analgesic, anti-inflammatory and NF- κ B inhibitory activity of aerial parts of <i>Cestrum diurnum</i> . <i>Clinical Phytoscience</i> , 2022, 8, .	1.6	3
5	Natural Products for Cancer Therapy: A Review of Their Mechanism of Actions and Toxicity in the Past Decade. <i>Journal of Tropical Medicine</i> , 2022, 2022, 1-20.	1.7	27
6	A new antiplasmodial sterol from Indonesian marine sponge, <i>Xestospongia</i> sp. <i>Natural Product Research</i> , 2021, 35, 937-944.	1.8	15
7	$\hat{\alpha}$ -Amylase and dipeptidyl peptidase-4 (DPP-4) inhibitory effects of <i>Melicope latifolia</i> bark extracts and identification of bioactive constituents using <i>in vitro</i> and <i>in silico</i> approaches. <i>Pharmaceutical Biology</i> , 2021, 59, 962-971.	2.9	11
8	Alkyl-Resorcinol Derivatives as Inhibitors of GDP-Mannose Pyrophosphorylase with Antileishmanial Activities. <i>Molecules</i> , 2021, 26, 1551.	3.8	5
9	Wound Healing and Antioxidant Evaluations of Alginate from <i>Sargassum ilicifolium</i> and Mangosteen Rind Combination Extracts on Diabetic Mice Model. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4651.	2.5	10
10	Cyclic Polyketides with $\hat{\alpha}$ -Glucosidase Inhibitory Activity from <i>Endiandra kingiana</i> Gamble and Molecular Docking Study. <i>Records of Natural Products</i> , 2021, 15, 414-419.	1.3	1
11	Oxygen radical antioxidant capacity (ORAC) and antibacterial properties of <i>Melicope glabra</i> bark extracts and isolated compounds. <i>PLoS ONE</i> , 2021, 16, e0251534.	2.5	16
12	Phytochemical constituents from <i>Neolamarckia cadamba</i> (Roxb.) Bosser. <i>Biochemical Systematics and Ecology</i> , 2021, 96, 104257.	1.3	0
13	Synthesis, Biological Evaluation of ortho-Carboxamidostilbenes as Potential Inhibitors of Hyperglycemic Enzymes, and Molecular Docking Study. <i>Journal of Molecular Structure</i> , 2021, 1245, 131007.	3.6	3
14	$\hat{\beta}$ -Glucuronidase inhibitors from Malaysian plants. <i>Journal of Molecular Structure</i> , 2020, 1221, 128743.	3.6	7
15	Characterization of Alginate from <i>Sargassum duplicatum</i> and the Antioxidant Effect of Alginate-Okra Fruit Extracts Combination for Wound Healing on Diabetic Mice. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 6082.	2.5	12
16	A New Coumarin from the Bark of <i>Cryptocarya bracteolata</i> . <i>Chemistry of Natural Compounds</i> , 2020, 56, 803-805.	0.8	2
17	Targeting MHC Regulation Using Polycyclic Polyprenylated Acylphloroglucinols Isolated from <i>Garcinia bancana</i> . <i>Biomolecules</i> , 2020, 10, 1266.	4.0	10
18	Phytochemical constituents from the stem barks of <i>Goniotalamus tapis</i> Miq. <i>Biochemical Systematics and Ecology</i> , 2020, 93, 104185.	1.3	0

#	ARTICLE	IF	CITATIONS
19	Cytotoxic triterpenoids from the stem bark of <i>Aglaia angustifolia</i> . <i>Journal of Asian Natural Products Research</i> , 2020, 23, 1-8.	1.4	3
20	Pro-apoptotic carboxamide analogues of natural fislatifolic acid targeting Mcl-1 and Bcl-2. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 127003.	2.2	2
21	(22E,24S)-24-Propylcholest-5en-3 β -acetate: A New Steroid from the Stembark <i>Aglaia angustifolia</i> (Miq.) (Meliaceae). <i>MolBank</i> , 2020, 2020, M1112.	0.5	3
22	In vitro anti-hyperglycemic, antioxidant activities and intestinal glucose uptake evaluation of <i>Endiandra kingiana</i> extracts. <i>Biocatalysis and Agricultural Biotechnology</i> , 2020, 25, 101594.	3.1	7
23	Green synthesis of silver nanoparticles from <i>Catharanthus roseus</i> dried bark extract deposited on graphene oxide for effective adsorption of methylene blue dye. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 103955.	6.7	55
24	Corrosion inhibition on mild steel in 1 M HCl solution by <i>Cryptocarya nigra</i> extracts and three of its constituents (alkaloids). <i>RSC Advances</i> , 2020, 10, 6547-6562.	3.6	76
25	High-Performance Liquid Chromatography Quadrupole Time-of-Flight Mass Spectrometry (HPLC-QTOFMS) Analysis on the Ethanol:Water (80:20) Extract of <i>Lawsonia inermis</i> Leaves. <i>Sains Malaysiana</i> , 2020, 49, 1597-1613.	0.5	3
26	A Novel Therapeutic effects of <i>Sargassum ilicifolium</i> Alginate and Okra (<i>Abelmoschus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 Pharmacy and Technology, 2020, 13, 2764.	0.8	24
27	Essential Oil Constituents of <i>Alpinia scabra</i> and <i>Alpinia murdochii</i> , Two Wild Highland Species from Peninsular Malaysia and Their Anti-Microbial Activity. <i>Sains Malaysiana</i> , 2020, 49, 43-48.	0.5	2
28	Conformational Analysis of Diterpene Lactone Andrographolide towards Reestablishment of Its Absolute Configuration via Theoretical and Experimental ECD and VCD Methods. <i>Indonesian Journal of Chemistry</i> , 2020, 21, 148.	0.8	1
29	Chemicals Constituents Isolated from Cultivate <i>Alpinia conchigera</i> Griff. and Antimicrobial Activity. <i>Tropical Life Sciences Research</i> , 2020, 31, 159-178.	0.9	3
30	Synthesis of 1 β -acetoxychavicol acetate (ACA) analogues and their inhibitory activities against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Journal of Physical Science</i> , 2020, 31, 101-111.	0.9	0
31	Isolation of antioxidative compounds from <i>Micromelum minutum</i> guided by preparative thin layer chromatography-2,2-diphenyl-1-picrylhydrazyl (PTLC-DPPH) bioautography method. <i>Food Chemistry</i> , 2019, 272, 185-191.	8.2	28
32	Goniolanceolatins A-H, Cytotoxic Bis-styryllactones from <i>Goniothalamus lanceolatus</i> . <i>Journal of Natural Products</i> , 2019, 82, 2430-2442.	3.0	11
33	Malabaricone C as Natural Sphingomyelin Synthase Inhibitor against Diet-Induced Obesity and Its Lipid Metabolism in Mice. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 1154-1158.	2.8	15
34	Anti-Cancer Effects of Synergistic Drug-Bacterium Combinations on Induced Breast Cancer in BALB/c Mice. <i>Biomolecules</i> , 2019, 9, 626.	4.0	3
35	Absolute Configuration of Alkaloids from <i>Uncaria longiflora</i> through Experimental and Computational Approaches. <i>Journal of Natural Products</i> , 2019, 82, 2933-2940.	3.0	3
36	Mosquito larvicidal limonoids from the fruits of <i>Chisocheton erythrocarpus</i> Hiern. <i>Phytochemistry Letters</i> , 2019, 30, 69-73.	1.2	14

#	ARTICLE	IF	CITATIONS
37	Triterpenoids from the Bark of <i>Aglaia glabrata</i> and their In vitro Effects on P-388 Murine Leukemia Cells. <i>Oriental Journal of Chemistry</i> , 2019, 35, 134-139.	0.3	4
38	Molecular Insight and Mode of Inhibition of α -Glucosidase and α -Amylase by Pahangensin A from <i>Alpinia pahangensis</i> Ridl. <i>Chemistry and Biodiversity</i> , 2019, 16, e1900032.	2.1	11
39	Collected mass spectrometry data on monoterpene indole alkaloids from natural product chemistry research. <i>Scientific Data</i> , 2019, 6, 15.	5.3	37
40	1,1,4,7-Tetramethyldecahydro-1H-cyclopropa[e]azulen-7-ol from the Stembark <i>Chisocheton pentandrus</i> . <i>MolBank</i> , 2019, 2019, M1092.	0.5	1
41	Comparative evaluations of antioxidant potentials of <i>Dryobalanops aromatica</i> tree bark extracts as green corrosion inhibitors of mild steel in hydrochloric acid. <i>Materials Research Express</i> , 2019, 6, 1265c4.	1.6	4
42	Chemical Constituents From <i>Endiandra kingiana</i> (Lauraceae) as Potential Inhibitors for Dengue Type 2 NS2B/NS3 Serine Protease and its Molecular Docking. <i>Natural Product Communications</i> , 2019, 14, 1934578X1986101.	0.5	7
43	Two New isoquinoline alkaloids from the bark of <i>Alphonsea cylindrica</i> King and their antioxidant activity. <i>Phytochemistry Letters</i> , 2019, 29, 110-114.	1.2	16
44	Chemical constituents and nitric oxide inhibitory activity of supercritical carbon dioxide extracts from <i>Mitragyna speciosa</i> leaves. <i>Arabian Journal of Chemistry</i> , 2019, 12, 350-359.	4.9	8
45	STUDENTS' PERCEPTION OF LEARNING STEM-RELATED SUBJECTS THROUGH SCIENTIST-TEACHER-STUDENT PARTNERSHIP (STSP). <i>Journal of Baltic Science Education</i> , 2019, 18, 537-548.	1.0	9
46	Oxoaporphine alkaloids from the barks of <i>Platymitra siamensis</i> Craib (Annonaceae) and their cytotoxicity against MCF-7 cancer cell line. <i>Journal of Research in Pharmacy</i> , 2019, 23, 217-223.	0.2	1
47	Pahangine A and B, two new oxetane containing neolignans from the barks of <i>Beilschmiedia glabra</i> Kosterm (Lauraceae). <i>Phytochemistry Letters</i> , 2018, 25, 22-26.	1.2	5
48	Phenylpropanoids isolated from <i>Piper sarmentosum</i> Roxb. induce apoptosis in breast cancer cells through reactive oxygen species and mitochondrial-dependent pathways. <i>Chemico-Biological Interactions</i> , 2018, 279, 210-218.	4.0	30
49	Styryl Lactones from Roots and Barks of <i>Goniothalamus lanceolatus</i> . <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301.	0.5	4
50	Laevifins A-G, clerodane diterpenoids from the Bark of <i>Croton oblongus</i> Burm.f.. <i>Phytochemistry</i> , 2018, 156, 193-200.	2.9	7
51	^{13}C -NMR dereplication of <i>Garcinia</i> extracts: Predicted chemical shifts as reliable databases. <i>FASEB J</i> , 2018, 32, 59-64.	2.2	18
52	Cytotoxic Effects of Pinnatane A Extracted from <i>Walsura pinnata</i> (Meliaceae) on Human Liver Cancer Cells. <i>Molecules</i> , 2018, 23, 2733.	3.8	9
53	Inactivation of nuclear factor κ B by MIP-based drug combinations augments cell death of breast cancer cells. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 1053-1063.	4.3	7
54	Asymmetric Total Synthesis and Biological Evaluation of Proapoptotic Natural Myrcene-Derived Cyclohexenyl Chalcones. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 5830-5835.	2.4	4

#	ARTICLE	IF	CITATIONS
55	Resveratrol analogue, (E)-N-(2-(4-methoxystyryl) phenyl) furan-2-carboxamide induces G2/M cell cycle arrest through the activation of p53 and p21/CIP1/WAF1 in human colorectal HCT116 cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2018, 23, 329-342.	4.9	18
56	Acute and 28-day sub-acute intravenous toxicity studies of 1 TM -S-1 ^{€2} -acetoxychavicol acetate in rats. <i>Toxicology and Applied Pharmacology</i> , 2018, 356, 204-213.	2.8	16
57	New Cytotoxic Pregnane-type Steroid from the Stem Bark of <i>Aglaia elliptica</i> (Meliaceae). <i>Records of Natural Products</i> , 2018, 12, 121-127.	1.3	6
58	Cytotoxic constituents from the bark of <i>Chisocheton cumingianus</i> (Meliaceae). <i>Journal of Asian Natural Products Research</i> , 2017, 19, 194-200.	1.4	5
59	Induction of intrinsic apoptosis in leukaemia stem cells and in vivo zebrafish model by betulonic acid isolated from <i>Walsura pinnata</i> Hassk (Meliaceae). <i>Phytomedicine</i> , 2017, 26, 11-21.	5.3	17
60	Antidiabetic effects of <i>Brucea javanica</i> seeds in type 2 diabetic rats. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 94.	3.7	24
61	Limonoids from the Seeds of <i>Chisocheton macrophyllus</i> . <i>Chemistry of Natural Compounds</i> , 2017, 53, 83-87.	0.8	18
62	In vitro inhibitory mechanisms and molecular docking of 1 ^{€2} -S-1 ^{€2} -acetoxychavicol acetate on human cytochrome P450 enzymes. <i>Phytomedicine</i> , 2017, 31, 1-9.	5.3	12
63	Essential oils of aromatic Egyptian plants repel nymphs of the tick <i>Ixodes ricinus</i> (Acari: Ixodidae). <i>Experimental and Applied Acarology</i> , 2017, 73, 139-157.	1.6	33
64	Insecticidal activity and the mechanism of action of three phenylpropanoids isolated from the roots of <i>Piper sarmentosum</i> Roxb. <i>Scientific Reports</i> , 2017, 7, 12576.	3.3	26
65	Chemical Constituents and Evaluation of Cytotoxic Activities of <i>Curcuma zedoaria</i> (Christm.) Roscoe Oils from Malaysia and Indonesia. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2017, 20, 972-982.	1.9	7
66	Alkaloids from <i>Cryptocarya densiflora</i> Blume (Lauraceae) and their cholinesterase inhibitory activity. <i>Phytochemistry Letters</i> , 2017, 21, 230-236.	1.2	27
67	New cytotoxic protolimonoids from the stem bark of <i>Aglaia argentea</i> (Meliaceae). <i>Phytochemistry Letters</i> , 2017, 21, 211-215.	1.2	13
68	(+)- and (âˆ™)-Ecarlottones, Uncommon Chalconoids from <i>Fissistigma latifolium</i> with Pro-Apoptotic Activity. <i>Journal of Natural Products</i> , 2017, 80, 3179-3185.	3.0	13
69	Chemical composition and antioxidant properties of the essential oil of <i>Cinnamomum altissimum</i> Kosterm. (Lauraceae). <i>Arabian Journal of Chemistry</i> , 2017, 10, 131-135.	4.9	48
70	Chemical Constituents from <i>Walsura pinnata</i> (Meliaceae). <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.5	0
71	New Azafluorenone Derivative and Antibacterial Activities of <i>Alphonsea cylindrica</i> Barks. <i>Natural Product Sciences</i> , 2017, 23, 151.	0.9	9
72	The apoptotic effect of 1 TM -S-1 TM -Acetoxychavicol Acetate (ACA) enhanced by inhibition of non-canonical autophagy in human non-small cell lung cancer cells. <i>PLoS ONE</i> , 2017, 12, e0171329.	2.5	11

#	ARTICLE	IF	CITATIONS
73	Anti-proliferative, apoptotic induction, and anti-migration effects of hemi-synthetic 1′S-1′-acetoxychavicol acetate analogs on MDA-MB-231 breast cancer cells. <i>Drug Design, Development and Therapy</i> , 2017, Volume 11, 2763-2776.	4.3	11
74	Suppression of microRNA-629 enhances sensitivity of cervical cancer cells to 1′-S-1′-acetoxychavicol acetate via regulating RSU1. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 1695-1705.	2.0	25
75	<i>In vivo</i> Antiplasmodial and Toxicological Effects of <i>Goniothalamus lanceolatus</i> Crude Extracts. <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.5	2
76	Isomeric Polycyclic Polyprenylated Acylphloroglucinols from the Bark of <i>Mesua ferrea</i> (Clusiaceae). <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.5	1
77	Down-Regulation of MicroRNA-210 Confers Sensitivity towards 1&sup>TM</sup>-S-1&sup>TM</sup>-Acetoxychavicol Acetate (ACA) in Cervical Cancer Cells by Targeting SMAD4. <i>Molecules and Cells</i> , 2017, 40, 291-298.	2.6	32
78	New Phenyl Propanoids from <i>Cryptocarya bracteolata</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	1
79	Antioxidant Constituents from the Bark of <i>Aglaia eximia</i> (Meliaceae). <i>Makara Journal of Science</i> , 2016, 20, .	0.3	4
80	Quorum Sensing Inhibitory Activity of Giganteone A from <i>Myristica cinnamomea</i> King against <i>Escherichia coli</i> Biosensors. <i>Molecules</i> , 2016, 21, 391.	3.8	5
81	Hyaluronidase Inhibitory Activity of Pentacyclic Triterpenoids from <i>Prismatomeris tetrandra</i> (Roxb.) K. Schum: Isolation, Synthesis and QSAR Study. <i>International Journal of Molecular Sciences</i> , 2016, 17, 143.	4.1	19
82	Deoxyelephantopin from <i>Elephantopus scaber</i> Inhibits HCT116 Human Colorectal Carcinoma Cell Growth through Apoptosis and Cell Cycle Arrest. <i>Molecules</i> , 2016, 21, 385.	3.8	25
83	Inhibition and Larvicidal Activity of Phenylpropanoids from <i>Piper sarmentosum</i> on Acetylcholinesterase against Mosquito Vectors and Their Binding Mode of Interaction. <i>PLoS ONE</i> , 2016, 11, e0155265.	2.5	38
84	Geranylated 4-Phenylcoumarins Exhibit Anticancer Effects against Human Prostate Cancer Cells through Caspase-Independent Mechanism. <i>PLoS ONE</i> , 2016, 11, e0151472.	2.5	17
85	Natural cholinesterase inhibitors from <i>Myristica cinnamomea</i> King. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3785-3792.	2.2	20
86	<i>In vitro</i> antiplasmodial and antioxidant activities of bisbenzylisoquinoline alkaloids from <i>Alseodaphne corneri</i> Kosterm. <i>Asian Pacific Journal of Tropical Medicine</i> , 2016, 9, 328-332.	0.8	33
87	Acylphenols and dimeric acylphenols from <i>Myristica maxima</i> Warb. <i>F&A-terap&A-c</i> , 2016, 111, 12-17.	2.2	7
88	Ultraviolet-visible study on acid-base equilibria of aporphine alkaloids with antiplasmodial and antioxidant activities from <i>Alseodaphne corneri</i> and <i>Dehaasia longipedicellata</i> . <i>Scientific Reports</i> , 2016, 6, 21517.	3.3	18
89	Cholinesterase inhibitory activity of isoquinoline alkaloids from three <i>Cryptocarya</i> species (Lauraceae). <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 4464-4469.	3.0	42
90	Advances in Chemistry and Bioactivity of the Genus <i>Chisocheton</i> Blume. <i>Chemistry and Biodiversity</i> , 2016, 13, 483-503.	2.1	20

#	ARTICLE	IF	CITATIONS
91	Kingianins Oâ€‘Q: Pentacyclic polyketides from <i>Endiandra kingiana</i> as inhibitor of Mcl-1/Bid interaction. <i>FÃ-toterapÃ-Ãç</i> , 2016, 109, 190-195.	2.2	19
92	A New (â€‘)-5â€‘,6-dimethoxyisolariciresinol-(3â€‘,4â€‘-dimethoxy)-3<i>±</i>-<i>O</i>-<i>Î²</i>-<scp>D</scp>-glucopyranoside from the bark of <i>Aglaia eximia</i> (Meliaceae). <i>Natural Product Research</i> , 2016, 30, 2204-2208.	1.4	15
93	Anacardic Acids from <i>Knema hookeriana</i> as Modulators of Bcl-xL/Bak and Mcl-1/Bid Interactions. <i>Journal of Natural Products</i> , 2016, 79, 838-844.	3.0	27
94	A new aporphine alkaloid from the leaves of <i>Alseodaphne corneri</i> Kosterm (Lauraceae). <i>Tetrahedron Letters</i> , 2016, 57, 1537-1539.	1.4	6
95	A new coumarin from stem bark of <i>Mesua hexapetala</i> . <i>Natural Product Research</i> , 2016, 30, 1591-1597.	1.8	9
96	A potent alpha-glucosidase inhibitor from <i>Myristica cinnamomea</i> King. <i>Phytochemistry</i> , 2016, 122, 265-269.	2.9	36
97	Cycloart-24-ene-26-ol-3-one, a New Cycloartane Isolated from Leaves of <i>Aglaia exima</i> Triggers Tumour Necrosis Factor-Receptor 1-Mediated Caspase-Dependent Apoptosis in Colon Cancer Cell Line. <i>PLoS ONE</i> , 2016, 11, e0152652.	2.5	27
98	Ethnomedicinal survey of various communities residing in Garo Hills of Durgapur, Bangladesh. <i>Journal of Ethnobiology and Ethnomedicine</i> , 2015, 11, 44.	2.6	29
99	The chemopreventive potential of <i>Curcuma purpurascens</i> rhizome in reducing azoxymethane-induced aberrant crypt foci in rats. <i>Drug Design, Development and Therapy</i> , 2015, 9, 3911.	4.3	10
100	Flavonoid Compounds from the Bark of <i>Aglaia eximia</i> (Meliaceae). <i>Makara Journal of Science</i> , 2015, 19, .	0.3	3
101	<i>Curcuma purpurascens</i> Bl. rhizome accelerates rat excisional wound healing: involvement of Hsp70/Bax proteins, antioxidant defense, and angiogenesis activity. <i>Drug Design, Development and Therapy</i> , 2015, 9, 5805.	4.3	15
102	N-benzyl-(3E,5E)-3,5-bis(2-hydroxybenzylidene)-4-piperidone. <i>MolBank</i> , 2015, 2015, M852.	0.5	1
103	Antibacterial Labdane Diterpenoids from <i>Vitex vestita</i> . <i>Journal of Natural Products</i> , 2015, 78, 1348-1356.	3.0	21
104	Vindogentianine, a hypoglycemic alkaloid from <i>Catharanthus roseus</i> (L.) G. Don (Apocynaceae). <i>FÃ-toterapÃ-Ãç</i> , 2015, 102, 182-188.	2.2	59
105	Venuloxanthone, a new pyranoxanthone from the stem bark of <i>Calophyllum venulosum</i> . <i>Journal of Asian Natural Products Research</i> , 2015, 17, 1104-1108.	1.4	4
106	New bisamide compounds from the bark of <i>Aglaia eximia</i> (Meliaceae). <i>Phytochemistry Letters</i> , 2015, 13, 297-301.	1.2	18
107	Spectrofluorometric and Molecular Docking Studies on the Binding of Curcumenol and Curcumenone to Human Serum Albumin. <i>International Journal of Molecular Sciences</i> , 2015, 16, 5180-5193.	4.1	26
108	A Quantum Chemical and Statistical Study of Cytotoxic Activity of Compounds Isolated from <i>Curcuma zedoaria</i> . <i>International Journal of Molecular Sciences</i> , 2015, 16, 9450-9468.	4.1	11

#	ARTICLE	IF	CITATIONS
109	Isolation and cytotoxic investigation of new carbazole alkaloids from <i>Murraya koenigii</i> (Linn.) Spreng. <i>Tetrahedron</i> , 2015, 71, 3946-3953.	1.9	31
110	Inhibitory effect of <i>Curcuma purpurascens</i> Bl. rhizome on HT-29 colon cancer cells through mitochondrial-dependent apoptosis pathway. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 15.	3.7	25
111	Lepidotol A from <i>Mesua lepidota</i> Inhibits Inflammatory and Immune Mediators in Human Endothelial Cells. <i>Journal of Natural Products</i> , 2015, 78, 2187-2197.	3.0	18
112	Curcumenol isolated from <i>Curcuma zedoaria</i> suppresses Akt-mediated NF- κ B activation and p38 MAPK signaling pathway in LPS-stimulated BV-2 microglial cells. <i>Food and Function</i> , 2015, 6, 3550-3559.	4.6	61
113	Natural indole butyrylcholinesterase inhibitors from <i>Nauclea officinalis</i> . <i>Phytomedicine</i> , 2015, 22, 45-48.	5.3	37
114	Recombinant human alpha fetoprotein synergistically potentiates the anti-cancer effects of 1- β -S-acetoxychavicol acetate when used as a complex against human tumours harbouring AFP-receptors. <i>Oncotarget</i> , 2015, 6, 16151-16167.	1.8	18
115	Subditine, a New Monoterpenoid Indole Alkaloid from Bark of <i>Nauclea subdita</i> (Korth.) Steud. Induces Apoptosis in Human Prostate Cancer Cells. <i>PLoS ONE</i> , 2014, 9, e87286.	2.5	38
116	Essential Oil Composition and Antimicrobial Activities of Two Closely Related Species, <i>Alpinia mutica</i> Roxb. and <i>Alpinia latilabris</i> Ridl., from Peninsular Malaysia. <i>Scientific World Journal</i> , The, 2014, 2014, 1-6.	2.1	6
117	Essential Oil Content of the Rhizome of <i>Curcuma purpurascens</i> Bl. (<i>Temu Tis</i>) and Its Antiproliferative Effect on Selected Human Carcinoma Cell Lines. <i>Scientific World Journal</i> , The, 2014, 2014, 1-7.	2.1	24
118	Cytotoxic Constituents from the Rhizomes of <i>Curcuma zedoaria</i> . <i>Scientific World Journal</i> , The, 2014, 2014, 1-11.	2.1	36
119	Evaluation of Antidiabetic and Antioxidant Properties of <i>Brucea javanica</i> Seed. <i>Scientific World Journal</i> , The, 2014, 2014, 1-8.	2.1	30
120	Antinociceptive and Antioxidant Activity of <i>Zanthoxylum budrunga</i> Wall (Rutaceae) Seeds. <i>Scientific World Journal</i> , The, 2014, 2014, 1-7.	2.1	16
121	Kingianic Acids and Endiandric Acid Analogues from <i>Endiandra kingiana</i> . <i>Molecules</i> , 2014, 19, 1732-1747.	3.8	16
122	Central-stimulating and analgesic activity of the ethanolic extract of <i>Alternanthera sessilis</i> in mice. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 398.	3.7	28
123	3,5-Bis(2-hydroxybenzylidene)piperidin-4-one. <i>MolBank</i> , 2014, 2014, M825.	0.5	3
124	Antiplasmodial and Antioxidant Isoquinoline Alkaloids from <i>Dehaasia longipedicellata</i> . <i>Planta Medica</i> , 2014, 80, 599-603.	1.3	32
125	Evaluation of acute toxicity and gastroprotective activity of <i>curcuma purpurascens</i> Bl. rhizome against ethanol-induced gastric mucosal injury in rats. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 378.	3.7	31
126	Cytotoxic activity of <i>Alpinia murdochii</i> Ridl.: A mountain ginger species from Peninsular Malaysia. <i>Pharmacognosy Magazine</i> , 2014, 10, 70.	0.6	4

#	ARTICLE	IF	CITATIONS
127	An ethnobotanical study of medicinal plants used by tribal and native people of Madhupur forest area, Bangladesh. <i>Journal of Ethnopharmacology</i> , 2014, 151, 921-930.	4.1	103
128	Green synthesis of silver nanoparticles using tannins. <i>Materials Science-Poland</i> , 2014, 32, 408-413.	1.0	23
129	A novel heptacyclic diterpene from <i>Alpinia pahangensis</i> Ridley, a wild ginger endemic to Malaysia. <i>Tetrahedron Letters</i> , 2014, 55, 6163-6166.	1.4	4
130	Acridone Alkaloids from <i>Glycosmis chlorosperma</i> as DYRK1A Inhibitors. <i>Journal of Natural Products</i> , 2014, 77, 1117-1122.	3.0	51
131	Cytotoxic constituents from the bark of <i>Aglaia eximia</i> (Meliaceae). <i>Phytochemistry Letters</i> , 2014, 8, 28-31.	1.2	23
132	Synthesis, Crystal Structure, DFT Studies and Evaluation of the Antioxidant Activity of 3,4-Dimethoxybenzenamine Schiff Bases. <i>Molecules</i> , 2014, 19, 8414-8433.	3.8	38
133	Evaluation of Green Corrosion Inhibition by Alkaloid Extracts of <i>Ochrosia oppositifolia</i> and Isoreserpiline against Mild Steel in 1 M HCl Medium. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 10582-10593.	3.7	111
134	Antimicrobial compounds from <i>Alpinia conchigera</i> . <i>Journal of Ethnopharmacology</i> , 2013, 145, 798-802.	4.1	29
135	Antioxidant activity-guided separation of coumarins and lignan from <i>Melicope glabra</i> (Rutaceae). <i>Food Chemistry</i> , 2013, 139, 87-92.	8.2	71
136	Extra virgin olive oil potentiates the effects of aromatase inhibitors via glutathione depletion in estrogen receptor-positive human breast cancer (MCF-7) cells. <i>Food and Chemical Toxicology</i> , 2013, 62, 817-824.	3.6	13
137	Antioxidant and antibacterial activities of flavonoids and curcuminoids from <i>Zingiber spectabile</i> Griff.. <i>Food Control</i> , 2013, 30, 714-720.	5.5	48
138	Neolamarckia cadamba alkaloids as eco-friendly corrosion inhibitors for mild steel in 1M HCl media. <i>Corrosion Science</i> , 2013, 69, 292-301.	6.6	250
139	Pahangensin A and B, two new antibacterial diterpenes from the rhizomes of <i>Alpinia pahangensis</i> Ridley. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 6280-6285.	2.2	12
140	Indole Alkaloids of <i>Alstonia angustifolia</i> var. <i>latifolia</i> as Green Inhibitor for Mild Steel Corrosion in 1M HCl Media. <i>Journal of Materials Engineering and Performance</i> , 2013, 22, 1072-1078.	2.5	25
141	Alterations of MicroRNA Expression Patterns in Human Cervical Carcinoma Cells (Ca Ski) toward S-1-Acetoxychavicol Acetate and Cisplatin. <i>Reproductive Sciences</i> , 2013, 20, 567-578.	2.5	38
142	A New Bis-Labdanic Diterpene from the Rhizomes of <i>Alpinia pahangensis</i> . <i>Planta Medica</i> , 2013, 79, 1775-1780.	1.3	9
143	Antidiabetic and Antioxidant Properties of Alkaloids from <i>Catharanthus roseus</i> (L.) G. Don. <i>Molecules</i> , 2013, 18, 9770-9784.	3.8	176
144	Cytotoxic and Antioxidant Compounds from the Stem Bark of <i>Goniothalamus tapisoides</i> Mat Salleh. <i>Molecules</i> , 2013, 18, 128-139.	3.8	22

#	ARTICLE	IF	CITATIONS
145	Design, Synthesis and Cytotoxic Evaluation of o-Carboxamido Stilbene Analogues. International Journal of Molecular Sciences, 2013, 14, 23369-23389.	4.1	12
146	Antiplasmodial Alkaloids from the Bark of <i>Cryptocarya nigra</i> (Lauraceae). Molecules, 2013, 18, 8009-8017.	3.8	31
147	Cardiovascular Activity of Labdane Diterpenes from <i>Andrographis paniculata</i> in Isolated Rat Hearts. Journal of Biomedicine and Biotechnology, 2012, 2012, 1-5.	3.0	34
148	Mitigation of H ₂ O ₂ -Induced Mitochondrial-Mediated Apoptosis in NG108-15 Cells by Novel Mesuagenin C from <i>Mesua kunstleri</i> (King) Kosterm. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-18.	1.2	8
149	Gastroprotective Activity of <i>Polygonum chinense</i> Aqueous Leaf Extract on Ethanol-Induced Hemorrhagic Mucosal Lesions in Rats. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-9.	1.2	49
150	The Chemical Components of <i>Sesbania grandiflora</i> Root and Their Antituberculosis Activity. Pharmaceuticals, 2012, 5, 882-889.	3.8	41
151	Hydroxy- β -Sitosterol from <i>Chisocheton tomentosus</i> Induces Apoptosis via Dysregulation of Cellular Bax/Bcl-2 Ratio and Cell Cycle Arrest by Downregulating ERK1/2 Activation. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-10.	1.2	41
152	Neonaucline, a New Indole Alkaloid from the Leaves of <i>Ochreinauclea maingayii</i> (Hook. f.) Ridsd. (Rubiaceae). Molecules, 2012, 17, 267-274.	3.8	15
153	6-[(2E)-3,7-Dimethylocta-2,6-dien-1-yl]-5,7-dihydroxy-8-(2-methylbutanoyl)-4-phenyl-2H-chromen-2-one (1/1) from <i>Mesua elegans</i> . Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o939-o940.	0.2	2
154	(20S)-Dammar-24-ene-3 β ,20-diol monohydrate from the bark of <i>Aglaia exima</i> (Meliaceae). Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o2712-o2713.	0.2	0
155	Chisomicines D and E, Two New Limonoids from <i>Chisocheton ceramicus</i> . Heterocycles, 2012, 84, 1265.	0.7	11
156	Triterpenes and steroids from the leaves of <i>Aglaia exima</i> (Meliaceae). <i>Fä-toterapÄ-Äc</i> , 2012, 83, 1391-1395.	2.2	34
157	Malayanines A and B, two novel limonoids from <i>Chisocheton erythrocarpus</i> Hiern. Tetrahedron Letters, 2012, 53, 5355-5359.	1.4	13
158	1 β -Acetoxychavicol acetate inhibits growth of human oral carcinoma xenograft in mice and potentiates cisplatin effect via proinflammatory microenvironment alterations. BMC Complementary and Alternative Medicine, 2012, 12, 179.	3.7	24
159	Cytotoxic Prenylated Acetophenone Dimers from <i>Acronychia pedunculata</i> . Journal of Natural Products, 2012, 75, 1270-1276.	3.0	33
160	Cytotoxic triterpenoids from the bark of <i>Aglaia smithii</i> (Meliaceae). Phytochemistry Letters, 2012, 5, 496-499.	1.2	28
161	Naucline, a New Indole Alkaloid from the Bark of <i>Nauclea officinalis</i> . Molecules, 2012, 17, 4028-4036.	3.8	29
162	Vasorelaxant effect of isoquinoline derivatives from two species of <i>Popowia perakensis</i> and <i>Phaeanthus crassipetalus</i> on rat aortic artery. Journal of Natural Medicines, 2012, 66, 421-427.	2.3	18

#	ARTICLE	IF	CITATIONS
163	Anti-acetylcholinesterase, anti- α -glucosidase, anti-leishmanial and anti-fungal activities of chemical constituents of <i>Beilschmiedia</i> species. <i>FÅ-toterapÅ-Åç</i> , 2012, 83, 298-302.	2.2	65
164	Spectaflavoside A, a new potent iron chelating dimeric flavonol glycoside from the rhizomes of <i>Zingiber spectabile</i> Griff.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 3831-3836.	2.2	8
165	Bioguided fractionation and isolation of natural inhibitors of advanced glycation end-products (AGEs) from <i>Calophyllum flavoramulum</i> . <i>Phytochemistry</i> , 2012, 78, 98-106.	2.9	51
166	Enyne- and enediyne- β -lactones from the bark of <i>Meiogyne cylindrocarpa</i> . <i>Phytochemistry Letters</i> , 2012, 5, 29-32.	1.2	7
167	Whole-molecule disordered (E)-2-(1-hydroxy-3-phenylprop-2-en-1-ylidene)-4,5-dimethoxycyclopent-4-ene-1,3-dione isolated from <i>Lindera oxyphylla</i> (Lauraceae). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o1544-o1544.	0.2	1
168	Chisomicines A \sim C, Limonoids from <i>Chisocheton ceramicus</i> . <i>Journal of Natural Products</i> , 2011, 74, 1313-1317.	3.0	31
169	Cyclization vs. Cyclization/Dimerization in <i>o</i> -Amidostilbene Radical Cation Cascade Reactions: The Amide Question. <i>Molecules</i> , 2011, 16, 7267-7287.	3.8	4
170	Efficacy evaluations of <i>Mimosa pudica</i> tannin isolate (MPT) for its anti-ophidian properties. <i>Journal of Ethnopharmacology</i> , 2011, 137, 257-262.	4.1	30
171	Rauniticine-allo-Oxindole B and Rauniticinic-allo Acid B, New Heteroyohimbine-Type Oxindole Alkaloids from the Stems of Malaysian <i>Uncaria longiflora</i> var. <i>pteropoda</i> . <i>Molecules</i> , 2011, 16, 6541-6548.	3.8	9
172	N-Cyanomethylnorboldine: A New Aporphine Isolated from <i>Alseodaphne perakensis</i> (Lauraceae). <i>Molecules</i> , 2011, 16, 3402-3409.	3.8	11
173	A Novel Cyclodione Coumarin from the Stem Bark of <i>Mesua beccariana</i> . <i>Molecules</i> , 2011, 16, 7249-7255.	3.8	8
174	1 α -S-1 α -acetoxyeugenol acetate. <i>Anti-Cancer Drugs</i> , 2011, 22, 424-434.	1.4	25
175	Neolamarckines A and B, New Indole Alkaloids from <i>Neolamarckia cadamba</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 291-293.	1.3	19
176	Ceramicines E-I, New Limonoids from <i>Chisocheton ceramicus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 407-411.	1.3	33
177	Antifeedant Triterpenoids from the Seeds and Bark of <i>Lansium domesticum</i> cv <i>Kokossan</i> (Meliaceae). <i>Molecules</i> , 2011, 16, 2785-2795.	3.8	30
178	(+)-Kunstlerone, a New Antioxidant Neolignan from the Leaves of <i>Beilschmiedia kunstleri</i> Gamble. <i>Molecules</i> , 2011, 16, 6582-6590.	3.8	16
179	Malabaricone C from <i>Myristica cinnamomea</i> Exhibits Anti-Quorum Sensing Activity. <i>Journal of Natural Products</i> , 2011, 74, 2261-2264.	3.0	140
180	Inhibitive effect of <i>Xylopia ferruginea</i> extract on the corrosion of mild steel in 1M HCl medium. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2011, 18, 413-418.	4.9	29

#	ARTICLE	IF	CITATIONS
181	Chemical Constituents and Antimicrobial Activity of the Leaf and Rhizome Oils of <i>Alpinia pahangensis</i> Ridl., an Endemic Wild Ginger from Peninsular Malaysia. <i>Chemistry and Biodiversity</i> , 2011, 8, 668-673.	2.1	21
182	Essential oils of <i>Zingiber officinale</i> var. <i>rubrum</i> Theilade and their antibacterial activities. <i>Food Chemistry</i> , 2011, 124, 514-517.	8.2	126
183	New antiplasmodial indole alkaloids from <i>Hunteria zeylanica</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 3417-3419.	2.2	22
184	Pentacyclic polyketides from <i>Endiandra kingiana</i> as inhibitors of the Bcl-xL/Bak interaction. <i>Phytochemistry</i> , 2011, 72, 1443-1452.	2.9	37
185	Lancifoliaine, a New Bisbenzylisoquinoline from the Bark of <i>Litsea lancifolia</i> . <i>Molecules</i> , 2011, 16, 3119-3127.	3.8	16
186	1-(1-Hydroxyethyl)-7,8-dihydroindolo[2,3-a]pyridine[3,4-g]quinolizin-5(13H)-one (angustoline) monohydrate from <i>Nauclea subdita</i> (Rubiaceae). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o1727-o1728.	0.2	1
187	(E)-3-[3,4-Bis(methoxymethoxy)phenyl]-1-(7-hydroxy-5-methoxy-2,2-dimethylchroman-8-yl)prop-2-en-1-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o2300-o2300.	0.2	2
188	(E)-3-(2H-1,3-Benzodioxol-5-yl)-1-(7-hydroxy-5-methoxy-2,2-dimethylchroman-8-yl)prop-2-en-1-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o2301-o2301.	0.2	1
189	1-Methoxy-4-methyl-9,10-anthraquinone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o2973-o2973.	0.2	0
190	Regulation of Apoptotic Effects by Erythrocarpine E, a Cytotoxic Limonoid from <i>Chisocheton erythrocarpus</i> in HSC-4 Human Oral Cancer Cells. <i>PLoS ONE</i> , 2011, 6, e23661.	2.5	13
191	BENZYLISOQUINOLINE ALKALOIDS FROM BARK OF <i>Cryptocarya rugulosa</i> . <i>Indonesian Journal of Chemistry</i> , 2011, 11, 59-66.	0.8	9
192	STEROIDS FROM <i>Chisocheton tomentosus</i> . <i>Malaysian Journal of Science</i> , 2011, 30, 144-153.	0.3	6
193	The Apoptotic Effect of β -Acetoxychavicol Acetate from <i>Alpinia Conchigera</i> on Human Cancer Cells. <i>Molecules</i> , 2010, 15, 8048-8059.	3.8	51
194	Oppositinines A and B: New Vasorelaxant β -Carboline Alkaloids from <i>Neisosperma oppositifolia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 1085-1087.	1.3	9
195	β -Acetoxyeugenol acetate: A new chemotherapeutic natural compound against MCF-7 human breast cancer cells. <i>Phytomedicine</i> , 2010, 17, 935-939.	5.3	22
196	Bisleucocurine A, a novel bisindole alkaloid from <i>Leuconotis griffithii</i> . <i>Tetrahedron Letters</i> , 2010, 51, 2589-2592.	1.4	23
197	4-Phenylcoumarins from <i>Mesua elegans</i> with acetylcholinesterase inhibitory activity. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 7873-7877.	3.0	46
198	Bisleuconothine A, an eburnane-type aspidosperma bisindole alkaloid from <i>Leuconotis griffithii</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 2021-2024.	2.2	31

#	ARTICLE	IF	CITATIONS
199	(6,7-Dimethoxy-4-methylisoquinolyl)-(4-methoxyphenyl)-methanone, a New Benzylisoquinoline Alkaloid from <i>Beilschmiedia brevipes</i> . <i>Molecules</i> , 2010, 15, 2339-2346.	3.8	20
200	In Vitro and In Vivo Anti-Inflammatory Activity of 17-O-Acetylacuminolide through the Inhibition of Cytokines, NF- κ B Translocation and IKK β Activity. <i>PLoS ONE</i> , 2010, 5, e15105.	2.5	29
201	Meranzin hydrate from <i>Muraya paniculata</i> . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o620-o620.	0.2	1
202	14-Deoxyxylocensin K from <i>Chisocheton ceramicus</i> (Meliaceae). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1927-o1927.	0.2	3
203	5-Hydroxy-7-methoxy-2-methyl-4H-chromen-4-one from <i>Dysoxylum macrocarpum</i> (Meliaceae). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1883-o1883.	0.2	0
204	Cycloart-24-ene-3 β ,26-diol from the leaves of <i>Aglaia exima</i> . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2142-o2142.	0.2	2
205	Cabraleahydroxylactone from the leaves of <i>Aglaia exima</i> . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2541-o2541.	0.2	2
206	Curcumenol from <i>Curcuma zedoaria</i> : a second monoclinic modification. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2844-o2844.	0.2	10
207	Flavokavain B from the rhizome of <i>Alpinia mutica</i> Roxb. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2866-o2866.	0.2	4
208	(E)-1-(2-Hydroxy-4,6-dimethoxyphenyl)-3-(4-methoxyphenyl)prop-2-en-1-one from <i>Kaempferia rotunda</i> Val.. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2944-o2944.	0.2	3
209	Antraquinones with Antiplasmodial Activity from the Roots of <i>Rennellia elliptica</i> Korth. (Rubiaceae). <i>Molecules</i> , 2010, 15, 7218-7226.	3.8	46
210	Eucophylline, a Tetracyclic Vinylquinoline Alkaloid from <i>Leuconotis eugenifolius</i> . <i>Journal of Natural Products</i> , 2010, 73, 1727-1729.	3.0	41
211	Kingianin A: A New Natural Pentacyclic Compound from <i>Endiandra kingiana</i> . <i>Organic Letters</i> , 2010, 12, 3638-3641.	4.6	49
212	Alkaloids from <i>Fissistigma latifolium</i> (Dunal) Merr.. <i>Molecules</i> , 2010, 15, 4583-4588.	3.8	16
213	Bisnicalaterines B and C, Atropisomeric Bisindole Alkaloids from <i>Hunteria zeylanica</i> , Showing Vasorelaxant Activity. <i>Journal of Organic Chemistry</i> , 2010, 75, 4218-4223.	3.2	49
214	14-Hydroxy-8,14-secogammacera-7-ene-3,21-dione from the bark of <i>Lansium domesticum</i> Corr.. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1621-o1621.	0.2	4
215	[1R-(1 $\hat{1}$,2 $\hat{1}$,4 $\hat{1}$,5 $\hat{1}$,6 $\hat{1}$,7 $\hat{1}$)]-4-Benzoyloxymethyl-5,6-dihydroxy-3,8-dioxatricyclo[5.1.0.0 2,4]octan-5-yl acetate (3-deacetylcrotepoxide) from <i>Kaempferia rotunda</i> Val.. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2945-o2945.	0.2	1
216	Challenges associated with the synthesis of unusual o-carboxamido stilbenes by the Heck protocol: Intriguing substituent effects, their toxicological and chemopreventive implications. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 5646.	2.8	15

#	ARTICLE	IF	CITATIONS
217	Gneyulins A and B, Stilbene Trimers, and Noidesols A and B, Dihydroflavonol-C-Glucosides, from the Bark of <i>Gnetum gnetoides</i> . <i>Journal of Natural Products</i> , 2010, 73, 763-767.	3.0	24
218	Antimicrobial activities of marine fungi from Malaysia. <i>Botanica Marina</i> , 2010, 53, .	1.2	12
219	Rearranged Diterpenoids from the Biotransformation of <i>ent</i> -Trachyloban-18-oic Acid by <i>Rhizopus arrhizus</i> . <i>Journal of Natural Products</i> , 2010, 73, 1121-1125.	3.0	17
220	(20S)-24,25-Dihydroxy-20,24-epoxy-3,4-secodammar-4(28)-en-3-oic acid from <i>Aglaia smithii</i> . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o416-o416.	0.2	0
221	Grandine A, a New Proaporphine Alkaloid from the Bark of <i>Phoebe grandis</i> . <i>Molecules</i> , 2009, 14, 1227-1233.	3.8	10
222	(+)-N-(2-Hydroxypropyl)lindcarpine: A New Cytotoxic Aporphine Isolated from <i>Actinodaphne pruinosa</i> Nees. <i>Molecules</i> , 2009, 14, 2850-2856.	3.8	13
223	1-Hydroxy-2-methoxy-6-methyl-9,10-anthraquinone from <i>Rennellia elliptica</i> Korth.. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1435-o1435.	0.2	3
224	Essential oils of <i>Alpinia conchigera</i> Griff. and their antimicrobial activities. <i>Food Chemistry</i> , 2009, 113, 575-577.	8.2	43
225	A FeCl ₃ -promoted highly atropodiastereoselective cascade reaction: synthetic utility of radical cations in indolostilbene construction. <i>Tetrahedron</i> , 2009, 65, 1504-1516.	1.9	17
226	Ceramicines B-D, new antiplasmodial limonoids from <i>Chisocheton ceramicus</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 727-730.	3.0	59
227	A Dimeric Sesquiterpenoid from a Malaysian <i>Meiogyne</i> as a New Inhibitor of Bcl-xL/Bak/BH3 Domain Peptide Interaction. <i>Journal of Natural Products</i> , 2009, 72, 480-483.	3.0	42
228	Bisnicalaterine A, a Vobasine-Vobasine Bisindole Alkaloid from <i>Hunteria zeylanica</i> . <i>Journal of Natural Products</i> , 2009, 72, 1502-1506.	3.0	42
229	Dunaliine A, a new amino diketone from <i>Desmos dunalii</i> (Annonaceae). <i>Natural Product Research</i> , 2009, 23, 652-658.	1.8	7
230	3,4-Dihydronorstephasubine, a New Bisbenzylisoquinoline from the Bark of <i>Alseodaphne corneri</i> . <i>Heterocycles</i> , 2009, 78, 2571.	0.7	16
231	Gas-Phase Reactivity of Acylphenols in Electrospray and Matrix-Assisted Laser Desorption Ionization Mass Spectrometry. <i>European Journal of Mass Spectrometry</i> , 2009, 15, 221-230.	1.0	3
232	Pinnatane A from the bark of <i>Walsura pinnata</i> Hassk. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1317-o1317.	0.2	4
233	Delaumonones A and B, New Antiplasmodial Quassinoids from <i>Laumoniera bruceadelpha</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 867-869.	1.3	12
234	3-Oxoolean-1-en-28-oic acid-n-hexane-water (4/1/1) from the bark of <i>Walsura pinnata</i> Hassk. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1166-o1166.	0.2	5

#	ARTICLE	IF	CITATIONS
235	Kokosanolide from the seed of <i>Lansium domesticum</i> Corr.. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o750-o750.	0.2	6
236	1,3-Dihydroxy-2-methoxymethyl-9,10-anthraquinone from <i>Rennellia elliptica</i> Korth.. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1433-o1434.	0.2	2
237	N,N ^ε -(Biphenyl-2,2 ^ε -diyl)bis(furan-2-carboxamide). Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1556-o1556.	0.2	1
238	Methyl 3-acetoxy-3-dehydroxyursolate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2114-o2114.	0.2	1
239	Methyl 3-dehydroxy-3-oxoursolate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2113-o2113.	0.2	2
240	APHORPINE ALKALOIDS FROM BARK OF <i>Cryptocarya ferrea</i> . Indonesian Journal of Chemistry, 2009, 9, 461-465.	0.8	10
241	Î± TM -Oxoperakensimines A - C, New Bisbenzylisoquinoline Alkaloids from <i>Alseodaphne perakensis</i> (Gamble) Kosterm. Heterocycles, 2009, 78, 2085.	0.7	11
242	N-{2-[2-(2,6-Dichloro-3,5-dimethoxyphenyl)ethenyl]phenyl}acetamide. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o438-o438.	0.2	0
243	4-(3,4-Dihydro-Î²-carbolin-1-yl)pyrimidin-2-amine. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o594-o594.	0.2	0
244	N ^ε -{2-[2-(3-Methoxyphenyl)ethenyl]phenyl}acetamide. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1290-o1290.	0.2	0
245	N ^ε -{2-[2-(4-Methoxyphenyl)ethenyl]phenyl}acetamide. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1289-o1289.	0.2	1
246	Regio ^ε and Stereoselective Biomimetic Synthesis of Oligostilbenoid Dimers from Resveratrol Analogues: Influence of the Solvent, Oxidant, and Substitution. Chemistry - A European Journal, 2008, 14, 11376-11384.	3.3	71
247	Ceramicine A and walsogyne A, novel limonoids from two species of Meliaceae. Tetrahedron Letters, 2008, 49, 4276-4278.	1.4	43
248	New phenantrene alkaloids from <i>Cryptocarya crassinervia</i> . F ^Å -toteraP ^Å - ^Å Ç, 2008, 79, 308-310.	2.2	24
249	New proaporphines from the bark of <i>Phoebe scortechinii</i> . Natural Product Research, 2008, 22, 921-926.	1.8	10
250	Acylphenols from <i>Myristica crassa</i> as New Acetylcholinesterase Inhibitors. Planta Medica, 2008, 74, 1457-1462.	1.3	17
251	17-(5-Ethyl-6-methylheptan-2-yl)-10,13-dimethyl-2,3,4,7,8,9,10,11,12,13,14,15,16,17-tetradecahydro-1 <i>H</i> -cyclopenta[<i>a</i>]ph from <i>Chisocheton tomentosus</i> (Meliaceae). Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o2163-o2163.	0.2	2
252	The Subtle Co-catalytic Intervention of Benzophenone in Radical Cation Mediated Cyclization ^ε An Improved Synthesis of 2-(3 TM ,4 TM -Dimethoxyphenyl)indoline. Heterocycles, 2008, 75, 1097.	0.7	8

#	ARTICLE	IF	CITATIONS
253	6-[(E)-3,7-Dimethylocta-2,6-dienyl]-5,7-dihydroxy-8-(2-methylbutanoyl)-4-phenyl-2H-chromen-2-one from <i>Mesua kunstleri</i> King (Kosterm). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1332-o1332.	0.2	4
254	1,3-Dihydroxy-9,10-dioxo-9,10-dihydroanthracene-2-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o597-o597.	0.2	3
255	(E)-N-[2-(Biphenyl-4-ylvinyl)phenyl]furan-2-carboxamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o2210-o2210.	0.2	2
256	Singaporentine A: A New Indole Alkaloid from <i>Kopsia singaporensis</i> Ridl.. <i>Heterocycles</i> , 2008, 75, 3051.	0.7	7
257	2,7-Dihydroxy-3,6-dimethoxyphenanthrene from <i>Dehaasia longipedicellata</i> . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1135-o1135.	0.2	0
258	2-Formyl-3-hydroxy-9,10-anthroquinone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o2164-o2164.	0.2	1
259	New alkaloids from <i>Phoebe scortechinii</i> . <i>Natural Product Research</i> , 2007, 21, 704-709.	1.8	10
260	Erythrocarpines A-E, new cytotoxic limonoids from <i>Chisocheton erythrocarpus</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 5997-6002.	3.0	38
261	6,7,8-Trimethoxycoumarin from <i>Cryptocarya bracteolata</i> . <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3692-o3693.	0.2	4
262	Pecrassipines A and B, Seco-Bisbenzylisoquinoline Alkaloids from <i>Phaeanthus crassipetalus</i> . <i>Heterocycles</i> , 2007, 71, 2055.	0.7	9
263	Huncaniterine A, a New Bisindole Alkaloid from <i>Hunteria zeylanica</i> . <i>Heterocycles</i> , 2007, 74, 969.	0.7	17
264	New alkaloids from <i>Phoebe grandis</i> (Nees) Merr.. <i>Natural Product Research</i> , 2006, 20, 567-572.	1.8	9
265	A comparative study of the essential oils of the genus <i>Plumeria</i> Linn. from Malaysia. <i>Flavour and Fragrance Journal</i> , 2006, 21, 859-863.	2.6	12
266	Chemical Composition of the Essential Oils of Four <i>Plumeria</i> Species Grown on Peninsular Malaysia. <i>Journal of Essential Oil Research</i> , 2006, 18, 613-617.	2.7	15
267	Efficient HPLC Procedures for Natural Product Isolation: Application to Phenolics from Timber. <i>Frontiers in Natural Product Chemistry</i> , 2005, 1, 177-184.	0.2	0
268	Conformational analysis of rhazinilam and three-dimensional quantitative structure-activity relationships of rhazinilam analogues. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 1045-1050.	2.2	17
269	Morphinandienone alkaloids from <i>Dehaasia longipedicellata</i> . <i>Fä-toterapÄ-t</i> , 2004, 75, 792-794.	2.2	9
270	A tandem highly stereoselective FeCl ₃ -promoted synthesis of a bisindoline: synthetic utility of radical cations in heterocyclic construction. <i>Tetrahedron</i> , 2004, 60, 11733-11742.	1.9	19

#	ARTICLE	IF	CITATIONS
271	Phoebegrandine C, A novel proaporphine-tryptamine dimer, from <i>Phoebe grandis</i> (Nees) Merr. Natural Product Research, 2004, 18, 163-167.	1.8	12
272	Vasorelaxant Effects of Ethyl Cinnamate Isolated from <i>Kaempferia galanga</i> on Smooth Muscles of the Rat Aorta. <i>Planta Medica</i> , 2002, 68, 655-657.	1.3	43
273	Sesquiterpenes and alkaloids from <i>Scorodocarpus borneensis</i> . <i>Phytochemistry</i> , 2001, 58, 653-656.	2.9	15
274	Heimiol A, a new dimeric stilbenoid from <i>Neobalanocarpus heimii</i> . <i>Tetrahedron Letters</i> , 2001, 42, 4895-4897.	1.4	26
275	Dammarane triterpenes and pregnane steroids from <i>Aglaia lawii</i> and <i>A. tomentosa</i> . <i>Phytochemistry</i> , 1999, 51, 1031-1037.	2.9	41
276	Cytotoxic 3,4-Secoapoptirucallanes from <i>Aglaia argentea</i> Bark. <i>Journal of Natural Products</i> , 1999, 62, 868-872.	3.0	20
277	Desmosine, an artefact alkaloid from <i>Desmos dumosus</i> This work has been carried out in the framework of a collaborative program between CNRS (France) and the University of Malaya (Kuala Lumpur). <i>Journal of Natural Products</i> , 1997, 60, 1071-1074.	1.0	14
278	Hemisynthesis of rhazinilam analogues: structure - activity relationships on tubulin-microtubule system. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 2155-2158.	2.2	57
279	Terengganensines A and B, dihydroeburnane alkaloids from <i>Kopsia terengganensis</i> . <i>Tetrahedron Letters</i> , 1997, 38, 1571-1574.	1.4	44
280	An Antimitotic and Cytotoxic Chalcone from <i>Fissistigma lanuginosum</i> . <i>Journal of Natural Products</i> , 1995, 58, 1160-1166.	3.0	44
281	Alkaloids of <i>Kopsia lapidilecta</i> . <i>Journal of Natural Products</i> , 1993, 56, 1134-1139.	3.0	69
282	Alkaloids from <i>Kopsia singaporensis</i> . <i>Natural Product Research</i> , 1993, 3, 283-289.	0.4	17
283	Lapidilectine A and lapidilectine B, two new alkaloids from <i>Kopsia lapidilecta</i> . <i>Tetrahedron Letters</i> , 1992, 33, 2493-2496.	1.4	75