

Yoshitake Masuda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4650515/publications.pdf>

Version: 2024-02-01

277
papers

8,349
citations

29994

54
h-index

66788

78
g-index

286
all docs

286
docs citations

286
times ranked

8759
citing authors

#	ARTICLE	IF	CITATIONS
1	Corrosion Resistance and Durability of Superhydrophobic Surface Formed on Magnesium Alloy Coated with Nanostructured Cerium Oxide Film and Fluoroalkylsilane Molecules in Corrosive NaCl Aqueous Solution. Langmuir, 2011, 27, 4780-4788.	1.6	306
2	Formation and Photocatalytic Application of ZnO Nanotubes Using Aqueous Solution. Langmuir, 2010, 26, 2811-2815.	1.6	259
3	Room temperature deposition of a TiO ₂ thin film from aqueous peroxotitanate solution. Journal of Materials Chemistry, 2003, 13, 608-613.	6.7	256
4	The effect of surface charge on hydroxyapatite nucleation. Biomaterials, 2004, 25, 3915-3921.	5.7	161
5	Light-Excited Superhydrophilicity of Amorphous TiO ₂ Thin Films Deposited in an Aqueous Peroxotitanate Solution. Langmuir, 2004, 20, 3188-3194.	1.6	157
6	Electrodeposition of WO ₃ nanostructured thin films for electrochromic and H ₂ S gas sensor applications. Journal of Alloys and Compounds, 2017, 719, 71-81.	2.8	145
7	Thermoelectric performance of Bi- and Na-substituted Ca ₃ Co ₄ O ₉ improved through ceramic texturing. Journal of Materials Chemistry, 2003, 13, 1094-1099.	6.7	144
8	Acid-Base Properties and Zeta Potentials of Self-Assembled Monolayers Obtained via in Situ Transformations. Langmuir, 2004, 20, 8693-8698.	1.6	130
9	Site-Selective Deposition and Morphology Control of UV- and Visible-Light-Emitting ZnO Crystals. Crystal Growth and Design, 2006, 6, 75-78.	1.4	120
10	Deposition Mechanism of Anatase TiO ₂ on Self-Assembled Monolayers from an Aqueous Solution. Chemistry of Materials, 2003, 15, 2469-2476.	3.2	119
11	Surface Precipitation of Highly Porous Hydroxalcalite-like Film on Al from a Zinc Aqueous Solution. Langmuir, 2006, 22, 3521-3527.	1.6	114
12	TiO ₂ nanoparticles prepared using an aqueous peroxotitanate solution. Ceramics International, 2004, 30, 1365-1368.	2.3	111
13	Low-Dimensional Arrangement of SiO ₂ Particles. Langmuir, 2002, 18, 4155-4159.	1.6	110
14	Room-Temperature Preparation of ZrO ₂ Precursor Thin Film in an Aqueous Peroxozirconium-Complex Solution. Chemistry of Materials, 2004, 16, 2615-2622.	3.2	110
15	Templated Site-Selective Deposition of Titanium Dioxide on Self-Assembled Monolayers. Chemistry of Materials, 2002, 14, 1236-1241.	3.2	105
16	Recent advances in SnO ₂ nanostructure based gas sensors. Sensors and Actuators B: Chemical, 2022, 364, 131876.	4.0	103
17	Selective deposition and micropatterning of titanium dioxide thin film on self-assembled monolayers. Thin Solid Films, 2001, 382, 153-157.	0.8	102
18	SnO ₂ Nanosheets for Selective Alkene Gas Sensing. ACS Applied Nano Materials, 2019, 2, 1820-1827.	2.4	92

#	ARTICLE	IF	CITATIONS
19	Self-Assembly Patterning of Silica Colloidal Crystals. <i>Langmuir</i> , 2005, 21, 4478-4481.	1.6	90
20	Pyrolysis study of poly(vinyl chloride)–metal oxide mixtures: Quantitative product analysis and the chlorine fixing ability of metal oxides. <i>Journal of Analytical and Applied Pyrolysis</i> , 2006, 77, 159-168.	2.6	88
21	Corrosion Resistant Performances of Alkanoic and Phosphonic Acids Derived Self-Assembled Monolayers on Magnesium Alloy AZ31 by Vapor-Phase Method. <i>Langmuir</i> , 2011, 27, 6009-6017.	1.6	88
22	Electrochemical deposition of ZnO film and its photoluminescence properties. <i>Journal of Crystal Growth</i> , 2006, 286, 445-450.	0.7	85
23	Improvement of sensing properties for SnO ₂ gas sensor by tuning of exposed crystal face. <i>Sensors and Actuators B: Chemical</i> , 2019, 296, 126655.	4.0	84
24	Site-Selective Deposition of Anatase TiO ₂ in an Aqueous Solution Using a Seed Layer. <i>Langmuir</i> , 2003, 19, 4415-4419.	1.6	81
25	Controlled growth of single-crystalline, nanostructured dendrites and snowflakes of Fe ₂ O ₃ : influence of the surfactant on the morphology and investigation of morphology dependent magnetic properties. <i>CrystEngComm</i> , 2010, 12, 373-382.	1.3	81
26	Site-Selective Deposition and Micropatterning of SrTiO ₃ Thin Film on Self-Assembled Monolayers by the Liquid Phase Deposition Method. <i>Chemistry of Materials</i> , 2002, 14, 5006-5014.	3.2	80
27	Structure and Thermoelectric Transport Properties of Isoelectronically Substituted (ZnO) ₅ In ₂ O ₃ . <i>Journal of Solid State Chemistry</i> , 2000, 150, 221-227.	1.4	79
28	Catalyst-free Highly Sensitive SnO ₂ Nanosheet Gas Sensors for Parts per Billion-Level Detection of Acetone. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 51637-51644.	4.0	79
29	Micropatterning of Copper on a Poly(ethylene terephthalate) Substrate Modified with a Self-Assembled Monolayer. <i>Langmuir</i> , 2006, 22, 332-337.	1.6	77
30	Growth of Highly <i>c</i> -Axis-Oriented ZnO Nanorods on ZnO/Glass Substrate: Growth Mechanism, Structural, and Optical Properties. <i>Journal of Physical Chemistry C</i> , 2009, 113, 14715-14720.	1.5	77
31	Self-Assembly and Micropatterning of Spherical-Particle Assemblies. <i>Advanced Materials</i> , 2005, 17, 841-845.	11.1	74
32	A simple route for growing thin films of uniform ZnO nanorod arrays on functionalized Si surfaces. <i>Thin Solid Films</i> , 2006, 503, 110-114.	0.8	70
33	Site-Selective Deposition of Magnetite Particulate Thin Films on Patterned Self-assembled Monolayers. <i>Chemistry of Materials</i> , 2004, 16, 3484-3488.	3.2	69
34	Control over Film Thickness of SnO ₂ Ultrathin Film Selectively Deposited on a Patterned Self-Assembled Monolayer. <i>Langmuir</i> , 2002, 18, 10379-10385.	1.6	68
35	Micropatterning of anatase TiO ₂ thin films from an aqueous solution by a site-selective immersion method. <i>Journal of Materials Chemistry</i> , 2002, 12, 2643-2647.	6.7	68
36	Two-Dimensional Self-Assembly of Spherical Particles Using a Liquid Mold and Its Drying Process. <i>Langmuir</i> , 2003, 19, 5179-5183.	1.6	68

#	ARTICLE	IF	CITATIONS
37	Highly mesoporous γ -Fe ₂ O ₃ nanostructures: preparation, characterization and improved photocatalytic performance towards Rhodamine B (RhB). <i>Journal Physics D: Applied Physics</i> , 2010, 43, 015501.	1.3	67
38	Reliable Monolayer-Template Patterning of SnO ₂ Thin Films from Aqueous Solution and Their Hydrogen-Sensing Properties. <i>Advanced Functional Materials</i> , 2004, 14, 580-588.	7.8	66
39	Size-Dependent Color Tuning of Efficiently Luminescent Germanium Nanoparticles. <i>Langmuir</i> , 2013, 29, 7401-7410.	1.6	66
40	Investigation of Apatite Deposition onto Charged Surfaces in Aqueous Solutions Using a Quartz Crystal Microbalance. <i>Journal of the American Ceramic Society</i> , 2003, 86, 782-790.	1.9	65
41	Micropatterning of TiO ₂ Thin Film in an Aqueous Peroxotitanate Solution. <i>Chemistry of Materials</i> , 2004, 16, 1062-1067.	3.2	64
42	Enhanced photocatalytic activity of cobalt-doped CeO ₂ nanorods. <i>Journal of Sol-Gel Science and Technology</i> , 2012, 64, 515-523.	1.1	63
43	Hybrid White Light Emitting Diode Based on Silicon Nanocrystals. <i>Advanced Functional Materials</i> , 2014, 24, 7151-7160.	7.8	63
44	Self-Assembly Patterning of Colloidal Crystals Constructed from Opal Structure or NaCl Structure. <i>Langmuir</i> , 2004, 20, 5588-5592.	1.6	61
45	High <i>c</i> -Axis Oriented Stand-Alone ZnO Self-Assembled Film. <i>Crystal Growth and Design</i> , 2008, 8, 275-279.	1.4	61
46	Synthesis and phase transformation of TiO ₂ nano-crystals in aqueous solutions. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 373-376.	0.5	61
47	Liquid-Phase Patterning and Microstructure of Anatase TiO ₂ Films on SnO ₂ :F Substrates Using Superhydrophilic Surface. <i>Chemistry of Materials</i> , 2008, 20, 1057-1063.	3.2	58
48	Composite film formed on magnesium alloy AZ31 by chemical conversion from molybdate/phosphate/fluorinate aqueous solution toward corrosion protection. <i>Surface and Coatings Technology</i> , 2013, 217, 76-83.	2.2	58
49	Seedless micropatterning of copper by electroless deposition on self-assembled monolayers. <i>Journal of Materials Chemistry</i> , 2004, 14, 976.	6.7	57
50	Site-Selective Deposition and Micropatterning of Visible-Light-Emitting Europium-Doped Yttrium Oxide Thin Film on Self-Assembled Monolayers. <i>Chemistry of Materials</i> , 2007, 19, 1002-1008.	3.2	57
51	Selective Deposition and Micropatterning of Titanium Dioxide on Self-Assembled Monolayers from a Gas Phase. <i>Langmuir</i> , 2001, 17, 4876-4880.	1.6	56
52	Multineedle TiO ₂ Nanostructures, Self-Assembled Surface Coatings, and Their Novel Properties. <i>Crystal Growth and Design</i> , 2010, 10, 913-922.	1.4	56
53	Influence of ionic size of rare-earth site on the thermoelectric properties of RCoO ₃ -type perovskite cobalt oxides. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2001, 85, 70-75.	1.7	55
54	Thermoelectric Performance of Yttrium-substituted (ZnO) ₅ In ₂ O ₃ Improved through Ceramic Texturing. <i>Japanese Journal of Applied Physics</i> , 2002, 41, 731-732.	0.8	55

#	ARTICLE	IF	CITATIONS
55	Site-Selective Adhesion of Hydroxyapatite Microparticles on Charged Surfaces in a Supersaturated Solution. <i>Journal of Colloid and Interface Science</i> , 2001, 243, 31-36.	5.0	54
56	Synthesis of hierarchical WO ₃ nanostructured thin films with enhanced electrochromic performance for switchable smart windows. <i>RSC Advances</i> , 2015, 5, 96416-96427.	1.7	54
57	Nano/micro-patterning of anatase TiO ₂ thin film from an aqueous solution by site-selective elimination method. <i>Science and Technology of Advanced Materials</i> , 2003, 4, 461-467.	2.8	52
58	Fabrication of Self-Assembled Monolayers (SAMs) and Inorganic Micropattern on Flexible Polymer Substrate. <i>Langmuir</i> , 2004, 20, 3278-3283.	1.6	52
59	Effect of Crystal Defect on Gas Sensing Properties of Co ₃ O ₄ Nanoparticles. <i>ACS Sensors</i> , 2020, 5, 1665-1673.	4.0	52
60	Microstructure-Controlled Deposition of SrTiO ₃ Thin Film on Self-Assembled Monolayers in an Aqueous Solution of (NH ₄) ₂ TiF ₆ ·Sr(NO ₃) ₂ ·H ₃ BO ₃ . <i>Chemistry of Materials</i> , 2003, 15, 2399-2410.	3.2	50
61	Tin Oxide Nanosheet Assembly for Hydrophobic/Hydrophilic Coating and Cancer Sensing. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 1666-1674.	4.0	50
62	Micropatterning of ZnO Nanoarrays by Forced Hydrolysis of Anhydrous Zinc Acetate. <i>Langmuir</i> , 2008, 24, 7614-7617.	1.6	49
63	In ₂ O ₃ ·SnO ₂ nano-toasts and nanorods: Precipitation preparation, formation mechanism, and gas sensitive properties. <i>Sensors and Actuators B: Chemical</i> , 2009, 137, 630-636.	4.0	48
64	Influence of fluorine substitution on the morphology and structure of hydroxyapatite nanocrystals prepared by hydrothermal method. <i>Materials Chemistry and Physics</i> , 2013, 137, 967-976.	2.0	48
65	Arrangement of Nanosized Ceramic Particles on Self-Assembled Monolayers. <i>Japanese Journal of Applied Physics</i> , 2000, 39, 4596-4600.	0.8	47
66	A novel process to form a silica-like thin layer on polyethylene terephthalate film and its application for gas barrier. <i>Thin Solid Films</i> , 2005, 473, 351-356.	0.8	47
67	Site-selective deposition and micropatterning of tantalum oxide thin films using a monolayer. <i>Journal of the European Ceramic Society</i> , 2004, 24, 301-307.	2.8	45
68	Fabrication of Super-Site-Selective TiO ₂ Micropattern on a Flexible Polymer Substrate Using a Barrier-Effect Self-Assembly Process. <i>Advanced Materials</i> , 2004, 16, 1461-1464.	11.1	45
69	Aqueous Synthesis of ZnO Rod Arrays for Molecular Sensor. <i>Crystal Growth and Design</i> , 2009, 9, 3083-3088.	1.4	45
70	SnO ₂ Nanosheet/Nanoparticle Detector for the Sensing of 1-Nonanal Gas Produced by Lung Cancer. <i>Scientific Reports</i> , 2015, 5, 10122.	1.6	45
71	Growth and electrical properties of ZnO films prepared by chemical bath deposition method. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 718-723.	0.8	44
72	Morphology Control of Zinc Oxide Particles at Low Temperature. <i>Crystal Growth and Design</i> , 2008, 8, 2633-2637.	1.4	42

#	ARTICLE	IF	CITATIONS
73	Dissolution-Recrystallization Induced Hierarchical Structure in ZnO: Bunched Roselike and Core-Shell-like Particles. <i>Crystal Growth and Design</i> , 2010, 10, 626-631.	1.4	42
74	High performance acetone gas sensor based on ultrathin porous NiO nanosheet. <i>Sensors and Actuators B: Chemical</i> , 2022, 367, 132143.	4.0	42
75	Nanocrystal Assembled TiO ₂ Particles Prepared from Aqueous Solution. <i>Crystal Growth and Design</i> , 2008, 8, 3213-3218.	1.4	41
76	Synthesis and in-depth analysis of highly ordered yttrium doped hydroxyapatite nanorods prepared by hydrothermal method and its mechanical analysis. <i>Materials Characterization</i> , 2011, 62, 1109-1115.	1.9	39
77	Aqueous synthesis of nanosheet assembled tin oxide particles and their N ₂ adsorption characteristics. <i>Journal of Crystal Growth</i> , 2009, 311, 593-596.	0.7	38
78	Morphology control of ZnO crystalline particles in aqueous solution. <i>Electrochimica Acta</i> , 2007, 53, 171-174.	2.6	37
79	Fabrication and H ₂ -Sensing Properties of SnO ₂ Nanosheet Gas Sensors. <i>ACS Omega</i> , 2018, 3, 14592-14596.	1.6	37
80	Transition-Metal-Doped NIR-Emitting Silicon Nanocrystals. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 6157-6160.	7.2	35
81	Anatase TiO ₂ films crystallized on SnO ₂ :F substrates in an aqueous solution. <i>Thin Solid Films</i> , 2008, 516, 2547-2552.	0.8	34
82	Shape-Controlled Growth of In(OH) ₃ /In ₂ O ₃ Nanostructures by Electrodeposition. <i>Langmuir</i> , 2010, 26, 14814-14820.	1.6	33
83	Fast synthesis, optical and bio-sensor properties of SnO ₂ nanostructures by electrochemical deposition. <i>Chemical Engineering Journal</i> , 2011, 168, 955-958.	6.6	33
84	Synthesis of indium oxide cubic crystals by modified hydrothermal route for application in room temperature flexible ethanol sensors. <i>Materials Chemistry and Physics</i> , 2012, 133, 47-54.	2.0	33
85	Two-dimensional arrangement of fine silica spheres on self-assembled monolayers. <i>Thin Solid Films</i> , 2001, 382, 183-189.	0.8	32
86	Superhydrophobic and H ₂ S gas sensing properties of CuO nanostructured thin films through a successive ionic layered adsorption reaction process. <i>RSC Advances</i> , 2016, 6, 24290-24298.	1.7	32
87	Site-Selective Deposition of In ₂ O ₃ Using a Self-Assembled Monolayer. <i>Crystal Growth and Design</i> , 2009, 9, 555-561.	1.4	31
88	Superhydrophobic Ag decorated ZnO nanostructured thin film as effective surface enhanced Raman scattering substrates. <i>Applied Surface Science</i> , 2015, 355, 969-977.	3.1	31
89	Photoluminescence from ZnO Nanoparticles Embedded in an Amorphous Matrix. <i>Crystal Growth and Design</i> , 2008, 8, 1503-1508.	1.4	30
90	Liquid phase formation of alkyl- and perfluoro-phosphonic acid derived monolayers on magnesium alloy AZ31 and their chemical properties. <i>Journal of Colloid and Interface Science</i> , 2011, 360, 280-288.	5.0	30

#	ARTICLE	IF	CITATIONS
91	Anisotropic Thermoelectric Properties of Crystal-Axis Oriented Ceramics of Layer-Structured Oxide in the Ca-Co-O System.. Journal of the Ceramic Society of Japan, 2001, 109, 647-650.	1.3	29
92	Preparation of SrTiO ₃ thin films by the liquid phase deposition method. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2003, 99, 290-293.	1.7	29
93	Deposition mechanism of anatase TiO ₂ from an aqueous solution and its site-selective deposition. Solid State Ionics, 2004, 172, 283-288.	1.3	28
94	Deposition of \hat{I}^3 -FeOOH, Fe ₃ O ₄ and Fe on Pd-catalyzed substrates. Journal of Crystal Growth, 2005, 284, 176-183.	0.7	28
95	Exfoliation of Layers in Na_{<I>x</I>}CoO₂. Journal of Nanoscience and Nanotechnology, 2006, 6, 1632-1638.	0.9	28
96	Ca-doped HoCoO ₃ as p-type oxide thermoelectric material. Materials Letters, 2001, 48, 225-229.	1.3	27
97	Emerging Atomic Energy Levels in Zero-Dimensional Silicon Quantum Dots. Nano Letters, 2020, 20, 1491-1498.	4.5	27
98	Flexible Solar-Cell from Zinc Oxide Nanocrystalline Sheets Self-Assembled by an <I>In-Situ</I> Electrodeposition Process. Journal of Nanoscience and Nanotechnology, 2006, 6, 1797-1801.	0.9	26
99	Room Temperature CVD of TiO₂ Thin Films and Their Electronic Properties. Science of Advanced Materials, 2009, 1, 138-143.	0.1	26
100	Site-Selective Deposition and Micropatterning of Zirconia Thin Films on Templates of Self-Assembled Monolayers. Journal of the Ceramic Society of Japan, 2002, 110, 379-385.	1.3	25
101	Micropatterning of Ni particles on a BaTiO ₃ green sheet using a self-assembled monolayer. Journal of Colloid and Interface Science, 2003, 263, 190-195.	5.0	25
102	Facile Synthesis, Characterization of ZnO Nanotubes and Nanoflowers in an Aqueous Solution. Journal of the American Ceramic Society, 2010, 93, 887-893.	1.9	25
103	Superhydrophilic SnO ₂ nanosheet-assembled film. Thin Solid Films, 2013, 544, 567-570.	0.8	25
104	Liquid Phase Patterning of Ceramics(Review). Journal of the Ceramic Society of Japan, 2007, 115, 101-109.	1.3	24
105	Effect of calcium doping on LaCoO ₃ prepared by Pechini method. Powder Technology, 2013, 235, 140-147.	2.1	24
106	Synthesis and structure refinement studies of LiNiVO ₄ electrode material for lithium rechargeable batteries. Ionics, 2013, 19, 17-23.	1.2	24
107	Nano/Micro Patterning of Inorganic Thin Films. Bulletin of the Chemical Society of Japan, 2008, 81, 1337-1376.	2.0	23
108	Highly Enhanced Surface Area of Tin Oxide Nanocrystals. Journal of the American Ceramic Society, 2010, 93, 2140-2143.	1.9	23

#	ARTICLE	IF	CITATIONS
109	Preparation of surface-modified mesoporous silica membranes and separation mechanism of their pervaporation properties. <i>Desalination</i> , 2011, 280, 139-145.	4.0	23
110	Micropatterning of lanthanum-based oxide thin film on self-assembled monolayers. <i>Journal of Colloid and Interface Science</i> , 2004, 274, 392-397.	5.0	22
111	Site-Selective Chemical Reaction on Flexible Polymer Films for Tin Oxide Nanosheet Patterning. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2819-2825.	1.0	22
112	A facile template-free route to synthesize porous ZnO nanosheets with high surface area. <i>Journal of Alloys and Compounds</i> , 2013, 580, 373-376.	2.8	22
113	Light-excited superhydrophilicity of amorphous TiO ₂ thin films deposited in an aqueous peroxotitanate solution. <i>Langmuir</i> , 2004, 20, 3188-94.	1.6	22
114	In situ forced hydrolysis-assisted fabrication and photo-induced electrical property in sensor of ZnO nanoarrays. <i>Journal of Colloid and Interface Science</i> , 2008, 325, 459-463.	5.0	21
115	Synthesis of CeO ₂ nanorods with improved photocatalytic activity: comparison between precipitation and hydrothermal process. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 1644-1650.	1.1	21
116	Highly monodispersed Ag embedded SiO ₂ nanostructured thin film for sensitive SERS substrate: growth, characterization and detection of dye molecules. <i>RSC Advances</i> , 2015, 5, 46229-46239.	1.7	21
117	Fabrication of Zn(OH) ₂ /ZnO Nanosheet@ZnO Nanoarray Hybrid Structured Films by a Dissolution-Recrystallization Route. <i>Journal of the American Ceramic Society</i> , 2010, 93, 881-886.	1.9	20
118	Improved Brightness and Color Tunability of Solution-Processed Silicon Quantum Dot Light-Emitting Diodes. <i>Journal of Physical Chemistry C</i> , 2020, 124, 23333-23342.	1.5	20
119	Highly Sensitive and Selective Gas Sensors Based on NiO/MnO ₂ @NiO Nanosheets to Detect Allyl Mercaptan Gas Released by Humans under Psychological Stress. <i>Advanced Science</i> , 2022, 9, .	5.6	20
120	Growth Behavior of TiO ₂ Particles via the Liquid Phase Deposition Process. <i>Journal of the Ceramic Society of Japan</i> , 2007, 115, 831-834.	0.5	19
121	Facet controlled growth mechanism of SnO ₂ (101) nanosheet assembled film via cold crystallization. <i>Scientific Reports</i> , 2021, 11, 11304.	1.6	19
122	Atomic step formation on porous ZnO nanobelts: remarkable promotion of acetone gas detection up to the parts per trillion level. <i>Journal of Materials Chemistry A</i> , 2022, 10, 13839-13847.	5.2	19
123	Comparison of Medical Treatments for the Dying in a Hospice and a Geriatric Hospital in Japan. <i>Journal of Palliative Medicine</i> , 2006, 9, 152-160.	0.6	18
124	Room-temperature synthesis of tin oxide nano-electrodes in aqueous solutions. <i>Thin Solid Films</i> , 2009, 518, 850-852.	0.8	18
125	Polyethylenimine-Guided Self-Twin Zinc Oxide Nanoarray Assemblies. <i>Crystal Growth and Design</i> , 2009, 9, 3598-3602.	1.4	18
126	Influence of Fe doping on the electrical properties of Sr ₂ MgMoO ₆ . <i>Materials Chemistry and Physics</i> , 2013, 139, 360-363.	2.0	18

#	ARTICLE	IF	CITATIONS
127	Fluorescence detection and imaging of amino-functionalized organic monolayer. <i>Thin Solid Films</i> , 2008, 516, 2541-2546.	0.8	17
128	Synthesis of Acicular BaTiO ₃ Particles using Acicular Barium Oxalates. <i>Crystal Growth and Design</i> , 2008, 8, 169-171.	1.4	17
129	Tin oxide coating on polytetrafluoroethylene films in aqueous solutions. <i>Polymers for Advanced Technologies</i> , 2010, 21, 211-215.	1.6	17
130	Highly porous ZnO nanosheets self-assembled in rosette-like morphologies for dye-sensitized solar cell application. <i>New Journal of Chemistry</i> , 2015, 39, 7961-7970.	1.4	17
131	Selective nonanal molecular recognition with SnO ₂ nanosheets for lung cancer sensor. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 1807-1811.	1.1	17
132	Selective Detection of Target Volatile Organic Compounds in Contaminated Air Using Sensor Array with Machine Learning: Aging Notes and Mold Smells in Simulated Automobile Interior Contaminant Gases. <i>Sensors</i> , 2020, 20, 2687.	2.1	17
133	Self-assembly of Particle Wires in 2-D Ordered Array. <i>Chemistry Letters</i> , 2003, 32, 1016-1017.	0.7	16
134	Atomic scale flattening of organosilane self-assembled monolayer and patterned tin hydroxide thin films. <i>Journal of the European Ceramic Society</i> , 2004, 24, 427-434.	2.8	16
135	Liquid Manipulation Lithography to Fabricate a Multifunctional Microarray of Organosilanes on an Oxide Surface under Ambient Conditions. <i>Advanced Functional Materials</i> , 2008, 18, 3049-3055.	7.8	16
136	Fabrication of Blanket-Like Assembled ZnO Nanowhiskers Using an Aqueous Solution. <i>Journal of the American Ceramic Society</i> , 2009, 92, 922-926.	1.9	16
137	Dye Adsorption Characteristics of Anatase TiO ₂ Film Prepared in an Aqueous Solution. <i>Thin Solid Films</i> , 2009, 518, 845-849.	0.8	16
138	Preparation of single-crystalline ZnO films on ZnO-buffered a-plane sapphire by chemical bath deposition. <i>Journal of Crystal Growth</i> , 2009, 311, 3687-3691.	0.7	16
139	Room-temperature synthesis and characterization of porous CeO ₂ thin films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 139-142.	0.8	16
140	Water bathing synthesis of high-surface-area nanocrystal-assembled SnO ₂ particles. <i>Journal of Solid State Chemistry</i> , 2012, 189, 21-24.	1.4	16
141	Structural and conductivity analysis on cerium fluoride nanoparticles prepared by sonication assisted method. <i>Solid State Sciences</i> , 2012, 14, 626-634.	1.5	15
142	Shape-controlled synthesis of γ -Fe ₂ O ₃ nanostructures: engineering their surface properties for improved photocatalytic degradation efficiency. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	15
143	Structural, electrical and electrochemical studies of LiCoVO ₄ cathode material for lithium rechargeable batteries. <i>Powder Technology</i> , 2013, 235, 454-459.	2.1	15
144	Effect of Coordinatively Unsaturated Sites in MOF-Derived Highly Porous CuO for Catalyst-Free ppb-Level Gas Sensors. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100283.	1.9	15

#	ARTICLE	IF	CITATIONS
145	Acicular crystal-assembled TiO ₂ thin films and their deposition mechanism. Journal of Crystal Growth, 2009, 311, 512-517.	0.7	14
146	Low-temperature fabrication of ZnO nanoarray films by forced hydrolysis of anhydrous zinc acetate layer. Journal of Crystal Growth, 2009, 311, 597-600.	0.7	14
147	Liquid phase deposited titania coating to enable in vitro apatite formation on Ti6Al4V alloy. Journal of Materials Science: Materials in Medicine, 2014, 25, 375-381.	1.7	14
148	Gas sensor properties of nanopore-bearing Co ₃ O ₄ particles containing Pt or Pd particles. Journal of Asian Ceramic Societies, 2020, 8, 138-148.	1.0	14
149	High-resolution transmission electron microscopy study of Ca ₃ Co ₄ O ₉ . Journal of Electron Microscopy, 2004, 53, 397-401.	0.9	13
150	Synthesis of highly conductive and transparent ZnO nanowhisker films using aqueous solution. Journal of the Ceramic Society of Japan, 2008, 116, 384-388.	0.5	13
151	Low-temperature fabrication of porous and transparent ZnO films with hybrid structure by self-hydrolysis method. Thin Solid Films, 2009, 518, 638-641.	0.8	13
152	Effects of polyethylenimine on morphology and property of ZnO films grown in aqueous solutions. Applied Surface Science, 2009, 255, 6823-6826.	3.1	13
153	Site-Selective Growth of Highly Oriented ZnO Rod Arrays on Patterned Functionalized Si Substrates from Aqueous Solution. Crystal Growth and Design, 2009, 9, 2168-2172.	1.4	13
154	Aqueous synthesis of single-crystalline ZnO prisms on graphite substrates. Journal of Crystal Growth, 2011, 314, 180-184.	0.7	13
155	Tin oxide nanosheet thin film with bridge type structure for gas sensing. Thin Solid Films, 2020, 698, 137845.	0.8	13
156	CH ₃ SH and H ₂ S Sensing Properties of V ₂ O ₅ /WO ₃ /TiO ₂ Gas Sensor. Chemosensors, 2021, 9, 113.	1.8	13
157	Metal-Oxide-Semiconductor (MOS) Devices Composed of Biomimetically Synthesized TiO ₂ Dielectric Thin Films. Key Engineering Materials, 2002, 214-215, 163-170.	0.4	12
158	Rapid growth of thick particulate film of crystalline ZnO in an aqueous solution. Thin Solid Films, 2008, 516, 2474-2477.	0.8	12
159	Crystal growth of tin oxide nano-sheets in aqueous solutions and time variation of N ₂ adsorption characteristics. Progress in Crystal Growth and Characterization of Materials, 2012, 58, 106-120.	1.8	12
160	Structural and electrical studies of LiMnVO ₄ cathode material for rechargeable lithium batteries. Ionics, 2012, 18, 31-37.	1.2	12
161	Direct Growth of Flower-Shaped ZnO Nanostructures on FTO Substrate for Dye-Sensitized Solar Cells. Crystals, 2019, 9, 405.	1.0	12
162	Control of crystal growth for ZnO nanowhisker films in aqueous solution. Thin Solid Films, 2009, 518, 906-910.	0.8	11

#	ARTICLE	IF	CITATIONS
163	Room Temperature Ferromagnetism in Transition Metal Doped TiO ₂ Nanowires. Science of Advanced Materials, 2009, 1, 227-229.	0.1	11
164	Interfacial Observation of an Alkylsilane Self-Assembled Monolayer on Hydrogen-Terminated Si. Langmuir, 2004, 20, 8942-8946.	1.6	10
165	Semi-circular shaped ZnO nanowhiskers assemblies deposited using an aqueous solution. Applied Surface Science, 2008, 255, 2329-2332.	3.1	10
166	Synthesis, Characterization, Photocatalytic and Sensing Properties of Mn-Doped ZnO Nanoparticles. Journal of Nanoscience and Nanotechnology, 2019, 19, 8095-8103.	0.9	10
167	Effect of oxygen vacancy sites in exposed crystal facet on the gas sensing performance of ZnO nanomaterial. Journal of the American Ceramic Society, 2022, 105, 2150-2160.	1.9	10
168	Surface Molecular Separator for Selective Gas Sensing. Industrial & Engineering Chemistry Research, 2020, 59, 17894-17900.	1.8	9
169	Tin Oxide Nanosheets on Microelectromechanical System Devices for Improved Gas Discrimination. ACS Applied Nano Materials, 2021, 4, 14285-14291.	2.4	9
170	A Novel Approach to Fabricate Hydroxyapatite Coating on Titanium Substrate in an Aqueous Solution.. Journal of the Ceramic Society of Japan, 2001, 109, 676-680.	1.3	8
171	Surface morphology control of zirconia thin films prepared using novel photochromic molecules. Thin Solid Films, 2008, 516, 2635-2638.	0.8	8
172	Fabrication of ZnO nanowhiskers array film by forced-hydrolysis-initiated-nucleation technique using various templates. Thin Solid Films, 2009, 518, 621-624.	0.8	8
173	Hexagonal Symmetry Radial Whiskers of ZnO Crystallized in Aqueous Solution. Journal of Nanoscience and Nanotechnology, 2009, 9, 522-526.	0.9	8
174	Analysis of P(VdCl-co-AN-co-MMA)-LiClO ₄ -EC triblock copolymer electrolytes. Bulletin of Materials Science, 2015, 38, 183-190.	0.8	8
175	Gold nanoparticle-mesoporous silica sheet composites with enhanced antibody adsorption capacity. New Journal of Chemistry, 2015, 39, 4070-4077.	1.4	8
176	Facile synthesis of ZnO nanobullets by solution plasma without chemical additives. RSC Advances, 2021, 11, 26785-26790.	1.7	8
177	A Special Issue on: Applications of Metal Oxide Nanostructures. Science of Advanced Materials, 2010, 2, 1-2.	0.1	8
178	Selectively dissolution-recrystallization of ZnO crystals at the air-liquid interface. Journal of Crystal Growth, 2009, 311, 482-485.	0.7	7
179	Optical properties and dye adsorption characteristics of acicular crystal assembled TiO ₂ thin films. Journal of Crystal Growth, 2009, 311, 436-439.	0.7	7
180	Low-Temperature Fabrication of Bunch-Shaped ZnO Nanowires Using a Sodium Hydroxide Aqueous Solution. Journal of Nanoscience and Nanotechnology, 2011, 11, 10935-10939.	0.9	7

#	ARTICLE	IF	CITATIONS
181	Ethanol separation from ethanol aqueous solution by pervaporation using hydrophobic mesoporous silica membranes. <i>Journal of the Ceramic Society of Japan</i> , 2011, 119, 549-556.	0.5	7
182	Site-Selective Deposition of TiO ₂ Thin Films Using Self-Assembled Monolayers and Their Dielectric Properties. <i>Key Engineering Materials</i> , 2002, 228-229, 125-130.	0.4	6
183	Aqueous Solution Synthesis of Anatase TiO ₂ Particles. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2007, 54, 824-827.	0.1	6
184	High protein-adsorption characteristics of acicular crystal assembled TiO ₂ films and their photoelectric effect. <i>Thin Solid Films</i> , 2011, 519, 5135-5138.	0.8	6
185	Polyethylenimine-assisted synthesis of transparent ZnO nanowhiskers at ambient temperatures. <i>Thin Solid Films</i> , 2014, 558, 134-139.	0.8	6
186	Activity of formaldehyde dehydrogenase on titanium dioxide films with different crystallinities. <i>Applied Surface Science</i> , 2015, 329, 262-268.	3.1	6
187	Bio-inspired mineralization of nanostructured TiO ₂ on PET and FTO films with high surface area and high photocatalytic activity. <i>Scientific Reports</i> , 2020, 10, 13499.	1.6	6
188	Fabrication and characterization of p-Si/n-In ₂ O ₃ and p-Si/n-ITO junction diodes for optoelectronic device applications. <i>Surfaces and Interfaces</i> , 2021, 23, 100992.	1.5	6
189	Ceramic nanostructures of SnO ₂ , TiO ₂ , and ZnO via aqueous crystal growth: cold crystallization and morphology control. <i>Journal of the Ceramic Society of Japan</i> , 2020, 128, 718-737.	0.5	6
190	Self-Standing Particle-Binding ZnO Film. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 433-438.	0.9	5
191	Rapid Low-Temperature Synthesis of Porous ZnO Nanoparticle Film by Self-Hydrolysis Technique. <i>Key Engineering Materials</i> , 0, 445, 123-126.	0.4	5
192	Two-Dimensional Patterning of Inorganic Particles in Resin Using Ultrasound-Induced Plate Vibration. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 088006.	0.8	5
193	Ceria Polymer Hybrid Nanoparticles and Assembled Films for Coating Applications. <i>ACS Applied Nano Materials</i> , 2018, 1, 2112-2119.	2.4	5
194	Medium Dependent Size and Shape Tuning of Indium Oxide Nanoparticles and Their Gas Sensing Properties. <i>Advanced Science, Engineering and Medicine</i> , 2011, 3, 202-212.	0.3	5
195	Patterning of ZrO ₂ Precursor Through a Gas-Generated Self-Assembly Route. <i>Journal of Nanoscience and Nanotechnology</i> , 2006, 6, 1842-1846.	0.9	4
196	Micropore size distribution in nanocrystal assembled TiO ₂ particles. <i>Journal of the Ceramic Society of Japan</i> , 2008, 116, 426-430.	0.5	4
197	Fusion and Growth Behavior of Gold Nanoparticles Stabilized by Allylmercaptane. <i>Macromolecular Symposia</i> , 2008, 270, 82-87.	0.4	4
198	Morphology control of anisotropic BaTiO ₃ and BaTiO ₄ using organic-inorganic interaction. <i>Journal of Crystal Growth</i> , 2009, 311, 589-592.	0.7	4

#	ARTICLE	IF	CITATIONS
199	Iridescent Stand-Alone TiO ₂ Films Crystallized from Aqueous Solutions. Journal of Nanoscience and Nanotechnology, 2009, 9, 439-444.	0.9	4
200	Facile Synthesis of Characteristic Tin Oxide Particulate Films in Aqueous Solution. International Journal of Applied Ceramic Technology, 2012, 9, 920-927.	1.1	4
201	Water Bath Synthesis of Tin Oxide Nanostructure Coating for a Molecular Sensor. Journal of Nanoscience and Nanotechnology, 2014, 14, 2252-2257.	0.9	4
202	Self-supported Zn ₅ (CO ₃) ₂ (OH) ₆ film formation at air-liquid interface. Transactions of the Materials Research Society of Japan, 2007, 32, 739-742.	0.2	4
203	Morphology control of ZnO nanostructures using Zn and W electrodes in solution plasma process. Materials Letters, 2022, 309, 131349.	1.3	4
204	Gas Sensing Properties of High-Purity Semiconducting Single-Walled Carbon Nanotubes for NH ₃ , H ₂ , and NO. ECS Journal of Solid State Science and Technology, 2021, 10, 121004.	0.9	4
205	Thermoelectric Properties of Highly Textured Zn-In-O Ceramics. Key Engineering Materials, 2002, 228-229, 161-166.	0.4	3
206	Dielectric Characteristics of SrTiO ₃ Precursor Thin Film Prepared on Self-Assembled Monolayers by the Liquid Phase Deposition Method. Key Engineering Materials, 2003, 248, 73-76.	0.4	3
207	Low Dimensional Particle Patterning. Journal of Dispersion Science and Technology, 2005, 25, 503-511.	1.3	3
208	Nano TiO ₂ Coating on SnO ₂ : F Electrode in an Aqueous Solution. Journal of the Ceramic Society of Japan, 2007, 115, 813-817.	0.5	3
209	Zinc oxide particles connected by nano-sheets and their heat treatment. Metals and Materials International, 2007, 13, 395-398.	1.8	3
210	Structure and piezoelectric properties of 1-¼m-thick polar-axis-oriented CaBi ₄ Ti ₄ O ₁₅ films. Applied Physics A: Materials Science and Processing, 2007, 87, 637-640.	1.1	3
211	Synthesis of nanocrystal assembled TiO ₂ particles by boric acid free liquid phase crystal deposition. Journal of the Ceramic Society of Japan, 2008, 116, 422-425.	0.5	3
212	Chemical Deposition and Corrosive Resistance of TiO ₂ /MgF ₂ Composite Nanofilm on Magnesium Alloy AZ31. Electrochemical and Solid-State Letters, 2009, 12, D68.	2.2	3
213	Microstructure of High c-Axis Oriented Stand-Alone ZnO Self-Assembled Film. Journal of Nanoscience and Nanotechnology, 2009, 9, 490-494.	0.9	3
214	Aqueous phase deposition of dense tin oxide films with nano-structured surfaces. Journal of Solid State Chemistry, 2014, 214, 42-46.	1.4	3
215	Transition-Metal-Doped NIR-Emitting Silicon Nanocrystals. Angewandte Chemie, 2017, 129, 6253-6256.	1.6	3
216	Use of a Phage-Display Method to Identify Peptides that Bind to a Tin Oxide Nanosheets. Protein and Peptide Letters, 2018, 25, 68-75.	0.4	3

#	ARTICLE	IF	CITATIONS
217	Co-Substitution Effect in Room-Temperature Ferromagnetic Oxide Sr ₃ Li _{0.9} Co ₄ O _{10.5} . <i>Materials</i> , 2020, 13, 2301.	1.3	3
218	Liquid Phase Morphology Control of ZnO Nanowires, Ellipse Particles, Hexagonal Rods, and Particle in Aqueous Solutions. <i>ISRN Nanotechnology</i> , 2012, 2012, 1-6.	1.3	3
219	Synthesis of Tin Oxide Nanosheet with Liquid Phase Crystal Growth for Gas Sensing. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2020, 67, 271-277.	0.1	3
220	Fabrication of Micropatterned Dielectric Thin Films on Self-Assembled Monolayers. <i>Key Engineering Materials</i> , 2002, 214-215, 157-162.	0.4	2
221	Control of Crystal Growth of ZnO Nanowhiskers in Aqueous Solution and Synthesis of Transparent Nanoarrays. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2007, 54, 834-838.	0.1	2
222	Positioning of cationic silver nanoparticle by using AFM lithography and electrostatic interaction. <i>Applied Surface Science</i> , 2007, 254, 621-626.	3.1	2
223	Synthesis of 3-allylindoline spirobenzopyrans derived from 3-allyl-3H-indoles. <i>Tetrahedron Letters</i> , 2014, 55, 6427-6431.	0.7	2
224	Halogen- and Acid-Free Syntheses of TiO ₂ Nanocrystal Coatings and High Surface Area TiO ₂ Nanocrystal-Assembled Particles. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 2231-2237.	0.9	2
225	One Dimensional Spindle Titanium Oxide Nanocrystals. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 2968-2973.	0.9	2
226	Development of Na _{0.5} CoO ₂ Thick Film Prepared by Screen-Printing Process. <i>Materials</i> , 2020, 13, 2805.	1.3	2
227	LiVO ₂ as a new solid-state phase change material. <i>Journal of Alloys and Compounds</i> , 2021, 882, 160741.	2.8	2
228	Self-assembly Patterning of Nano/Micro-Particles [Translated]. <i>KONA Powder and Particle Journal</i> , 2007, 25, 244-254.	0.9	2
229	Development of Ceramics Nano-structures with Liquid Phase Crystal Growth. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2018, 65, 616-623.	0.1	2
230	Liquid Phase Synthesis of Ceramics Nanostructures. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2022, 69, 22-26.	0.1	2
231	Examination of VOC Concentration of Aroma Essential Oils and Their Major VOCs Diffused in Room Air. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2904.	1.2	2
232	Self-Adaptive Gas Sensor System Based on Operating Conditions Using Data Prediction. <i>ACS Sensors</i> , 2022, 7, 142-150.	4.0	2
233	Thermoelectric properties of Ca ₃ Co ₄ O ₉ -based ceramics textured by templated grain growth method. , 0, , .		1
234	Growth of Highly Orientated and Well-Aligned ZnO Nanowhiskers Using Aqueous Solutions. <i>Materials Science Forum</i> , 2009, 620-622, 477-480.	0.3	1

#	ARTICLE	IF	CITATIONS
235	Unique structure of ZnO films deposited by chemical bath deposition. Physica Status Solidi (A) Applications and Materials Science, 2009, 206, 2551-2554.	0.8	1
236	Nanofabrication of Metal Oxide Nanostructures in Aqueous Solutions. , 2011, , .		1
237	Shape-controlled synthesis of γ -Fe ₂ O ₃ nanostructures: engineering their surface properties for improved photocatalytic degradation efficiency. , 2012, , 113-125.		1
238	Anisotropic Crystal Growth and Microstructure Observation of Single Phase SnO ₂ Nano-sheet Assemblies. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2012, 59, 342-346.	0.1	1
239	Stereochemistry of C ₇ -allyl yohimbine explored by X-ray crystallography. Journal of Molecular Structure, 2013, 1036, 133-143.	1.8	1
240	SnO ₂ Nanosheet-assembled Graded Continuous Film. International Journal of Applied Ceramic Technology, 2014, 11, 550-557.	1.1	1
241	Long Term Synthesis of Needle Crystal Assembled TiO ₂ Films in an Aqueous Solution. Journal of Nanoscience and Nanotechnology, 2014, 14, 3056-3061.	0.9	1
242	High orderly nano-silica assembly and its application in synthesizing TiO ₂ /SiO ₂ bilayer films. Surface and Coatings Technology, 2018, 345, 22-30.	2.2	1
243	Influence of Growth Conditions on the Morphology of Zinc Oxide Nanoarrays. Transactions of the Materials Research Society of Japan, 2008, 33, 709-712.	0.2	1
244	Sensor Properties of Series-connected Mixed-potential H ₂ Gas Sensor. Sensors and Materials, 2019, 31, 1351.	0.3	1
245	Nanoarchitectonics of Acicular Nanocrystal Assembly and Nanosheet Assembly for Lithium-Ion Batteries. Journal of Nanoscience and Nanotechnology, 2020, 20, 3004-3012.	0.9	1
246	Thermoelectric Properties of Textured Ceramics of Co-Containing Layer Structured Oxide. Key Engineering Materials, 2002, 228-229, 155-160.	0.4	0
247	Investigation on the assessment of nano-block integration process for novel thermoelectric materials. , 0, , .		0
248	Morphology Control of ZnO Particles in Liquid Phase. Key Engineering Materials, 2007, 350, 3-6.	0.4	0
249	Nature-guided Materials Processing. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2007, 54, 818-818.	0.1	0
250	Low-Temperature Fabrication of Semi-Circular Shaped ZnO Nanowhiskers Using an Aqueous Solution. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2007, 54, 849-853.	0.1	0
251	Liquid Phase Patterning of Ceramic Films. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2007, 54, 854-862.	0.1	0
252	Bottom-up fabrication and piezoelectric properties of CaBi ₄ Ti ₄ O ₁₅ micro-plateaus. Applied Physics A: Materials Science and Processing, 2007, 88, 273-276.	1.1	0

#	ARTICLE	IF	CITATIONS
253	CONTROL OF NANOSTRUCTURE OF MATERIALS. , 2008, , 177-265.		0
254	Synthesis of Well-Aligned ZnO Nanowhisker Films Using Aqueous Solution for Use in Dye-Sensitized Sensor. Key Engineering Materials, 2008, 388, 27-30.	0.4	0
255	Influence of Synthesis Condition on N ₂ Adsorption Characteristics of Anatase TiO ₂ Particles Prepared in an Aqueous Solution. Key Engineering Materials, 2008, 388, 103-106.	0.4	0
256	ZnO Nanoarrays Film Grown by Forced-Hydrolysis-Initiated-Nucleation Technique and its Photo-Induced Electrical Property. Key Engineering Materials, 0, 421-422, 83-86.	0.4	0
257	Optical and adsorption properties of ZnO nanotubes prepared from aqueous solutions. , 2010, , .		0
258	Low-temperature fabrication of bunch-shaped ZnO nanowires using an sodium hydroxide aqueous solution. , 2010, , .		0
259	Nano/Micro-Patterning of Metal Oxide Nanocrystals. , 0, , .		0
260	Self-assembly and Patterning of Nanocrystals. , 0, , .		0
261	Anisotropic Crystal Growth and Microstructure Observation of Single Phase SnO ₂ Nano-sheet Assemblies. Funtai Oyobi Fummatsumu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2012, 59, 312.	0.1	0
262	Development of Nanomaterials with Energy-saving Green Processes and their Applications. Funtai Oyobi Fummatsumu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2014, 61, 442.	0.1	0
263	Nanostructuring of Metal Oxides in Aqueous Solutions. , 2016, , 369-458.		0
264	Preparation of Double-shelled Fluorescent Silicon Nanocrystals and Fabrication of Its Thin Layer by Electrophoretic Deposition Process. Funtai Oyobi Fummatsumu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2018, 65, 108-113.	0.1	0
265	Self-assembly patterning of ultrafine zirconia nanocrystal films fabricated on chemically patterned templates. Nanotechnology, 2018, 29, 495702.	1.3	0
266	Morphology Control of Particles and Their Patterning. , 2018, , 765-775.		0
267	Structural and electrochemical studies of LiNi _x Co _(1-x) VO ₄ (x=0.2, 0.8) cathode materials for rechargeable lithium batteries. Ionics, 2019, 25, 4089-4098.	1.2	0
268	Preparation of Double-Shelled Fluorescent Silicon Nanocrystals and Fabrication of Its Thin Layer by Electrophoretic Deposition Process. Materials Transactions, 2019, 60, 49-54.	0.4	0
269	Self-assembly Patterning of Nano/micro-particles. KONA Powder and Particle Journal, 2007, 25, 2-3.	0.9	0
270	Crystallization of Titania Films in Aqueous Solutions and Their Dye Adsorption Properties. Ceramic Engineering and Science Proceedings, 0, , 203-213.	0.1	0

#	ARTICLE	IF	CITATIONS
271	Porous Anatase Titanium Dioxide Films Prepared in Aqueous Solution. , 0, , 121-132.		0
272	Fabrication of Metal Oxide Nanomaterials with Smart Process. Journal of Smart Processing, 2012, 1, 155-160.	0.0	0
273	Characterization of Optical- and N ₂ Adsorption Properties of Self-Twin Zinc Oxide Nanoarrays Assemblies. Materials Focus, 2013, 2, 20-23.	0.4	0
274	Aqueous Coatings. Yosetsu Gakkai Shi/Journal of the Japan Welding Society, 2014, 83, 100-103.	0.0	0
275	Biomimetic Morphology Control of Metal Oxides and Their Site-Selective Immobilization. , 2017, , 47-87.		0
276	Aqueous Solution Process. , 2021, , 97-104.		0
277	Polar Axis Orientation and Electrical Properties of Alkoxy-Derived One Micro-Meter-Thick Ferro-/Piezoelectric Films. , 0, , 33-42.		0