Paul Muntner

List of Publications by Citations

Source: https://exaly.com/author-pdf/4651199/paul-muntner-publications-by-citations.pdf
Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

520 papers	68,033 citations	101 h-index	254 g-index
542 ext. papers	82,260 ext. citations	6.7 avg, IF	7.63 L-index

#	Paper	IF	Citations
520	Heart Disease and Stroke Statistics-2017 Update: A Report From the American Heart Association. *Circulation*, **2017**, 135, e146-e603	16.7	5568
519	Heart disease and stroke statistics--2015 update: a report from the American Heart Association. *Circulation*, **2015**, 131, e29-322	16.7	5259
518	Global burden of hypertension: analysis of worldwide data. *Lancet, The*, **2005**, 365, 217-23	40	4912
517	Heart Disease and Stroke Statistics-2016 Update: A Report From the American Heart Association. *Circulation*, **2016**, 133, e38-360	16.7	4504
516	Heart Disease and Stroke Statistics-2019 Update: A Report From the American Heart Association. *Circulation*, **2019**, 139, e56-e528	16.7	3937
515	Heart Disease and Stroke Statistics-2018 Update: A Report From the American Heart Association. *Circulation*, **2018**, 137, e67-e492	16.7	3848
514	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice	15.1	2178
513	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice	8.5	1567
512	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical	8.5	1505
511	Mortality prediction with a single general self-rated health question. A meta-analysis. *Journal of General Internal Medicine*, **2006**, 21, 267-75	4	1434
510	The metabolic syndrome and chronic kidney disease in U.S. adults. *Annals of Internal Medicine*, **2004**, 140, 167-74	8	970
509	Global Burden of Cardiovascular Diseases and Risk Factors, 1990-2019: Update From the GBD 2019 Study. *Journal of the American College of Cardiology*, **2020**, 76, 2982-3021	15.1	922
508	Trends in blood pressure among children and adolescents. *JAMA - Journal of the American Medical Association*, **2004**, 291, 2107-13	27.4	580
507	Renal insufficiency and subsequent death resulting from cardiovascular disease in the United States. *Journal of the American Society of Nephrology: JASN*, **2002**, 13, 745-753	12.7	579
506	Prevalence, awareness, treatment, and control of hypertension in china. *Hypertension*, **2002**, 40, 920-7	8.5	468
505	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Journal of the American College of Cardiology*, **2018**, 71, 2199-2269	15.1	462
504	Risk of coronary events in people with chronic kidney disease compared with those with diabetes: a population-level cohort study. *Lancet, The*, **2012**, 380, 807-14	40	447

503	Plasma lipids and risk of developing renal dysfunction: the atherosclerosis risk in communities study. *Kidney International*, **2000**, 58, 293-301	9.9	446
502	The Chronic Renal Insufficiency Cohort (CRIC) Study: Design and Methods. *Journal of the American Society of Nephrology: JASN*, **2003**, 14, S148-53	12.7	428
501	Prevalence and associations of 25-hydroxyvitamin D deficiency in US children: NHANES 2001-2004. *Pediatrics*, **2009**, 124, e362-70	7.4	401
500	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*, **2018**, 138, e426-e483	16.7	397
499	Potential US Population Impact of the 2017 ACC/AHA High Blood Pressure Guideline. *Circulation*, **2018**, 137, 109-118	16.7	392
498	Estimated glomerular filtration rate and albuminuria for prediction of cardiovascular outcomes: a collaborative meta-analysis of individual participant data. *Lancet Diabetes and Endocrinology,the*, **2015**, 3, 514-25	18.1	381
497	Measurement of Blood Pressure in Humans: A Scientific Statement From the American Heart Association. *Hypertension*, **2019**, 73, e35-e66	8.5	365
496	Traditional and nontraditional risk factors predict coronary heart disease in chronic kidney disease: results from the atherosclerosis risk in communities study. *Journal of the American Society of Nephrology: JASN*, **2005**, 16, 529-38	12.7	348
495	The relationship between visit-to-visit variability in systolic blood pressure and all-cause mortality in the general population: findings from NHANES III, 1988 to 1994. *Hypertension*, **2011**, 57, 160-6	8.5	344
494	New medication adherence scale versus pharmacy fill rates in seniors with hypertension. *American Journal of Managed Care*, **2009**, 15, 59-66	2.1	342
493	Validation of the atherosclerotic cardiovascular disease Pooled Cohort risk equations. *JAMA - Journal of the American Medical Association*, **2014**, 311, 1406-15	27.4	340
492	Blood lead below 0.48 micromol/L (10 microg/dL) and mortality among US adults. *Circulation*, **2006**, 114, 1388-94	16.7	322
491	Diabetes and Hypertension: A Position Statement by the American Diabetes Association. *Diabetes Care*, **2017**, 40, 1273-1284	14.6	312
490	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. *Nature Communications*, **2016**, 7, 10023	17.4	295
489	Use of evidence-based therapies in short-term outcomes of ST-segment elevation myocardial infarction and non-ST-segment elevation myocardial infarction in patients with chronic kidney disease: a report from the National Cardiovascular Data Acute Coronary Treatment and Intervention Outcomes Network registry. *Circulation*, **2010**, 121, 357-65	16.7	294
488	Insulin resistance and risk of chronic kidney disease in nondiabetic US adults. *Journal of the American Society of Nephrology: JASN*, **2003**, 14, 469-77	12.7	292
487	The prevalence of nontraditional risk factors for coronary heart disease in patients with chronic kidney disease. *Annals of Internal Medicine*, **2004**, 140, 9-17	8	292
486	Detection of chronic kidney disease with creatinine, cystatin C, and urine albumin-to-creatinine ratio and association with progression to end-stage renal disease and mortality. *JAMA - Journal of the American Medical Association*, **2011**, 305, 1545-52	27.4	291

485	Acute kidney injury and mortality in hospitalized patients. *American Journal of Nephrology*, **2012**, 35, 349-55	4.6	286
484	Medication adherence: a key factor in achieving blood pressure control and good clinical outcomes in hypertensive patients. *Current Opinion in Cardiology*, **2004**, 19, 357-62	2.1	278
483	Atrial fibrillation and the risk of myocardial infarction. *JAMA Internal Medicine*, **2014**, 174, 107-14	11.5	274
482	Relationship between cigarette smoking and novel risk factors for cardiovascular disease in the United States. *Annals of Internal Medicine*, **2003**, 138, 891-7	8	265
481	Statin intolerance - an attempt at a unified definition. Position paper from an International Lipid Expert Panel. *Archives of Medical Science*, **2015**, 11, 1-23	2.9	252
480	Blood cadmium and lead and chronic kidney disease in US adults: a joint analysis. *American Journal of Epidemiology*, **2009**, 170, 1156-64	3.8	245
479	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*, **2018**, 138, e484-e594	16.7	242
478	Hypertension awareness, treatment, and control in adults with CKD: results from the Chronic Renal Insufficiency Cohort (CRIC) Study. *American Journal of Kidney Diseases*, **2010**, 55, 441-51	7.4	236
477	Serum 25-hydroxyvitamin D levels and the prevalence of peripheral arterial disease: results from NHANES 2001 to 2004. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **2008**, 28, 1179-85	9.4	234
476	Predictors of nonadherence to statins: a systematic review and meta-analysis. *Annals of Pharmacotherapy*, **2010**, 44, 1410-21	2.9	218
475	High blood pressure: the leading global burden of disease risk factor and the need for worldwide prevention programs. *Current Hypertension Reports*, **2013**, 15, 134-6	4.7	215
474	Continued decline in blood lead levels among adults in the United States: the National Health and Nutrition Examination Surveys. *Archives of Internal Medicine*, **2005**, 165, 2155-61		212
473	Potential U.S. Population Impact of the 2017 ACC/AHA High Blood Pressure Guideline. *Journal of the American College of Cardiology*, **2018**, 71, 109-118	15.1	206
472	Trends in Blood Pressure Control Among US Adults With Hypertension, 1999-2000 to 2017-2018. *JAMA - Journal of the American Medical Association*, **2020**, 324, 1190-1200	27.4	199
471	Cadmium levels in urine and mortality among U.S. adults. *Environmental Health Perspectives*, **2009**, 117, 190-6	8.4	189
470	Trends in statin use and low-density lipoprotein cholesterol levels among US adults: impact of the 2001 National Cholesterol Education Program guidelines. *Annals of Pharmacotherapy*, **2008**, 42, 1208-15	2.9	183
469	Relation between alkaline phosphatase, serum phosphate, and all-cause or cardiovascular mortality. *Circulation*, **2009**, 120, 1784-92	16.7	182
468	Meta-analysis of observational studies on fish intake and coronary heart disease. *American Journal of Cardiology*, **2004**, 93, 1119-23	3	182

467	Prevalence of cardiovascular disease risk factor clustering among the adult population of China: results from the International Collaborative Study of Cardiovascular Disease in Asia (InterAsia). *Circulation*, **2005**, 112, 658-65	16.7	182
466	Visit-to-Visit Variability of Blood Pressure and Coronary Heart Disease, Stroke, Heart Failure, and Mortality: A Cohort Study. *Annals of Internal Medicine*, **2015**, 163, 329-38	8	178
465	Vitamin D levels and food and environmental allergies in the United States: results from the National Health and Nutrition Examination Survey 2005-2006. *Journal of Allergy and Clinical Immunology*, **2011**, 127, 1195-202	11.5	176
464	Statin Intolerance and Risk of Coronary Heart Events and All-Cause Mortality Following Myocardial Infarction. *Journal of the American College of Cardiology*, **2017**, 69, 1386-1395	15.1	173
463	Association of chronic kidney disease with atrial fibrillation among adults in the United States: REasons for Geographic and Racial Differences in Stroke (REGARDS) Study. *Circulation: Arrhythmia and Electrophysiology*, **2011**, 4, 26-32	6.4	173
462	Blood pressure and decline in kidney function: findings from the Systolic Hypertension in the Elderly Program (SHEP). *Journal of the American Society of Nephrology: JASN*, **2002**, 13, 2776-82	12.7	173
461	Retinal microvascular abnormalities and renal dysfunction: the atherosclerosis risk in communities study. *Journal of the American Society of Nephrology: JASN*, **2004**, 15, 2469-76	12.7	171
460	Factors associated with hypertension control in the general population of the United States. *Archives of Internal Medicine*, **2002**, 162, 1051-8		171
459	Life's Simple 7 and risk of incident stroke: the reasons for geographic and racial differences in stroke study. *Stroke*, **2013**, 44, 1909-14	6.7	165
458	Barriers to and determinants of medication adherence in hypertension management: perspective of the cohort study of medication adherence among older adults. *Medical Clinics of North America*, **2009**, 93, 753-69	7	163
457	Visit-to-visit variability of blood pressure and cardiovascular disease and all-cause mortality: a systematic review and meta-analysis. *Hypertension*, **2014**, 64, 965-82	8.5	157
456	The Role of Nutraceuticals in Statin□Intolerant Patients. *Journal of the American College of Cardiology*, **2018**, 72, 96-118	15.1	157
455	Treatment-resistant hypertension and the incidence of cardiovascular disease and end-stage renal disease: results from the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). *Hypertension*, **2014**, 64, 1012-21	8.5	152
454	Ethnic differences in hypertension incidence among middle-aged and older adults: the multi-ethnic study of atherosclerosis. *Hypertension*, **2011**, 57, 1101-7	8.5	149
453	Blood lead and chronic kidney disease in the general United States population: results from NHANES III. *Kidney International*, **2003**, 63, 1044-50	9.9	146
452	Serum total and lipoprotein cholesterol levels and awareness, treatment, and control of hypercholesterolemia in China. *Circulation*, **2004**, 110, 405-11	16.7	144
451	Association of Blood Pressure Classification in Young Adults Using the 2017 American College of Cardiology/American Heart Association Blood Pressure Guideline With Cardiovascular Events Later in Life. *JAMA - Journal of the American Medical Association*, **2018**, 320, 1774-1782	27.4	144
450	25-hydroxyvitamin D levels, race, and the progression of kidney disease. *Journal of the American Society of Nephrology: JASN*, **2009**, 20, 2631-9	12.7	142

449	Effects of coenzyme Q10 on statin-induced myopathy: a meta-analysis of randomized controlled trials. *Mayo Clinic Proceedings*, **2015**, 90, 24-34	6.4	139
448	Markers of inflammation predict the long-term risk of developing chronic kidney disease: a population-based cohort study. *Kidney International*, **2011**, 80, 1231-8	9.9	134
447	Optimizing Cholesterol Treatment in Patients With Muscle Complaints. *Journal of the American College of Cardiology*, **2017**, 70, 1290-1301	15.1	133
446	Analysis of vitamin D levels in patients with and without statin-associated myalgia - a systematic review and meta-analysis of 7 studies with 2420 patients. *International Journal of Cardiology*, **2015**, 178, 111-6	3.2	129
445	Prevention and Control of Hypertension: JACC Health Promotion Series. *Journal of the American College of Cardiology*, **2018**, 72, 1278-1293	15.1	128
444	Comparison of A1C and fasting glucose criteria to diagnose diabetes among U.S. adults. *Diabetes Care*, **2010**, 33, 95-7	14.6	127
443	Secular trends in cardiovascular disease mortality, incidence, and case fatality rates in adults in the United States. *American Journal of Medicine*, **2004**, 117, 219-27	2.4	127
442	Prevalence of physical activity among Chinese adults: results from the International Collaborative Study of Cardiovascular Disease in Asia. *American Journal of Public Health*, **2005**, 95, 1631-6	5.1	127
441	Impact of statin therapy on coronary plaque composition: a systematic review and meta-analysis of virtual histology intravascular ultrasound studies. *BMC Medicine*, **2015**, 13, 229	11.4	126
440	KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease. *Kidney International*, **2021**, 99, S1-S87	9.9	126
439	Refractory hypertension: determination of prevalence, risk factors, and comorbidities in a large, population-based cohort. *Hypertension*, **2014**, 63, 451-8	8.5	124
438	Using proteinuria and estimated glomerular filtration rate to classify risk in patients with chronic kidney disease: a cohort study. *Annals of Internal Medicine*, **2011**, 154, 12-21	8	124
437	Symptoms of posttraumatic stress disorder in a New Orleans workforce following Hurricane Katrina. *Journal of Urban Health*, **2007**, 84, 142-52	5.8	121
436	Association between the metabolic syndrome and chronic kidney disease in Chinese adults. *Nephrology Dialysis Transplantation*, **2007**, 22, 1100-6	4.3	118
435	Prevalence and predictors of poor antihypertensive medication adherence in an urban health clinic setting. *Journal of Clinical Hypertension*, **2007**, 9, 179-86	2.3	117
434	Prevalence of non-traditional cardiovascular disease risk factors among persons with impaired fasting glucose, impaired glucose tolerance, diabetes, and the metabolic syndrome: analysis of the Third National Health and Nutrition Examination Survey (NHANES III). *Annals of Epidemiology*, **2004**,	6.4	116
433	Lack of efficacy of resveratrol on C-reactive protein and selected cardiovascular risk factors--Results from a systematic review and meta-analysis of randomized controlled trials. *International Journal of Cardiology*, **2015**, 189, 47-55	3.2	110
432	Association between statin use and plasma D-dimer levels. A systematic review and meta-analysis of randomised controlled trials. *Thrombosis and Haemostasis*, **2015**, 114, 546-57	7	110

431	Sex Differences in the Prevalence of, and Trends in, Cardiovascular Risk Factors, Treatment, and Control in the United States, 2001 to 2016. *Circulation*, **2019**, 139, 1025-1035	16.7	110
430	Predictors of decline in medication adherence: results from the cohort study of medication adherence among older adults. *Hypertension*, **2011**, 58, 804-10	8.5	109
429	Statin therapy reduces plasma endothelin-1 concentrations: A meta-analysis of 15 randomized controlled trials. *Atherosclerosis*, **2015**, 241, 433-42	3.1	107
428	Trends in ATP-III-defined high blood cholesterol prevalence, awareness, treatment and control among U.S. adults. *Annals of Epidemiology*, **2007**, 17, 548-55	6.4	106
427	Statin therapy and plasma coenzyme Q10 concentrations--A systematic review and meta-analysis of placebo-controlled trials. *Pharmacological Research*, **2015**, 99, 329-36	10.2	105
426	Association between inflammation and insulin resistance in U.S. nondiabetic adults: results from the Third National Health and Nutrition Examination Survey. *Diabetes Care*, **2004**, 27, 2960-5	14.6	105
425	Trends in stroke prevalence between 1973 and 1991 in the US population 25 to 74 years of age. *Stroke*, **2002**, 33, 1209-13	6.7	104
424	Prevalence of apparent treatment-resistant hypertension among individuals with CKD. *Clinical Journal of the American Society of Nephrology: CJASN*, **2013**, 8, 1583-90	6.9	103
423	Underutilization of high-intensity statin therapy after hospitalization for coronary heart disease. *Journal of the American College of Cardiology*, **2015**, 65, 270-7	15.1	102
422	Role of Ambulatory and Home Blood Pressure Monitoring in Clinical Practice: A Narrative Review. *Annals of Internal Medicine*, **2015**, 163, 691-700	8	101
421	Reduction in cadmium exposure in the United States population, 1988-2008: the contribution of declining smoking rates. *Environmental Health Perspectives*, **2012**, 120, 204-9	8.4	101
420	Generalizability of SPRINT Results to the U.S. Adult Population. *Journal of the American College of Cardiology*, **2016**, 67, 463-72	15.1	100
419	Short-term outcomes of acute myocardial infarction in patients with acute kidney injury: a report from the national cardiovascular data registry. *Circulation*, **2012**, 125, 497-504	16.7	100
418	Overweight, obesity, and elevated serum cystatin C levels in adults in the United States. *American Journal of Medicine*, **2008**, 121, 341-8	2.4	98
417	Impact of A1C screening criterion on the diagnosis of pre-diabetes among U.S. adults. *Diabetes Care* , **2010**, 33, 2190-5	14.6	95
416	Statin intolerance - an attempt at a unified definition. Position paper from an International Lipid Expert Panel. *Expert Opinion on Drug Safety*, **2015**, 14, 935-55	4.1	94
415	The association between inflammatory markers, serum lipids and the risk of cardiovascular events in patients with rheumatoid arthritis. *Annals of the Rheumatic Diseases*, **2014**, 73, 1301-8	2.4	94
414	Dietary patterns and risk of death and progression to ESRD in individuals with CKD: a cohort study. *American Journal of Kidney Diseases*, **2014**, 64, 204-13	7.4	94

413	Lifestyle-related factors, obesity, and incident microalbuminuria: the CARDIA (Coronary Artery Risk Development in Young Adults) study. *American Journal of Kidney Diseases*, **2013**, 62, 267-75	7.4	92
412	Apparent treatment-resistant hypertension and risk for stroke, coronary heart disease, and all-cause mortality. *Journal of the American Society of Hypertension*, **2014**, 8, 405-13		91
411	Methods to improve medication adherence in patients with hypertension: current status and future directions. *Current Opinion in Cardiology*, **2005**, 20, 296-300	2.1	91
410	Relation of inflammation to peripheral arterial disease in the national health and nutrition examination survey, 1999-2002. *American Journal of Cardiology*, **2005**, 96, 1579-83	3	89
409	Rates of treated and untreated kidney failure in older vs younger adults. *JAMA - Journal of the American Medical Association*, **2012**, 307, 2507-15	27.4	88
408	Blood lead level is associated with elevated blood pressure in blacks. *Hypertension*, **2003**, 41, 463-8	8.5	88
407	Association of waist circumference and body mass index with all-cause mortality in CKD: The REGARDS (Reasons for Geographic and Racial Differences in Stroke) Study. *American Journal of Kidney Diseases*, **2011**, 58, 177-85	7.4	87
406	Relationship between HbA1c level and peripheral arterial disease. *Diabetes Care*, **2005**, 28, 1981-7	14.6	86
405	Chronic kidney disease and risk of death from infection. *American Journal of Nephrology*, **2011**, 34, 330-6	4.6	85
404	2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Journal of the American Society of Hypertension*, **2018**, 12, 579.e1-579.e73		83
403	Association between LDL-C and risk of myocardial infarction in CKD. *Journal of the American Society of Nephrology: JASN*, **2013**, 24, 979-86	12.7	82
402	Factors associated with hypertension awareness, treatment, and control in a representative sample of the chinese population. *Hypertension*, **2004**, 43, 578-85	8.5	81
401	Trends in the prevalence, awareness, treatment, and control of cardiovascular disease risk factors among noninstitutionalized patients with a history of myocardial infarction and stroke. *American Journal of Epidemiology*, **2006**, 163, 913-20	3.8	80
400	Effect of sustaining lifestyle modifications (nonsmoking, weight reduction, physical activity, and mediterranean diet) after healing of myocardial infarction, percutaneous intervention, or coronary bypass (from the REasons for Geographic and Racial Differences in Stroke Study). *American Journal of Cardiology*, **2011**, 113, 1023-40	3	79
399	Associations of aortic distensibility and arterial elasticity with long-term visit-to-visit blood pressure variability: the Multi-Ethnic Study of Atherosclerosis (MESA). *American Journal of Hypertension*, **2013**, 26, 896-902	2.3	78
398	Trends in Prehypertension and Hypertension Risk Factors in US Adults: 1999-2012. *Hypertension*, **2017**, 70, 275-284	8.5	76
397	Low hemoglobin A1c and risk of all-cause mortality among US adults without diabetes. *Circulation: Cardiovascular Quality and Outcomes*, **2010**, 3, 661-7	5.8	76
396	All-cause mortality in hemodialysis patients with heart valve calcification. *Clinical Journal of the American Society of Nephrology: CJASN*, **2011**, 6, 1990-5	6.9	75

395	Serum phosphorus predicts incident chronic kidney disease and end-stage renal disease. *Nephrology Dialysis Transplantation*, **2011**, 26, 2885-90	4.3	74
394	Association of depression with antihypertensive medication adherence in older adults: cross-sectional and longitudinal findings from CoSMO. *Annals of Behavioral Medicine*, **2010**, 40, 248-57	4.5	74
393	KDOQI US commentary on the 2013 KDIGO Clinical Practice Guideline for Lipid Management in CKD. *American Journal of Kidney Diseases*, **2015**, 65, 354-66	7.4	73
392	Serum alkaline phosphatase and phosphate and risk of mortality and hospitalization. *Clinical Journal of the American Society of Nephrology: CJASN*, **2010**, 5, 1064-71	6.9	73
391	Ethnic, gender, and age-related differences in patients with the metabolic syndrome. *Current Hypertension Reports*, **2009**, 11, 127-32	4.7	73
390	Investigation of gender heterogeneity in the associations of serum phosphorus with incident coronary artery disease and all-cause mortality. *American Journal of Epidemiology*, **2009**, 169, 67-77	3.8	71
389	Association of Clinical and Social Factors With Excess Hypertension Risk in Black Compared With White US Adults. *JAMA - Journal of the American Medical Association*, **2018**, 320, 1338-1348	27.4	71
388	Epidemiology of obesity, the metabolic syndrome, and chronic kidney disease. *Current Hypertension Reports*, **2012**, 14, 152-9	4.7	70
387	Sex differences in barriers to antihypertensive medication adherence: findings from the cohort study of medication adherence among older adults. *Journal of the American Geriatrics Society*, **2013**, 61, 558-64	5.6	70
386	Reproducibility of visit-to-visit variability of blood pressure measured as part of routine clinical care. *Journal of Hypertension*, **2011**, 29, 2332-8	1.9	70
385	The contribution of increased diabetes prevalence and improved myocardial infarction and stroke survival to the increase in treated end-stage renal disease. *Journal of the American Society of Nephrology: JASN*, **2003**, 14, 1568-77	12.7	70
384	Depressive symptoms and cardiovascular health by the American Heart Association© definition in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) study. *PLoS ONE*, **2012**, 7, e52771	3.7	70
383	Potential Deaths Averted and Serious Adverse Events Incurred From Adoption of the SPRINT (Systolic Blood Pressure Intervention Trial) Intensive Blood Pressure Regimen in the United States: Projections From NHANES (National Health and Nutrition Examination Survey). *Circulation*, **2017**, 135, 1617-1628	16.7	69
382	Behavioral mechanisms, elevated depressive symptoms, and the risk for myocardial infarction or death in individuals with coronary heart disease: the REGARDS (Reason for Geographic and Racial Differences in Stroke) study. *Journal of the American College of Cardiology*, **2013**, 61, 622-30	15.1	69
381	Pulse wave velocity is inversely related to vertebral bone density in hemodialysis patients. *Hypertension*, **2007**, 49, 1278-84	8.5	69
380	Adherence to High-Intensity Statins Following a Myocardial Infarction Hospitalization Among Medicare Beneficiaries. *JAMA Cardiology*, **2017**, 2, 890-895	16.2	68
379	Racial differences in abnormal ambulatory blood pressure monitoring measures: Results from the Coronary Artery Risk Development in Young Adults (CARDIA) study. *American Journal of Hypertension*, **2015**, 28, 640-8	2.3	68
378	Health-related quality of life and antihypertensive medication adherence among older adults. *Age and Ageing*, **2010**, 39, 481-7	3	68

377	Prevalence of Apparent Treatment-Resistant Hypertension in the United States. *Hypertension*, **2019**, 73, 424-431	8.5	68
376	Albuminuria, kidney function, and the incidence of cognitive impairment among adults in the United States. *American Journal of Kidney Diseases*, **2011**, 58, 756-63	7.4	67
375	Comparative effects of biologics on cardiovascular risk among older patients with rheumatoid arthritis. *Annals of the Rheumatic Diseases*, **2016**, 75, 1813-8	2.4	66
374	Low medication adherence and hypertension control among adults with CKD: data from the REGARDS (Reasons for Geographic and Racial Differences in Stroke) Study. *American Journal of Kidney Diseases*, **2010**, 56, 447-57	7.4	66
373	Endothelial dysfunction and the risk of hypertension: the multi-ethnic study of atherosclerosis. *Hypertension*, **2010**, 55, 1210-6	8.5	65
372	Estimated GFR, albuminuria, and complications of chronic kidney disease. *Journal of the American Society of Nephrology: JASN*, **2011**, 22, 2322-31	12.7	64
371	Serum cystatin C and increased coronary heart disease prevalence in US adults without chronic kidney disease. *American Journal of Cardiology*, **2008**, 102, 54-7	3	63
370	Association of Serum Lipids and Coronary Heart Disease in Contemporary Observational Studies. *Circulation*, **2016**, 133, 256-64	16.7	62
369	Trends in hypertension prevalence, awareness, treatment, and control among US adults 80 years and older, 1988-2010. *Journal of Clinical Hypertension*, **2014**, 16, 270-6	2.3	62
368	Kidney function, albuminuria, and all-cause mortality in the REGARDS (Reasons for Geographic and Racial Differences in Stroke) study. *American Journal of Kidney Diseases*, **2010**, 56, 861-71	7.4	62
367	Missed dialysis sessions and hospitalization in hemodialysis patients after Hurricane Katrina. *Kidney International*, **2009**, 75, 1202-1208	9.9	61
366	Effect of blood pressure on early decline in kidney function among hypertensive men. *Hypertension*, **2003**, 42, 1144-9	8.5	61
365	Reliability of a medication adherence measure in an outpatient setting. *American Journal of the Medical Sciences*, **2005**, 330, 128-33	2.2	61
364	The Association Between Antihypertensive Medication Nonadherence and Visit-to-Visit Variability of Blood Pressure: Findings From the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial. *Hypertension*, **2016**, 68, 39-45	8.5	60
363	Adherence to Statin Therapy Among US Adults Between 2007 and 2014. *Journal of the American Heart Association*, **2019**, 8, e010376	6	60
362	Blood Pressure Assessment in Adults in Clinical Practice and Clinic-Based Research: JACC Scientific Expert Panel. *Journal of the American College of Cardiology*, **2019**, 73, 317-335	15.1	58
361	Obesity, metabolic health, and the risk of end-stage renal disease. *Kidney International*, **2015**, 87, 1216-22	9.9	58
360	Adverse effects of complementary and alternative medicine on antihypertensive medication adherence: findings from the cohort study of medication adherence among older adults. *Journal of the American Geriatrics Society*, **2010**, 58, 54-61	5.6	58

359	Sex Differences in High-Intensity Statin Use Following Myocardial Infarction in the United States. *Journal of the American College of Cardiology*, **2018**, 71, 1729-1737	15.1	57
358	Trends in Antihypertensive Medication Discontinuation and Low Adherence Among Medicare Beneficiaries Initiating Treatment From 2007 to 2012. *Hypertension*, **2016**, 68, 565-75	8.5	57
357	Relations between QRS|T angle, cardiac risk factors, and mortality in the third National Health and Nutrition Examination Survey (NHANES III). *American Journal of Cardiology*, **2012**, 109, 981-7	3	57
356	A population-based, prospective study of blood pressure and risk for end-stage renal disease in China. *Journal of the American Society of Nephrology: JASN*, **2007**, 18, 1928-35	12.7	57
355	Association between cumulative social risk and ideal cardiovascular health in US adults: NHANES 1999-2006. *International Journal of Cardiology*, **2015**, 191, 296-300	3.2	56
354	Association between antihypertensive medication adherence and visit-to-visit variability of blood pressure. *Journal of Clinical Hypertension*, **2013**, 15, 112-7	2.3	56
353	Age-specific association of reduced estimated glomerular filtration rate and albuminuria with all-cause mortality. *Clinical Journal of the American Society of Nephrology: CJASN*, **2011**, 6, 2200-7	6.9	56
352	Epidemiology of chronic kidney disease among older adults: a focus on the oldest old. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2012**, 67, 1379-86	6.4	56
351	Masked Hypertension and Cardiovascular Disease Events in a Prospective Cohort of Blacks: The Jackson Heart Study. *Hypertension*, **2016**, 68, 501-10	8.5	56
350	Barriers to conducting ambulatory and home blood pressure monitoring during hypertension screening in the United States. *Journal of the American Society of Hypertension*, **2017**, 11, 573-580		55
349	Blood Pressure, Antihypertensive Polypharmacy, Frailty, and Risk for Serious Fall Injuries Among Older Treated Adults With Hypertension. *Hypertension*, **2017**, 70, 259-266	8.5	55
348	Differences in cardiovascular disease risk when antihypertensive medication adherence is assessed by pharmacy fill versus self-report: the Cohort Study of Medication Adherence among Older Adults (CoSMO). *Journal of Hypertension*, **2015**, 33, 412-20	1.9	55
347	Prevalence and correlates of low medication adherence in apparent treatment-resistant hypertension. *Journal of Clinical Hypertension*, **2012**, 14, 694-700	2.3	55
346	Blood pressure measurement device, number and timing of visits, and intra-individual visit-to-visit variability of blood pressure. *Journal of Clinical Hypertension*, **2012**, 14, 744-50	2.3	55
345	Haptoglobin genotype is a major determinant of the amount of iron in the human atherosclerotic plaque. *Journal of the American College of Cardiology*, **2008**, 52, 1049-51	15.1	55
344	Waist Circumference, Body Mass Index, and ESRD in the REGARDS (Reasons for Geographic and Racial Differences in Stroke) Study. *American Journal of Kidney Diseases*, **2016**, 67, 62-9	7.4	54
343	Association of the metabolic syndrome with atrial fibrillation among United States adults (from the REasons for Geographic and Racial Differences in Stroke [REGARDS] Study). *American Journal of Cardiology*, **2011**, 108, 227-32	3	54
342	Age-specific associations of reduced estimated glomerular filtration rate with concurrent chronic kidney disease complications. *Clinical Journal of the American Society of Nephrology: CJASN*, **2011**, 6, 2822-8	6.9	54

341	Trends in Use of High-Intensity Statin Therapy After Myocardial Infarction, 2011 to 2014. *Journal of the American College of Cardiology*, **2017**, 69, 2696-2706	15.1	53
340	Inflammation, neovascularization and intra-plaque hemorrhage are associated with increased reparative collagen content: implication for plaque progression in diabetic atherosclerosis. *Vascular Medicine*, **2011**, 16, 103-8	3.3	53
339	Kidney patient care in disasters: lessons from the hurricanes and earthquake of 2005. *Clinical Journal of the American Society of Nephrology: CJASN*, **2007**, 2, 814-24	6.9	53
338	Trends in the prevalence, awareness, treatment and control of high low density lipoprotein-cholesterol among United States adults from 1999-2000 through 2009-2010. *American Journal of Cardiology*, **2013**, 112, 664-70	3	52
337	Cardiovascular risk factors in CKD associate with both ESRD and mortality. *Journal of the American Society of Nephrology: JASN*, **2013**, 24, 1159-65	12.7	52
336	Differential estimation of CKD using creatinine- versus cystatin C-based estimating equations by category of body mass index. *American Journal of Kidney Diseases*, **2009**, 53, 993-1001	7.4	52
335	Albuminuria and racial disparities in the risk for ESRD. *Journal of the American Society of Nephrology: JASN*, **2011**, 22, 1721-8	12.7	52
334	Self-reported atrial fibrillation and risk of stroke in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) study. *Stroke*, **2011**, 42, 2950-3	6.7	52
333	Executive summary of the KDIGO 2021 Clinical Practice Guideline for the Management of Blood Pressure in Chronic Kidney Disease. *Kidney International*, **2021**, 99, 559-569	9.9	51
332	Research Needs to Improve Hypertension Treatment and Control in African Americans. *Hypertension*, **2016**, 68, 1066-1072	8.5	49
331	Head-to-head comparison of statins versus fibrates in reducing plasma fibrinogen concentrations: A systematic review and meta-analysis. *Pharmacological Research*, **2016**, 103, 236-52	10.2	49
330	Comparison of the Framingham Heart Study hypertension model with blood pressure alone in the prediction of risk of hypertension: the Multi-Ethnic Study of Atherosclerosis. *Hypertension*, **2010**, 55, 1339-45	8.5	49
329	Is blood pressure control for stroke prevention the correct goal? The lost opportunity of preventing hypertension. *Stroke*, **2015**, 46, 1595-600	6.7	48
328	Statin-associated myopathy and the quest for biomarkers: can we effectively predict statin-associated muscle symptoms?. *Drug Discovery Today*, **2017**, 22, 85-96	8.8	48
327	Increased neovascularization in advanced lipid-rich atherosclerotic lesions detected by gadofluorine-M-enhanced MRI: implications for plaque vulnerability. *Circulation: Cardiovascular Imaging*, **2009**, 2, 391-6	3.9	48
326	Racial differences in the incidence of chronic kidney disease. *Clinical Journal of the American Society of Nephrology: CJASN*, **2012**, 7, 101-7	6.9	47
325	Contrasting Cholesterol Management Guidelines for Adults with CKD. *Journal of the American Society of Nephrology: JASN*, **2015**, 26, 1173-80	12.7	46
324	Prognostic Value of Variability in Systolic Blood Pressure Related to Vascular Events and Premature Death in Type 2 Diabetes Mellitus: The ADVANCE-ON Study. *Hypertension*, **2017**, 70, 461-468	8.5	46

323	Antihypertensive prescriptions for newly treated patients before and after the main antihypertensive and lipid-lowering treatment to prevent heart attack trial results and seventh report of the joint national committee on prevention, detection, evaluation, and treatment of high blood pressure guidelines. *Hypertension*, **2009**, 53, 617-23	8.5	46
322	Cardiovascular risk among adults with chronic kidney disease, with or without prior myocardial infarction. *Journal of the American College of Cardiology*, **2006**, 48, 1183-9	15.1	46
321	Using Predicted Cardiovascular Disease Risk in Conjunction With Blood Pressure to Guide Antihypertensive Medication Treatment. *Journal of the American College of Cardiology*, **2017**, 69, 2446-2456	15.1	45
320	Association of systolic blood pressure levels with cardiovascular events and all-cause mortality among older adults taking antihypertensive medication. *International Journal of Cardiology*, **2014**, 176, 219-26	3.2	45
319	Healthy lifestyle factors and risk of cardiovascular events and mortality in treatment-resistant hypertension: the Reasons for Geographic and Racial Differences in Stroke study. *Hypertension*, **2014**, 64, 465-71	8.5	45
318	Comparative validity of 3 diabetes mellitus risk prediction scoring models in a multiethnic US cohort: the Multi-Ethnic Study of Atherosclerosis. *American Journal of Epidemiology*, **2010**, 171, 980-8	3.8	45
317	Accuracy of Blood Pressure Measurement Devices in Pregnancy: A Systematic Review of Validation Studies. *Hypertension*, **2018**, 71, 326-335	8.5	45
316	Low income and albuminuria among REGARDS (Reasons for Geographic and Racial Differences in Stroke) study participants. *American Journal of Kidney Diseases*, **2012**, 60, 779-86	7.4	44
315	Fibroblast growth factor 23 and risk of incident stroke in community-living adults. *Stroke*, **2015**, 46, 322-8	8.7	43
314	Consequences of Comorbidity of Elevated Stress and/or Depressive Symptoms and Incident Cardiovascular Outcomes in Diabetes: Results From the REasons for Geographic And Racial Differences in Stroke (REGARDS) Study. *Diabetes Care*, **2016**, 39, 101-9	14.6	43
313	Effect of chlorthalidone, amlodipine, and lisinopril on visit-to-visit variability of blood pressure: results from the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial. *Journal of Clinical Hypertension*, **2014**, 16, 323-30	2.3	43
312	Comparative efficacy of coronary artery bypass surgery vs. percutaneous coronary intervention in patients with diabetes and multivessel coronary artery disease with or without chronic kidney disease. *European Heart Journal*, **2016**, 37, 3440-3447	9.5	42
311	Studies comparing ambulatory blood pressure and home blood pressure on cardiovascular disease and mortality outcomes: a systematic review. *Journal of the American Society of Hypertension*, **2016**, 10, 224-234.e17		41
310	Cumulative Incidence of Hypertension by 55 Years of Age in Blacks and Whites: The CARDIA Study. *Journal of the American Heart Association*, **2018**, 7,	6	41
309	Trajectories of kidney function decline in young black and white adults with preserved GFR: results from the Coronary Artery Risk Development in Young Adults (CARDIA) study. *American Journal of Kidney Diseases*, **2013**, 62, 261-6	7.4	41
308	Blood pressure is a major risk factor for renal death: an analysis of 560 352 participants from the Asia-Pacific region. *Hypertension*, **2009**, 54, 509-15	8.5	41
307	Association of serum intact parathyroid hormone with lower estimated glomerular filtration rate. *Clinical Journal of the American Society of Nephrology: CJASN*, **2009**, 4, 186-94	6.9	41
306	Associations between very low concentrations of low density lipoprotein cholesterol, high sensitivity C-reactive protein, and health outcomes in the Reasons for Geographical and Racial Differences in Stroke (REGARDS) study. *European Heart Journal*, **2018**, 39, 3641-3653	9.5	41

305	Blood pressure in chronic kidney disease: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. *Kidney International*, **2019**, 95, 1027-1036	9.9	40
304	Prevalence of Masked Hypertension Among US Adults With Nonelevated Clinic Blood Pressure. *American Journal of Epidemiology*, **2017**, 185, 194-202	3.8	40
303	Prescription Opioid Use and Risk of Coronary Heart Disease, Stroke, and Cardiovascular Death Among Adults from a Prospective Cohort (REGARDS Study). *Pain Medicine*, **2016**, 17, 444-455	2.8	40
302	Bidirectional association of retinal vessel diameters and estimated GFR decline: the Beaver Dam CKD Study. *American Journal of Kidney Diseases*, **2011**, 57, 682-91	7.4	40
301	The impact of JNC-VI guidelines on treatment recommendations in the US population. *Hypertension* , **2002**, 39, 897-902	8.5	40
300	Short-Term Risk of Serious Fall Injuries in Older Adults Initiating and Intensifying Treatment With Antihypertensive Medication. *Circulation: Cardiovascular Quality and Outcomes*, **2016**, 9, 222-9	5.8	40
299	Incident Cardiovascular Disease Among Adults With Blood Pressure . *Circulation*, **2017**, 136, 798-812	16.7	39
298	Visit-to-Visit Variability in Blood Pressure Is Related to Late-Life Cognitive Decline. *Hypertension*, **2016**, 68, 106-13	8.5	39
297	Loss-of-Function Variants, Low-Density Lipoprotein Cholesterol, and Risk of Coronary Heart Disease and Stroke: Data From 9 Studies of Blacks and Whites. *Circulation: Cardiovascular Genetics*, **2017**, 10, e001632		39
296	Use of a disease risk score to compare serious infections associated with anti-tumor necrosis factor therapy among high- versus lower-risk rheumatoid arthritis patients. *Arthritis Care and Research*, **2012**, 64, 1480-9	4.7	39
295	Improvements in robot-assisted prostatectomy: the effect of surgeon experience and technical changes on oncologic and functional outcomes. *Journal of Endourology*, **2010**, 24, 1105-10	2.7	39
294	The impact of reclassifying moderate CKD as a coronary heart disease risk equivalent on the number of US adults recommended lipid-lowering treatment. *American Journal of Kidney Diseases*, **2007**, 49, 37-45	7.4	39
293	Body mass index and risk of ESRD in China. *American Journal of Kidney Diseases*, **2007**, 50, 754-64	7.4	39
292	Diagnosing Masked Hypertension Using Ambulatory Blood Pressure Monitoring, Home Blood Pressure Monitoring, or Both?. *Hypertension*, **2018**, 72, 1200-1207	8.5	39
291	Risk for recurrent coronary heart disease and all-cause mortality among individuals with chronic kidney disease compared with diabetes mellitus, metabolic syndrome, and cigarette smokers. *American Heart Journal*, **2013**, 166, 373-380.e2	4.9	38
290	Assessing patient-reported outcomes and preferences for same-day discharge after percutaneous coronary intervention: results from a pilot randomized, controlled trial. *Circulation: Cardiovascular Quality and Outcomes*, **2013**, 6, 186-92	5.8	38
289	Impact of L-carnitine on plasma lipoprotein(a) concentrations: A systematic review and meta-analysis of randomized controlled trials. *Scientific Reports*, **2016**, 6, 19188	4.9	38
288	Incident ESRD and treatment-resistant hypertension: the reasons for geographic and racial differences in stroke (REGARDS) study. *American Journal of Kidney Diseases*, **2014**, 63, 781-8	7.4	37

287	Is pulse pressure an independent risk factor for incident acute coronary heart disease events? The REGARDS study. *American Journal of Hypertension*, **2014**, 27, 555-63	2.3	37
286	Medication adherence in older clinic patients with hypertension after Hurricane Katrina: implications for clinical practice and disaster management. *American Journal of the Medical Sciences* , **2008**, 336, 99-104	2.2	37
285	Prevalence of isolated systolic and isolated diastolic hypertension subtypes in China. *American Journal of Hypertension*, **2004**, 17, 955-62	2.3	37
284	Physical Activity and Incident Hypertension in African Americans: The Jackson Heart Study. *Hypertension*, **2017**, 69, 421-427	8.5	36
283	Discrimination and Hypertension Risk Among African Americans in the Jackson Heart Study. *Hypertension*, **2020**, 76, 715-723	8.5	36
282	Effect of Ezetimibe Monotherapy on Plasma Lipoprotein(a) Concentrations in Patients with Primary Hypercholesterolemia: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Drugs*, **2018**, 78, 453-462	12.1	36
281	Emergence of Home Blood Pressure-Guided Management of Hypertension Based on Global Evidence. *Hypertension*, **2019**, HYPERTENSIONAHA11912630	8.5	36
280	Community mobility among older adults with reduced kidney function: a study of life-space. *American Journal of Kidney Diseases*, **2014**, 63, 429-36	7.4	36
279	Statin underuse and low prevalence of LDL-C control among U.S. adults at high risk of coronary heart disease. *American Journal of the Medical Sciences*, **2014**, 348, 108-14	2.2	36
278	Relation of borderline peripheral arterial disease to cardiovascular disease risk. *American Journal of Cardiology*, **2006**, 98, 1226-30	3	36
277	Masked Hypertension and Incident Clinic Hypertension Among Blacks in the Jackson Heart Study. *Hypertension*, **2016**, 68, 220-6	8.5	35
276	Healthy lifestyle factors and incident heart disease and mortality in candidates for primary prevention with statin therapy. *International Journal of Cardiology*, **2016**, 207, 196-202	3.2	35
275	Kidney patient care in disasters: emergency planning for patients and dialysis facilities. *Clinical Journal of the American Society of Nephrology: CJASN*, **2007**, 2, 825-38	6.9	35
274	Effect of patient education on self-management skills and health status in patients with asthma: a randomized trial. *American Journal of Medicine*, **2002**, 113, 7-14	2.4	35
273	Hemoglobin Concentration and Risk of Incident Stroke in Community-Living Adults. *Stroke*, **2016**, 47, 2017-24	6.7	34
272	Projected impact of polypill use among US adults: Medication use, cardiovascular risk reduction, and side effects. *American Heart Journal*, **2011**, 161, 719-25	4.9	34
271	Age-related associations of hypertension and diabetes mellitus with chronic kidney disease. *BMC Nephrology*, **2009**, 10, 17	2.7	34
270	Blood pressure indexes and end-stage renal disease risk in adults with chronic kidney disease. *American Journal of Hypertension*, **2012**, 25, 789-96	2.3	34

269	Discordance between physician and patient self-rated health and all-cause mortality. *Ochsner Journal*, **2011**, 11, 232-40	1.5	34
268	Performance of the Atherosclerotic Cardiovascular Disease Pooled Cohort Risk Equations by Social Deprivation Status. *Journal of the American Heart Association*, **2017**, 6,	6	33
267	Trends in mortality and recurrent coronary heart disease events after an acute myocardial infarction among Medicare beneficiaries, 2001-2009. *American Heart Journal*, **2015**, 170, 249-55	4.9	33
266	Visit-to-Visit Variability of BP and CKD Outcomes: Results from the ALLHAT. *Clinical Journal of the American Society of Nephrology: CJASN*, **2016**, 11, 471-80	6.9	33
265	The risk for mild kidney function decline associated with illicit drug use among hypertensive men. *American Journal of Kidney Diseases*, **2004**, 43, 629-35	7.4	33
264	Tocilizumab and the Risk of Cardiovascular Disease: Direct Comparison Among Biologic Disease-Modifying Antirheumatic Drugs for Rheumatoid Arthritis Patients. *Arthritis Care and Research*, **2019**, 71, 1004-1018	4.7	33
263	Prevalence of reduced estimated glomerular filtration rate among the oldest old from 1988-1994 through 2005-2010. *JAMA - Journal of the American Medical Association*, **2013**, 310, 1284-6	27.4	32
262	Effect of Hurricane Katrina on the mortality of dialysis patients. *Kidney International*, **2009**, 76, 760-6	9.9	32
261	Linkage of a Population-Based Cohort With Primary Data Collection to Medicare Claims: The Reasons for Geographic and Racial Differences in Stroke Study. *American Journal of Epidemiology*, **2016**, 184, 532-544	3.8	32
260	2017 ACC/AHA Blood Pressure Treatment Guideline Recommendations and Cardiovascular Risk. *Journal of the American College of Cardiology*, **2018**, 72, 1187-1197	15.1	32
259	Trends in Antihypertensive Medication Monotherapy and Combination Use Among US Adults, National Health and Nutrition Examination Survey 2005-2016. *Hypertension*, **2020**, 75, 973-981	8.5	31
258	Discordance between high non-HDL cholesterol and high LDL-cholesterol among US adults. *Journal of Clinical Lipidology*, **2014**, 8, 86-93	4.9	31
257	Validation study of medicare claims to identify older US adults with CKD using the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. *American Journal of Kidney Diseases*, **2015**, 65, 249-58	7.4	31
256	Combined role of reduced estimated glomerular filtration rate and microalbuminuria on the prevalence of peripheral arterial disease. *American Journal of Cardiology*, **2009**, 104, 1446-51	3	31
255	Psychometric properties of the Osteoporosis-specific Morisky Medication Adherence Scale in postmenopausal women with osteoporosis newly treated with bisphosphonates. *Annals of Pharmacotherapy*, **2012**, 46, 659-70	2.9	31
254	Potential Cardiovascular Disease Events Prevented with Adoption of the 2017 American College of Cardiology/American Heart Association Blood Pressure Guideline. *Circulation*, **2019**, 139, 24-36	16.7	31
253	Barriers to medication adherence and links to cardiovascular disease risk factor control: the Framingham Heart Study. *Internal Medicine Journal*, **2018**, 48, 414-421	1.6	31
252	Association Between Sleep Apnea and Blood Pressure Control Among Blacks. *Circulation*, **2019**, 139, 1275-1284	16.7	30

251	Efficacy and Safety of Alternate-Day Versus Daily Dosing of Statins: a Systematic Review and Meta-Analysis. *Cardiovascular Drugs and Therapy*, **2017**, 31, 419-431	3.9	30
250	Estimated burden of blood lead levels 5 microg/dl in 1999-2002 and declines from 1988 to 1994. *Environmental Research*, **2008**, 107, 305-11	7.9	30
249	Is Isolated Nocturnal Hypertension A Reproducible Phenotype?. *American Journal of Hypertension*, **2016**, 29, 33-8	2.3	29
248	Prevalence of Masked Hypertension and Its Association With Subclinical Cardiovascular Disease in African Americans: Results From the Jackson Heart Study. *Journal of the American Heart Association* , **2016**, 5, e002284	6	29
247	Comment on the reports of over-estimation of ASCVD risk using the 2013 AHA/ACC risk equation. *Circulation*, **2014**, 129, 266-7	16.7	29
246	Development and Validation of the Framingham Steatosis Index to Identify Persons With Hepatic Steatosis. *Clinical Gastroenterology and Hepatology*, **2016**, 14, 1172-1180.e2	6.9	29
245	Longitudinal Patterns of Change in Systolic Blood Pressure and Incidence of Cardiovascular Disease: The Atherosclerosis Risk in Communities Study. *Hypertension*, **2016**, 67, 1150-6	8.5	29
244	Health Professional Shortage Areas, insurance status, and cardiovascular disease prevention in the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. *Journal of Health Care for the Poor and Underserved*, **2011**, 22, 1179-89	1.4	28
243	Incidence of stroke symptoms among adults with chronic kidney disease: results from the REasons for Geographic And Racial Differences in Stroke (REGARDS) study. *Nephrology Dialysis Transplantation*, **2012**, 27, 166-73	4.3	28
242	C-reactive protein predicts long-term mortality independently of low-density lipoprotein cholesterol in patients undergoing percutaneous coronary intervention. *American Heart Journal*, **2009**, 158, 277-83	4.9	28
241	Effects of Concurrent Depressive Symptoms and Perceived Stress on Cardiovascular Risk in Low- and High-Income Participants: Findings From the Reasons for Geographical and Racial Differences in Stroke (REGARDS) Study. *Journal of the American Heart Association*, **2016**, 5,	6	28
240	Hypertension knowledge among patients from an urban clinic. *Ethnicity and Disease*, **2008**, 18, 42-7	1.8	28
239	The association between vitamin B12, albuminuria and reduced kidney function: an observational cohort study. *BMC Nephrology*, **2015**, 16, 7	2.7	27
238	Declines in coronary heart disease incidence and mortality among middle-aged adults with and without diabetes. *Annals of Epidemiology*, **2014**, 24, 581-7	6.4	27
237	Within-visit variability of blood pressure and all-cause and cardiovascular mortality among US adults. *Journal of Clinical Hypertension*, **2012**, 14, 165-71	2.3	27
236	Rates, amounts, and determinants of ambulatory blood pressure monitoring claim reimbursements among Medicare beneficiaries. *Journal of the American Society of Hypertension*, **2014**, 8, 898-908		27
235	PCSK9 Variants, Low-Density Lipoprotein Cholesterol, and Neurocognitive Impairment: Reasons for Geographic and Racial Differences in Stroke Study (REGARDS). *Circulation*, **2018**, 137, 1260-1269	16.7	27
234	Thresholds for Ambulatory Blood Pressure Among African Americans in the Jackson Heart Study. *Circulation*, **2017**, 135, 2470-2480	16.7	26

233	Statin Discontinuation, Reinitiation, and Persistence Patterns Among Medicare Beneficiaries After Myocardial Infarction: A Cohort Study. *Circulation: Cardiovascular Quality and Outcomes*, **2017**, 10,	5.8	26
232	A Comparison of the 2017 American College of Cardiology/American Heart Association Blood Pressure Guideline and the 2017 American Diabetes Association Diabetes and Hypertension Position Statement for U.S. Adults With Diabetes. *Diabetes Care*, **2018**, 41, 2322-2329	14.6	26
231	Healthy behaviors, risk factor control and awareness of chronic kidney disease. *American Journal of Nephrology*, **2013**, 37, 135-43	4.6	26
230	Predictors of low clopidogrel adherence following percutaneous coronary intervention. *American Journal of Cardiology*, **2011**, 108, 822-7	3	26
229	Defining the minimal detectable change in scores on the eight-item Morisky Medication Adherence Scale. *Annals of Pharmacotherapy*, **2011**, 45, 569-75	2.9	26
228	Perceived stress among a workforce 6 months following hurricane Katrina. *Social Psychiatry and Psychiatric Epidemiology*, **2007**, 42, 1005-11	4.5	26
227	Agreement between Medicare pharmacy claims, self-report, and medication inventory for assessing lipid-lowering medication use. *Pharmacoepidemiology and Drug Safety*, **2016**, 25, 827-35	2.6	26
226	Associations between cardiovascular disease, cancer, and very low high-density lipoprotein cholesterol in the REasons for Geographical and Racial Differences in Stroke (REGARDS) study. *Cardiovascular Research*, **2019**, 115, 204-212	9.9	25
225	A pilot study identifying statin nonadherence with visit-to-visit variability of low-density lipoprotein cholesterol. *American Journal of Cardiology*, **2013**, 111, 1437-42	3	25
224	Low medication adherence and the incidence of stroke symptoms among individuals with hypertension: the REGARDS study. *Journal of Clinical Hypertension*, **2011**, 13, 479-86	2.3	25
223	Clinic and ambulatory blood pressure in a population-based sample of African Americans: the Jackson Heart Study. *Journal of the American Society of Hypertension*, **2017**, 11, 204-212.e5		24
222	Association between 24-hour blood pressure variability and chronic kidney disease: a cross-sectional analysis of African Americans participating in the Jackson heart study. *BMC Nephrology*, **2015**, 16, 84	2.7	24
221	Population-Attributable Risk for Cardiovascular Disease Associated With Hypertension in Black Adults. *JAMA Cardiology*, **2019**, 4, 1194-1202	16.2	24
220	Predictors of participation and attendance in a new asthma patient self-management education program. *Chest*, **2001**, 120, 778-84	5.3	24
219	Incorporation of Biomarkers Into Risk Assessment for Allocation of Antihypertensive Medication According to the 2017 ACC/AHA High Blood Pressure Guideline: A Pooled Cohort Analysis. *Circulation*, **2019**, 140, 2076-2088	16.7	23
218	Ability of low antihypertensive medication adherence to predict statin discontinuation and low statin adherence in patients initiating treatment after a coronary event. *American Journal of Cardiology*, **2014**, 114, 826-31	3	23
217	Achievement of optimal medical therapy goals for U.S. adults with coronary artery disease: results from the REGARDS Study (REasons for Geographic And Racial Differences in Stroke). *Journal of the American College of Cardiology*, **2014**, 63, 1626-33	15.1	23
216	The use of ambulatory blood pressure monitoring among Medicare beneficiaries in 2007-2010. *Journal of the American Society of Hypertension*, **2014**, 8, 891-7		23

215	Trends in diabetes, high cholesterol, and hypertension in chronic kidney disease among U.S. adults: 1988-1994 to 1999-2004. *Diabetes Care*, **2008**, 31, 1337-42	14.6	23
214	2019 AHA/ACC Clinical Performance and Quality Measures for Adults With High Blood Pressure: A Report of the American College of Cardiology/American Heart Association Task Force on Performance Measures. *Circulation: Cardiovascular Quality and Outcomes*, **2019**, 12, e000057	5.8	22
213	Evaluating the Framingham hypertension risk prediction model in young adults: the Coronary Artery Risk Development in Young Adults (CARDIA) study. *Hypertension*, **2013**, 62, 1015-20	8.5	22
212	Association of tibia lead and blood lead with end-stage renal disease: a pilot study of African-Americans. *Environmental Research*, **2007**, 104, 396-401	7.9	22
211	Diabetes, diabetes severity, and coronary heart disease risk equivalence: REasons for Geographic and Racial Differences in Stroke (REGARDS). *American Heart Journal*, **2016**, 181, 43-51	4.9	22
210	Atrial fibrillation and incident end-stage renal disease: The REasons for Geographic And Racial Differences in Stroke (REGARDS) study. *International Journal of Cardiology*, **2015**, 185, 219-23	3.2	21
209	Is white-coat hypertension associated with increased cardiovascular and mortality risk?. *Journal of Hypertension*, **2016**, 34, 1655-8	1.9	21
208	Prediabetes and Risk for Cardiovascular Disease by Hypertension Status in Black Adults: The Jackson Heart Study. *Diabetes Care*, **2019**, 42, 2322-2329	14.6	21
207	Cardiovascular Health and Incident Hypertension in Blacks: JHS (The Jackson Heart Study). *Hypertension*, **2017**, 70, 285-292	8.5	21
206	Adherence to antihypertensive medications and associations with blood pressure among African Americans with hypertension in the Jackson Heart Study. *Journal of the American Society of Hypertension*, **2017**, 11, 581-588.e5		21
205	Low correlation between visit-to-visit variability and 24-h variability of blood pressure. *Hypertension Research*, **2013**, 36, 940-6	4.7	21
204	Longitudinal measurements of renal function. *Seminars in Nephrology*, **2009**, 29, 650-7	4.8	21
203	Development of a cardiovascular calcification index using simple imaging tools in haemodialysis patients. *Nephrology Dialysis Transplantation*, **2007**, 22, 508-14	4.3	21
202	Trends in Blood Pressure and Hypertension Among US Children and Adolescents, 1999-2018. *JAMA Network Open*, **2021**, 4, e213917	10.4	21
201	Algorithms to Identify Statin Intolerance in Medicare Administrative Claim Data. *Cardiovascular Drugs and Therapy*, **2016**, 30, 525-533	3.9	21
200	Reliability of Office, Home, and Ambulatory Blood Pressure Measurements and Correlation With Left Ventricular Mass. *Journal of the American College of Cardiology*, **2020**, 76, 2911-2922	15.1	20
199	Impact of Hospitalization for Acute Myocardial Infarction on Adherence to Statins Among Older Adults. *Circulation: Cardiovascular Quality and Outcomes*, **2016**, 9, 364-71	5.8	20
198	Optimal use of available claims to identify a Medicare population free of coronary heart disease. *American Journal of Epidemiology*, **2015**, 182, 808-19	3.8	20

197	Calibration of blood pressure measurements in the Jackson Heart Study. *Blood Pressure Monitoring*, **2019**, 24, 130-136	1.3	20
196	Racial differences in recurrent ischemic stroke risk and recurrent stroke case fatality. *Neurology*, **2018**, 91, e1741-e1750	6.5	20
195	Associations of Blood Pressure Dipping Patterns With Left Ventricular Mass and Left Ventricular Hypertrophy in Blacks: The Jackson Heart Study. *Journal of the American Heart Association*, **2017**, 6,	6	19
194	Association of Blood Pressure Patterns in Young Adulthood With Cardiovascular Disease and Mortality in Middle Age. *JAMA Cardiology*, **2020**, 5, 382-389	16.2	19
193	Association of Daytime and Nighttime Blood Pressure With Cardiovascular Disease Events Among African American Individuals. *JAMA Cardiology*, **2019**, 4, 910-917	16.2	19
192	Prevalence of Activity Limitations and Association with Multimorbidity Among US Adults 50 to 64 Years Old. *Journal of General Internal Medicine*, **2019**, 34, 2390-2396	4	19
191	PCSK9 variation and association with blood pressure in African Americans: preliminary findings from the HyperGEN and REGARDS studies. *Frontiers in Genetics*, **2015**, 6, 136	4.5	19
190	Visit-to-visit variability of blood pressure: current knowledge and future research directions. *Blood Pressure Monitoring*, **2013**, 18, 232-8	1.3	19
189	History of myocardial infarction and stroke among incident end-stage renal disease cases and population-based controls: an analysis of shared risk factors. *American Journal of Kidney Diseases*, **2002**, 40, 323-30	7.4	19
188	Atherosclerotic Risk and Statin Use Among Patients With Peripheral Artery Disease. *Journal of the American College of Cardiology*, **2020**, 76, 251-264	15.1	19
187	Evaluating risk factors for chronic kidney disease in pediatric patients with sickle cell anemia. *Pediatric Nephrology*, **2017**, 32, 1565-1573	3.2	18
186	Antihypertensive Medication Nonpersistence and Low Adherence for Adults . *Hypertension*, **2019**, 74, 35-46	8.5	18
185	Nocturnal Blood Pressure in Young Adults and Cognitive Function in Midlife: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Journal of Hypertension*, **2015**, 28, 1240-7	2.3	18
184	New diagnosis of cancer and the risk of subsequent cerebrovascular events. *Neurology*, **2018**, 90, e2025-e2033	6.5	18
183	Medication adherence and stroke/TIA risk in treated hypertensives: results from the REGARDS study. *Journal of the American Society of Hypertension*, **2013**, 7, 363-9		18
182	2019 AHA/ACC Clinical Performance and Quality Measures for Adults With High Blood Pressure: A Report of the American College of Cardiology/American Heart Association Task Force on Performance Measures. *Journal of the American College of Cardiology*, **2019**, 74, 2661-2706	15.1	18
181	Trends in Utilization of Statin Therapy and Contraindicated Statin Use in HIV--Infected Adults Treated With Antiretroviral Therapy From 2007 Through 2015. *Journal of the American Heart Association*, **2018**, 7, e010345	6	18
180	Cardiovascular Health and Healthcare Utilization and Expenditures Among Medicare Beneficiaries: The REasons for Geographic And Racial Differences in Stroke (REGARDS) Study. *Journal of the American Heart Association*, **2017**, 6,	6	17

179	Biomarker-related risk for myocardial infarction and serious infections in patients with rheumatoid arthritis: a population-based study. *Annals of the Rheumatic Diseases*, **2018**, 77, 386-392	2.4	17
178	Masked hypertension and kidney function decline: the Jackson Heart Study. *Journal of Hypertension* , **2018**, 36, 1524-1532	1.9	17
177	White-Coat Effect Among Older Adults: Data From the Jackson Heart Study. *Journal of Clinical Hypertension*, **2016**, 18, 139-45	2.3	17
176	Ischemic Event Rates in Very-High-Risk Adults. *Journal of the American College of Cardiology*, **2019**, 74, 2496-2507	15.1	17
175	Primary Care Physician Perspectives on Barriers to Statin Treatment. *Cardiovascular Drugs and Therapy*, **2017**, 31, 303-309	3.9	17
174	Excess Risk for Atherosclerotic Cardiovascular Outcomes Among US Adults With HIV in the Current Era. *Journal of the American Heart Association*, **2020**, 9, e013744	6	17
173	Management of Stage 1 Hypertension in Adults With a Low 10-Year Risk for Cardiovascular Disease: Filling a Guidance Gap: A Scientific Statement From the American Heart Association. *Hypertension*, **2021**, 77, e58-e67	8.5	17
172	Trends in Statin Use Among US Adults With Chronic Kidney Disease, 1999-2014. *Journal of the American Heart Association*, **2019**, 8, e010640	6	17
171	Effects of Blood Pressure Lowering on Clinical Outcomes According to Baseline Blood Pressure and Cardiovascular Risk in Patients With Type 2 Diabetes Mellitus. *Hypertension*, **2019**, 73, 1291-1299	8.5	16
170	Geographic region and racial variations in polypharmacy in the United States. *Annals of Epidemiology*, **2015**, 25, 433-438.e1	6.4	16
169	A PRISMA-compliant systematic review and meta-analysis of randomized controlled trials investigating the effects of statin therapy on plasma lipid concentrations in HIV-infected patients. *Pharmacological Research*, **2016**, 111, 343-356	10.2	16
168	Predicted Atherosclerotic Cardiovascular Disease Risk and Masked Hypertension Among Blacks in the Jackson Heart Study. *Circulation: Cardiovascular Quality and Outcomes*, **2017**, 10,	5.8	16
167	Metabolic abnormalities are present in adults with elevated serum cystatin C. *Kidney International*, **2009**, 76, 81-8	9.9	16
166	Ambulatory Blood Pressure Monitoring in Individuals with HIV: A Systematic Review and Meta-Analysis. *PLoS ONE*, **2016**, 11, e0148920	3.7	16
165	Incorporating kidney disease measures into cardiovascular risk prediction: Development and validation in 9 million adults from 72 datasets. *EClinicalMedicine*, **2020**, 27, 100552	11.3	15
164	Burden of Coronary Heart Disease Rehospitalizations Following Acute Myocardial Infarction in Older Adults. *Cardiovascular Drugs and Therapy*, **2016**, 30, 323-31	3.9	15
163	Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. *Journal of Hypertension*, **2021**, 39, 1742-1767	1.9	15
162	Metabolic syndrome and masked hypertension among African Americans: The Jackson Heart Study. *Journal of Clinical Hypertension*, **2017**, 19, 592-600	2.3	14

161	Hypertension in Blacks: Unanswered Questions and Future Directions for the JHS (Jackson Heart Study). *Hypertension*, **2017**, 69, 761-769	8.5	14
160	Apparent Treatment-resistant Hypertension Among Individuals with History of Stroke or Transient Ischemic Attack. *American Journal of Medicine*, **2015**, 128, 707-14.e2	2.4	14
159	Association Between Opioid Use and Atrial Fibrillation: The Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. *JAMA Internal Medicine*, **2015**, 175, 1058-60	11.5	14
158	Evaluating different criteria for defining a complete ambulatory blood pressure monitoring recording: data from the Jackson Heart Study. *Blood Pressure Monitoring*, **2018**, 23, 103-111	1.3	14
157	Impact of age on the association between CKD and the risk of future coronary events. *American Journal of Kidney Diseases*, **2014**, 64, 375-82	7.4	14
156	The effects of weight loss and salt reduction on visit-to-visit blood pressure variability: results from a multicenter randomized controlled trial. *Journal of Hypertension*, **2014**, 32, 840-8	1.9	14
155	Impact of childhood metabolic syndrome components on the risk of elevated uric acid in adulthood: the Bogalusa Heart Study. *American Journal of the Medical Sciences*, **2008**, 335, 332-7	2.2	14
154	Psychosocial Correlates of Nocturnal Blood Pressure Dipping in African Americans: The Jackson Heart Study. *American Journal of Hypertension*, **2016**, 29, 904-12	2.3	14
153	Race and sex differences in asleep blood pressure: The Coronary Artery Risk Development in Young Adults (CARDIA) study. *Journal of Clinical Hypertension*, **2019**, 21, 184-192	2.3	13
152	Cardiovascular Risk Factors and Masked Hypertension: The Jackson Heart Study. *Hypertension*, **2016**, 68, 1475-1482	8.5	13
151	Sedentary behavior and subclinical atherosclerosis in African Americans: cross-sectional analysis of the Jackson heart study. *International Journal of Behavioral Nutrition and Physical Activity*, **2016**, 13, 31	8.4	13
150	Trends in Lipid, Lipoproteins, and Statin Use Among U.S. Adults: Impact of 2013 Cholesterol Guidelines. *Journal of the American College of Cardiology*, **2019**, 74, 2525-2528	15.1	13
149	Perfect storm: concurrent stress and depressive symptoms increase risk of myocardial infarction or death. *Circulation: Cardiovascular Quality and Outcomes*, **2015**, 8, 146-54	5.8	13
148	Prevalence, trends and functional impairment associated with reduced estimated glomerular filtration rate and albuminuria among the oldest-old U.S. adults. *American Journal of the Medical Sciences*, **2014**, 348, 115-20	2.2	13
147	Association of high-density lipoprotein cholesterol with coronary heart disease risk across categories of low-density lipoprotein cholesterol: the atherosclerosis risk in communities study. *American Journal of the Medical Sciences*, **2011**, 341, 173-80	2.2	13
146	Cohort study of medication adherence in older adults (CoSMO): extended effects of Hurricane Katrina on medication adherence among older adults. *American Journal of the Medical Sciences*, **2008**, 336, 105-10	2.2	13
145	Exposure to radiologic contrast media and an increased risk of treated end-stage renal disease. *American Journal of the Medical Sciences*, **2003**, 326, 353-9	2.2	13
144	Trends in Recurrent Coronary Heart Disease After Myocardial Infarction Among US Women and Men Between 2008 and 2017. *Circulation*, **2021**, 143, 650-660	16.7	13

143	Use of Medicare Claims Data for the Identification of Myocardial Infarction: The Reasons for Geographic And Racial Differences in Stroke Study. *Medical Care*, **2018**, 56, 1051-1059	3.1	13
142	Willingness to be Reinitiated on a Statin (from the REasons for Geographic and Racial Differences in Stroke Study). *American Journal of Cardiology*, **2018**, 122, 768-774	3	13
141	Racial differences in statin adherence following hospital discharge for ischemic stroke. *Neurology*, **2017**, 88, 1839-1848	6.5	12
140	Low-density lipoprotein cholesterol response after statin initiation among persons living with human immunodeficiency virus. *Journal of Clinical Lipidology*, **2018**, 12, 988-998.e5	4.9	12
139	Generic alendronate use among Medicare beneficiaries: are Part D data complete?. *Pharmacoepidemiology and Drug Safety*, **2013**, 22, 55-63	2.6	12
138	End-stage renal disease in young black males in a black-white population: longitudinal analysis of the Bogalusa Heart Study. *BMC Nephrology*, **2009**, 10, 40	2.7	12
137	The role of cystatin-C in the confirmation of reduced glomerular filtration rate among the oldest old. *Archives of Medical Science*, **2016**, 12, 55-67	2.9	12
136	Association of Post-Traumatic Stress Disorder Symptoms Following Hurricane Katrina With Incident Cardiovascular Disease Events Among Older Adults With Hypertension. *American Journal of Geriatric Psychiatry*, **2019**, 27, 310-321	6.5	12
135	Reprint of: Prevention and Control of Hypertension: JACC Health Promotion Series. *Journal of the American College of Cardiology*, **2018**, 72, 2996-3011	15.1	12
134	Beat-to-beat heart rate and blood pressure variability and hypertensive disease in pregnancy. *American Journal of Perinatology*, **2015**, 32, 1050-8	3.3	11
133	Black-White Differences in Cardiovascular Disease Mortality: A Prospective US Study, 2003-2017. *American Journal of Public Health*, **2020**, 110, 696-703	5.1	11
132	Association of Region and Hospital and Patient Characteristics With Use of High-Intensity Statins After Myocardial Infarction Among Medicare Beneficiaries. *JAMA Cardiology*, **2019**, 4, 865-872	16.2	11
131	Chronic kidney disease and incident apparent treatment-resistant hypertension among blacks: Data from the Jackson Heart Study. *Journal of Clinical Hypertension*, **2017**, 19, 1117-1124	2.3	11
130	High sodium:potassium intake ratio increases the risk for all-cause mortality: the REasons for Geographic And Racial Differences in Stroke (REGARDS) study. *Journal of Nutritional Science*, **2013**, 2, e13	2.7	11
129	Therapeutic lifestyle changes and drug treatment for high blood cholesterol in China and application of the Adult Treatment Panel III guidelines. *American Journal of Cardiology*, **2005**, 96, 1260-5	3	11
128	Sustained blood pressure control and coronary heart disease, stroke, heart failure, and mortality: An observational analysis of ALLHAT. *Journal of Clinical Hypertension*, **2019**, 21, 451-459	2.3	10
127	Mechanisms Influencing Circadian Blood Pressure Patterns Among Individuals with HIV. *Current Hypertension Reports*, **2015**, 17, 88	4.7	10
126	Morning Blood Pressure Surge and Cardiovascular Disease Events and All-Cause Mortality in Blacks: The Jackson Heart Study. *Hypertension*, **2020**, 75, 835-843	8.5	10

125	Use of Low-Density Lipoprotein-Lowering Therapies Before and After PCSK9 Inhibitor Initiation. *Journal of the American Heart Association*, **2020**, 9, e014347	6	10
124	Cardiovascular Disease and Mortality in Adults Aged ≥80 Years According to Recommendations by the American College of Cardiology/American Heart Association and American College of Physicians/American Academy of Family Physicians. *Hypertension*, **2019**, 73, 327-334	8.5	10
123	Treatment Patterns and Blood Pressure Control With Initiation of Combination Versus Monotherapy Antihypertensive Regimens. *Hypertension*, **2021**, 77, 103-113	8.5	10
122	Self-Reported Stroke Risk Stratification: Reasons for Geographic and Racial Differences in Stroke Study. *Stroke*, **2017**, 48, 1737-1743	6.7	9
121	Intentional and unintentional medication non-adherence in African Americans: Insights from the Jackson Heart Study. *American Heart Journal*, **2018**, 200, 51-59	4.9	9
120	Republished: The association between inflammatory markers, serum lipids and the risk of cardiovascular events in patients with rheumatoid arthritis. *Postgraduate Medical Journal*, **2014**, 90, 722-9	2	9
119	Systolic blood pressure goals to reduce cardiovascular disease among older adults. *American Journal of the Medical Sciences*, **2014**, 348, 129-34	2.2	9
118	Acute kidney injury in sepsis: questions answered, but others remain. *Kidney International*, **2010**, 77, 485-7	9.9	9
117	Prevalence of ambulatory blood pressure phenotypes using the 2017 American College of Cardiology/American Heart Association blood pressure guideline thresholds: data from the Coronary Artery Risk Development in Young Adults study. *Journal of Hypertension*, **2019**, 37, 1401-1410	1.9	9
116	Facility-Level Variations in Kidney Disease Care among Veterans with Diabetes and CKD. *Clinical Journal of the American Society of Nephrology: CJASN*, **2018**, 13, 1842-1850	6.9	9
115	Risk Factors for Low Pharmacy Refill Adherence Among Older Hypertensive Men and Women by Race. *American Journal of the Medical Sciences*, **2018**, 356, 464-475	2.2	9
114	The risk of arterial thromboembolic events after cancer diagnosis. *Research and Practice in Thrombosis and Haemostasis*, **2019**, 3, 639-651	5.1	8
113	Characteristics and prognosis of acute myocardial infarction by discharge diagnosis: the Reasons for Geographic and Racial Differences in Stroke study. *Annals of Epidemiology*, **2015**, 25, 499-504.e1	6.4	8
112	Hypertension and alterations in left ventricular structure and geometry in African Americans: the Jackson Heart Study. *Journal of the American Society of Hypertension*, **2016**, 10, 550-558.e10		8
111	Cumulative Exposure to Systolic Blood Pressure During Young Adulthood Through Midlife and the Urine Albumin-to-Creatinine Ratio at Midlife. *American Journal of Hypertension*, **2017**, 30, 502-509	2.3	8
110	Antihypertensive medication classes used among medicare beneficiaries initiating treatment in 2007-2010. *PLoS ONE*, **2014**, 9, e105888	3.7	8
109	Is measuring C-reactive protein useful for guiding treatment in women > or = 60 years and men > or = 50 years of age?. *American Journal of Cardiology*, **2009**, 104, 354-8	3	8
108	A hybrid 4-item Krousel-Wood Medication Adherence Scale predicts cardiovascular events in older hypertensive adults. *Journal of Hypertension*, **2019**, 37, 851-859	1.9	8

107	Race and sex differences in ambulatory blood pressure measures among HIV+ adults. *Journal of the American Society of Hypertension*, **2017**, 11, 420-427.e3		7
106	National patterns in intensity and frequency of outpatient care for apparent treatment-resistant hypertension. *American Heart Journal*, **2017**, 186, 29-39	4.9	7
105	PCSK9 loss-of-function variants and Lp(a) phenotypes among black US adults. *Journal of Lipid Research*, **2019**, 60, 1946-1952	6.3	7
104	The association of nocturnal hypertension and nondipping blood pressure with treatment-resistant hypertension: The Jackson Heart Study. *Journal of Clinical Hypertension*, **2018**, 20, 438-446	2.3	7
103	Unmet Patient Need in Statin Intolerance: the Clinical Characteristics and Management. *Cardiovascular Drugs and Therapy*, **2018**, 32, 29-36	3.9	7
102	Stroke symptoms and risk for incident coronary heart disease in the REasons for Geographic And Racial Differences in Stroke (REGARDS) study. *International Journal of Cardiology*, **2016**, 220, 122-8	3.2	7
101	Prevalence of Eligibility Criteria for the Systolic Blood Pressure Intervention Trial in US Adults Among Excluded Groups: Age . *Journal of the American Heart Association*, **2016**, 5,	6	7
100	Age and Sex Disparities in Discharge Statin Prescribing in the Stroke Belt: Evidence From the Reasons for Geographic and Racial Differences in Stroke Study. *Journal of the American Heart Association*, **2017**, 6,	6	7
99	Introduction to the American Heart Association® Hypertension Strategically Focused Research Network. *Hypertension*, **2016**, 67, 674-80	8.5	7
98	Characteristics and Cardiovascular Disease Event Rates among African Americans and Whites Who Meet the Further Cardiovascular Outcomes Research with PCSK9 Inhibition in Subjects with Elevated Risk (FOURIER) Trial Inclusion Criteria. *Cardiovascular Drugs and Therapy*, **2019**, 33, 189-199	3.9	6
97	Statin use following hospitalization among Medicare beneficiaries with a secondary discharge diagnosis of acute myocardial infarction. *Journal of the American Heart Association*, **2015**, 4,	6	6
96	Serum albumin concentration and risk of end-stage renal disease: the REGARDS study. *Nephrology Dialysis Transplantation*, **2018**, 33, 1770-1777	4.3	6
95	Effect of change in systolic blood pressure between clinic visits on estimated 10-year cardiovascular disease risk. *Journal of the American Society of Hypertension*, **2014**, 8, 159-65		6
94	Clustering of metabolic abnormalities among obese patients and mortality after percutaneous coronary intervention. *American Journal of Cardiology*, **2011**, 107, 1415-20	3	6
93	Fractures and mortality in relation to different osteoporosis treatments. *Clinical and Experimental Rheumatology*, **2015**, 33, 302-9	2.2	6
92	Sex Differences in Incident and Recurrent Coronary Events and All-Cause Mortality. *Journal of the American College of Cardiology*, **2020**, 76, 1751-1760	15.1	6
91	Life® Simple 7 and Incident Hypertension: The REGARDS Study. *Journal of the American Heart Association*, **2020**, 9, e016482	6	6
90	Gout is associated with an increased risk for incident heart failure among older adults: the REasons for Geographic And Racial Differences in Stroke (REGARDS) cohort study. *Arthritis Research and Therapy*, **2020**, 22, 86	5.7	6

89	Ambulatory Blood Pressure Phenotypes in Adults Taking Antihypertensive Medication with and without CKD. *Clinical Journal of the American Society of Nephrology: CJASN*, **2020**, 15, 501-510	6.9	6
88	Modifiable Risk Factors Versus Age on Developing High Predicted Cardiovascular Disease Risk in Blacks. *Journal of the American Heart Association*, **2017**, 6,	6	5
87	Health Behaviors, Nocturnal Hypertension, and Non-dipping Blood Pressure: The Coronary Artery Risk Development in Young Adults and Jackson Heart Study. *American Journal of Hypertension*, **2019**, 32, 759-768	2.3	5
86	Proportion of US Adults Recommended Out-of-Clinic Blood Pressure Monitoring According to the 2017 Hypertension Clinical Practice Guidelines. *Hypertension*, **2019**, 74, 399-406	8.5	5
85	Non-linear association of periodontal pathogen antibodies with mortality. *International Journal of Cardiology*, **2015**, 187, 628-36	3.2	5
84	Association of Sustained Blood Pressure Control with Multimorbidity Progression Among Older Adults. *Journal of the American Geriatrics Society*, **2020**, 68, 2059-2066	5.6	5
83	Secular changes in rates of coronary heart disease, fatal coronary heart disease, and out-of-hospital fatal coronary heart disease. *International Journal of Cardiology*, **2014**, 174, 436-9	3.2	5
82	Association of Race/Ethnicity-Specific Changes in Antihypertensive Medication Classes Initiated Among Medicare Beneficiaries With the Eighth Joint National Committee Panel Member Report. *JAMA Network Open*, **2020**, 3, e2025127	10.4	5
81	Insurance, self-reported medication adherence and LDL cholesterol: The REasons for Geographic And Racial Differences in Stroke study. *International Journal of Cardiology*, **2017**, 236, 462-465	3.2	4
80	Association of Obstructive Sleep Apnea With Nighttime Blood Pressure in African Americans: The Jackson Heart Study. *American Journal of Hypertension*, **2020**, 33, 949-957	2.3	4
79	Residual risk for coronary heart disease events and mortality despite intensive medical management after myocardial infarction. *Journal of Clinical Lipidology*, **2020**, 14, 260-270	4.9	4
78	Response to Letter to editor "2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults". *Journal of the American Society of Hypertension*, **2018**, 12, 239		4
77	The effects of urate lowering therapy on inflammation, endothelial function, and blood pressure (SURPHER) study design and rationale. *Contemporary Clinical Trials*, **2016**, 50, 238-44	2.3	4
76	Titration to High-Intensity Statin Therapy Following Acute Myocardial Infarction in Patients With and Without Diabetes Mellitus. *Cardiovascular Drugs and Therapy*, **2018**, 32, 453-461	3.9	4
75	Red blood cell transfusion, hyperkalemia, and heart failure in advanced chronic kidney disease. *Pharmacoepidemiology and Drug Safety*, **2015**, 24, 654-62	2.6	4
74	Relations between depressive symptoms, anxiety, and T Wave abnormalities in subjects without clinically-apparent cardiovascular disease (from the Multi-Ethnic Study of Atherosclerosis [MESA]). *American Journal of Cardiology*, **2014**, 114, 1917-22	3	4
73	Prevalence and characteristics of systolic blood pressure thresholds in individuals 60 years or older. *JAMA Internal Medicine*, **2014**, 174, 1397-400	11.5	4
72	Estimated Prevalence of Masked Asleep Hypertension in US Adults. *JAMA Cardiology*, **2021**, 6, 568-573	16.2	4

71	Trajectory of Cognitive Decline After Sepsis. *Critical Care Medicine*, **2021**, 49, 1083-1094	1.4	4
70	Medical Expenditures Among Medicare Beneficiaries with Statin-Associated Adverse Effects Following Myocardial Infarction. *Cardiovascular Drugs and Therapy*, **2018**, 32, 601-610	3.9	4
69	Hypertension in Young Adults and Subsequent Cardiovascular Disease-Reply. *JAMA - Journal of the American Medical Association*, **2019**, 321, 1310-1311	27.4	3
68	Association of West African ancestry and blood pressure control among African Americans taking antihypertensive medication in the Jackson Heart Study. *Journal of Clinical Hypertension*, **2020**, 22, 157-166	2.3	3
67	Development of algorithms for identifying fatal cardiovascular disease in Medicare claims. *Pharmacoepidemiology and Drug Safety*, **2018**, 27, 740-750	2.6	3
66	The association of reduced lung function with blood pressure variability in African Americans: data from the Jackson Heart Study. *BMC Cardiovascular Disorders*, **2016**, 16, 6	2.3	3
65	Racial and Ethnic Differences in Blood Pressure Among US Adults, 1999-2018. *Hypertension*, **2021**, 78, 1730-1741	8.5	3
64	Short-Term Reproducibility of Masked Hypertension Among Adults Without Office Hypertension. *Hypertension*, **2020**, 76, 1169-1175	8.5	3
63	Associations Between Blood Pressure and Outcomes Among Blacks in the Jackson Heart Study. *Journal of the American Heart Association*, **2016**, 5,	6	3
62	Racial Differences in Maintaining Optimal Health Behaviors Into Middle Age. *American Journal of Preventive Medicine*, **2019**, 56, 368-375	6.1	2
61	Response to "COVID-19 and ACEI/ARB: Not Associated?". *American Journal of Hypertension*, **2020**, 33, 789-790	2.3	2
60	Cost-Related Antihypertensive Medication Nonadherence: Action in the Time of COVID-19 and Beyond. *American Journal of Hypertension*, **2020**, 33, 816-818	2.3	2
59	West African Ancestry and Nocturnal Blood Pressure in African Americans: The Jackson Heart Study. *American Journal of Hypertension*, **2018**, 31, 706-714	2.3	2
58	Healthcare Utilization and Statin Re-Initiation Among Medicare Beneficiaries With a History of Myocardial Infarction. *Journal of the American Heart Association*, **2018**, 7,	6	2
57	Reply: Statin Intolerance and Risk for Recurrent Myocardial Infarction, Coronary Heart Disease Events, and All-Cause Mortality. *Journal of the American College of Cardiology*, **2017**, 70, 685-686	15.1	2
56	Development and validation of a self-assessment tool for albuminuria: results from the Reasons for Geographic and Racial Differences in Stroke (REGARDS) Study. *American Journal of Kidney Diseases*, **2011**, 58, 196-205	7.4	2
55	Chronic Kidney Disease as a Coronary Heart Disease Risk Equivalent. *Current Cardiovascular Risk Reports*, **2010**, 4, 136-141	0.9	2
54	Risk for ischemic stroke and coronary heart disease associated with migraine and migraine medication among older adults. *Journal of Headache and Pain*, **2021**, 22, 124	8.8	2

53	Recurrent Atherosclerotic Cardiovascular Event Rates Differ Among Patients Meeting the Very High Risk Definition According to Age, Sex, Race/Ethnicity, and Socioeconomic Status. *Journal of the American Heart Association*, **2020**, 9, e017310	6	2
52	Effects of Intensive Versus Standard Office-Based Hypertension Treatment Strategy on White-Coat Effect and Masked Uncontrolled Hypertension: From the SPRINT ABPM Ancillary Study. *Hypertension*, **2020**, 76, 1090-1096	8.5	2
51	Factors associated with not having a healthcare visit in the past year among US adults with hypertension: Data from NHANES 2013-2018. *American Journal of Hypertension*, **2021**,	2.3	2
50	Response by Bress et al to Letters Regarding Article, "Potential Cardiovascular Disease Events Prevented With Adoption of the 2017 American College of Cardiology/American Heart Association Blood Pressure Guideline". *Circulation*, **2019**, 139, e1023-e1024	16.7	1
49	Epidemiology of Chronic Kidney Disease: Scope of the Problem **2015**, 57-68		1
48	Low-density lipoprotein cholesterol levels among individuals experiencing statin-associated symptoms: Data from the REasons for Geographic And Racial Differences in Stroke (REGARDS) study. *Journal of Clinical Lipidology*, **2020**, 14, 720-729	4.9	1
47	Response to Intervisit Blood Pressure Variability and Outcome: Is Heart Rate a Missing Confounder?. *Hypertension*, **2011**, 58,	8.5	1
46	Potential impact of systematic and random errors in blood pressure measurement on the prevalence of high office blood pressure in the United States.. *Journal of Clinical Hypertension*, **2022**,	2.3	1
45	High Lead Exposure Associated With Higher Blood Pressure in Haiti: a Warning Sign for Low-Income Countries. *Hypertension*, **2022**, 79, 283-290	8.5	1
44	The US Surgeon General© Call-to-Action to Control Hypertension: Introduction to an American Journal of Hypertension Compendium.. *American Journal of Hypertension*, **2022**, 35, 211-213	2.3	1
43	Diagnostic Yield of Population-Based Screening for Chronic Kidney Disease in Low-Income, Middle-Income, and High-Income Countries. *JAMA Network Open*, **2021**, 4, e2127396	10.4	1
42	Reasons for Uncontrolled Blood Pressure Among US Adults: Data From the US National Health and Nutrition Examination Survey. *Hypertension*, **2021**, 78, 1567-1576	8.5	1
41	An Evaluation of Baseline Kidney Function in the REPRIEVE Trial of Pitavastatin in Human Immunodeficiency Virus. *Journal of Infectious Diseases*, **2020**, 222, S41-S51	7	1
40	Using Predicted Atherosclerotic Cardiovascular Disease Risk for Discrimination of Awake or Nocturnal Hypertension. *American Journal of Hypertension*, **2020**, 33, 1011-1020	2.3	1
39	Projections of incident atherosclerotic cardiovascular disease and incident type 2 diabetes across evolving statin treatment guidelines and recommendations: A modelling study. *PLoS Medicine*, **2020**, 17, e1003280	11.6	1
38	Evaluating a Simple Approach to Identify Adults Meeting the 2018 AHA/ACC Cholesterol Guideline Definition of Very High Risk for Atherosclerotic Cardiovascular Disease. *Cardiovascular Drugs and Therapy*, **2021**, 1	3.9	1
37	Factors Associated With PCSK9 Inhibitor Initiation Among US Veterans. *Journal of the American Heart Association*, **2021**, 10, e019254	6	1
36	Decision Tree-Based Classification for Maintaining Normal Blood Pressure Throughout Early Adulthood and Middle Age: Findings From the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Journal of Hypertension*, **2021**, 34, 1037-1041	2.3	1

35	Sustained SBP control and long-term nursing home admission among Medicare beneficiaries. *Journal of Hypertension*, **2021**, 39, 2258-2264	1.9	1
34	Twenty-Five-Year Changes in Office and Ambulatory Blood Pressure: Results From the Coronary Artery Risk Development in Young Adults (CARDIA) Study. *American Journal of Hypertension*, **2021**, 34, 494-503	2.3	1
33	Association of Sustained Blood Pressure Control with Lower Risk for High-Cost Multimorbidities Among Medicare Beneficiaries in ALLHAT. *Journal of General Internal Medicine*, **2021**, 36, 2221-2229	4	1
32	Number and timing of ambulatory blood pressure monitoring measurements. *Hypertension Research*, **2021**, 44, 1578-1588	4.7	1
31	Predicted cardiovascular risk for United States adults with diabetes, chronic kidney disease, and at least 65 years of age. *Journal of Hypertension*, **2022**, 40, 94-101	1.9	1
30	Relationship between social support and incident hypertension in the Jackson Heart Study: a cohort study.. *BMJ Open*, **2022**, 12, e054812	3	1
29	Cardiovascular Health and Transition From Controlled Blood Pressure to Apparent Treatment Resistant Hypertension: The Jackson Heart Study and the REGARDS Study. *Hypertension*, **2020**, 76, 1953-1961	8.5	0
28	Agreement of claims-based methods for identifying sepsis with clinical criteria in the REasons for Geographic and Racial Differences in Stroke (REGARDS) cohort. *BMC Medical Research Methodology* , **2020**, 20, 54	4.7	0
27	Untreated Hypertension and Subsequent Incidence of Colorectal Cancer: Analysis of a Nationwide Epidemiological Database. *Journal of the American Heart Association*, **2021**, 10, e022479	6	0
26	Multiple Social Vulnerabilities to Health Disparities and Hypertension and Death in the REGARDS Study. *Hypertension*, **2022**, 79, 196-206	8.5	0
25	The Projected Impact of Population-Wide Achievement of LDL Cholesterol . *Cardiovascular Drugs and Therapy*, **2021**, 1	3.9	0
24	Comparison of 3 Devices for 24-Hour Ambulatory Blood Pressure Monitoring in a Nonclinical Environment Through a Randomized Trial. *American Journal of Hypertension*, **2020**, 33, 1021-1029	2.3	0
23	Risk for recurrent cardiovascular disease events among patients with diabetes and chronic kidney disease. *Cardiovascular Diabetology*, **2021**, 20, 58	8.7	0
22	Metabolomic Markers of Southern Dietary Patterns in the Jackson Heart Study. *Molecular Nutrition and Food Research*, **2021**, 65, e2000796	5.9	0
21	Maintaining Normal Blood Pressure Across the Life Course: The JHS. *Hypertension*, **2021**, 77, 1490-1499	8.5	0
20	Association Between Ambulatory Blood Pressure and Coronary Artery Calcification: The JHS. *Hypertension*, **2021**, 77, 1886-1894	8.5	0
19	Higher Serum Urate Levels Are Associated With an Increased Risk for Sudden Cardiac Death. *Journal of Rheumatology*, **2021**, 48, 1745-1753	4.1	0
18	Atherosclerotic Cardiovascular Disease Events in Adults With CKD Taking a Moderate- or High-Intensity Statin: The Chronic Renal Insufficiency Cohort (CRIC) Study. *Kidney Medicine*, **2021**, 3, 722-731.e1	2.8	0

17	Social Determinants of Health: Past, Current, and Future Threats to Hypertension and Blood Pressure Control. *American Journal of Hypertension*, **2021**, 34, 680-682	2.3	0
16	Update on Blood Pressure Control Among US Adults With Hypertension-Reply. *JAMA - Journal of the American Medical Association*, **2021**, 325, 587-588	27.4	0
15	Hypertension Across the Life Course: Introduction to an American Journal of Hypertension Compendium. *American Journal of Hypertension*, **2021**, 34, 231-233	2.3	0
14	A prospective study of multiple sleep dimensions and hypertension risk among white, black and Hispanic/Latina women: findings from the Sister Study. *Journal of Hypertension*, **2021**, 39, 2210-2219	1.9	0
13	The association of actigraphy-assessed sleep duration with sleep blood pressure, nocturnal hypertension, and nondipping blood pressure: the coronary artery risk development in young adults (CARDIA) study. *Journal of Hypertension*, **2021**, 39, 2478-2487	1.9	0
12	Racial Differences in Blood Pressure Control Following Stroke: The REGARDS Study. *Stroke*, **2021**, 52, 3944-3952	6.7	0
11	Should sleep blood pressure be used as a criterion to define white-coat hypertension?. *Journal of Hypertension*, **2017**, 35, 2372-2373	1.9	
10	Validation of an Albuminuria Self-assessment Tool in the Multi-Ethnic Study of Atherosclerosis. *Ethnicity and Disease*, **2015**, 25, 427-34	1.8	
9	Statins and ischemic stroke--reply. *JAMA - Journal of the American Medical Association*, **2014**, 312, 750	27.4	
8	One-year statin persistence and adherence in adults with HIV in the United States. *Journal of Clinical Lipidology*, **2021**, 15, 181-191	4.9	
7	Characteristics of patients with diabetes and a history of myocardial infarction initiating PCSK9 and SGLT2 inhibitors. *American Heart Journal Plus*, **2022**, 13, 100121		
6	Kidney Function Decline in Young Adulthood and Subsequent 24-Hour Ambulatory Blood Pressure in Midlife: The CARDIA Study.. *Kidney Medicine*, **2022**, 4, 100404	2.8	
5	Projections of incident atherosclerotic cardiovascular disease and incident type 2 diabetes across evolving statin treatment guidelines and recommendations: A modelling study **2020**, 17, e1003280		
4	Projections of incident atherosclerotic cardiovascular disease and incident type 2 diabetes across evolving statin treatment guidelines and recommendations: A modelling study **2020**, 17, e1003280		
3	Projections of incident atherosclerotic cardiovascular disease and incident type 2 diabetes across evolving statin treatment guidelines and recommendations: A modelling study **2020**, 17, e1003280		
2	Projections of incident atherosclerotic cardiovascular disease and incident type 2 diabetes across evolving statin treatment guidelines and recommendations: A modelling study **2020**, 17, e1003280		
1	Projections of incident atherosclerotic cardiovascular disease and incident type 2 diabetes across evolving statin treatment guidelines and recommendations: A modelling study **2020**, 17, e1003280		