Claudio Coco

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4652227/publications.pdf

Version: 2024-02-01

136885 123376 3,938 69 32 61 h-index citations g-index papers 71 71 71 3540 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Rectal Sparing Approach After Neoadjuvant Therapy in Patients with Rectal Cancer: The Preliminary Results of the ReSARCh Trial. Annals of Surgical Oncology, 2022, 29, 1880-1889. | 0.7 | 19 |
| 2 | THUNDER 2: THeragnostic Utilities for Neoplastic DisEases of the Rectum by MRI guided radiotherapy. BMC Cancer, 2022, 22, 67. | 1.1 | 15 |
| 3 | The Role of Simultaneous Integrated Boost in Locally Advanced Rectal Cancer Patients with Positive Lateral Pelvic Lymph Nodes. Cancers, 2022, 14, 1643. | 1.7 | 6 |
| 4 | BRIDGE â^'1 TRIAL: BReak Interval Delayed surgery for Gastrointestinal Extraperitoneal rectal cancer, a multicentric phase III randomized trial. Clinical and Translational Radiation Oncology, 2022, 34, 30-36. | 0.9 | 2 |
| 5 | Long-Term Outcomes of Local Excision Following Neoadjuvant Chemoradiotherapy for Locally Advanced Rectal Cancer. Annals of Surgical Oncology, 2021, 28, 2801-2808. | 0.7 | 14 |
| 6 | Could the conservative approach be considered safe in the treatment of locally advanced rectal cancer in case of a clinical near-complete or complete response? A retrospective analysis. Clinical and Translational Radiation Oncology, 2021, 28, 1-9. | 0.9 | 7 |
| 7 | Intensive multidisciplinary treatment strategies and patient resilience to challenge long-term survival in metastatic colorectal cancer: a case report in real life and clinical practice. Annals of Translational Medicine, 2021, 9, 1027-1027. | 0.7 | 2 |
| 8 | Association of Delayed Surgery With Oncologic Long-term Outcomes in Patients With Locally Advanced Rectal Cancer Not Responding to Preoperative Chemoradiation. JAMA Surgery, 2021, 156, 1141. | 2.2 | 33 |
| 9 | Global variation in the long-term outcomes of ypT0 rectal cancers. European Journal of Surgical Oncology, 2020, 46, 420-428. | 0.5 | 5 |
| 10 | The 2017 Assisi Think Tank Meeting on rectal cancer: A positioning paper. Radiotherapy and Oncology, 2020, 142, 6-16. | 0.3 | 12 |
| 11 | The INTERACT Trial: Long-term results of a randomised trial on preoperative capecitabine-based radiochemotherapy intensified by concomitant boost or oxaliplatin, for cT2 (distal)–cT3 rectal cancer. Radiotherapy and Oncology, 2019, 134, 110-118. | 0.3 | 48 |
| 12 | What Are the Main Features of a TEM?., 2018,, 475-484. | | 0 |
| 13 | Number of lymph nodes assessed has no prognostic impact in node-negative rectal cancers after neoadjuvant therapy. Results of the "ltalian Society of Surgical Oncology (S.I.C.O.) Colorectal Cancer Network―(SICO-CCN) multicentre collaborative study. European Journal of Surgical Oncology, 2018, 44, 1233-1240. | 0.5 | 15 |
| 14 | Tumor size as a prognostic factor in patients with stage IIa colon cancer. American Journal of Surgery, 2018, 215, 71-77. | 0.9 | 21 |
| 15 | Neutrophil to lymphocyte ratio predicts risk of nodal involvement in T1 colorectal cancer patients. Minerva Chirurgica, 2018, 73, 475-481. | 0.8 | 5 |
| 16 | The potential predictive value of MRI and PET-CT in mucinous and nonmucinous rectal cancer to identify patients at high risk of metastatic disease. British Journal of Radiology, 2017, 90, 20150836. | 1.0 | 26 |
| 17 | International consensus guidelines on Clinical Target Volume delineation in rectal cancer. Radiotherapy and Oncology, 2016, 120, 195-201. | 0.3 | 141 |
| 18 | Risk factors for wound complications in patients undergoing primary closure of the perineal defect after total proctectomy. International Journal of Colorectal Disease, 2015, 30, 87-95. | 1.0 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The predictive value of 18F-FDG PET/CT for assessing pathological response and survival in locally advanced rectal cancer after neoadjuvant radiochemotherapy. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 657-666. | 3.3 | 27 |
| 20 | Anti-TNF alpha in the treatment of ulcerative colitis: A valid approach for organ-sparing or an expensive option to delay surgery?. World Journal of Gastroenterology, 2014, 20, 4839. | 1.4 | 22 |
| 21 | Expression and motor functional roles of voltage-dependent type 7 K+ channels in the human taenia coli. European Journal of Pharmacology, 2013, 721, 12-20. | 1.7 | 10 |
| 22 | Local Excision After Preoperative Chemoradiotherapy for Rectal Cancer. Diseases of the Colon and Rectum, 2013, 56, 1349-1356. | 0.7 | 157 |
| 23 | Diffusion-Weighted Magnetic Resonance Imaging in Monitoring Rectal Cancer Response to Neoadjuvant Chemoradiotherapy. International Journal of Radiation Oncology Biology Physics, 2012, 83, 594-599. | 0.4 | 99 |
| 24 | Increased expression of CD133 and reduced dystroglycan expression are strong predictors of poor outcome in colon cancer patients. Journal of Experimental and Clinical Cancer Research, 2012, 31, 71. | 3.5 | 51 |
| 25 | Gender Influences the Class III and V \hat{I}^2 -Tubulin Ability to Predict Poor Outcome in Colorectal Cancer. Clinical Cancer Research, 2012, 18, 2964-2975. | 3.2 | 44 |
| 26 | Abstract 4522: Androgen receptor is a main driver of aggressiveness in colorectal cancer through the class III \hat{I}^2 -tubulin pathway., 2012,,. | | 0 |
| 27 | A peculiar cause of small-bowel intussusception and iron deficiency anaemia. Digestive and Liver Disease, 2011, 43, 171. | 0.4 | 0 |
| 28 | Anti-TNF-alpha therapies do not increase early postoperative complications in patients with inflammatory bowel disease. An Italian single-center experience. International Journal of Colorectal Disease, 2011, 26, 1435-1444. | 1.0 | 66 |
| 29 | Rectal Cancer Multidisciplinary Treatment: Evidences, Consensus and Perspectives. Tumori, 2010, 96, 185-190. | 0.6 | 1 |
| 30 | Restaging Locally Advanced Rectal Cancer with MR Imaging after Chemoradiation Therapy. Radiographics, 2010, 30, 699-716. | 1.4 | 84 |
| 31 | Outcomes of clinical T4M0 extra-peritoneal rectal cancer treated with preoperative radiochemotherapy and surgery: A prospective evaluation of a single institutional experience. Surgery, 2009, 145, 486-494. | 1.0 | 56 |
| 32 | Locally Advanced Rectal Cancer: MR Imaging in Prediction of Response after Preoperative Chemotherapy and Radiation Therapy. Radiology, 2009, 250, 730-739. | 3.6 | 207 |
| 33 | Randomized, Multicenter, Phase IIB Study of Preoperative Chemoradiotherapy in T3 Mid-Distal Rectal Cancer: Raltitrexed + Oxaliplatin + Radiotherapy Versus Cisplatin + 5-Fluorouracil + Radiotherapy. International Journal of Radiation Oncology Biology Physics, 2008, 70, 403-412. | 0.4 | 37 |
| 34 | Prognostic Value of Pathologic Complete Response After Neoadjuvant Therapy in Locally Advanced Rectal Cancer: Long-Term Analysis of 566 ypCR Patients. International Journal of Radiation Oncology Biology Physics, 2008, 72, 99-107. | 0.4 | 396 |
| 35 | cT3N0 Rectal Cancer: Potential Overtreatment With Preoperative Chemoradiotherapy Is Warranted. Journal of Clinical Oncology, 2008, 26, 368-373. | 0.8 | 214 |
| 36 | Congenital Tumors of the Retrorectal Space in the Adult: Report of Two Cases and Review of the Literature. Tumori, 2008, 94, 602-607. | 0.6 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Congenital tumors of the retrorectal space in the adult: report of two cases and review of the literature. Tumori, 2008, 94, 602-7. | 0.6 | 7 |
| 38 | Laparoscopic Approach to Recurrent Incisional Hernia Repair: A 3-Year Experience. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2007, 17, 591-595. | 0.5 | 12 |
| 39 | Sphincter Preservation in Four Consecutive Phase II Studies of Preoperative Chemoradiation: Analysis of 247 T3 Rectal Cancer Patients. Tumori, 2007, 93, 160-169. | 0.6 | 13 |
| 40 | Peptic Ulcer in Gastric Heterotopia of the Gallbladder Without Evidence of Helicobacter pylori Infection. Digestive Diseases and Sciences, 2007, 52, 2201-2203. | 1.1 | 3 |
| 41 | Stapled Hemorrhoidopexy and Milligan Morgan Hemorrhoidectomy in the Cure of Fourth-Degree Hemorrhoids: Long-Term Evaluation and Clinical Results. Diseases of the Colon and Rectum, 2007, 50, 1770-1775. | 0.7 | 62 |
| 42 | Preoperative hyperfractionated chemoradiation for locally recurrent rectal cancer in patients previously irradiated to the pelvis: A multicentric phase II study. International Journal of Radiation Oncology Biology Physics, 2006, 64, 1129-1139. | 0.4 | 209 |
| 43 | Long-Term Results After Neoadjuvant Radiochemotherapy for Locally Advanced Resectable Extraperitoneal Rectal Cancer. Diseases of the Colon and Rectum, 2006, 49, 311-318. | 0.7 | 43 |
| 44 | The relationship of pathologic tumor regression grade (TRG) and outcomes after preoperative therapy in rectal cancer. International Journal of Radiation Oncology Biology Physics, 2005, 62, 752-760. | 0.4 | 358 |
| 45 | Tumor vascularity evaluated by transrectal color Doppler US in predicting therapy outcome for low-lying rectal cancer. International Journal of Radiation Oncology Biology Physics, 2005, 63, 1304-1308. | 0.4 | 11 |
| 46 | Synchronous Bilateral Breast Carcinoma in a 50-Year-Old Man with 45,X/46,XY Mosaic Karyotype: Report of a Case. Surgery Today, 2005, 36, 71-75. | 0.7 | 6 |
| 47 | Increased expression of geminin stimulates the growth of mammary epithelial cells and is a frequent event in human tumors. Journal of Cellular Physiology, 2005, 202, 215-222. | 2.0 | 42 |
| 48 | Impact of Emergency Surgery in the Outcome of Rectal and Left Colon Carcinoma. World Journal of Surgery, 2005, 29, 1458-1464. | 0.8 | 58 |
| 49 | Metastatic Tumors of the Umbilicus: Report of Two Cases and Review of the Literature. Tumori, 2005, 91, 206-209. | 0.6 | 3 |
| 50 | Chemoradiation with raltitrexed and oxaliplatin in preoperative treatment of stage II-III resectable rectal cancer: Phase I and II studies. International Journal of Radiation Oncology Biology Physics, 2004, 60, 139-148. | 0.4 | 61 |
| 51 | Combined-Modality Therapy in Locally Advanced Primary Rectal Cancer. Diseases of the Colon and Rectum, 2003, 46, 59-67. | 0.7 | 69 |
| 52 | Does downstaging predict improved outcome after preoperative chemoradiation for extraperitoneal locally advanced rectal cancer? A long-term analysis of 165 patients. International Journal of Radiation Oncology Biology Physics, 2002, 53, 664-674. | 0.4 | 303 |
| 53 | Surgical treatment of left colon malignant emergencies. A new tool for operative risk evaluation. Hepato-Gastroenterology, 2002, 49, 961-6. | 0.5 | 2 |
| 54 | Preoperative Chemoradiation and Total Mesorectal Excision Surgery for Low T ₃ Rectal Cancer. Tumori, 2001, 87, 31-33. | 0.6 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A phase I/II trial of three-dimensionally planned concurrent boost radiotherapy and protracted venous infusion of 5-FU chemotherapy for locally advanced rectal carcinoma. International Journal of Radiation Oncology Biology Physics, 2001, 50, 1299-1308. | 0.4 | 53 |
| 56 | Ten years of preoperative chemoradiation for extraperitoneal T3 rectal cancer: acute toxicity, tumor response, and sphincter preservation in three consecutive studies. International Journal of Radiation Oncology Biology Physics, 2001, 51, 371-383. | 0.4 | 116 |
| 57 | Severe imbalance of cell proliferation and apoptosis in the left colon and in the rectosigmoid tract in subjects with a history of large adenomas. Gut, 2001, 48, 238-246. | 6.1 | 66 |
| 58 | Preoperative chemoradiation with cisplatin and 5-fluorouracil for extraperitoneal T3 rectal cancer: acute toxicity, tumor response, sphincter preservation. International Journal of Radiation Oncology Biology Physics, 1999, 45, 1175-1184. | 0.4 | 69 |
| 59 | Chemoradiation with or without intraoperative radiation therapy in patients with locally recurrent rectal carcinoma., 1999, 86, 2612-2624. | | 87 |
| 60 | MLH1 and MSH2 constitutinal mutations in colorectal cancer families not meeting the standard criteria for hereditary nonpolyposis colorectal cancer., 1998, 75, 835-839. | | 50 |
| 61 | Analysis of complications of endoscopic sphincterotomy for biliary stones in a consecutive series of 546 patients. Surgical Endoscopy and Other Interventional Techniques, 1997, 11, 129-132. | 1.3 | 43 |
| 62 | Selection of locally advanced gastric carcinoma by preoperative staging laparoscopy. Surgical Endoscopy and Other Interventional Techniques, 1997, 11, 1159-1162. | 1.3 | 71 |
| 63 | Choledochocele: Changing trends in diagnosis and management. Surgery Today, 1996, 26, 281-285. | 0.7 | 45 |
| 64 | Local excision and external beam radiotherapy in early rectal cancer. International Journal of Radiation Oncology Biology Physics, 1996, 35, 759-764. | 0.4 | 43 |
| 65 | Concomitant preoperative radiochemotherapy in operable locally advanced rectal cancer. Diseases of the Colon and Rectum, 1994, 37, S69-S72. | 0.7 | 26 |
| 66 | Circadian variations of epithelial cell proliferation in human rectal crypts. Gastroenterology, 1994, 106, 982-987. | 0.6 | 63 |
| 67 | Changing attitudes in the palliation of proximal malignant biliary obstruction. Journal of Surgical Oncology, 1993, 53, 151-153. | 0.8 | 11 |
| 68 | Conservative surgery for early cancer of the distal rectum. Diseases of the Colon and Rectum, 1992, 35, 131-136. | 0.7 | 53 |
| 69 | Radiosurgical treatment compared to surgery alone for rectal cancer. International Journal of Radiation Oncology Biology Physics, 1990, 19, 1159-1164. | 0.4 | 7 |