

MarÃ-a A Pajares

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4652816/publications.pdf>

Version: 2024-02-01

88
papers

3,219
citations

159585

30
h-index

197818

49
g-index

95
all docs

95
docs citations

95
times ranked

2715
citing authors

#	ARTICLE	IF	CITATIONS
1	S-adenosylmethionine synthesis: Molecular mechanisms and clinical implications. , 1997, 73, 265-280.		431
2	Betaine homocysteine S-methyltransferase: just a regulator of homocysteine metabolism?. Cellular and Molecular Life Sciences, 2006, 63, 2792-2803.	5.4	157
3	S-adenosylmethionine treatment prevents carbon tetrachloride-induced S-adenosylmethionine synthetase inactivation and attenuates liver injury. Hepatology, 1992, 16, 1022-1027.	7.3	156
4	Structure-function relationships in methionine adenosyltransferases. Cellular and Molecular Life Sciences, 2009, 66, 636-648.	5.4	112
5	Effects of S-adenosylmethionine on lipid peroxidation and liver fibrogenesis in carbon tetrachloride-induced cirrhosis. Journal of Hepatology, 1996, 25, 200-205.	3.7	111
6	Differential expression pattern of S-adenosylmethionine synthetase isoenzymes during rat liver development. Hepatology, 1996, 24, 876-881.	7.3	104
7	Structural basis of protein kinase C activation by tumor promoters.. Proceedings of the National Academy of Sciences of the United States of America, 1989, 86, 9672-9676.	7.1	87
8	Inhibition of glutathione synthesis in the liver leads to S-adenosyl-L-methionine synthetase reduction. Hepatology, 1991, 14, 528-533.	7.3	83
9	Vimentin filaments interact with the actin cortex in mitosis allowing normal cell division. Nature Communications, 2019, 10, 4200.	12.8	83
10	Interplay between Nutrition and Hearing Loss: State of Art. Nutrients, 2019, 11, 35.	4.1	83
11	Prion Protein Interaction with Glycosaminoglycan Occurs with the Formation of Oligomeric Complexes Stabilized by Cu(II) Bridges. Journal of Molecular Biology, 2002, 319, 527-540.	4.2	78
12	Conformational signals in the C-terminal domain of methionine adenosyltransferase I/III determine its nucleocytoplasmic distribution. FASEB Journal, 2009, 23, 3347-3360.	0.5	73
13	The crystal structure of tetrameric methionine adenosyltransferase from rat liver reveals the methionine-binding site 1 Edited by R. Huber. Journal of Molecular Biology, 2000, 300, 363-375.	4.2	72
14	Site-directed mutagenesis of rat liver S-adenosylmethionine synthetase. Identification of a cysteine residue critical for the oligomeric state. Biochemical Journal, 1996, 315, 761-766.	3.7	55
15	Glucocorticoid Regulation of Hepatic S-Adenosylmethionine Synthetase Gene Expression1. Endocrinology, 1997, 138, 1251-1258.	2.8	55
16	Inactivation and dissociation of S-adenosylmethionine synthetase by modification of sulfhydryl groups and its possible occurrence in cirrhosis. Hepatology, 1990, 11, 216-222.	7.3	51
17	Analysis of the 5' non-coding region of rat liver S-adenosylmethionine synthetase mRNA and comparison of the Mr deduced from the cDNA sequence and the purified enzyme. FEBS Letters, 1991, 290, 142-146.	2.8	51
18	Folic acid deficiency induces premature hearing loss through mechanisms involving cochlear oxidative stress and impairment of homocysteine metabolism. FASEB Journal, 2015, 29, 418-432.	0.5	49

#	ARTICLE	IF	CITATIONS
19	Crystal Structures of Methionine Adenosyltransferase Complexed with Substrates and Products Reveal the Methionine-ATP Recognition and Give Insights into the Catalytic Mechanism. <i>Journal of Molecular Biology</i> , 2003, 331, 407-416.	4.2	47
20	Methionine Adenosyltransferase as a Useful Molecular Systematics Tool Revealed by Phylogenetic and Structural Analyses. <i>Journal of Molecular Biology</i> , 2004, 335, 693-706.	4.2	47
21	Expression of rat liver S-adenosylmethionine synthetase in <i>Escherichia coli</i> results in two active oligomeric forms. <i>Biochemical Journal</i> , 1994, 301, 557-561.	3.7	43
22	Vimentin disruption by lipoxidation and electrophiles: Role of the cysteine residue and filament dynamics. <i>Redox Biology</i> , 2019, 23, 101098.	9.0	42
23	Methionine Adenosyltransferase (<i>S</i> -Adenosylmethionine Synthetase). <i>Advances in Enzymology and Related Areas of Molecular Biology</i> , 2011, 78, 449-521.	1.3	40
24	Activation of partially purified rat liver lipid methyltransferase by phosphorylation. <i>Biochemical and Biophysical Research Communications</i> , 1984, 122, 1065-1070.	2.1	39
25	The role of cysteine-150 in the structure and activity of rat liver S-adenosyl-L-methionine synthetase. <i>Biochemical Journal</i> , 1991, 274, 225-229.	3.7	39
26	Cyclopentenone Prostaglandins with Dienone Structure Promote Cross-Linking of the Chemoresistance-Inducing Enzyme Glutathione Transferase P1-1. <i>Molecular Pharmacology</i> , 2010, 78, 723-733.	2.3	39
27	Crystal Structure of Rat Liver Betaine Homocysteine S-Methyltransferase Reveals New Oligomerization Features and Conformational Changes Upon Substrate Binding. <i>Journal of Molecular Biology</i> , 2004, 338, 771-782.	4.2	38
28	Early effects of copper accumulation on methionine metabolism. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 2080-2090.	5.4	36
29	Protein kinase C phosphorylation of rat liver <i>S</i> -adenosylmethionine synthetase: dissociation and production of an active monomer. <i>Biochemical Journal</i> , 1994, 303, 949-955.	3.7	35
30	Type III intermediate filaments as targets and effectors of electrophiles and oxidants. <i>Redox Biology</i> , 2020, 36, 101582.	9.0	35
31	How is rat liver S-adenosylmethionine synthetase regulated?. <i>FEBS Letters</i> , 1992, 309, 1-4.	2.8	34
32	Increased sensitivity to oxidative injury in chinese hamster ovary cells stably transfected with rat liver S-adenosylmethionine synthetase cDNA. <i>Biochemical Journal</i> , 1996, 319, 767-773.	3.7	33
33	Betaine homocysteine S-methyltransferase emerges as a new player of the nuclear methionine cycle. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 1165-1182.	4.1	33
34	Detoxifying Enzymes at the Cross-Roads of Inflammation, Oxidative Stress, and Drug Hypersensitivity: Role of Glutathione Transferase P1-1 and Aldose Reductase. <i>Frontiers in Pharmacology</i> , 2016, 7, 237.	3.5	31
35	Long-term omega-3 fatty acid supplementation prevents expression changes in cochlear homocysteine metabolism and ameliorates progressive hearing loss in C57BL/6J mice. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 1424-1433.	4.2	29
36	Cochlear Homocysteine Metabolism at the Crossroad of Nutrition and Sensorineural Hearing Loss. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 107.	2.9	29

#	ARTICLE	IF	CITATIONS
37	Role of thioltransferases on the modulation of rat liver S-adenosylmethionine synthetase activity by glutathione. <i>FEBS Letters</i> , 1996, 397, 293-297.	2.8	27
38	Refolding and Characterization of Rat Liver Methionine Adenosyltransferase from <i>Escherichia coli</i> Inclusion Bodies. <i>Protein Expression and Purification</i> , 2000, 19, 219-226.	1.3	27
39	Role of an Intrasubunit Disulfide in the Association State of the Cytosolic Homo-oligomer Methionine Adenosyltransferase. <i>Journal of Biological Chemistry</i> , 2003, 278, 7285-7293.	3.4	27
40	Methionine Adenosyltransferase α -Helix Structure Unfolds at Lower Temperatures than β -Sheet: A 2D-IR Study. <i>Biophysical Journal</i> , 2004, 86, 3951-3958.	0.5	27
41	Mammalian Sulfur Amino Acid Metabolism: A Nexus Between Redox Regulation, Nutrition, Epigenetics, and Detoxification. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 408-452.	5.4	26
42	Protein-protein interactions involving enzymes of the mammalian methionine and homocysteine metabolism. <i>Biochimie</i> , 2020, 173, 33-47.	2.6	25
43	Characterization of Rat Liver-specific Methionine Adenosyltransferase Gene Promoter. <i>Journal of Biological Chemistry</i> , 1997, 272, 22875-22883.	3.4	24
44	S-Adenosyl-L-Methionine Synthetase and Methionine Metabolism Deficiencies in Cirrhosis. <i>Advances in Experimental Medicine and Biology</i> , 1994, 368, 113-117.	1.6	24
45	Mechanisms and Consequences of the Impaired Trans-Sulphuration Pathway in Liver Disease. <i>Drugs</i> , 1990, 40, 58-64.	10.9	23
46	<i>Leishmania donovani</i> methionine adenosyltransferase. <i>FEBS Journal</i> , 2003, 270, 28-35.	0.2	21
47	Recombinant rat liver S-adenosyl-L-methionine synthetase tetramers and dimers are in equilibrium. <i>International Journal of Biochemistry and Cell Biology</i> , 1997, 29, 485-491.	2.8	20
48	Active-site-mutagenesis study of rat liver betaine-homocysteine S-methyltransferase. <i>Biochemical Journal</i> , 2003, 370, 945-952.	3.7	20
49	Glucocorticoid Regulation of Hepatic S-Adenosylmethionine Synthetase Gene Expression. <i>Endocrinology</i> , 1997, 138, 1251-1258.	2.8	19
50	Fourier transform infrared studies of active-site-methylated rhodopsin. Implications for chromophore-protein interaction, transducin activation, and the reaction pathway. <i>Biophysical Journal</i> , 1991, 59, 640-644.	0.5	18
51	How are mammalian methionine adenosyltransferases regulated in the liver? A focus on redox stress. <i>FEBS Letters</i> , 2013, 587, 1711-1716.	2.8	18
52	NADP ⁺ Binding to the Regulatory Subunit of Methionine Adenosyltransferase II Increases Intersubunit Binding Affinity in the Hetero-Trimer. <i>PLoS ONE</i> , 2012, 7, e50329.	2.5	17
53	How many phospholipid methyltransferases are there in mammalian cells?. <i>Trends in Biochemical Sciences</i> , 1984, 9, 471-472.	7.5	16
54	Cell surface detection of vimentin, ACE2 and SARS-CoV-2 Spike proteins reveals selective colocalization at primary cilia. <i>Scientific Reports</i> , 2022, 12, 7063.	3.3	16

#	ARTICLE	IF	CITATIONS
55	Acute Liver Injury Induces Nucleocytoplasmic Redistribution of Hepatic Methionine Metabolism Enzymes. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 2541-2554.	5.4	15
56	The Oncogene PDRG1 Is an Interaction Target of Methionine Adenosyltransferases. <i>PLoS ONE</i> , 2016, 11, e0161672.	2.5	15
57	Refolding and characterization of methionine adenosyltransferase from <i>Euglena gracilis</i> . <i>Protein Expression and Purification</i> , 2011, 79, 128-136.	1.3	14
58	Assignment of a single disulfide bridge in rat liver methionine adenosyltransferase. <i>FEBS Journal</i> , 2000, 267, 132-137.	0.2	13
59	Equilibrium unfolding studies of the rat liver methionine adenosyltransferase III, a dimeric enzyme with intersubunit active sites. <i>Biochemical Journal</i> , 2002, 361, 307-315.	3.7	13
60	Amoxicillin Inactivation by Thiol-Catalyzed Cyclization Reduces Protein Haptenation and Antibacterial Potency. <i>Frontiers in Pharmacology</i> , 2020, 11, 189.	3.5	13
61	Modulation by the ratio S-adenosylmethionine/S-adenosylhomocysteine of cyclic AMP-dependent phosphorylation of the 50 kDa protein of rat liver phospholipid methyltransferase. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1985, 847, 273-279.	4.1	12
62	Impairment of Methionine Metabolism in Liver Disease. <i>Drug Investigation</i> , 1992, 4, 8-13.	0.6	12
63	Long-Term Dietary Folate Deficiency Accelerates Progressive Hearing Loss on CBA/Ca Mice. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 209.	3.4	12
64	Study of the rat liver S-adenosylmethionine synthetase active site with 8-azido ATP. <i>Biochemical Journal</i> , 1995, 308, 565-571.	3.7	11
65	Modulation of GSTP1-1 Oligomerization by Electrophilic Inflammatory Mediators and Reactive Drugs. <i>Inflammation and Allergy: Drug Targets</i> , 2013, 12, 162-171.	1.8	11
66	Subunit association as the stabilizing determinant for archaeal methionine adenosyltransferases. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2009, 1794, 1082-1090.	2.3	10
67	Molecular Insight into the Regulation of Vimentin by Cysteine Modifications and Zinc Binding. <i>Antioxidants</i> , 2021, 10, 1039.	5.1	10
68	Vimentin Tail Segments Are Differentially Exposed at Distinct Cellular Locations and in Response to Stress. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, .	3.7	10
69	Equilibrium unfolding studies of the rat liver methionine adenosyltransferase III, a dimeric enzyme with intersubunit active sites. <i>Biochemical Journal</i> , 2002, 361, 307.	3.7	9
70	Crystallization and preliminary X-ray study of recombinant betaine-homocysteine S-methyltransferase from rat liver. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2002, 58, 1507-1510.	2.5	9
71	Rat liver betaine-homocysteine S-methyltransferase equilibrium unfolding: insights into intermediate structure through tryptophan substitutions. <i>Biochemical Journal</i> , 2005, 391, 589-599.	3.7	8
72	Integrated approaches to unravel the impact of protein lipoxidation on macromolecular interactions. <i>Free Radical Biology and Medicine</i> , 2019, 144, 203-217.	2.9	7

#	ARTICLE	IF	CITATIONS
73	Betaineâ€homocysteine <i>S</i>â€methyltransferase deficiency causes increased susceptibility to noiseâ€induced hearing loss associated with plasma hyperhomocysteinemia. FASEB Journal, 2019, 33, 5942-5956.	0.5	7
74	<i>PDRG1</i>at the interface between intermediary metabolism and oncogenesis. World Journal of Biological Chemistry, 2017, 8, 175-186.	4.3	7
75	Differential expression pattern of S-adenosylmethionine synthetase isoenzymes during rat liver development. Hepatology, 1996, 24, 876-881.	7.3	5
76	Cu ²⁺ binding triggers Î±BoPrP assembly into insoluble laminar polymers. FEBS Letters, 2004, 556, 161-166.	2.8	5
77	Structural Studies of Betaine Homocysteine Methyl Transferase (BHMT) and a Dimeric Mutant by Conventional and 2DCOS Moving Lapse IR Spectroscopy. Biophysical Journal, 2013, 104, 73a.	0.5	4
78	Asthma and allergic rhinitis associate with the <i>rs2229542</i> variant that induces a p.Lys90Glu mutation and compromises AKR1B1 protein levels. Human Mutation, 2018, 39, 1081-1091.	2.5	4
79	Identification of hepatic protein-protein interaction targets for betaine homocysteine S-methyltransferase. PLoS ONE, 2018, 13, e0199472.	2.5	4
80	Structural basis for the stability of a thermophilic methionine adenosyltransferase against guanidinium chloride. Amino Acids, 2012, 42, 361-373.	2.7	3
81	Calcium-dependent binding between calmodulin and lysozyme. FEBS Letters, 1989, 247, 22-24.	2.8	2
82	Amoxicillin Haptentation of Î±-Enolase is Modulated by Active Site Occupancy and Acetylation. Frontiers in Pharmacology, 2021, 12, 807742.	3.5	1
83	Polar Interactions at the Dimerâ€Dimer Interface of Methionine Adenosyltransferase MAT I Control Tetramerization. International Journal of Molecular Sciences, 2021, 22, 13206.	4.1	1
84	Interactions of electrophilic lipids and reactive drugs with enzymes involved in cancer chemoresistance. Free Radical Biology and Medicine, 2012, 53, S255-S256.	2.9	0
85	The interplay between nuclear and cytoplasmic distribution of methionine cycle enzymes in acute liver injury. Free Radical Biology and Medicine, 2017, 108, S83.	2.9	0
86	Alterations in Nucleocytoplasmic Localization of the Methionine Cycle Induced by Oxidative Stress During Liver Disease. , 2018, , 21-41.		0
87	Folic acid as preventive therapy for hearing loss: effect of ototoxic drug consumption. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0
88	The cellular vimentin network undergoes distinct reorganizations in response to diverse electrophiles or mutations of its single cysteine residue. Free Radical Biology and Medicine, 2021, 165, 26.	2.9	0