Seiji Yasumura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4652989/publications.pdf

Version: 2024-02-01

205 papers 4,003 citations

32 h-index 52 g-index

225 all docs 225 docs citations

times ranked

225

1874 citing authors

#	Article	IF	CITATIONS
1	Study Protocol for the Fukushima Health Management Survey. Journal of Epidemiology, 2012, 22, 375-383.	2.4	361
2	PSYCHOLOGICAL DISTRESS AFTER THE GREAT EAST JAPAN EARTHQUAKE AND FUKUSHIMA DAIICHI NUCLEAR POWER PLANT ACCIDENT: RESULTS OF A MENTAL HEALTH AND LIFESTYLE SURVEY THROUGH THE FUKUSHIMA HEALTH MANAGEMENT SURVEY IN FY2011 AND FY2012. Fukushima Journal of Medical Sciences, 2014, 60, 57-67.	0.4	198
3	Psychological distress and the perception of radiation risks: the Fukushima health management survey. Bulletin of the World Health Organization, 2015, 93, 598-605.	3.3	160
4	The Fukushima Health Management Survey: estimation of external doses to residents in Fukushima Prefecture. Scientific Reports, 2015, 5, 12712.	3.3	89
5	Evacuation and Risk of Hypertension After the Great East Japan Earthquake. Hypertension, 2016, 68, 558-564.	2.7	83
6	Threeâ€year trend survey of psychological distress, postâ€traumatic stress, and problem drinking among residents in the evacuation zone after the Fukushima Daiichi Nuclear Power Plant accident [The Fukushima Health Management Survey]. Psychiatry and Clinical Neurosciences, 2016, 70, 245-252.	1.8	74
7	Effect of Evacuation on Body Weight After the Great East Japan Earthquake. American Journal of Preventive Medicine, 2016, 50, 553-560.	3.0	73
8	Comprehensive Survey Results of Childhood Thyroid Ultrasound Examinations in Fukushima in the First Four Years After the Fukushima Daiichi Nuclear Power Plant Accident. Thyroid, 2016, 26, 843-851.	4.5	65
9	Severe Psychological Distress of Evacuees in Evacuation Zone Caused by the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. PLoS ONE, 2016, 11, e0158821.	2.5	65
10	Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident Is a Cause of Diabetes: Results from the Fukushima Health Management Survey. Journal of Diabetes Research, 2015, 2015, 1-9.	2.3	63
11	Suicide rates in the aftermath of the 2011 earthquake in Japan. Lancet, The, 2015, 385, 1727.	13.7	62
12	Risk factors for placenta accreta spectrum: findings from the Japan environment and Children's study. BMC Pregnancy and Childbirth, 2019, 19, 447.	2.4	62
13	PREGNANCY AND BIRTH SURVEY AFTER THE GREAT EAST JAPAN EARTHQUAKE AND FUKUSHIMA DAIICHI NUCLEAR POWER PLANT ACCIDENT IN FUKUSHIMA PREFECTURE. Fukushima Journal of Medical Sciences, 2014, 60, 75-81.	0.4	56
14	Influence of Post-disaster Evacuation on Incidence of Metabolic Syndrome. Journal of Atherosclerosis and Thrombosis, 2017, 24, 327-337.	2.0	48
15	The Japan Environment and Children's Study (JECS) in Fukushima Prefecture: Pregnancy Outcome after the Great East Japan Earthquake. Tohoku Journal of Experimental Medicine, 2018, 246, 27-33.	1.2	48
16	The Effect of Maternal Age at the First Childbirth on Gestational Age and Birth Weight: The Japan Environment and Children's Study (JECS). Journal of Epidemiology, 2019, 29, 187-191.	2.4	48
17	Evacuation after the Great East Japan Earthquake was associated with poor dietary intake: The Fukushima Health Management Survey. Journal of Epidemiology, 2017, 27, 14-23.	2.4	47
18	Comparison of childhood thyroid cancer prevalence among 3 areas based on external radiation dose after the Fukushima Daiichi nuclear power plant accident. Medicine (United States), 2016, 95, e4472.	1.0	46

#	Article	IF	Citations
19	Suicide Rates in Evacuation Areas After the Fukushima Daiichi Nuclear Disaster. Crisis, 2018, 39, 353-363.	1.2	46
20	Diagnostic accuracy of Japanese posttraumatic stress measures after a complex disaster: The Fukushima Health Management Survey. Asia-Pacific Psychiatry, 2017, 9, e12248.	2.2	45
21	Prevalence of Social Isolation in Community-Dwelling Elderly by Differences in Household Composition and Related Factors. Journal of Aging and Health, 2014, 26, 807-823.	1.7	44
22	Increased prevalence of atrial fibrillation after the Great East Japan Earthquake: Results from the Fukushima Health Management Survey. International Journal of Cardiology, 2015, 198, 102-105.	1.7	44
23	Risk of preterm birth, low birthweight and smallâ€forâ€gestationalâ€age infants in pregnancies with adenomyosis: A cohort study of the Japan Environment and Children's Study. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 359-364.	2.8	44
24	Incidence of Thyroid Cancer Among Children and Young Adults in Fukushima, Japan, Screened With 2 Rounds of Ultrasonography Within 5 Years of the 2011 Fukushima Daiichi Nuclear Power Station Accident. JAMA Otolaryngology - Head and Neck Surgery, 2019, 145, 4.	2.2	44
25	Predictors of severe psychological distress trajectory after nuclear disaster: evidence from the Fukushima Health Management Survey. BMJ Open, 2016, 6, e013400.	1.9	42
26	The protocol and preliminary baseline survey results of the thyroid ultrasound examination in Fukushima [Rapid Communication]. Endocrine Journal, 2016, 63, 315-321.	1.6	39
27	Changes in Risk Perception of the Health Effects of Radiation and Mental Health Status: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2018, 15, 1219.	2.6	39
28	Association between psychological distress and dietary intake among evacuees after the Great East Japan Earthquake in a cross-sectional study: the Fukushima Health Management Survey. BMJ Open, 2016, 6, e011534.	1.9	37
29	Associations of Psychosocial Factors with Maternal Confidence Among Japanese and Vietnamese Mothers. Journal of Child and Family Studies, 2010, 19, 118-127.	1.3	34
30	Hypo-high-density Lipoprotein Cholesterolemia Caused by Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident: Results from the Fukushima Health Management Survey. Internal Medicine, 2016, 55, 1967-1976.	0.7	34
31	Environmental radiation level, radiation anxiety, and psychological distress of non-evacuee residents in Fukushima five years after the Great East Japan Earthquake: Multilevel analyses. SSM - Population Health, 2017, 3, 740-748.	2.7	34
32	Risk factors of functional disability among community-dwelling elderly people by household in Japan: a prospective cohort study. BMC Geriatrics, 2014, 14, 93.	2.7	33
33	Drinking Behavior and Mental Illness Among Evacuees in Fukushima Following the Great East Japan Earthquake: The Fukushima Health Management Survey. Alcoholism: Clinical and Experimental Research, 2016, 40, 623-630.	2.4	33
34	Perception of Radiation Risk as a Predictor of Mid-Term Mental Health after a Nuclear Disaster: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2017, 14, 1067.	2.6	32
35	The Relationship between Starting to Drink and Psychological Distress, Sleep Disturbance after the Great East Japan Earthquake and Nuclear Disaster: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2017, 14, 1281.	2.6	32
36	Lingering health-related anxiety about radiation among Fukushima residents as correlated with media information following the accident at Fukushima Daiichi Nuclear Power Plant. PLoS ONE, 2019, 14, e0217285.	2.5	32

#	Article	lF	Citations
37	Life as an evacuee after the Fukushima Daiichi nuclear power plant accident is a cause of polycythemia: the Fukushima Health Management Survey. BMC Public Health, 2014, 14, 1318.	2.9	30
38	Absorbed radiation doses in the thyroid as estimated by UNSCEAR and subsequent risk of childhood thyroid cancer following the Great East Japan Earthquake. Journal of Radiation Research, 2020, 61, 243-248.	1.6	29
39	Findings of Thyroid Ultrasound Examination Within 3 Years After the Fukushima Nuclear Power Plant Accident: The Fukushima Health Management Survey. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 861-869.	3.6	28
40	Association between Health Literacy and Radiation Anxiety among Residents after a Nuclear Accident: Comparison between Evacuated and Non-Evacuated Areas. International Journal of Environmental Research and Public Health, 2018, 15, 1463.	2.6	28
41	The characteristics of non-respondents and respondents of a mental health survey among evacuees in a disaster: The Fukushima Health Management Survey. Fukushima Journal of Medical Sciences, 2017, 63, 152-159.	0.4	27
42	The impact of evacuation on the incidence of chronic kidney disease after the Great East Japan Earthquake: The Fukushima Health Management Survey. Clinical and Experimental Nephrology, 2017, 21, 995-1002.	1.6	26
43	Effect of evacuation on liver function after the Fukushima Daiichi Nuclear Power Plant accident: The Fukushima Health Management Survey. Journal of Epidemiology, 2017, 27, 180-185.	2.4	25
44	EVACUATION EFFECT ON EXCESS MORTALITY AMONG INSTITUTIONALIZED ELDERLY AFTER THE FUKUSHIMA DAIICHI NUCLEAR POWER PLANT ACCIDENT. Fukushima Journal of Medical Sciences, 2014, 60, 192-195.	0.4	24
45	Psychometric Evaluation of the Japanese Version of the Posttraumatic Stress Disorder Checklist in Community Dwellers Following the Fukushima Daiichi Nuclear Power Plant Incident. SAGE Open, 2016, 6, 215824401665244.	1.7	24
46	Pregnancy and Birth Survey of the Fukushima Health Management Survey. Asia-Pacific Journal of Public Health, 2017, 29, 56S-62S.	1.0	23
47	Associations Between Childhood Thyroid Cancer and External Radiation Dose After the Fukushima Daiichi Nuclear Power Plant Accident. Epidemiology, 2018, 29, e32-e34.	2.7	23
48	Effect of proinflammatory diet before pregnancy on gestational age and birthweight: The Japan Environment and Children's Study. Maternal and Child Nutrition, 2020, 16, e12899.	3.0	23
49	External Radiation Dose, Obesity, and Risk of Childhood Thyroid Cancer After the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. Epidemiology, 2019, 30, 853-860.	2.7	22
50	Impact of preconception sodium intake on hypertensive disorders of pregnancy: The Japan Environment and Children's study. Pregnancy Hypertension, 2021, 23, 66-72.	1.4	22
51	Comprehensive Health Risk Management after the Fukushima Nuclear Power Plant Accident. Clinical Oncology, 2016, 28, 255-262.	1.4	21
52	Changes of Posttraumatic Stress Responses in Evacuated Residents and Their Related Factors. Asia-Pacific Journal of Public Health, 2017, 29, 1825-192S.	1.0	21
53	Occurrence of depressive tendency and associated social factors among elderly persons forced by the Great East Japan Earthquake and nuclear disaster to live as long-term evacuees: a prospective cohort study. BMJ Open, 2017, 7, e014339.	1.9	21
54	Effect of Radiological Countermeasures on Subjective Well-Being and Radiation Anxiety after the 2011 Disaster: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2018, 15, 124.	2.6	20

#	Article	IF	Citations
55	Association between pre-pregnancy calcium intake and hypertensive disorders during the first pregnancy: the Japan environment and children's study. BMC Pregnancy and Childbirth, 2020, 20, 424.	2.4	20
56	From Devastation to Recovery and Revival in the Aftermath of Fukushima's Nuclear Power Plants Accident. Asia-Pacific Journal of Public Health, 2017, 29, 10S-17S.	1.0	19
57	Fukushima Health Management Survey and Related Issues. Asia-Pacific Journal of Public Health, 2017, 29, 29S-35S.	1.0	19
58	Lifestyle-related factors that explain disaster-induced changes in socioeconomic status and poor subjective health: a cross-sectional study from the Fukushima health management survey. BMC Public Health, 2017, 17, 340.	2.9	19
59	Simulation of expected childhood and adolescent thyroid cancer cases in Japan using a cancer-progression model based on the National Cancer Registry. Medicine (United States), 2017, 96, e8631.	1.0	19
60	Mental Health Recovery of Evacuees and Residents from the Fukushima Daiichi Nuclear Power Plant Accident after Seven Yearsâ€"Contribution of Social Network and a Desirable Lifestyle. International Journal of Environmental Research and Public Health, 2018, 15, 2381.	2.6	19
61	Reduction of radiation-related anxiety promoted wellbeing after the 2011 disaster: †Fukushima Health Management Survey'. Journal of Radiological Protection, 2018, 38, 1428-1440.	1.1	19
62	The Fukushima Nuclear Accident Affected Mothers' Depression but Not Maternal Confidence. Asia-Pacific Journal of Public Health, 2017, 29, 139S-150S.	1.0	18
63	Lifestyle factors and social ties associated with the frequency of laughter after the Great East Japan Earthquake: Fukushima Health Management Survey. Quality of Life Research, 2018, 27, 639-650.	3.1	18
64	Exercise Habits Are Important for the Mental Health of Children in Fukushima After the Fukushima Daiichi Disaster. Asia-Pacific Journal of Public Health, 2017, 29, 171S-181S.	1.0	17
65	Comparative Analysis of the Growth Pattern of Thyroid Cancer in Young Patients Screened by Ultrasonography in Japan After a Nuclear Accident. JAMA Otolaryngology - Head and Neck Surgery, 2017, 144, 57-63.	2.2	17
66	Psychometric evaluation of the simplified Japanese version of the Athens Insomnia Scale: The Fukushima Health Management Survey. Journal of Sleep Research, 2019, 28, e12771.	3.2	17
67	White Blood Cell, Neutrophil, and Lymphocyte Counts in Individuals in the Evacuation Zone Designated by the Government After the Fukushima Daiichi Nuclear Power Plant accident: The Fukushima Health Management Survey. Journal of Epidemiology, 2015, 25, 80-87.	2.4	16
68	Residence-related factors and psychological distress among evacuees after the Fukushima Daiichi nuclear power plant accident: a cross-sectional study. BMC Psychiatry, 2016, 16, 420.	2.6	16
69	Adverse obstetric outcomes in earlyâ€diagnosed gestational diabetes mellitus: The Japan Environment and Children's Study. Journal of Diabetes Investigation, 2021, 12, 2071-2079.	2.4	16
70	Factors Associated with Infant Feeding Methods after the Nuclear Power Plant Accident in Fukushima: Data from the Pregnancy and Birth Survey for the Fiscal Year 2011 Fukushima Health Management Survey. Maternal and Child Health Journal, 2016, 20, 1704-1712.	1.5	15
71	Impact of the Great East Japan Earthquake on feeding methods and newborn growth at 1Âmonth postpartum: results from the Fukushima Health Management Survey. Radiation and Environmental Biophysics, 2016, 55, 139-146.	1.4	15
72	Representativeness of individual external doses estimated for one quarter of residents in the Fukushima Prefecture after the nuclear disaster: the Fukushima Health Management Survey. Journal of Radiological Protection, 2017, 37, 584-605.	1.1	15

#	Article	IF	CITATIONS
73	Impact of evacuation onstrends in the prevalence, treatment, and control of hypertension before and after a disaster. Journal of Hypertension, 2018, 36, 924-932.	0.5	15
74	Risk Factor for Incident Functional Disability and the Effect of a Preventive Exercise Program: A 4-Year Prospective Cohort Study of Older Survivors from the Great East Japan Earthquake and Nuclear Disaster. International Journal of Environmental Research and Public Health, 2018, 15, 1430.	2.6	15
75	Trajectories of Emotional Symptoms and Peer Relationship Problems in Children after Nuclear Disaster: Evidence from the Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2018, 15, 82.	2.6	15
76	The effect of the Great East Japan Earthquake on hypertensive disorders during pregnancy: a study from the Fukushima Health Management Survey. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 4043-4048.	1.5	15
77	Long-lasting effects of distrust in government and science on mental health eight years after the Fukushima nuclear power plant disaster. Social Science and Medicine, 2020, 258, 113108.	3.8	15
78	Fukushima Mothers' Concerns and Associated Factors After the Fukushima Nuclear Power Plant Disaster. Asia-Pacific Journal of Public Health, 2017, 29, 151S-160S.	1.0	15
79	Associations of disaster-related and psychosocial factors with changes in smoking status after a disaster: a cross-sectional survey after the Great East Japan Earthquake. BMJ Open, 2018, 8, e018943.	1.9	14
80	Living in the Restoration Public Housing after the Great East Japan Earthquake Correlates with Lower Subjective Well-Being of Older Adults. International Journal of Environmental Research and Public Health, 2019, 16, 2696.	2.6	14
81	Risk Factors for Problem Drinking among Evacuees in Fukushima following the Great East Japan Earthquake: The Fukushima Health Management Survey. Tohoku Journal of Experimental Medicine, 2019, 248, 239-252.	1.2	14
82	Parenting in Fukushima City in the postâ€disaster period: shortâ€ŧerm strategies and longâ€ŧerm perspectives. Disasters, 2014, 38, S179-89.	2.2	13
83	Effects of socioeconomic factors on cardiovascular-related symptoms among residents in Fukushima after the Great East Japan Earthquake: a cross-sectional study using data from the Fukushima Health Management Survey. BMJ Open, 2017, 7, e014077.	1.9	13
84	Spatial analysis of the geographical distribution of thyroid cancer cases from the first-round thyroid ultrasound examination in Fukushima Prefecture. Scientific Reports, 2018, 8, 17661.	3.3	13
85	Associations between Dietary Patterns and Cardiometabolic Risks in Japan: A Cross-Sectional Study from the Fukushima Health Management Survey, 2011–2015. Nutrients, 2020, 12, 129.	4.1	13
86	Current Psychological Distress, Post-traumatic Stress, and Radiation Health Anxiety Remain High for Those Who Have Rebuilt Permanent Homes Following the Fukushima Nuclear Disaster. International Journal of Environmental Research and Public Health, 2020, 17, 9532.	2.6	13
87	The Association between Utilization of Media Information and Current Health Anxiety Among the Fukushima Daiichi Nuclear Disaster Evacuees. International Journal of Environmental Research and Public Health, 2020, 17, 3921.	2.6	13
88	Maternal pre-pregnancy body mass index and foetal acidosis in vaginal and caesarean deliveries: The Japan Environment and Children's Study. Scientific Reports, 2021, 11, 4350.	3.3	13
89	THE BASIC DATA FOR RESIDENTS AGED 15 YEARS OR YOUNGER WHO RECEIVED A COMPREHENSIVE HEALTH CHECK IN 2011-2012 AS A PART OF THE FUKUSHIMA HEALTH MANAGEMENT SURVEY AFTER THE GREAT EAST JAPAN EARTHQUAKE. Fukushima Journal of Medical Sciences, 2015, 61, 101-110.	0.4	12
90	Prevalence of Renal Dysfunction among Evacuees and Non-evacuees after the Great East Earthquake: Results from the Fukushima Health Management Survey. Internal Medicine, 2016, 55, 2563-2569.	0.7	12

#	Article	IF	Citations
91	Fukushima, mental health and suicide. Journal of Epidemiology and Community Health, 2016, 70, 843-844.	3.7	12
92	The effect of a behavioral activation program on improving mental and physical health complaints associated with radiation stress among mothers in Fukushima: a randomized controlled trial. BMC Public Health, 2016, 16, 1144.	2.9	12
93	The Relationship between Sleep Time and Mental Health Problems According to the Strengths and Difficulties Questionnaire in Children after an Earthquake Disaster: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2018, 15, 633.	2.6	12
94	Changes in the mental health status of adolescents following the Fukushima Daiichi nuclear accident and related factors: Fukushima Health Management Survey. Journal of Affective Disorders, 2020, 260, 432-439.	4.1	12
95	Dietary Inflammatory Index during Pregnancy and the Risk of Intrapartum Fetal Asphyxia: The Japan Environment and Children's Study. Nutrients, 2020, 12, 3482.	4.1	12
96	Influence of postâ€disaster evacuation on childhood obesity and hyperlipidemia. Pediatrics International, 2020, 62, 669-676.	0.5	12
97	Prepregnancy antiinflammatory diet in pregnant women with endometriosis: The Japan Environment and Children's Study. Nutrition, 2021, 85, 111129.	2.4	12
98	The association between self-reported sleep dissatisfaction after the Great East Japan Earthquake, and a deteriorated socioeconomic status in the evacuation area: the Fukushima Health Management Survey. Sleep Medicine, 2020, 68, 63-70.	1.6	11
99	Longitudinal associations of radiation risk perceptions and mental health among non-evacuee residents of Fukushima prefecture seven years after the nuclear power plant disaster. SSM - Population Health, 2020, 10, 100523.	2.7	11
100	Effect of Preconception Selenium Intake on the Risk for Gestational Diabetes: The Japan Environment and Children's Study. Antioxidants, 2021, 10, 568.	5.1	11
101	Effects of Psychological and Lifestyle Factors on Metabolic Syndrome Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. Journal of Atherosclerosis and Thrombosis, 2020, 27, 1010-1018.	2.0	11
102	HOW LIFESTYLE AFFECTS HEALTH─CHANGES IN HEALTH STATUS BEFORE AND AFTER THE EARTHQUAKE. Fukushima Journal of Medical Sciences, 2014, 60, 211-212.	0.4	10
103	Mental Health Status of Children After the Great East Japan Earthquake and Fukushima Daiichi Nuclear Power Plant Accident. Asia-Pacific Journal of Public Health, 2017, 29, 131S-138S.	1.0	10
104	Gestational weight gain and risk factors for postpartum depression symptoms from the Japan Environment and Children's Study: a prospective cohort study. Journal of Affective Disorders, 2021, 283, 223-228.	4.1	10
105	An influential factor for external radiation dose estimation for residents after the Fukushima Daiichi Nuclear Power Plant accident—time spent outdoors for residents in litate Village. Journal of Radiological Protection, 2016, 36, 255-268.	1.1	9
106	Factors Associated with Maintaining the Mental Health of Employees after the Fukushima Nuclear Disaster: Findings from Companies Located in the Evacuation Area. International Journal of Environmental Research and Public Health, 2018, 15, 53.	2.6	9
107	The Usefulness of Brief Telephonic Intervention After a Nuclear Crisis: Long-Term Community-Based Support for Fukushima Evacuees. Disaster Medicine and Public Health Preparedness, 2020, , 1-9.	1.3	9
108	Higher psychological distress experienced by evacuees relocating outside Fukushima after the nuclear accident: The Fukushima Health Management Survey. International Journal of Disaster Risk Reduction, 2021, 52, 101962.	3.9	9

#	Article	IF	CITATIONS
109	Relationship Between Use of Media and Radiation Anxiety Among the Residents of Fukushima 5.5 Years After the Nuclear Power Plant Accident. Disaster Medicine and Public Health Preparedness, 2021, 15, 42-49.	1.3	9
110	Evacuation after the Great East Japan Earthquake is an independent factor associated with hyperuricemia: The Fukushima Health Management Survey. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1177-1188.	2.6	9
111	Immunoglobulin E levels and pregnancy-induced hypertension: Japan Environment and Children's Study. Scientific Reports, 2021, 11, 8664.	3.3	9
112	Persistent prevalence of polycythemia among evacuees 4 years after the Great East Japan Earthquake: A follow-up study. Preventive Medicine Reports, 2017, 5, 251-256.	1.8	8
113	Changes in Hepatobiliary Enzyme Abnormality After the Great East Japan Earthquake: The Fukushima Health Management Survey. Scientific Reports, 2017, 7, 710.	3.3	8
114	Risk of adverse obstetric outcomes in Japanese women with systemic lupus erythematosus: The Japan Environment and Children's Study. PLoS ONE, 2020, 15, e0233883.	2.5	8
115	Antenatal and postnatal association of maternal bonding and mental health in Fukushima after the Great East Japan Earthquake of 2011:The Japan Environment and Children's Study (JECS). Journal of Affective Disorders, 2021, 278, 244-251.	4.1	8
116	Preterm Deliveries in Women with Uterine Myomas: The Japan Environment and Children's Study. International Journal of Environmental Research and Public Health, 2021, 18, 2246.	2.6	8
117	Effects of lifestyle on hepatobiliary enzyme abnormalities following the Fukushima Daiichi nuclear power plant accident. Medicine (United States), 2018, 97, e12890.	1.0	7
118	Recovery from radiation anxiety and posttraumatic growth among community dwellers after the nuclear disaster in Fukushima. Cogent Psychology, 2019, 6 , .	1.3	7
119	Trends in the Incidence of Sudden Deaths and Heart Diseases in Fukushima After the Great East Japan Earthquake. International Heart Journal, 2019, 60, 1253-1258.	1.0	7
120	The latest update on individual external doses in an early stage after the Fukushima nuclear accident. Radiation Protection Dosimetry, 2019, 187, 402-406.	0.8	7
121	Influence of post-disaster evacuation on incidence of hyperuricemia in residents of Fukushima Prefecture: the Fukushima Health Management Survey. Clinical and Experimental Nephrology, 2020, 24, 1025-1032.	1.6	7
122	Gestational weight gain and foetal acidosis in vaginal and caesarean deliveries: The Japan Environment and Children's Study. Scientific Reports, 2020, 10, 20389.	3.3	7
123	Lifestyle factors associated with prevalent and exacerbated musculoskeletal pain after the Great East Japan Earthquake: a cross-sectional study from the Fukushima Health Management Survey. BMC Public Health, 2020, 20, 677.	2.9	7
124	Dietary Patterns and Progression of Impaired Kidney Function in Japanese Adults: A Longitudinal Analysis for the Fukushima Health Management Survey, 2011–2015. Nutrients, 2021, 13, 168.	4.1	7
125	Association between maternal ritodrine hydrochloride administration during pregnancy and childhood wheezing up to three years of age: The Japan environment and children's study. Pediatric Allergy and Immunology, 2021, 32, 1455-1463.	2.6	7
126	Association between post-traumatic stress disorder symptoms and bone fractures after the Great East Japan Earthquake in older adults: a prospective cohort study from the Fukushima Health Management Survey. BMC Geriatrics, 2021, 21, 18.	2.7	7

#	Article	IF	Citations
127	Resilience Factors Contributing to Mental Health Among People Affected by the Fukushima Disaster: Development of Fukushima Resilience Scale. Frontiers in Public Health, 2020, 8, 159.	2.7	7
128	Comparison of characteristics and care-needs certification proportion between participants and non-participants in a geriatric health examination over a 3-year follow-up. Archives of Gerontology and Geriatrics, 2011, 53, e46-e50.	3.0	6
129	IMMEDIATE MENTAL CONSEQUENCES OF THE GREAT EAST JAPAN EARTHQUAKE AND FUKUSHIMA NUCLEAR POWER PLANT ACCIDENT ON MOTHERS EXPERIENCING MISCARRIAGE, ABORTION, AND STILLBIRTH: THE FUKUSHIMA HEALTH MANAGEMENT SURVEY. Fukushima Journal of Medical Sciences, 2015, 61, 66-71.	0.4	6
130	Parental Recognition of Bullying and Associated Factors Among Children After the Fukushima Nuclear Disaster: A 3-Year Follow-Up Study From the Fukushima Health Management Survey. Frontiers in Psychiatry, 2019, 10, 283.	2.6	6
131	Nested matched case control study for the Japan Fukushima Health Management Survey's first full-scale (second-round) thyroid examination. Medicine (United States), 2020, 99, e20440.	1.0	6
132	Associated factors related to participation in general health checkup and survey of the effect of low-dose radiation exposure on health of residents of Fukushima Prefecture after the Fukushima Daiichi nuclear power plant accident. Preventive Medicine Reports, 2020, 20, 101214.	1.8	6
133	Association between Psychological Factors and Evacuation Status and the Incidence of Cardiovascular Diseases after the Great East Japan Earthquake: A Prospective Study of the Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2020, 17, 7832.	2.6	6
134	Relationship between the prevalence of polycythemia and factors observed in the mental health and lifestyle survey after the Great East Japan Earthquake. Medicine (United States), 2020, 99, e18486.	1.0	6
135	Dietary pattern changes in Fukushima residents after the Great East Japan Earthquake: the Fukushima Health Management Survey 2011–2013. Public Health Nutrition, 2021, 24, 2195-2204.	2.2	6
136	Maternal sleep duration and neonatal birth weight: the Japan Environment and Children's Study. BMC Pregnancy and Childbirth, 2021, 21, 295.	2.4	6
137	Associations of the COVID-19 pandemic with the economic status and mental health of people affected by the Fukushima disaster using the difference-in-differences method: The Fukushima Health Management Survey. SSM - Population Health, 2021, 14, 100801.	2.7	6
138	Association between active self-maintenance and lifestyles among elderly people living in a rural community [Minzoku Eisei] Race Hygiene, 2001, 67, 68-76.	0.0	6
139	Preconception dietary inflammatory index and hypertension disorders of pregnancy: The Japan environment and children's study. Pregnancy Hypertension, 2022, 28, 114-120.	1.4	6
140	Association between preconception dietary inflammatory index and neurodevelopment of offspring at 3 years of age: The Japan Environment and Children's Study. Nutrition, 2022, 102, 111708.	2.4	6
141	Relationship between physical activity/exercise habits and the frequency of new onset of lifestyle-related diseases after the Great East Japan Earthquake among residents in Fukushima: the Fukushima Health Management Survey. Journal of Radiation Research, 2021, 62, i129-i139.	1,6	5
142	Teenage pregnancy as a risk factor for placental abruption: Findings from the prospective Japan environment and children's study. PLoS ONE, 2021, 16, e0251428.	2.5	5
143	Distrust in government and its relationship with mental health after the Fukushima nuclear power plant accident. International Journal of Social Psychiatry, 2021, 67, 680-686.	3.1	5
144	Analysis of direction of association between radiation risk perception and relocation using a random-intercept and cross lagged panel model: The Fukushima Health Management Survey. SSM - Population Health, 2020, 12, 100706.	2.7	5

#	Article	IF	CITATIONS
145	Those Who Have Continuing Radiation Anxiety Show High Psychological Distress in Cases of High Post-Traumatic Stress: The Fukushima Nuclear Disaster. International Journal of Environmental Research and Public Health, 2021, 18, 12048.	2.6	5
146	Efficacy of group intervention involving physical activity on subjective wellâ€being of elderly returnees after evacuation following the Great East Japan Earthquake. Psychogeriatrics, 2019, 19, 246-254.	1.2	4
147	AGE DEPENDENCE OF INDIVIDUAL EXTERNAL DOSES IN AN EARLY STAGE AFTER THE FUKUSHIMA NUCLEAR ACCIDENT. Radiation Protection Dosimetry, 2020, 188, 238-245.	0.8	4
148	Socioeconomic status, damage-related conditions, and PTSD following the Fukushima-daiichi nuclear power plant accident:The Fukushima Health Management Survey. Fukushima Journal of Medical Sciences, 2021, 67, 71-82.	0.4	4
149	Association Between Lifestyle Habits and the Prevalence of Abdominal Obesity After the Great East Japan Earthquake: The Fukushima Health Management Survey. Journal of Epidemiology, 2022, 32, 496-501.	2.4	4
150	Relationship Between Risk of Hyper-Low-density Lipoprotein Cholesterolemia and Evacuation After the Great East Japan Earthquake. Journal of Epidemiology, 2021, , .	2.4	4
151	The Japan Environment and Children's Study (JECS) in Fukushima Prefecture-A progress report on the enrollment stage. Fukushima Journal of Medical Sciences, 2017, 63, 57-63.	0.4	4
152	External Dose Estimation in an Early Stage after the Fukushima Daiichi Nuclear Power Plant Accident. Japanese Journal of Health Physics, 2018, 53, 100-110.	0.1	4
153	Age at menarche and risk of adverse obstetric outcomes during the first childbirth in Japan: The Japan Environment and Children's Study. Journal of Obstetrics and Gynaecology Research, 2021, , .	1.3	4
154	Changes in drinking behavior among evacuees after the Fukushima Daiichi Nuclear Power Plant accident: the Fukushima Health Management Survey. Fukushima Journal of Medical Sciences, 2020, 66, 133-142.	0.4	4
155	Fine Needle Aspiration Cytology Implementation and Malignancy Rates in Children and Adolescents Based on Japanese Guidelines: The Fukushima Health Management Survey. Thyroid, 2021, 31, 1683-1692.	4.5	4
156	Factors Influencing the Proportion of Non-examinees in the Fukushima Health Management Survey for Childhood and Adolescent Thyroid Cancer: Results From the Baseline Survey. Journal of Epidemiology, 2020, 30, 301-308.	2.4	3
157	Factors Hindering Social Participation among Older Residents from Evacuation Zones after the Nuclear Power Plant Accident in Fukushima: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2021, 18, 4426.	2.6	3
158	Vulnerability of Evacuees Having No One to Consult after the Fukushima Nuclear Disaster: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2021, 18, 10075.	2.6	3
159	Impact of the Great East Japan Earthquake and Fukushima Nuclear Power Plant Accident on Assisted Reproductive Technology in Fukushima Prefecture: The Fukushima Health Management Survey. Journal of Clinical Medicine Research, 2017, 9, 781.	1.2	3
160	Association of Instrumental Activities of Daily Living, Physical Function, and Mental Health among Older Returnees after the Fukushima Daiichi Nuclear Power Station Accident. International Journal of Environmental Research and Public Health, 2021, 18, 11639.	2.6	3
161	Subjective Wellbeing and Related Factors of Older Adults Nine and a Half Years after the Great East Japan Earthquake: A Cross-Sectional Study in the Coastal Area of Soma City. International Journal of Environmental Research and Public Health, 2022, 19, 2639.	2.6	3
162	Urinary 8-hydroxy-2′-deoxyguanosine levels and small-for-gestational age infants: a prospective cohort study from the Japan Environment and Children's Study. BMJ Open, 2021, 11, e054156.	1.9	3

#	Article	IF	CITATIONS
163	The Prevalence of Social Engagement in the Disabled Elderly and Related Factors. ISRN Geriatrics, 2013, 2013, 1-8.	0.2	2
164	Development and Implementation of an Internet Survey to Assess Community Health in the Face of a Health Crisis: Data from the Pregnancy and Birth Survey of the Fukushima Health Management Survey, 2016. International Journal of Environmental Research and Public Health, 2019, 16, 1946.	2.6	2
165	Investigation of thyroid cancer cases that were not detected in the Thyroid Ultrasound Examination program of the Fukushima Health Management Survey but diagnosed at Fukushima Medical University Hospital. Fukushima Journal of Medical Sciences, 2019, 65, 122-127.	0.4	2
166	Characteristics and changes in the mental health indicators of expecting parents in a couple-based parenting support program in Japan. Health Care for Women International, 2020, 41, 330-344.	1.1	2
167	Association between atrial fibrillation and white blood cell count after the Great East Japan Earthquake. Medicine (United States), 2021, 100, e24177.	1.0	2
168	The association between body mass index and recovery from post-traumatic stress disorder after the nuclear accident in Fukushima. Scientific Reports, 2021, 11, 5330.	3.3	2
169	Trajectories of peer relationship problems and emotional symptoms in children 5Âyears after a nuclear disaster: Fukushima Health Management Survey. Journal of Radiation Research, 2021, 62, i114-i121.	1.6	2
170	Association of Perceived Environment and Physical Activity in Older Adults After the Great East Japan Earthquake. Journal of Aging and Physical Activity, 2021, 29, 632-641.	1.0	2
171	Issues in Radiation Nursing Education in Japan Before and After the Fukushima Daiichi Nuclear Power Plant Accident. Disaster Medicine and Public Health Preparedness, 2022, 16, 1346-1350.	1.3	2
172	Suboptimal diabetic control and psychological burden after the triple disaster in Japan: the Fukushima Health Management Survey. BMJ Open Diabetes Research and Care, 2021, 9, e002007.	2.8	2
173	Relationship between social contact, life satisfaction and mental health in elderly persons in a rural Okinawan community: Comparison by IADL levels [Minzoku Eisei] Race Hygiene, 2003, 69, 195-204.	0.0	2
174	Changes in the proportion of anemia among young women after the Great East Japan Earthquake: the Fukushima health management survey. Scientific Reports, 2022, 12 , .	3.3	2
175	Impact of lifestyle and psychosocial factors on the onset of hypertension after the Great East Japan earthquake: a 7-year follow-up of the Fukushima Health Management Survey. Hypertension Research, 2022, 45, 1609-1621.	2.7	2
176	Preconception vitamin D intake and obstetric outcomes in women using assisted reproductive technology: the Japan Environment and Children's Study. BMC Pregnancy and Childbirth, 2022, 22, .	2.4	2
177	Comparison of the Perceptions of City Residents and Physicians Regarding ^ ^ldquo;Good Death^ ^rdquo; in a Terminal Cancer Setting in Fukushima, Japan. General Medicine, 2008, 9, 21-30.	0.1	1
178	Psychosocial support for the examinees and their families during the secondary confirmatory examination:Analyses of support records at first visit. Fukushima Journal of Medical Sciences, 2021, 67, 53-63.	0.4	1
179	Incidence of and improvement in inappropriate parental behaviors of mothers with young children: a retrospective cohort study conducted in collaboration with a local government. Archives of Public Health, 2021, 79, 37.	2.4	1
180	Response to the Letter to the Editor: â€~Absorbed radiation doses in the thyroid as estimated by UNSCEAR and subsequent risk of childhood thyroid cancer following the Great East Japan Earthquake', by Ohira et al Journal of Radiation Research, 2021, 62, 425-426.	1.6	1

#	Article	IF	CITATIONS
181	Association of habitual exercise with adults' mental health following the Fukushima Daiichi nuclear power plant accident: the Fukushima Health Management Survey. Mental Health and Physical Activity, 2021, 20, 100388.	1.8	1
182	Association between Psychosocial Factors and Oral Symptoms among Residents in Fukushima after the Great East Japan Earthquake: A Cross-Sectional Study from the Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2021, 18, 6054.	2.6	1
183	Overview of Fukushima Health Management Survey. Trends in the Sciences, 2013, 18, 5_72-5_77.	0.0	1
184	Trend in Cancer Incidence and Mortality in Fukushima From 2008 Through 2015. Journal of Epidemiology, 2021, 31, 653-659.	2.4	1
185	Cytological examination of the thyroid in children and adolescents after the Fukushima Nuclear Power Plant accident: the Fukushima Health Management Survey. Endocrine Journal, 2020, 67, 1233-1238.	1.6	1
186	Feasibility study of an intervention program to enhance self-confidence of kindergarten teachers who deal with radiation-related health concerns from parents with young children. Pilot and Feasibility Studies, 2022, 8, 25.	1.2	1
187	Tobacco Exposure During Pregnancy and Infections in Infants up to 1 Year of Age: The Japan Environment and Children's Study. Journal of Epidemiology, 2022, , .	2.4	1
188	Lifestyle Factors Associated with Undernutrition in Older People after the Great East Japan Earthquake: A Prospective Study in the Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2022, 19, 3399.	2.6	1
189	Association between Laughter and Lifestyle Diseases after the Great East Japan Earthquake: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2021, 18, 12699.	2.6	1
190	The Associations between Evacuation Status and Lifestyle-Related Diseases in Fukushima after the Great East Japan Earthquake: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2022, 19, 5661.	2.6	1
191	Trends in pregnancy and birth after the Great East Japan earthquake and Fukushima Daiichi nuclear power plant accident in the Fukushima prefecture: A 7-year survey. , 2022, , 81-98.		1
192	Factors Associated With Smoking Relapse Among Women in Japan From Pregnancy to Early Parenthood. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2022, 51, 428-440.	0.5	1
193	Meconium-stained amniotic fluid during labor may be a protective factor for the offspring's childhood wheezing up to 3Âyears of age: the Japan Environment and Children's Study. European Journal of Pediatrics, 0, , .	2.7	1
194	Synergistic Effect of History of Cardiovascular Disease and Mental Distress on Post-Traumatic Stress Disorder after the Great East Japan Earthquake: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2021, 18, 10283.	2.6	0
195	A Summary from the Science Council of Japan Forum & Dairchi & Radiation-related Health Anxiety and Its Mental Health Impact Following the Fukushima Dairchi Nuclear Plant Accident: Current Situation and Support for Community Residents& Dairchi & Trends in the Sciences, 2014, 19, 11_82-11_85.	0.0	O
196	Health Risk of and Countermeasures for the Elderly People as "People Who Need Support (Vulnerable) Tj ETQq0	0 0 rgBT /	Overlock 10 T
197	Recovery and Resilience of Triple Disaster Victims -a text mining approach The Proceedings of the Annual Convention of the Japanese Psychological Association, 2017, 81, 2A-024-2A-024.	0.0	O
198	Physical and Mental Health Status and Countermeasures in Fukushima Residents After the Great East Japan Earthquake. Trends in the Sciences, 2020, 25, 3_26-3_33.	0.0	0

#	Article	IF	CITATIONS
199	A Cross-Sectional Study on the Characteristics of Physical Activity in Pre-Frail Older Adults. International Journal of Environmental Research and Public Health, 2021, 18, 12328.	2.6	O
200	The Association between Parenting Confidence and Later Child Mental Health in the Area Affected by the Fukushima Nuclear Disaster: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2022, 19, 476.	2.6	0
201	Association of preconception dysmenorrhea with obstetric complications: the Japan Environment and Children's Study. BMC Pregnancy and Childbirth, 2022, 22, 125.	2.4	O
202	Posttraumatic Growth after the Fukushima Nuclear Disaster: Examination of Free Descriptions among Fukushima Residents Who Lived in the Evacuation Area. International Journal of Environmental Research and Public Health, 2022, 19, 192.	2.6	0
203	-373-THE QT INTERVAL MAPPING IN THE NORMAL SUBJECTS AND PATIENTS WITH PRIOR MYOCARDIAL INFARCTION. Japanese Circulation Journal, 1986, 50, 571.	1.0	O
204	Development of Fukushima disaster. , 2022, , 3-20.		0
205	Lifestyle-related diseases caused by evacuation: Results of the comprehensive health check in the Fukushima health management survey., 2022,, 99-121.		O