

Seiji Yasumura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4652989/publications.pdf>

Version: 2024-02-01

205
papers

4,003
citations

136740

32
h-index

174990

52
g-index

225
all docs

225
docs citations

225
times ranked

1874
citing authors

#	ARTICLE	IF	CITATIONS
1	Study Protocol for the Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2012, 22, 375-383.	1.1	361
2	PSYCHOLOGICAL DISTRESS AFTER THE GREAT EAST JAPAN EARTHQUAKE AND FUKUSHIMA DAIICHI NUCLEAR POWER PLANT ACCIDENT: RESULTS OF A MENTAL HEALTH AND LIFESTYLE SURVEY THROUGH THE FUKUSHIMA HEALTH MANAGEMENT SURVEY IN FY2011 AND FY2012. <i>Fukushima Journal of Medical Sciences</i> , 2014, 60, 57-67.	0.1	198
3	Psychological distress and the perception of radiation risks: the Fukushima health management survey. <i>Bulletin of the World Health Organization</i> , 2015, 93, 598-605.	1.5	160
4	The Fukushima Health Management Survey: estimation of external doses to residents in Fukushima Prefecture. <i>Scientific Reports</i> , 2015, 5, 12712.	1.6	89
5	Evacuation and Risk of Hypertension After the Great East Japan Earthquake. <i>Hypertension</i> , 2016, 68, 558-564.	1.3	83
6	Three-year trend survey of psychological distress, post-traumatic stress, and problem drinking among residents in the evacuation zone after the Fukushima Daiichi Nuclear Power Plant accident [The Fukushima Health Management Survey]. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 245-252.	1.0	74
7	Effect of Evacuation on Body Weight After the Great East Japan Earthquake. <i>American Journal of Preventive Medicine</i> , 2016, 50, 553-560.	1.6	73
8	Comprehensive Survey Results of Childhood Thyroid Ultrasound Examinations in Fukushima in the First Four Years After the Fukushima Daiichi Nuclear Power Plant Accident. <i>Thyroid</i> , 2016, 26, 843-851.	2.4	65
9	Severe Psychological Distress of Evacuees in Evacuation Zone Caused by the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. <i>PLoS ONE</i> , 2016, 11, e0158821.	1.1	65
10	Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident Is a Cause of Diabetes: Results from the Fukushima Health Management Survey. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-9.	1.0	63
11	Suicide rates in the aftermath of the 2011 earthquake in Japan. <i>Lancet, The</i> , 2015, 385, 1727.	6.3	62
12	Risk factors for placenta accreta spectrum: findings from the Japan environment and Children's study. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 447.	0.9	62
13	PREGNANCY AND BIRTH SURVEY AFTER THE GREAT EAST JAPAN EARTHQUAKE AND FUKUSHIMA DAIICHI NUCLEAR POWER PLANT ACCIDENT IN FUKUSHIMA PREFECTURE. <i>Fukushima Journal of Medical Sciences</i> , 2014, 60, 75-81.	0.1	56
14	Influence of Post-disaster Evacuation on Incidence of Metabolic Syndrome. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 327-337.	0.9	48
15	The Japan Environment and Children's Study (JECS) in Fukushima Prefecture: Pregnancy Outcome after the Great East Japan Earthquake. <i>Tohoku Journal of Experimental Medicine</i> , 2018, 246, 27-33.	0.5	48
16	The Effect of Maternal Age at the First Childbirth on Gestational Age and Birth Weight: The Japan Environment and Children's Study (JECS). <i>Journal of Epidemiology</i> , 2019, 29, 187-191.	1.1	48
17	Evacuation after the Great East Japan Earthquake was associated with poor dietary intake: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2017, 27, 14-23.	1.1	47
18	Comparison of childhood thyroid cancer prevalence among 3 areas based on external radiation dose after the Fukushima Daiichi nuclear power plant accident. <i>Medicine (United States)</i> , 2016, 95, e4472.	0.4	46

#	ARTICLE	IF	CITATIONS
19	Suicide Rates in Evacuation Areas After the Fukushima Daiichi Nuclear Disaster. <i>Crisis</i> , 2018, 39, 353-363.	0.9	46
20	Diagnostic accuracy of Japanese posttraumatic stress measures after a complex disaster: The Fukushima Health Management Survey. <i>Asia-Pacific Psychiatry</i> , 2017, 9, e12248.	1.2	45
21	Prevalence of Social Isolation in Community-Dwelling Elderly by Differences in Household Composition and Related Factors. <i>Journal of Aging and Health</i> , 2014, 26, 807-823.	0.9	44
22	Increased prevalence of atrial fibrillation after the Great East Japan Earthquake: Results from the Fukushima Health Management Survey. <i>International Journal of Cardiology</i> , 2015, 198, 102-105.	0.8	44
23	Risk of preterm birth, low birthweight and small-for-gestational-age infants in pregnancies with adenomyosis: A cohort study of the Japan Environment and Children's Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 359-364.	1.3	44
24	Incidence of Thyroid Cancer Among Children and Young Adults in Fukushima, Japan, Screened With 2 Rounds of Ultrasonography Within 5 Years of the 2011 Fukushima Daiichi Nuclear Power Station Accident. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2019, 145, 4.	1.2	44
25	Predictors of severe psychological distress trajectory after nuclear disaster: evidence from the Fukushima Health Management Survey. <i>BMJ Open</i> , 2016, 6, e013400.	0.8	42
26	The protocol and preliminary baseline survey results of the thyroid ultrasound examination in Fukushima [Rapid Communication]. <i>Endocrine Journal</i> , 2016, 63, 315-321.	0.7	39
27	Changes in Risk Perception of the Health Effects of Radiation and Mental Health Status: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1219.	1.2	39
28	Association between psychological distress and dietary intake among evacuees after the Great East Japan Earthquake in a cross-sectional study: the Fukushima Health Management Survey. <i>BMJ Open</i> , 2016, 6, e011534.	0.8	37
29	Associations of Psychosocial Factors with Maternal Confidence Among Japanese and Vietnamese Mothers. <i>Journal of Child and Family Studies</i> , 2010, 19, 118-127.	0.7	34
30	Hypo-high-density Lipoprotein Cholesterolemia Caused by Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident: Results from the Fukushima Health Management Survey. <i>Internal Medicine</i> , 2016, 55, 1967-1976.	0.3	34
31	Environmental radiation level, radiation anxiety, and psychological distress of non-evacuee residents in Fukushima five years after the Great East Japan Earthquake: Multilevel analyses. <i>SSM - Population Health</i> , 2017, 3, 740-748.	1.3	34
32	Risk factors of functional disability among community-dwelling elderly people by household in Japan: a prospective cohort study. <i>BMC Geriatrics</i> , 2014, 14, 93.	1.1	33
33	Drinking Behavior and Mental Illness Among Evacuees in Fukushima Following the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 623-630.	1.4	33
34	Perception of Radiation Risk as a Predictor of Mid-Term Mental Health after a Nuclear Disaster: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1067.	1.2	32
35	The Relationship between Starting to Drink and Psychological Distress, Sleep Disturbance after the Great East Japan Earthquake and Nuclear Disaster: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1281.	1.2	32
36	Lingering health-related anxiety about radiation among Fukushima residents as correlated with media information following the accident at Fukushima Daiichi Nuclear Power Plant. <i>PLoS ONE</i> , 2019, 14, e0217285.	1.1	32

#	ARTICLE	IF	CITATIONS
37	Life as an evacuee after the Fukushima Daiichi nuclear power plant accident is a cause of polycythemia: the Fukushima Health Management Survey. <i>BMC Public Health</i> , 2014, 14, 1318.	1.2	30
38	Absorbed radiation doses in the thyroid as estimated by UNSCEAR and subsequent risk of childhood thyroid cancer following the Great East Japan Earthquake. <i>Journal of Radiation Research</i> , 2020, 61, 243-248.	0.8	29
39	Findings of Thyroid Ultrasound Examination Within 3 Years After the Fukushima Nuclear Power Plant Accident: The Fukushima Health Management Survey. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 861-869.	1.8	28
40	Association between Health Literacy and Radiation Anxiety among Residents after a Nuclear Accident: Comparison between Evacuated and Non-Evacuated Areas. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1463.	1.2	28
41	The characteristics of non-respondents and respondents of a mental health survey among evacuees in a disaster: The Fukushima Health Management Survey. <i>Fukushima Journal of Medical Sciences</i> , 2017, 63, 152-159.	0.1	27
42	The impact of evacuation on the incidence of chronic kidney disease after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 995-1002.	0.7	26
43	Effect of evacuation on liver function after the Fukushima Daiichi Nuclear Power Plant accident: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2017, 27, 180-185.	1.1	25
44	EVACUATION EFFECT ON EXCESS MORTALITY AMONG INSTITUTIONALIZED ELDERLY AFTER THE FUKUSHIMA DAIICHI NUCLEAR POWER PLANT ACCIDENT. <i>Fukushima Journal of Medical Sciences</i> , 2014, 60, 192-195.	0.1	24
45	Psychometric Evaluation of the Japanese Version of the Posttraumatic Stress Disorder Checklist in Community Dwellers Following the Fukushima Daiichi Nuclear Power Plant Incident. <i>SAGE Open</i> , 2016, 6, 215824401665244.	0.8	24
46	Pregnancy and Birth Survey of the Fukushima Health Management Survey. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 56S-62S.	0.4	23
47	Associations Between Childhood Thyroid Cancer and External Radiation Dose After the Fukushima Daiichi Nuclear Power Plant Accident. <i>Epidemiology</i> , 2018, 29, e32-e34.	1.2	23
48	Effect of proinflammatory diet before pregnancy on gestational age and birthweight: The Japan Environment and Children's Study. <i>Maternal and Child Nutrition</i> , 2020, 16, e12899.	1.4	23
49	External Radiation Dose, Obesity, and Risk of Childhood Thyroid Cancer After the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. <i>Epidemiology</i> , 2019, 30, 853-860.	1.2	22
50	Impact of preconception sodium intake on hypertensive disorders of pregnancy: The Japan Environment and Children's study. <i>Pregnancy Hypertension</i> , 2021, 23, 66-72.	0.6	22
51	Comprehensive Health Risk Management after the Fukushima Nuclear Power Plant Accident. <i>Clinical Oncology</i> , 2016, 28, 255-262.	0.6	21
52	Changes of Posttraumatic Stress Responses in Evacuated Residents and Their Related Factors. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 182S-192S.	0.4	21
53	Occurrence of depressive tendency and associated social factors among elderly persons forced by the Great East Japan Earthquake and nuclear disaster to live as long-term evacuees: a prospective cohort study. <i>BMJ Open</i> , 2017, 7, e014339.	0.8	21
54	Effect of Radiological Countermeasures on Subjective Well-Being and Radiation Anxiety after the 2011 Disaster: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 124.	1.2	20

#	ARTICLE	IF	CITATIONS
55	Association between pre-pregnancy calcium intake and hypertensive disorders during the first pregnancy: the Japan environment and children's study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 424.	0.9	20
56	From Devastation to Recovery and Revival in the Aftermath of Fukushima's Nuclear Power Plants Accident. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 10S-17S.	0.4	19
57	Fukushima Health Management Survey and Related Issues. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 29S-35S.	0.4	19
58	Lifestyle-related factors that explain disaster-induced changes in socioeconomic status and poor subjective health: a cross-sectional study from the Fukushima health management survey. <i>BMC Public Health</i> , 2017, 17, 340.	1.2	19
59	Simulation of expected childhood and adolescent thyroid cancer cases in Japan using a cancer-progression model based on the National Cancer Registry. <i>Medicine (United States)</i> , 2017, 96, e8631.	0.4	19
60	Mental Health Recovery of Evacuees and Residents from the Fukushima Daiichi Nuclear Power Plant Accident after Seven Years' Contribution of Social Network and a Desirable Lifestyle. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2381.	1.2	19
61	Reduction of radiation-related anxiety promoted wellbeing after the 2011 disaster: Fukushima Health Management Survey. <i>Journal of Radiological Protection</i> , 2018, 38, 1428-1440.	0.6	19
62	The Fukushima Nuclear Accident Affected Mothers' Depression but Not Maternal Confidence. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 139S-150S.	0.4	18
63	Lifestyle factors and social ties associated with the frequency of laughter after the Great East Japan Earthquake: Fukushima Health Management Survey. <i>Quality of Life Research</i> , 2018, 27, 639-650.	1.5	18
64	Exercise Habits Are Important for the Mental Health of Children in Fukushima After the Fukushima Daiichi Disaster. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 171S-181S.	0.4	17
65	Comparative Analysis of the Growth Pattern of Thyroid Cancer in Young Patients Screened by Ultrasonography in Japan After a Nuclear Accident. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2017, 144, 57-63.	1.2	17
66	Psychometric evaluation of the simplified Japanese version of the Athens Insomnia Scale: The Fukushima Health Management Survey. <i>Journal of Sleep Research</i> , 2019, 28, e12771.	1.7	17
67	White Blood Cell, Neutrophil, and Lymphocyte Counts in Individuals in the Evacuation Zone Designated by the Government After the Fukushima Daiichi Nuclear Power Plant accident: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2015, 25, 80-87.	1.1	16
68	Residence-related factors and psychological distress among evacuees after the Fukushima Daiichi nuclear power plant accident: a cross-sectional study. <i>BMC Psychiatry</i> , 2016, 16, 420.	1.1	16
69	Adverse obstetric outcomes in early-diagnosed gestational diabetes mellitus: The Japan Environment and Children's Study. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2071-2079.	1.1	16
70	Factors Associated with Infant Feeding Methods after the Nuclear Power Plant Accident in Fukushima: Data from the Pregnancy and Birth Survey for the Fiscal Year 2011 Fukushima Health Management Survey. <i>Maternal and Child Health Journal</i> , 2016, 20, 1704-1712.	0.7	15
71	Impact of the Great East Japan Earthquake on feeding methods and newborn growth at 1 month postpartum: results from the Fukushima Health Management Survey. <i>Radiation and Environmental Biophysics</i> , 2016, 55, 139-146.	0.6	15
72	Representativeness of individual external doses estimated for one quarter of residents in the Fukushima Prefecture after the nuclear disaster: the Fukushima Health Management Survey. <i>Journal of Radiological Protection</i> , 2017, 37, 584-605.	0.6	15

#	ARTICLE	IF	CITATIONS
73	Impact of evacuation on trends in the prevalence, treatment, and control of hypertension before and after a disaster. <i>Journal of Hypertension</i> , 2018, 36, 924-932.	0.3	15
74	Risk Factor for Incident Functional Disability and the Effect of a Preventive Exercise Program: A 4-Year Prospective Cohort Study of Older Survivors from the Great East Japan Earthquake and Nuclear Disaster. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1430.	1.2	15
75	Trajectories of Emotional Symptoms and Peer Relationship Problems in Children after Nuclear Disaster: Evidence from the Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 82.	1.2	15
76	The effect of the Great East Japan Earthquake on hypertensive disorders during pregnancy: a study from the Fukushima Health Management Survey. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 4043-4048.	0.7	15
77	Long-lasting effects of distrust in government and science on mental health eight years after the Fukushima nuclear power plant disaster. <i>Social Science and Medicine</i> , 2020, 258, 113108.	1.8	15
78	Fukushima Mothers'™ Concerns and Associated Factors After the Fukushima Nuclear Power Plant Disaster. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 151S-160S.	0.4	15
79	Associations of disaster-related and psychosocial factors with changes in smoking status after a disaster: a cross-sectional survey after the Great East Japan Earthquake. <i>BMJ Open</i> , 2018, 8, e018943.	0.8	14
80	Living in the Restoration Public Housing after the Great East Japan Earthquake Correlates with Lower Subjective Well-Being of Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2696.	1.2	14
81	Risk Factors for Problem Drinking among Evacuees in Fukushima following the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Tohoku Journal of Experimental Medicine</i> , 2019, 248, 239-252.	0.5	14
82	Parenting in Fukushima City in the post-disaster period: short-term strategies and long-term perspectives. <i>Disasters</i> , 2014, 38, S179-89.	1.1	13
83	Effects of socioeconomic factors on cardiovascular-related symptoms among residents in Fukushima after the Great East Japan Earthquake: a cross-sectional study using data from the Fukushima Health Management Survey. <i>BMJ Open</i> , 2017, 7, e014077.	0.8	13
84	Spatial analysis of the geographical distribution of thyroid cancer cases from the first-round thyroid ultrasound examination in Fukushima Prefecture. <i>Scientific Reports</i> , 2018, 8, 17661.	1.6	13
85	Associations between Dietary Patterns and Cardiometabolic Risks in Japan: A Cross-Sectional Study from the Fukushima Health Management Survey, 2011-2015. <i>Nutrients</i> , 2020, 12, 129.	1.7	13
86	Current Psychological Distress, Post-traumatic Stress, and Radiation Health Anxiety Remain High for Those Who Have Rebuilt Permanent Homes Following the Fukushima Nuclear Disaster. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9532.	1.2	13
87	The Association between Utilization of Media Information and Current Health Anxiety Among the Fukushima Daiichi Nuclear Disaster Evacuees. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3921.	1.2	13
88	Maternal pre-pregnancy body mass index and foetal acidosis in vaginal and caesarean deliveries: The Japan Environment and Children's™ Study. <i>Scientific Reports</i> , 2021, 11, 4350.	1.6	13
89	THE BASIC DATA FOR RESIDENTS AGED 15 YEARS OR YOUNGER WHO RECEIVED A COMPREHENSIVE HEALTH CHECK IN 2011-2012 AS A PART OF THE FUKUSHIMA HEALTH MANAGEMENT SURVEY AFTER THE GREAT EAST JAPAN EARTHQUAKE. <i>Fukushima Journal of Medical Sciences</i> , 2015, 61, 101-110.	0.1	12
90	Prevalence of Renal Dysfunction among Evacuees and Non-evacuees after the Great East Earthquake: Results from the Fukushima Health Management Survey. <i>Internal Medicine</i> , 2016, 55, 2563-2569.	0.3	12

#	ARTICLE	IF	CITATIONS
91	Fukushima, mental health and suicide. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 843-844.	2.0	12
92	The effect of a behavioral activation program on improving mental and physical health complaints associated with radiation stress among mothers in Fukushima: a randomized controlled trial. <i>BMC Public Health</i> , 2016, 16, 1144.	1.2	12
93	The Relationship between Sleep Time and Mental Health Problems According to the Strengths and Difficulties Questionnaire in Children after an Earthquake Disaster: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 633.	1.2	12
94	Changes in the mental health status of adolescents following the Fukushima Daiichi nuclear accident and related factors: Fukushima Health Management Survey. <i>Journal of Affective Disorders</i> , 2020, 260, 432-439.	2.0	12
95	Dietary Inflammatory Index during Pregnancy and the Risk of Intrapartum Fetal Asphyxia: The Japan Environment and Children's Study. <i>Nutrients</i> , 2020, 12, 3482.	1.7	12
96	Influence of post-disaster evacuation on childhood obesity and hyperlipidemia. <i>Pediatrics International</i> , 2020, 62, 669-676.	0.2	12
97	Prepregnancy antiinflammatory diet in pregnant women with endometriosis: The Japan Environment and Children's Study. <i>Nutrition</i> , 2021, 85, 111129.	1.1	12
98	The association between self-reported sleep dissatisfaction after the Great East Japan Earthquake, and a deteriorated socioeconomic status in the evacuation area: the Fukushima Health Management Survey. <i>Sleep Medicine</i> , 2020, 68, 63-70.	0.8	11
99	Longitudinal associations of radiation risk perceptions and mental health among non- evacuee residents of Fukushima prefecture seven years after the nuclear power plant disaster. <i>SSM - Population Health</i> , 2020, 10, 100523.	1.3	11
100	Effect of Preconception Selenium Intake on the Risk for Gestational Diabetes: The Japan Environment and Children's Study. <i>Antioxidants</i> , 2021, 10, 568.	2.2	11
101	Effects of Psychological and Lifestyle Factors on Metabolic Syndrome Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1010-1018.	0.9	11
102	HOW LIFESTYLE AFFECTS HEALTH—CHANGES IN HEALTH STATUS BEFORE AND AFTER THE EARTHQUAKE. <i>Fukushima Journal of Medical Sciences</i> , 2014, 60, 211-212.	0.1	10
103	Mental Health Status of Children After the Great East Japan Earthquake and Fukushima Daiichi Nuclear Power Plant Accident. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 131S-138S.	0.4	10
104	Gestational weight gain and risk factors for postpartum depression symptoms from the Japan Environment and Children's Study: a prospective cohort study. <i>Journal of Affective Disorders</i> , 2021, 283, 223-228.	2.0	10
105	An influential factor for external radiation dose estimation for residents after the Fukushima Daiichi Nuclear Power Plant accident—time spent outdoors for residents in litate Village. <i>Journal of Radiological Protection</i> , 2016, 36, 255-268.	0.6	9
106	Factors Associated with Maintaining the Mental Health of Employees after the Fukushima Nuclear Disaster: Findings from Companies Located in the Evacuation Area. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 53.	1.2	9
107	The Usefulness of Brief Telephonic Intervention After a Nuclear Crisis: Long-Term Community-Based Support for Fukushima Evacuees. <i>Disaster Medicine and Public Health Preparedness</i> , 2020, , 1-9.	0.7	9
108	Higher psychological distress experienced by evacuees relocating outside Fukushima after the nuclear accident: The Fukushima Health Management Survey. <i>International Journal of Disaster Risk Reduction</i> , 2021, 52, 101962.	1.8	9

#	ARTICLE	IF	CITATIONS
109	Relationship Between Use of Media and Radiation Anxiety Among the Residents of Fukushima 5.5 Years After the Nuclear Power Plant Accident. <i>Disaster Medicine and Public Health Preparedness</i> , 2021, 15, 42-49.	0.7	9
110	Evacuation after the Great East Japan Earthquake is an independent factor associated with hyperuricemia: The Fukushima Health Management Survey. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1177-1188.	1.1	9
111	Immunoglobulin E levels and pregnancy-induced hypertension: Japan Environment and Children's Study. <i>Scientific Reports</i> , 2021, 11, 8664.	1.6	9
112	Persistent prevalence of polycythemia among evacuees 4 years after the Great East Japan Earthquake: A follow-up study. <i>Preventive Medicine Reports</i> , 2017, 5, 251-256.	0.8	8
113	Changes in Hepatobiliary Enzyme Abnormality After the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Scientific Reports</i> , 2017, 7, 710.	1.6	8
114	Risk of adverse obstetric outcomes in Japanese women with systemic lupus erythematosus: The Japan Environment and Children's Study. <i>PLoS ONE</i> , 2020, 15, e0233883.	1.1	8
115	Antenatal and postnatal association of maternal bonding and mental health in Fukushima after the Great East Japan Earthquake of 2011: The Japan Environment and Children's Study (JECS). <i>Journal of Affective Disorders</i> , 2021, 278, 244-251.	2.0	8
116	Preterm Deliveries in Women with Uterine Myomas: The Japan Environment and Children's Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2246.	1.2	8
117	Effects of lifestyle on hepatobiliary enzyme abnormalities following the Fukushima Daiichi nuclear power plant accident. <i>Medicine (United States)</i> , 2018, 97, e12890.	0.4	7
118	Recovery from radiation anxiety and posttraumatic growth among community dwellers after the nuclear disaster in Fukushima. <i>Cogent Psychology</i> , 2019, 6, .	0.6	7
119	Trends in the Incidence of Sudden Deaths and Heart Diseases in Fukushima After the Great East Japan Earthquake. <i>International Heart Journal</i> , 2019, 60, 1253-1258.	0.5	7
120	The latest update on individual external doses in an early stage after the Fukushima nuclear accident. <i>Radiation Protection Dosimetry</i> , 2019, 187, 402-406.	0.4	7
121	Influence of post-disaster evacuation on incidence of hyperuricemia in residents of Fukushima Prefecture: the Fukushima Health Management Survey. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 1025-1032.	0.7	7
122	Gestational weight gain and foetal acidosis in vaginal and caesarean deliveries: The Japan Environment and Children's Study. <i>Scientific Reports</i> , 2020, 10, 20389.	1.6	7
123	Lifestyle factors associated with prevalent and exacerbated musculoskeletal pain after the Great East Japan Earthquake: a cross-sectional study from the Fukushima Health Management Survey. <i>BMC Public Health</i> , 2020, 20, 677.	1.2	7
124	Dietary Patterns and Progression of Impaired Kidney Function in Japanese Adults: A Longitudinal Analysis for the Fukushima Health Management Survey, 2011-2015. <i>Nutrients</i> , 2021, 13, 168.	1.7	7
125	Association between maternal ritodrine hydrochloride administration during pregnancy and childhood wheezing up to three years of age: The Japan environment and children's study. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 1455-1463.	1.1	7
126	Association between post-traumatic stress disorder symptoms and bone fractures after the Great East Japan Earthquake in older adults: a prospective cohort study from the Fukushima Health Management Survey. <i>BMC Geriatrics</i> , 2021, 21, 18.	1.1	7

#	ARTICLE	IF	CITATIONS
127	Resilience Factors Contributing to Mental Health Among People Affected by the Fukushima Disaster: Development of Fukushima Resilience Scale. <i>Frontiers in Public Health</i> , 2020, 8, 159.	1.3	7
128	Comparison of characteristics and care-needs certification proportion between participants and non-participants in a geriatric health examination over a 3-year follow-up. <i>Archives of Gerontology and Geriatrics</i> , 2011, 53, e46-e50.	1.4	6
129	IMMEDIATE MENTAL CONSEQUENCES OF THE GREAT EAST JAPAN EARTHQUAKE AND FUKUSHIMA NUCLEAR POWER PLANT ACCIDENT ON MOTHERS EXPERIENCING MISCARRIAGE, ABORTION, AND STILLBIRTH: THE FUKUSHIMA HEALTH MANAGEMENT SURVEY. <i>Fukushima Journal of Medical Sciences</i> , 2015, 61, 66-71.	0.1	6
130	Parental Recognition of Bullying and Associated Factors Among Children After the Fukushima Nuclear Disaster: A 3-Year Follow-Up Study From the Fukushima Health Management Survey. <i>Frontiers in Psychiatry</i> , 2019, 10, 283.	1.3	6
131	Nested matched case control study for the Japan Fukushima Health Management Survey's first full-scale (second-round) thyroid examination. <i>Medicine (United States)</i> , 2020, 99, e20440.	0.4	6
132	Associated factors related to participation in general health checkup and survey of the effect of low-dose radiation exposure on health of residents of Fukushima Prefecture after the Fukushima Daiichi nuclear power plant accident. <i>Preventive Medicine Reports</i> , 2020, 20, 101214.	0.8	6
133	Association between Psychological Factors and Evacuation Status and the Incidence of Cardiovascular Diseases after the Great East Japan Earthquake: A Prospective Study of the Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7832.	1.2	6
134	Relationship between the prevalence of polycythemia and factors observed in the mental health and lifestyle survey after the Great East Japan Earthquake. <i>Medicine (United States)</i> , 2020, 99, e18486.	0.4	6
135	Dietary pattern changes in Fukushima residents after the Great East Japan Earthquake: the Fukushima Health Management Survey 2011–2013. <i>Public Health Nutrition</i> , 2021, 24, 2195-2204.	1.1	6
136	Maternal sleep duration and neonatal birth weight: the Japan Environment and Children's Study. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 295.	0.9	6
137	Associations of the COVID-19 pandemic with the economic status and mental health of people affected by the Fukushima disaster using the difference-in-differences method: The Fukushima Health Management Survey. <i>SSM - Population Health</i> , 2021, 14, 100801.	1.3	6
138	Association between active self-maintenance and lifestyles among elderly people living in a rural community.. [Minzoku Eisei] <i>Race Hygiene</i> , 2001, 67, 68-76.	0.0	6
139	Preconception dietary inflammatory index and hypertension disorders of pregnancy: The Japan environment and children's study. <i>Pregnancy Hypertension</i> , 2022, 28, 114-120.	0.6	6
140	Association between preconception dietary inflammatory index and neurodevelopment of offspring at 3 years of age: The Japan Environment and Children's Study. <i>Nutrition</i> , 2022, 102, 111708.	1.1	6
141	Relationship between physical activity/exercise habits and the frequency of new onset of lifestyle-related diseases after the Great East Japan Earthquake among residents in Fukushima: the Fukushima Health Management Survey. <i>Journal of Radiation Research</i> , 2021, 62, i129-i139.	0.8	5
142	Teenage pregnancy as a risk factor for placental abruption: Findings from the prospective Japan environment and children's study. <i>PLoS ONE</i> , 2021, 16, e0251428.	1.1	5
143	Distrust in government and its relationship with mental health after the Fukushima nuclear power plant accident. <i>International Journal of Social Psychiatry</i> , 2021, 67, 680-686.	1.6	5
144	Analysis of direction of association between radiation risk perception and relocation using a random-intercept and cross lagged panel model: The Fukushima Health Management Survey. <i>SSM - Population Health</i> , 2020, 12, 100706.	1.3	5

#	ARTICLE	IF	CITATIONS
145	Those Who Have Continuing Radiation Anxiety Show High Psychological Distress in Cases of High Post-Traumatic Stress: The Fukushima Nuclear Disaster. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12048.	1.2	5
146	Efficacy of group intervention involving physical activity on subjective well-being of elderly returnees after evacuation following the Great East Japan Earthquake. <i>Psychogeriatrics</i> , 2019, 19, 246-254.	0.6	4
147	AGE DEPENDENCE OF INDIVIDUAL EXTERNAL DOSES IN AN EARLY STAGE AFTER THE FUKUSHIMA NUCLEAR ACCIDENT. <i>Radiation Protection Dosimetry</i> , 2020, 188, 238-245.	0.4	4
148	Socioeconomic status, damage-related conditions, and PTSD following the Fukushima-daiichi nuclear power plant accident: The Fukushima Health Management Survey. <i>Fukushima Journal of Medical Sciences</i> , 2021, 67, 71-82.	0.1	4
149	Association Between Lifestyle Habits and the Prevalence of Abdominal Obesity After the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2022, 32, 496-501.	1.1	4
150	Relationship Between Risk of Hyper-Low-density Lipoprotein Cholesterolemia and Evacuation After the Great East Japan Earthquake. <i>Journal of Epidemiology</i> , 2021, , .	1.1	4
151	The Japan Environment and Children's Study (JECS) in Fukushima Prefecture-A progress report on the enrollment stage. <i>Fukushima Journal of Medical Sciences</i> , 2017, 63, 57-63.	0.1	4
152	External Dose Estimation in an Early Stage after the Fukushima Daiichi Nuclear Power Plant Accident. <i>Japanese Journal of Health Physics</i> , 2018, 53, 100-110.	0.1	4
153	Age at menarche and risk of adverse obstetric outcomes during the first childbirth in Japan: The Japan Environment and Children's Study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, , .	0.6	4
154	Changes in drinking behavior among evacuees after the Fukushima Daiichi Nuclear Power Plant accident: the Fukushima Health Management Survey. <i>Fukushima Journal of Medical Sciences</i> , 2020, 66, 133-142.	0.1	4
155	Fine Needle Aspiration Cytology Implementation and Malignancy Rates in Children and Adolescents Based on Japanese Guidelines: The Fukushima Health Management Survey. <i>Thyroid</i> , 2021, 31, 1683-1692.	2.4	4
156	Factors Influencing the Proportion of Non-examinees in the Fukushima Health Management Survey for Childhood and Adolescent Thyroid Cancer: Results From the Baseline Survey. <i>Journal of Epidemiology</i> , 2020, 30, 301-308.	1.1	3
157	Factors Hindering Social Participation among Older Residents from Evacuation Zones after the Nuclear Power Plant Accident in Fukushima: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4426.	1.2	3
158	Vulnerability of Evacuees Having No One to Consult after the Fukushima Nuclear Disaster: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10075.	1.2	3
159	Impact of the Great East Japan Earthquake and Fukushima Nuclear Power Plant Accident on Assisted Reproductive Technology in Fukushima Prefecture: The Fukushima Health Management Survey. <i>Journal of Clinical Medicine Research</i> , 2017, 9, 781.	0.6	3
160	Association of Instrumental Activities of Daily Living, Physical Function, and Mental Health among Older Returnees after the Fukushima Daiichi Nuclear Power Station Accident. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11639.	1.2	3
161	Subjective Wellbeing and Related Factors of Older Adults Nine and a Half Years after the Great East Japan Earthquake: A Cross-Sectional Study in the Coastal Area of Soma City. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2639.	1.2	3
162	Urinary 8-hydroxy-2'-deoxyguanosine levels and small-for-gestational age infants: a prospective cohort study from the Japan Environment and Children's Study. <i>BMJ Open</i> , 2021, 11, e054156.	0.8	3

#	ARTICLE	IF	CITATIONS
163	The Prevalence of Social Engagement in the Disabled Elderly and Related Factors. <i>ISRN Geriatrics</i> , 2013, 2013, 1-8.	0.2	2
164	Development and Implementation of an Internet Survey to Assess Community Health in the Face of a Health Crisis: Data from the Pregnancy and Birth Survey of the Fukushima Health Management Survey, 2016. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1946.	1.2	2
165	Investigation of thyroid cancer cases that were not detected in the Thyroid Ultrasound Examination program of the Fukushima Health Management Survey but diagnosed at Fukushima Medical University Hospital. <i>Fukushima Journal of Medical Sciences</i> , 2019, 65, 122-127.	0.1	2
166	Characteristics and changes in the mental health indicators of expecting parents in a couple-based parenting support program in Japan. <i>Health Care for Women International</i> , 2020, 41, 330-344.	0.6	2
167	Association between atrial fibrillation and white blood cell count after the Great East Japan Earthquake. <i>Medicine (United States)</i> , 2021, 100, e24177.	0.4	2
168	The association between body mass index and recovery from post-traumatic stress disorder after the nuclear accident in Fukushima. <i>Scientific Reports</i> , 2021, 11, 5330.	1.6	2
169	Trajectories of peer relationship problems and emotional symptoms in children 5 years after a nuclear disaster: Fukushima Health Management Survey. <i>Journal of Radiation Research</i> , 2021, 62, i114-i121.	0.8	2
170	Association of Perceived Environment and Physical Activity in Older Adults After the Great East Japan Earthquake. <i>Journal of Aging and Physical Activity</i> , 2021, 29, 632-641.	0.5	2
171	Issues in Radiation Nursing Education in Japan Before and After the Fukushima Daiichi Nuclear Power Plant Accident. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, 16, 1346-1350.	0.7	2
172	Suboptimal diabetic control and psychological burden after the triple disaster in Japan: the Fukushima Health Management Survey. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002007.	1.2	2
173	Relationship between social contact, life satisfaction and mental health in elderly persons in a rural Okinawan community: Comparison by IADL levels.. [<i>Minzoku Eisei</i>] <i>Race Hygiene</i> , 2003, 69, 195-204.	0.0	2
174	Changes in the proportion of anemia among young women after the Great East Japan Earthquake: the Fukushima health management survey. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
175	Impact of lifestyle and psychosocial factors on the onset of hypertension after the Great East Japan earthquake: a 7-year follow-up of the Fukushima Health Management Survey. <i>Hypertension Research</i> , 2022, 45, 1609-1621.	1.5	2
176	Preconception vitamin D intake and obstetric outcomes in women using assisted reproductive technology: the Japan Environment and Children's Study. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, .	0.9	2
177	Comparison of the Perceptions of City Residents and Physicians Regarding "Good Death" in a Terminal Cancer Setting in Fukushima, Japan. <i>General Medicine</i> , 2008, 9, 21-30.	0.1	1
178	Psychosocial support for the examinees and their families during the secondary confirmatory examination: Analyses of support records at first visit. <i>Fukushima Journal of Medical Sciences</i> , 2021, 67, 53-63.	0.1	1
179	Incidence of and improvement in inappropriate parental behaviors of mothers with young children: a retrospective cohort study conducted in collaboration with a local government. <i>Archives of Public Health</i> , 2021, 79, 37.	1.0	1
180	Response to the Letter to the Editor: "Absorbed radiation doses in the thyroid as estimated by UNSCEAR and subsequent risk of childhood thyroid cancer following the Great East Japan Earthquake", by Ohira et al.. <i>Journal of Radiation Research</i> , 2021, 62, 425-426.	0.8	1

#	ARTICLE	IF	CITATIONS
181	Association of habitual exercise with adults's mental health following the Fukushima Daiichi nuclear power plant accident: the Fukushima Health Management Survey. <i>Mental Health and Physical Activity</i> , 2021, 20, 100388.	0.9	1
182	Association between Psychosocial Factors and Oral Symptoms among Residents in Fukushima after the Great East Japan Earthquake: A Cross-Sectional Study from the Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6054.	1.2	1
183	Overview of Fukushima Health Management Survey. <i>Trends in the Sciences</i> , 2013, 18, 5_72-5_77.	0.0	1
184	Trend in Cancer Incidence and Mortality in Fukushima From 2008 Through 2015. <i>Journal of Epidemiology</i> , 2021, 31, 653-659.	1.1	1
185	Cytological examination of the thyroid in children and adolescents after the Fukushima Nuclear Power Plant accident: the Fukushima Health Management Survey. <i>Endocrine Journal</i> , 2020, 67, 1233-1238.	0.7	1
186	Feasibility study of an intervention program to enhance self-confidence of kindergarten teachers who deal with radiation-related health concerns from parents with young children. <i>Pilot and Feasibility Studies</i> , 2022, 8, 25.	0.5	1
187	Tobacco Exposure During Pregnancy and Infections in Infants up to 1 Year of Age: The Japan Environment and Children's Study. <i>Journal of Epidemiology</i> , 2022, , .	1.1	1
188	Lifestyle Factors Associated with Undernutrition in Older People after the Great East Japan Earthquake: A Prospective Study in the Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3399.	1.2	1
189	Association between Laughter and Lifestyle Diseases after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12699.	1.2	1
190	The Associations between Evacuation Status and Lifestyle-Related Diseases in Fukushima after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5661.	1.2	1
191	Trends in pregnancy and birth after the Great East Japan earthquake and Fukushima Daiichi nuclear power plant accident in the Fukushima prefecture: A 7-year survey. , 2022, , 81-98.		1
192	Factors Associated With Smoking Relapse Among Women in Japan From Pregnancy to Early Parenthood. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2022, 51, 428-440.	0.2	1
193	Meconium-stained amniotic fluid during labor may be a protective factor for the offspring's childhood wheezing up to 3 years of age: the Japan Environment and Children's Study. <i>European Journal of Pediatrics</i> , 0, , .	1.3	1
194	Synergistic Effect of History of Cardiovascular Disease and Mental Distress on Post-Traumatic Stress Disorder after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10283.	1.2	0
195	A Summary from the Science Council of Japan Forum ' Radiation-related Health Anxiety and Its Mental Health Impact Following the Fukushima Daiichi Nuclear Plant Accident: Current Situation and Support for Community Residents'. <i>Trends in the Sciences</i> , 2014, 19, 11_82-11_85.	0.0	0
196	Health Risk of and Countermeasures for the Elderly People as "People Who Need Support (Vulnerable) Tj ETQq0 0 Q,rgBT /Overlock 10 T	0.0	0
197	Recovery and Resilience of Triple Disaster Victims -a text mining approach-. <i>The Proceedings of the Annual Convention of the Japanese Psychological Association</i> , 2017, 81, 2A-024-2A-024.	0.0	0
198	Physical and Mental Health Status and Countermeasures in Fukushima Residents After the Great East Japan Earthquake. <i>Trends in the Sciences</i> , 2020, 25, 3_26-3_33.	0.0	0

#	ARTICLE	IF	CITATIONS
199	A Cross-Sectional Study on the Characteristics of Physical Activity in Pre-Frail Older Adults. International Journal of Environmental Research and Public Health, 2021, 18, 12328.	1.2	0
200	The Association between Parenting Confidence and Later Child Mental Health in the Area Affected by the Fukushima Nuclear Disaster: The Fukushima Health Management Survey. International Journal of Environmental Research and Public Health, 2022, 19, 476.	1.2	0
201	Association of preconception dysmenorrhea with obstetric complications: the Japan Environment and Children's Study. BMC Pregnancy and Childbirth, 2022, 22, 125.	0.9	0
202	Posttraumatic Growth after the Fukushima Nuclear Disaster: Examination of Free Descriptions among Fukushima Residents Who Lived in the Evacuation Area. International Journal of Environmental Research and Public Health, 2022, 19, 192.	1.2	0
203	-373-THE QT INTERVAL MAPPING IN THE NORMAL SUBJECTS AND PATIENTS WITH PRIOR MYOCARDIAL INFARCTION. Japanese Circulation Journal, 1986, 50, 571.	1.0	0
204	Development of Fukushima disaster. , 2022, , 3-20.		0
205	Lifestyle-related diseases caused by evacuation: Results of the comprehensive health check in the Fukushima health management survey. , 2022, , 99-121.		0