Jian-Liang Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4653701/publications.pdf

Version: 2024-02-01

535685 563245 25 955 17 28 h-index g-index citations papers 29 29 29 1320 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Chemical profiling of Fritillariae thunbergii Miq prepared by different processing methods reveals two new quality markers: Zhebeininoside and imperialine- $3-\hat{l}^2$ -D-glucoside. Journal of Ethnopharmacology, 2022, 283, 114670.	2.0	1
2	A combination index and glycoproteomics-based approach revealed synergistic anticancer effects of curcuminoids of turmeric against prostate cancer PC3 cells. Journal of Ethnopharmacology, 2021, 267, 113467.	2.0	22
3	Bioactivity-guided discovery of quality control markers in rhizomes of Curcuma wenyujin based on spectrum-effect relationship against human lung cancer cells. Phytomedicine, 2021, 86, 153559.	2.3	18
4	Fluorous-paired derivatization approach towards highly sensitive and accurate determination of long chain unsaturated fatty acids by liquid chromatography-tandem mass spectrometry. Analytica Chimica Acta, 2020, 1136, 187-195.	2.6	10
5	Discovery and validation of peptide biomarkers for discrimination of Dendrobium species by label-free proteomics and chemometrics. Journal of Pharmaceutical and Biomedical Analysis, 2020, 182, 113118.	1.4	14
6	Ammonium fluoride-induced stabilization for anion attachment mass spectrometry: Facilitating the pseudotargeted profiling of bile acids submetabolome. Analytica Chimica Acta, 2019, 1081, 120-130.	2.6	14
7	Chemical markers' knockout coupled with UHPLC-HRMS-based metabolomics reveals anti-cancer integration effects of the curcuminoids of turmeric (Curcuma longa L.) on lung cancer cell line. Journal of Pharmaceutical and Biomedical Analysis, 2019, 175, 112738.	1.4	18
8	A readily 160-/180-isotopically-paired chiral derivatization approach for the quantification of 2-HG metabolic panel by liquid chromatography-Tandem mass spectrometry. Analytica Chimica Acta, 2019, 1077, 174-182.	2.6	15
9	A chemical derivatization based UHPLC-LTQ-Orbitrap mass spectrometry method for accurate quantification of short-chain fatty acids in bronchoalveolar lavage fluid of asthma mice. Journal of Pharmaceutical and Biomedical Analysis, 2018, 161, 336-343.	1.4	20
10	Site-Specific Fucosylation Analysis Identifying Glycoproteins Associated with Aggressive Prostate Cancer Cell Lines Using Tandem Affinity Enrichments of Intact Glycopeptides Followed by Mass Spectrometry. Analytical Chemistry, 2017, 89, 7623-7630.	3.2	65
11	Comparison of three officinal species of Callicarpa based on a biochemome profiling strategy with UHPLC-IT-MS and chemometrics analysis. Journal of Pharmaceutical and Biomedical Analysis, 2017, 145, 666-674.	1.4	14
12	An inÂvitro approach for lipolysis measurement using high-resolution mass spectrometry and partial least squares based analysis. Analytica Chimica Acta, 2017, 950, 138-146.	2.6	31
13	Fingerprint Analysis of Daturae Flos Using Rapid Resolution Liquid Chromatography-Electrospray lonization Mass Spectrometry Combined with Stoichiometry. Journal of Liquid Chromatography and Related Technologies, 2015, 38, 137-142.	0.5	5
14	Mass Spectrometry-Based Strategies for Screening of Bioactive Natural Products. Combinatorial Chemistry and High Throughput Screening, 2011, 14, 93-103.	0.6	17
15	Turbulent-flow chromatography coupled on-line to fast high-performance liquid chromatography and mass spectrometry for simultaneous determination of verticine, verticinone and isoverticine in rat plasma. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010. 878, 435-441.	1.2	27
16	Characterization and identification of steroidal alkaloids in Fritillaria species using liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2010, 1217, 7109-7122.	1.8	88
17	Puqienine E: An angiotensin converting enzyme inhibitory steroidal alkaloid from Fritillaria puqiensis. Fìtoterapìâ, 2010, 81, 149-152.	1.1	20
18	Chemical markers' fishing and knockout for holistic activity and interaction evaluation of the components in herbal medicines. Journal of Chromatography A, 2010, 1217, 5239-5245.	1.8	39

#	Article	lF	CITATIONS
19	Structural characterization and identification of oleananeâ€type triterpene saponins in <i>Glycyrrhiza uralensis</i> Fischer by rapidâ€resolution liquid chromatography coupled with timeâ€ofâ€flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2010, 24, 3261-3270.	0.7	57
20	Two-dimensional turbulent flow chromatography coupled on-line to liquid chromatography–mass spectrometry for solution-based ligand screening against multiple proteins. Journal of Chromatography A, 2009, 1216, 2394-2403.	1.8	28
21	Herbal medicine analysis by liquid chromatography/time-of-flight mass spectrometry. Journal of Chromatography A, 2009, 1216, 7582-7594.	1.8	136
22	Rapid and sensitive analysis of multiple bioactive constituents in Compound Danshen preparations using LCâ€ESIâ€TOFâ€MS. Journal of Separation Science, 2008, 31, 3156-3169.	1.3	25
23	Screening and mechanism study of components targeting DNA from the Chinese herb <i>Lonicera japonica</i> by liquid chromatography/mass spectrometry and fluorescence spectroscopy. Biomedical Chromatography, 2008, 22, 1164-1172.	0.8	22
24	Development and validation of a liquid chromatography/electrospray ionization time-of-flight mass spectrometry method for relative and absolute quantification of steroidal alkaloids in Fritillaria species. Journal of Chromatography A, 2008, 1177, 126-137.	1.8	63
25	Analysis of Chinese herbal medicines with holistic approaches and integrated evaluation models. TrAC - Trends in Analytical Chemistry, 2008, 27, 66-77.	5.8	148