

Maria Grazia De Giorgi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4655570/publications.pdf>

Version: 2024-02-01

123
papers

2,543
citations

218592

26
h-index

223716

46
g-index

125
all docs

125
docs citations

125
times ranked

1959
citing authors

#	ARTICLE	IF	CITATIONS
1	Flow regime characterization of a silicon-based vaporizing liquid microthruster. <i>Acta Astronautica</i> , 2022, 193, 691-703.	1.7	3
2	Enhancement of Blowout Limits in Lifted Swirled Flames in Methane-Air Combustor by the Use of Sinusoidally Driven Plasma Discharges. <i>Notes on Numerical Fluid Mechanics and Multidisciplinary Design</i> , 2022, , 66-82.	0.2	0
3	Model-Based Dynamic Performance Simulation of a Microturbine Using Flight Test Data. <i>Aerospace</i> , 2022, 9, 60.	1.1	7
4	Plasma Assisted Re-Ignition of Aeroengines under High Altitude Conditions. <i>Aerospace</i> , 2022, 9, 66.	1.1	7
5	Intelligent Combined Neural Network and Kernel Principal Component Analysis Tool for Engine Health Monitoring Purposes. <i>Aerospace</i> , 2022, 9, 118.	1.1	11
6	Optical Diagnostics for Solid Rocket Plumes Characterization: A Review. <i>Energies</i> , 2022, 15, 1470.	1.6	8
7	Model-based dynamic performance simulation of a microturbine. <i>IOP Conference Series: Materials Science and Engineering</i> , 2022, 1226, 012032.	0.3	1
8	Ignition thresholds and flame propagation of methane-air mixture: detailed kinetic study coupled with electrical measurements of the nanosecond repetitively pulsed plasma discharges. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 315202.	1.3	6
9	Combustion performance of a low NOx gas turbine combustor using urea addition into liquid fuel. <i>Fuel</i> , 2021, 288, 119701.	3.4	5
10	Experimental data regarding the effects of urea addition into liquid fuel to combustion enhancement of a low NOx gas turbine combustor. <i>Data in Brief</i> , 2021, 34, 106702.	0.5	0
11	Fabrication and embedded sensors characterization of a micromachined water-propellant vaporizing liquid microthruster. <i>Applied Thermal Engineering</i> , 2021, 188, 116625.	3.0	7
12	Thrust Augmentation of Micro-Resistojets by Steady Micro-Jet Blowing into Planar Micro-Nozzle. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5821.	1.3	0
13	Ozone Production With Plasma Discharge: Comparisons Between Activated Air and Activated Fuel/Air Mixture. , 2021, , .		1
14	Neural Nonlinear Autoregressive Model with Exogenous Input (NARX) for Turbohaft Aeroengine Fuel Control Unit Model. <i>Aerospace</i> , 2021, 8, 206.	1.1	13
15	MEMS Vaporizing Liquid Microthruster: A Comprehensive Review. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8954.	1.3	4
16	Effects of Nanosecond Repetitively Pulsed Discharges Timing for Aeroengines Ignition at Low Temperature Conditions by Needle-Ring Plasma Actuator. <i>Energies</i> , 2021, 14, 5814.	1.6	7
17	Comparison of different plasma actuation strategies for aeroelastic control on a linear compressor cascade. <i>Aerospace Science and Technology</i> , 2021, 117, 106902.	2.5	15
18	Dataset of numerical simulations for aeroelastic control of an aero engine compressor cascade using plasma actuators. <i>Data in Brief</i> , 2021, 39, 107584.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Effects on performance, combustion and pollutants of water emulsified fuel in an aeroengine combustor. <i>Applied Energy</i> , 2020, 260, 114263.	5.1	23
20	Influence of actuation parameters of multi-DBD plasma actuators on the static and dynamic behaviour of an airfoil in unsteady flow. <i>Aerospace Science and Technology</i> , 2020, 96, 105587.	2.5	39
21	Assessment of the impact of nanosecond plasma discharge on the combustion of methane air flames. <i>E3S Web of Conferences</i> , 2020, 197, 10001.	0.2	6
22	Hybrid MultiGene Genetic Programming - Artificial neural networks approach for dynamic performance prediction of an aeroengine. <i>Aerospace Science and Technology</i> , 2020, 103, 105902.	2.5	51
23	Data regarding dynamic performance predictions of an aeroengine. <i>Data in Brief</i> , 2020, 31, 105977.	0.5	3
24	Data regarding the computational fluid dynamics simulations of an airfoil with plasma actuator in unsteady flow. <i>Data in Brief</i> , 2020, 29, 105286.	0.5	0
25	Investigation of the Effects of Plasma Discharges on Methane Decomposition for Combustion Enhancement of a Lean Flame. <i>Energies</i> , 2020, 13, 1452.	1.6	8
26	Numerical Investigation of Nonisothermal Cavitating Flows on Hydrofoils by Means of an Extended Schnerrâ€Sauer Model Coupled With a Nucleation Model. <i>Journal of Engineering for Gas Turbines and Power</i> , 2020, 142, .	0.5	14
27	Special Issue â€œActive Flow Control Technologies for Energy and Propulsive Systemsâ€ Applied Sciences (Switzerland), 2020, 10, 221.	1.3	0
28	Active Control of Unsteady Cavitating Flows Over Hydrofoil. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2020, 142, .	0.8	3
29	Liquid dynamics sloshing in cylindrical containers: A 3D free-surface reconstruction dataset. <i>Data in Brief</i> , 2020, 33, 106546.	0.5	1
30	Effects of plasma kinetic modeling on performance characterization of plasma actuators for active flow control. <i>E3S Web of Conferences</i> , 2020, 197, 10004.	0.2	0
31	CFD data of unsteady cavitation around a hydrofoil, based on an extended Schnerr-Sauer model coupled with a nucleation model. <i>Data in Brief</i> , 2019, 25, 104226.	0.5	9
32	Comparison of numerical predictions of the supersonic expansion inside micronozzles of microâ€resistojets. <i>MATEC Web of Conferences</i> , 2019, 304, 02012.	0.1	1
33	Dynamic performance simulation and control of an aeroengine by using NARX models. <i>MATEC Web of Conferences</i> , 2019, 304, 03005.	0.1	3
34	Dielectric barrier discharge plasma actuator effect on unsteady aerodynamic behavior of a pitching airfoil. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
35	Effect of jet-A1 emulsified fuel on aero-engine performance and emissions. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	2
36	Impact of plasma actuation on the stability of a co-flow premixed methane-air flame under lean conditions. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0

#	ARTICLE	IF	CITATIONS
37	Dielectric Barrier Discharge Plasma Actuator for Load Alleviation and Instability Control in a Compressor Cascade. MATEC Web of Conferences, 2019, 304, 01006.	0.1	0
38	Numerical data concerning the performance estimation of a Vaporizing Liquid Microthruster. Data in Brief, 2019, 22, 307-311.	0.5	2
39	A novel quasi-one-dimensional model for performance estimation of a Vaporizing Liquid Microthruster. Aerospace Science and Technology, 2019, 84, 1020-1034.	2.5	20
40	Jet engine degradation prognostic using artificial neural networks. Aircraft Engineering and Aerospace Technology, 2019, 92, 296-303.	0.7	19
41	Separation control by a microfabricated SDBD plasma actuator for small engine turbine applications: influence of the excitation waveform. Aerospace Science and Technology, 2018, 76, 442-454.	2.5	31
42	Characterization of cavitating flow regimes in an internal sharp-edged orifice by means of Proper Orthogonal Decomposition. Experimental Thermal and Fluid Science, 2018, 93, 242-256.	1.5	17
43	Characterization of the effects of a dielectric barrier discharge plasma actuator on a coaxial jet in a Bunsen burner. Experimental Thermal and Fluid Science, 2018, 91, 292-305.	1.5	15
44	Active Sensors/Actuators-Based Flow and Noise Control for Aerospace Applications. Lecture Notes in Electrical Engineering, 2018, , 185-196.	0.3	0
45	Modeling viscous effects on boundary layer of rarefied gas flows inside micronozzles in the slip regime condition. Energy Procedia, 2018, 148, 838-845.	1.8	7
46	A diagnostics tool for aero-engines health monitoring using machine learning technique. Energy Procedia, 2018, 148, 860-867.	1.8	34
47	Mode decomposition methods for the analysis of cavitating flows in turbomachinery. Energy Procedia, 2018, 148, 924-931.	1.8	0
48	Development of a real time intelligent health monitoring platform for aero-engine. MATEC Web of Conferences, 2018, 233, 00007.	0.1	10
49	Numerical Investigation of Non-Isothermal Cavitating Flows on Hydrofoils by Means of an Extended Schnerr-Sauer Model Coupled With a Nucleation Model. , 2018, , .		0
50	Impact of Population Balance Modeling on the Prediction of Cryogenic Cavitation in Aerospace Propulsion Systems. , 2018, , .		4
51	Long term performance, losses and efficiency analysis of a 960 kW P photovoltaic system in the Mediterranean climate. Energy Conversion and Management, 2017, 145, 169-181.	4.4	126
52	Improvement of lean flame stability of inverse methane/air diffusion flame by using coaxial dielectric plasma discharge actuators. Energy, 2017, 126, 689-706.	4.5	34
53	Micro DBD plasma actuators for flow separation control on a low pressure turbine at high altitude flight operating conditions of aircraft engines. Applied Thermal Engineering, 2017, 114, 511-522.	3.0	23
54	Implementation and validation of an extended Schnerr-Sauer cavitation model for non-isothermal flows in OpenFOAM. Energy Procedia, 2017, 126, 58-65.	1.8	17

#	ARTICLE	IF	CITATIONS
55	Study of degradation of a grid connected photovoltaic system. Energy Procedia, 2017, 126, 644-650.	1.8	14
56	Optimization of Plasma Actuator Excitation Waveform and Materials for Separation Control in Turbomachinery. Energy Procedia, 2017, 126, 786-793.	1.8	10
57	Numerical investigation of the performance of Contra-Rotating Propellers for a Remotely Piloted Aerial Vehicle. Energy Procedia, 2017, 126, 1011-1018.	1.8	7
58	Forecasting of PV Power Generation using weather input dataâ€ preprocessing techniques. Energy Procedia, 2017, 126, 651-658.	1.8	65
59	Plasma-based flow control for low-pressure turbines at low-Reynolds-number. Aircraft Engineering and Aerospace Technology, 2017, 89, 671-682.	0.8	3
60	Investigation of the boundary layer characteristics for assessing the DBD plasma actuator control of the separated flow at low Reynolds numbers. Experimental Thermal and Fluid Science, 2017, 81, 482-498.	1.5	39
61	Flame Structure and Chemiluminescence Emissions of Inverse Diffusion Flames under Sinusoidally Driven Plasma Discharges. Energies, 2017, 10, 334.	1.6	15
62	Pollutant Formation during the Occurrence of Flame Instabilities under Very-Lean Combustion Conditions in a Liquid-Fuel Burner. Energies, 2017, 10, 352.	1.6	16
63	Editorial Special Issue â€œCombustion and Propulsionâ€ Energies, 2017, 10, 824.	1.6	0
64	Horizontal Air-Ground Heat Exchanger Performance and Humidity Simulation by Computational Fluid Dynamic Analysis. Energies, 2016, 9, 930.	1.6	21
65	Investigations of the Actuation Effect of a Single DBD Plasma Actuator for Flow Separation Control Under Simulated Low-Pressure Turbine Blade Conditions. , 2016, , .		8
66	Experimental and Numerical Investigations on the Effect of Different Air-Fuel Mixing Strategies on the Performance of a Lean Liquid Fueled Swirled Combustor. Energy Procedia, 2016, 101, 925-932.	1.8	3
67	Data on photovoltaic power forecasting models for Mediterranean climate. Data in Brief, 2016, 7, 1639-1642.	0.5	28
68	Comparison of strategies for multi-step ahead photovoltaic power forecasting models based on hybrid group method of data handling networks and least square support vector machine. Energy, 2016, 107, 360-373.	4.5	98
69	Photovoltaic forecast based on hybrid PCAâ€LSSVM using dimensionality reduced data. Neurocomputing, 2016, 211, 72-83.	3.5	61
70	Improvements in the predictions for the photovoltaic system performance of the Mediterranean regions. Energy Conversion and Management, 2016, 128, 191-202.	4.4	25
71	Data on Support Vector Machines (SVM) model to forecast photovoltaic power. Data in Brief, 2016, 9, 13-16.	0.5	41
72	Plasma actuator scaling down to improve its energy conversion efficiency for active flow control in modern turbojet engines compressors. Applied Thermal Engineering, 2016, 106, 334-350.	3.0	25

#	ARTICLE	IF	CITATIONS
73	Modeling, fabrication and plasma actuator coupling of flexible pressure sensors for flow separation detection and control in aeronautical applications. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 235201.	1.3	16
74	Experimental data regarding the characterization of the flame behavior near lean blowout in a non-premixed liquid fuel burner. <i>Data in Brief</i> , 2016, 6, 189-193.	0.5	4
75	Image processing for the characterization of flame stability in a non-premixed liquid fuel burner near lean blowout. <i>Aerospace Science and Technology</i> , 2016, 49, 41-51.	2.5	48
76	Lean Blowout Sensing and Plasma Actuation of Non-Premixed Flames. <i>IEEE Sensors Journal</i> , 2016, 16, 3896-3903.	2.4	9
77	Ultra Lean Combustion Characterization in a Pilot-Scale Gas Turbine Burner Using Image Processing Techniques. , 2015, , .		1
78	Plasma Assisted Flame Stabilization in a Non-Premixed Lean Burner. <i>Energy Procedia</i> , 2015, 82, 410-416.	1.8	21
79	Plasma Actuation to Enhance the Flame Stabilization in a Non-Premixed Lean Microburner. , 2015, , .		0
80	Error analysis of hybrid photovoltaic power forecasting models: A case study of mediterranean climate. <i>Energy Conversion and Management</i> , 2015, 100, 117-130.	4.4	85
81	Comparison between synthetic jets and continuous jets for active flow control: Application on a NACA 0015 and a compressor stator cascade. <i>Aerospace Science and Technology</i> , 2015, 43, 256-280.	2.5	81
82	Optimization of micro single dielectric barrier discharge plasma actuator models based on experimental velocity and body force fields. <i>Acta Astronautica</i> , 2015, 116, 318-332.	1.7	36
83	Predictions of Operational Degradation of the Fan Stage of an Aircraft Engine Due to Particulate Ingestion. <i>Journal of Engineering for Gas Turbines and Power</i> , 2015, 137, .	0.5	9
84	Monitoring Cavitation Regime From Pressure and Optical Sensors: Comparing Methods Using Wavelet Decomposition for Signal Processing. <i>IEEE Sensors Journal</i> , 2015, 15, 4684-4691.	2.4	18
85	Investigation of a Micro Dielectric Barrier Discharge Plasma Actuator for Regional Aircraft Active Flow Control. <i>IEEE Transactions on Plasma Science</i> , 2015, 43, 3668-3680.	0.6	38
86	Cavitation Regime Detection by LS-SVM and ANN With Wavelet Decomposition Based on Pressure Sensor Signals. <i>IEEE Sensors Journal</i> , 2015, 15, 5701-5708.	2.4	20
87	Dissipated power and induced velocity fields data of a micro single dielectric barrier discharge plasma actuator for active flow control. <i>Data in Brief</i> , 2015, 5, 65-70.	0.5	4
88	A General Platform for the Modeling and Optimization of Conventional and More Electric Aircrafts. , 2014, , .		5
89	Comparison Between Wind Power Prediction Models Based on Wavelet Decomposition with Least-Squares Support Vector Machine (LS-SVM) and Artificial Neural Network (ANN). <i>Energies</i> , 2014, 7, 5251-5272.	1.6	116
90	Aircraft Distributed Flow Turbulence Sensor Network with Embedded Flow Control Actuators. , 2014, , .		7

#	ARTICLE	IF	CITATIONS
91	Investigating Flow Dynamics with Wireless Pressure Sensors Network. , 2014, , .		3
92	Photovoltaic power forecasting using statistical methods: impact of weather data. IET Science, Measurement and Technology, 2014, 8, 90-97.	0.9	185
93	Application and Comparison of Different Combustion Models of High Pressure LOX/CH4 Jet Flames. Energies, 2014, 7, 477-497.	1.6	25
94	Computational Fluid Dynamic Modeling of Horizontal Air-Ground Heat Exchangers (HAGHE) for HVAC Systems. Energies, 2014, 7, 8465-8482.	1.6	19
95	Frequency Analysis and Predictive Identification of Flame Stability by Image Processing. , 2014, , .		7
96	Experimental and Numerical Analysis of a Micro Plasma Actuator for Active Flow Control in Turbomachinery. , 2014, , .		15
97	Effect of a micro dielectric barrier discharge plasma actuator on quiescent flow. IET Science, Measurement and Technology, 2014, 8, 135-142.	0.9	29
98	An artificial neural network approach to investigate cavitating flow regime at different temperatures. Measurement: Journal of the International Measurement Confederation, 2014, 47, 971-981.	2.5	20
99	Assessment of the Combustion Behavior of a Pilot-Scale Gas Turbine Burner Using Image Processing. , 2014, , .		5
100	Performance measurements of monocrystalline silicon PV modules in South-eastern Italy. Energy Conversion and Management, 2013, 68, 1-10.	4.4	118
101	Evaluating cavitation regimes in an internal orifice at different temperatures using frequency analysis and visualization. International Journal of Heat and Fluid Flow, 2013, 39, 160-172.	1.1	64
102	Experimental and Numerical Study of Particle Ingestion in Aircraft Engine. , 2013, , .		3
103	Active Flow Control Techniques on a Stator Compressor Cascade: A Comparison Between Synthetic Jet and Plasma Actuators. , 2012, , .		13
104	Spray and Combustion Modeling in High Pressure Cryogenic Jet Flames. , 2012, , .		4
105	A Neural Network Approach to Analyse Cavitating Flow Regime in an Internal Orifice. , 2012, , .		0
106	Influence of convective heat transfer modeling on the estimation of thermal effects in cryogenic cavitating flows. International Journal of Heat and Mass Transfer, 2012, 55, 6538-6554.	2.5	45
107	A New Hybrid Method for Wind Power Forecasting Based on Wavelet Decomposition and Artificial Neural Networks. , 2011, , .		2
108	Assessment of the benefits of numerical weather predictions in wind power forecasting based on statistical methods. Energy, 2011, 36, 3968-3978.	4.5	130

#	ARTICLE	IF	CITATIONS
109	Error analysis of short term wind power prediction models. Applied Energy, 2011, 88, 1298-1311.	5.1	145
110	Performance Improvement of Turbomachinery Using Plasma Actuators. , 2011, , .		5
111	Analysis of Thermal Effects in a Cavitating Orifice Using Rayleigh Equation and Experiments. Journal of Engineering for Gas Turbines and Power, 2010, 132, .	0.5	29
112	Thermodynamic Effects on Cavitation in Water and Cryogenic Fluids. , 2010, , .		5
113	Comparisons of Different Wind Power Forecasting Systems. , 2010, , .		1
114	Simulation of Cryogenic Cavitation by Using Both Inertial and Heat Transfer Control Bubble Growth. , 2009, , .		6
115	Analysis of Thermal Effects in a Cavitating Orifice Using Rayleigh Equation and Experiments. , 2009, , .		0
116	Short-term wind forecasting using artificial neural networks (ANNs). , 2009, , .		8
117	Cavitation Modeling in Cryogenic Fluids for Liquid Rocket Engine Applications. , 2008, , .		4
118	Shape Optimization for Cryogenic Cavitating Flows Past an Isolated Hydrofoil. , 2008, , .		2
119	Modeling Nucleation Phenomena in Cavitating Flow. , 2007, , .		8
120	Experimental Study of Thermal Cavitation in an Orifice. , 2006, , 523.		0
121	Comparison of Different Physical Models for the Simulation of Cavitating Flows Around a Hydrofoil. , 2005, , 797.		1
122	Experimental and Numerical Investigations of Cavitating Flows. , 2005, , .		8
123	Global rainbow thermometry assessed by Airy and Lorenz-Mie theories and compared with phase Doppler anemometry. Applied Optics, 2003, 42, 4016.	2.1	18