

# Erin J Campbell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4656523/publications.pdf>

Version: 2024-02-01

29  
papers

1,052  
citations

471061

17  
h-index

500791

28  
g-index

30  
all docs

30  
docs citations

30  
times ranked

1322  
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of Ventral Subiculum in Context-Induced Relapse to Alcohol Seeking after Punishment-Imposed Abstinence. <i>Journal of Neuroscience</i> , 2016, 36, 3281-3294.	1.7	103
2	Lateral Hypothalamic GABAergic Neurons Encode Reward Predictions that Are Relayed to the Ventral Tegmental Area to Regulate Learning. <i>Current Biology</i> , 2017, 27, 2089-2100.e5.	1.8	90
3	Role of the Orexin/Hypocretin System in Stress-Related Psychiatric Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2017, 33, 197-219.	0.8	83
4	Orexin antagonists for neuropsychiatric disease: progress and potential pitfalls. <i>Frontiers in Neuroscience</i> , 2014, 8, 36.	1.4	80
5	The use of chemogenetics in behavioural neuroscience: receptor variants, targeting approaches and caveats. <i>British Journal of Pharmacology</i> , 2018, 175, 994-1003.	2.7	79
6	Anterior Insular Cortex is Critical for the Propensity to Relapse Following Punishment-Imposed Abstinence of Alcohol Seeking. <i>Journal of Neuroscience</i> , 2019, 39, 1077-1087.	1.7	61
7	Distinct Accumbens Shell Output Pathways Promote versus Prevent Relapse to Alcohol Seeking. <i>Neuron</i> , 2018, 98, 512-520.e6.	3.8	59
8	Exercise reverses the effects of early life stress on orexin cell reactivity in male but not female rats. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 244.	1.0	58
9	Context-induced relapse after extinction versus punishment: similarities and differences. <i>Psychopharmacology</i> , 2019, 236, 439-448.	1.5	56
10	Punishment of alcohol-reinforced responding in alcohol preferring P rats reveals a bimodal population: Implications for models of compulsive drug seeking. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 87, 68-77.	2.5	41
11	A sleeping giant: Suvorexant for the treatment of alcohol use disorder?. <i>Brain Research</i> , 2020, 1731, 145902.	1.1	40
12	New steps for treating alcohol use disorder. <i>Psychopharmacology</i> , 2018, 235, 1759-1773.	1.5	37
13	The effect of acute or repeated stress on the corticotropin releasing factor system in the CRH-IRES-Cre mouse: A validation study. <i>Neuropharmacology</i> , 2019, 154, 96-106.	2.0	33
14	Sex differences in the neurochemistry of frontal cortex: Impact of early life stress. <i>Journal of Neurochemistry</i> , 2021, 157, 963-981.	2.1	26
15	A model of emotional stress-induced binge eating in female mice with no history of food restriction. <i>Genes, Brain and Behavior</i> , 2020, 19, e12613.	1.1	24
16	It's more than just interoception: The insular cortex involvement in alcohol use disorder. <i>Journal of Neurochemistry</i> , 2021, 157, 1644-1651.	2.1	21
17	Altered Formalin-Induced Pain and Fos Induction in the Periaqueductal Grey of Preadolescent Rats following Neonatal LPS Exposure. <i>PLoS ONE</i> , 2014, 9, e98382.	1.1	20
18	Cue-induced food seeking after punishment is associated with increased Fos expression in the lateral hypothalamus and basolateral and medial amygdala.. <i>Behavioral Neuroscience</i> , 2017, 131, 155-167.	0.6	19

#	ARTICLE	IF	CITATIONS
19	Suvorexant to treat alcohol use disorder and comorbid insomnia: Plan for a phase II trial. <i>Brain Research</i> , 2020, 1728, 146597.	1.1	18
20	Cocaine and amphetamine regulated transcript (CART) signalling in the central nucleus of the amygdala modulates stress-induced alcohol seeking. <i>Neuropsychopharmacology</i> , 2021, 46, 325-333.	2.8	17
21	Chemogenetic activation of the lateral hypothalamus reverses early life stress-induced deficits in motivational drive. <i>European Journal of Neuroscience</i> , 2017, 46, 2285-2296.	1.2	16
22	The relationship between oxytocin, dietary intake and feeding: A systematic review and meta-analysis of studies in mice and rats. <i>Frontiers in Neuroendocrinology</i> , 2019, 52, 65-78.	2.5	15
23	Reduced alcohol-seeking in male offspring of sires exposed to alcohol self-administration followed by punishment-imposed abstinence. <i>Pharmacology Research and Perspectives</i> , 2018, 6, e00384.	1.1	14
24	The 5-HT <sub>2C</sub> receptor as a therapeutic target for alcohol and methamphetamine use disorders: A pilot study in treatment-seeking individuals. <i>Pharmacology Research and Perspectives</i> , 2021, 9, e00767.	1.1	12
25	Recruitment of hypothalamic orexin neurons after formalin injections in adult male rats exposed to a neonatal immune challenge. <i>Frontiers in Neuroscience</i> , 2015, 9, 65.	1.4	11
26	Environmental enrichment reduces the propensity to relapse following punishment-imposed abstinence of alcohol seeking. <i>Physiology and Behavior</i> , 2019, 210, 112638.	1.0	7
27	M <sub>1</sub> muscarinic receptor activation decreases alcohol consumption via a reduction in consummatory behavior. <i>Pharmacology Research and Perspectives</i> , 2022, 10, e00907.	1.1	7
28	Orexin-1 receptor signaling within the lateral hypothalamus, but not bed nucleus of the stria terminalis, mediates context-induced relapse to alcohol seeking. <i>Journal of Psychopharmacology</i> , 2020, 34, 1261-1270.	2.0	5
29	Repeated, moderate footshock reduces the propensity to relapse to alcohol seeking in female, but not male, iP rats. <i>Behavioral Neuroscience</i> , 2021, 135, 771-781.	0.6	0