

Karen M Tabb

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4656654/publications.pdf>

Version: 2024-02-01

90
papers

45,213
citations

172207

29
h-index

56606

83
g-index

92
all docs

92
docs citations

92
times ranked

63893
citing authors

#	ARTICLE	IF	CITATIONS
1	Peer Victimization and Adverse Psychosocial Wellbeing of Black/White Biracial Adolescents: Is Ease of Talking With Family a Protective Buffer?. <i>School Psychology Review</i> , 2024, 53, 17-30.	1.8	5
2	Substance Use and Utilization of Prenatal and Postpartum Care. <i>Journal of Addiction Medicine</i> , 2022, 16, 84-92.	1.4	5
3	Maternal Mortality Among Persons with Illicit Substance Use. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S386.	0.7	0
4	Prevalence and Associated Risk Factors of Suicidal Ideation Among Brazilian Pregnant Women: A Population-Based Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 779518.	1.3	2
5	Potential Pathways From Peer Victimization to Alcohol Use Among Biracial Adolescents: The Intervening Role of Parental Support. <i>Journal of School Health</i> , 2022, , .	0.8	0
6	Home Visiting as an Equitable Intervention for Perinatal Depression: A Scoping Review. <i>Frontiers in Psychiatry</i> , 2022, 13, 826673.	1.3	1
7	Trends in Suicidality 1 Year Before and After Birth Among Commercially Insured Childbearing Individuals in the United States, 2006-2017. <i>JAMA Psychiatry</i> , 2021, 78, 171.	6.0	49
8	Partner relationship quality predicts later postpartum depression independently of the chronicity of depressive symptoms. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 12-21.	0.9	14
9	Maternal adverse childhood experiences and postpartum depressive symptoms in young, low-income women. <i>Psychiatry Research</i> , 2021, 296, 113679.	1.7	3
10	The impact of postpartum depression and bonding impairment on child development at 12 to 15 months after delivery. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100125.	0.9	5
11	Association of Subjective Social Status With Life's Simple 7s Cardiovascular Health Index Among Hispanic/Latino People: Results From the HCHS/SOL. <i>Journal of the American Heart Association</i> , 2021, 10, e012704.	1.6	14
12	Association between perinatal depression and risk of attention deficit hyperactivity disorder among children: a retrospective cohort study. <i>Annals of Epidemiology</i> , 2021, 63, 1-6.	0.9	6
13	Meta-Analysis Of Antenatal Depression And Adverse Birth Outcomes In US Populations, 2010â€“20. <i>Health Affairs</i> , 2021, 40, 1560-1565.	2.5	24
14	Patientsâ€™ Perceptions Of Perinatal Depression Screening: A Qualitative Study. <i>Health Affairs</i> , 2021, 40, 1612-1617.	2.5	4
15	Rurality and Risk of Perinatal Depression Among Women in the United States. <i>Journal of Rural Health</i> , 2020, 36, 9-16.	1.6	21
16	Postpartum bonding at the beginning of the second year of childâ€™s life: the role of postpartum depression and early bonding impairment. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2020, 41, 224-230.	1.1	10
17	Prevalence and Correlates of Tobacco Smoking During the Perinatal Period Among Women Enrolled in a Midwestern WIC Program. <i>Community Mental Health Journal</i> , 2020, 56, 771-775.	1.1	2
18	The Relationship Between Postpartum Depression and Lower Maternal Confidence in Mothers with a History of Depression During Pregnancy. <i>Psychiatric Quarterly</i> , 2020, 91, 21-30.	1.1	8

#	ARTICLE	IF	CITATIONS
19	Global burden of 369 diseases and injuries in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	6.3	7,664
20	Global burden of 87 risk factors in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	6.3	3,928
21	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950â€“2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1160-1203.	6.3	890
22	Racial differences in immediate postpartum depression and suicidal ideation among women in a Midwestern delivery hospital. <i>Journal of Affective Disorders Reports</i> , 2020, 1, 100008.	0.9	4
23	Association of Mood and Anxiety Disorders and Opioid Prescription Patterns Among Postpartum Women. <i>American Journal on Addictions</i> , 2020, 29, 463-470.	1.3	2
24	The Effectiveness of Collaborative Care on Depression Outcomes for Racial/Ethnic Minority Populations in Primary Care: A Systematic Review. <i>Psychosomatics</i> , 2020, 61, 632-644.	2.5	28
25	Associations between unstable housing, obstetric outcomes, and perinatal health care utilization. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2019, 1, 100053.	1.3	24
26	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019, 574, 353-358.	13.7	161
27	Prevalence of antenatal suicidal ideation among racially and ethnically diverse WIC enrolled women receiving care in a Midwestern public health clinic. <i>Journal of Affective Disorders</i> , 2019, 256, 278-281.	2.0	13
28	714: Opioid prescribing patterns among women with perinatal depression. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, S470-S471.	0.7	0
29	459: Unstable housing is linked to adverse obstetric outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, S308.	0.7	2
30	Feeding decision-making among first generation Latinas living in non-metropolitan and small metro areas. <i>PLoS ONE</i> , 2019, 14, e0213442.	1.1	17
31	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. <i>BMJ: British Medical Journal</i> , 2019, 364, I94.	2.4	558
32	Experiencing Health Services Research in the Global South: a Collaborative Autoethnography of Two Social Work Researchers. <i>Global Social Welfare</i> , 2019, 6, 189-198.	1.1	1
33	Self-rated health among multiracial young adults in the United States: findings from the add health study. <i>Ethnicity and Health</i> , 2019, 24, 495-511.	1.5	8
34	The impact of exercise on depressive symptoms in older Hispanic/Latino adults: results from the â€ˆCaminemos!â€™ study. <i>Aging and Mental Health</i> , 2019, 23, 680-685.	1.5	11
35	Motivated by a mandate: a university-clinic partnership to develop a perinatal depression registry at a community based hospital in the Midwest. <i>Social Work and Social Welfare</i> , 2019, 1, 7-12.	0.1	1
36	Depressive Symptoms among Pregnant Low-Income Adolescents and Implications for Social Workers. <i>Journal of Sociology and Social Work</i> , 2019, 7, .	0.2	0

#	ARTICLE	IF	CITATIONS
37	Health Outcomes Among Garment Workers in Low-Middle Income Countries: A Scoping Review. <i>Women's Health Bulletin</i> , 2019, 6, .	0.7	3
38	The State of US Health, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1444.	3.8	1,042
39	Intimate Partner Violence Is Associated with Suicidality Among Low-Income Postpartum Women. <i>Journal of Women's Health</i> , 2018, 27, 171-178.	1.5	20
40	Intentional injuries in the Eastern Mediterranean Region, 1990â€“2015: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 39-46.	1.0	27
41	Maternal mortality and morbidity burden in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 47-61.	1.0	9
42	The burden of mental disorders in the Eastern Mediterranean region, 1990â€“2015: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 25-37.	1.0	43
43	Population and fertility by age and sex for 195 countries and territories, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1995-2051.	6.3	294
44	Racial Differences in Breastfeeding Initiation Among Participants in a Midwestern Public Health District. <i>Health Equity</i> , 2018, 2, 296-303.	0.8	4
45	Adolescent depression and the use of services and psychotropic medications in relation to family structure and race/ethnicity. <i>Children and Youth Services Review</i> , 2018, 94, 636-643.	1.0	7
46	Abstract P071: Association of Baseline Depressive Symptoms With 6-Year Incidence of Diabetes in the Hispanic Community Health Study/Study of Latinos. <i>Circulation</i> , 2018, 137, .	1.6	0
47	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990â€“2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017, 390, 231-266.	6.3	480
48	Child and Adolescent Health From 1990 to 2015. <i>JAMA Pediatrics</i> , 2017, 171, 573.	3.3	306
49	Global, Regional, and National Levels of Maternal Mortality, 1990â€“2015: A Systematic Analysis for the Global Burden of Disease Study 2015. <i>Obstetrical and Gynecological Survey</i> , 2017, 72, 11-13.	0.2	41
50	The burden of suicidal ideation among persons with type II diabetes: A scoping review. <i>Journal of Psychosomatic Research</i> , 2017, 103, 113-118.	1.2	13
51	Higher number of live births is associated with left ventricular diastolic dysfunction and adverse cardiac remodelling among US Hispanic/Latina women: results from the Echocardiographic Study of Latinos. <i>Open Heart</i> , 2017, 4, e000530.	0.9	13
52	Collaborative Care for Women With Depression: A Systematic Review. <i>Psychosomatics</i> , 2017, 58, 11-18.	2.5	33
53	Impact of Pre-Pregnancy Weight and Gestational Weight Gain on Birth Outcomes by Nativity in the United States: A Systematic Review. <i>Healthcare (Switzerland)</i> , 2017, 5, 67.	1.0	3
54	Lower education among low-income Brazilian adolescent females is associated with planned pregnancies. <i>International Journal of Women's Health</i> , 2017, Volume 9, 43-48.	1.1	18

#	ARTICLE	IF	CITATIONS
55	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. PLoS ONE, 2017, 12, e0169575.	1.1	102
56	Feeding Practices and Lifestyle Changes after Migration: Perceptions of First Generation Latinas Living in an Emerging Community. FASEB Journal, 2017, 31, 445.7.	0.2	0
57	Trends in Health Care Utilization Among Adults With Serious Psychological Distress: 2003-2014. Psychiatric Services, 2016, 67, 743-748.	1.1	7
58	Racial matching and adolescent self-disclosure of substance use and mental health symptoms. Journal of Ethnicity in Substance Abuse, 2016, 15, 176-188.	0.6	2
59	Parity and Components of the Metabolic Syndrome Among US Hispanic/Latina Women. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, S62-S69.	0.9	34
60	Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	6.3	740
61	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	6.3	4,934
62	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	6.3	4,203
63	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
64	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
65	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18.	1.2	898
66	Changes in racial categorization over time and health status: an examination of multiracial young adults in the USA. Ethnicity and Health, 2016, 21, 146-157.	1.5	12
67	Disparities in Health Services Use Among Multiracial American Young Adults. Journal of Immigrant and Minority Health, 2016, 18, 1462-1469.	0.8	10
68	Identification and treatment of depression of older adults in primary care: findings from the São Paulo Ageing and Health Study. Family Practice, 2016, 33, 233-237.	0.8	12
69	Examining the Effects of Urban Neighborhoods on the Mental Health of Adolescent African American Males: A Qualitative Systematic Review. Journal of Negro Education, The, 2015, 84, 254.	0.6	10
70	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
71	Clinic staff attitudes towards the use of mHealth technology to conduct perinatal depression screenings: a qualitative study. Family Practice, 2015, 32, 211-215.	0.8	16
72	Normative Feedback and Adolescent Readiness to Change. Research on Social Work Practice, 2015, 25, 801-814.	1.1	7

#	ARTICLE	IF	CITATIONS
73	Perinatal depression screening in a Women, Infants, and Children (WIC) program: perception of feasibility and acceptability among a multidisciplinary staff. <i>General Hospital Psychiatry</i> , 2015, 37, 305-309.	1.2	14
74	Ethnic differences in tobacco use during pregnancy: findings from a primary care sample in São Paulo, Brazil. <i>Ethnicity and Health</i> , 2015, 20, 209-217.	1.5	9
75	The relationships between after-school programs, academic outcomes, and behavioral developmental outcomes of Latino children from immigrant families: Findings from the 2005 National Household Education Surveys Program. <i>Children and Youth Services Review</i> , 2015, 53, 77-83.	1.0	9
76	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	6.3	1,544
77	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	6.3	2,184
78	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 385, 117-171.	6.3	5,847
79	Abstract MP19: Higher Parity is Associated With Components of the Metabolic Syndrome Among U.S. Hispanic/Latina Women: Results From the HCHS/SOL Study. <i>Circulation</i> , 2015, 131, .	1.6	1
80	Perceptions and Acceptability of Short Message Services Technology to Improve Treatment Adherence amongst Tuberculosis Patients in Peru: A Focus Group Study. <i>PLoS ONE</i> , 2014, 9, e95770.	1.1	31
81	The association between depressive disorders and health care utilization: results from the São Paulo Ageing and Health Study (SPAH). <i>General Hospital Psychiatry</i> , 2014, 36, 199-202.	1.2	17
82	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 957-979.	6.3	609
83	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 1005-1070.	6.3	786
84	Drug refusal skills training does not enhance outcomes of African American adolescents with substance use problems. <i>Journal of Substance Abuse Treatment</i> , 2014, 46, 274-279.	1.5	10
85	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 980-1004.	6.3	1,230
86	Views and Experiences of Suicidal Ideation During Pregnancy and the Postpartum: Findings from Interviews with Maternal Care Clinic Patients. <i>Women and Health</i> , 2013, 53, 519-535.	0.4	31
87	Variations in depression care and outcomes among high-risk mothers from different racial/ethnic groups. <i>Family Practice</i> , 2012, 29, 394-400.	0.8	16
88	Suicidal ideation during pregnancy: prevalence and associated factors among low-income women in São Paulo, Brazil. <i>Archives of Women's Mental Health</i> , 2012, 15, 135-138.	1.2	41
89	Racial differences in the prevalence of antenatal depression. <i>General Hospital Psychiatry</i> , 2011, 33, 87-93.	1.2	72
90	Prevalence and correlates of suicidal ideation during pregnancy. <i>Archives of Women's Mental Health</i> , 2011, 14, 239-246.	1.2	86