
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/465752/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Two decades of socioeconomic inequalities in the prevalence of untreated dental caries in early childhood: Results from three birth cohorts in southern Brazil. Community Dentistry and Oral Epidemiology, 2023, 51, 355-363.	1.9	10
2	Short-term effect of physical activity on sleep health: A population-based study using accelerometry. Journal of Sport and Health Science, 2022, 11, 630-638.	6.5	10
3	Dental caries and depression in pregnant women: The role of oral health selfâ€perception as mediator. Oral Diseases, 2022, 28, 1733-1740.	3.0	2
4	Harsh parenting and child conduct and emotional problems: parent- and child-effects in the 2004 Pelotas Birth Cohort. European Child and Adolescent Psychiatry, 2022, 31, 1-11.	4.7	11
5	Oral mucosal lesions in pregnant women: A populationâ€based study. Oral Diseases, 2022, 28, 1891-1900.	3.0	1
6	Multimorbidity and simultaneity of health risk factors, from adolescence to early adulthood: 1993 Pelotas Birth Cohort. Preventive Medicine, 2022, 155, 106932.	3.4	2
7	Maternal smoking during pregnancy and children's mental health at age 22 years: Results of a birth cohort study. Journal of Affective Disorders, 2022, 300, 203-208.	4.1	2
8	Effectiveness of a large-scale home visiting programme (PIM) on early child development in Brazil: quasi-experimental study nested in a birth cohort. BMJ Global Health, 2022, 7, e007116.	4.7	4
9	Maternal smoking during pregnancy and intelligence quotient of offspring aged 18 and 30Âyears: Evidence from two birth cohorts in southern Brazil. Preventive Medicine, 2022, 156, 106983.	3.4	1
10	Social and racial inequity in self-rated oral health in adults in Southern Brazil. Cadernos De Saude Publica, 2022, 38, e00136921.	1.0	3
11	ADHD in childhood predicts BMI and body composition measurements over time in a population-based birth cohort. International Journal of Obesity, 2022, 46, 1204-1211.	3.4	2
12	Association between preterm infant size at 1Âyear and ADHD later in life: data from 1993 and 2004 Pelotas Birth Cohorts. European Child and Adolescent Psychiatry, 2022, , 1.	4.7	2
13	Youth depression and inflammation: Cross-sectional network analyses of C-Reactive protein, interleukin-6 and symptoms in a population-based sample. Journal of Psychiatric Research, 2022, 150, 197-201.	3.1	6
14	Complex Perinatal Syndromes Affecting Early Human Growth and Development: Issues to Consider to Understand Their Aetiology and Postnatal Effects. Frontiers in Neuroscience, 2022, 16, 856886.	2.8	1
15	Association between objectively measured physical activity of parents and children: The 2015 Pelotas birth cohort. Scandinavian Journal of Medicine and Science in Sports, 2022, , .	2.9	2
16	Periodontal disease and preterm birth: Findings from the 2015 Pelotas birth cohort study. Oral Diseases, 2021, 27, 1519-1527.	3.0	10
17	Maternal perinatal depression and infant sleep problems at 1Âyear of age: Subjective and actigraphy data from a populationâ€based birth cohort study. Journal of Sleep Research, 2021, 30, e13047.	3.2	18
18	ldentifying Adolescents at Risk for Depression: AÂPrediction Score Performance in Cohorts Based inÂ3ÂDifferent Continents. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 262-273.	0.5	43

#	Article	IF	CITATIONS
19	Fetal growth velocity standards from the Fetal Growth Longitudinal Study of the INTERGROWTH-21st Project. American Journal of Obstetrics and Gynecology, 2021, 224, 208.e1-208.e18.	1.3	16
20	Analysis of early and late maternal complications associated with delivery using propensity score. Revista Brasileira De Epidemiologia, 2021, 24, e210027.	0.8	1
21	RPS Brazilian Birth Cohorts Consortium (Ribeirão Preto, Pelotas and São LuÃs): history, objectives and methods. Cadernos De Saude Publica, 2021, 37, e00093320.	1.0	28
22	Association between cesarean section and human capital in adulthood: 1982 and 1993 Pelotas birth cohorts, Rio Grande do Sul State, Brazil. Cadernos De Saude Publica, 2021, 37, e00235520.	1.0	1
23	Utilização das Curvas de Crescimento Intergrowth-21st para Recém-Nascidos Pré-Termo em uma Unidade de Terapia Intensiva Neonatal no sul do Brasil. Research, Society and Development, 2021, 10, e9510212319.	0.1	1
24	Prematurity and body composition at 6, 18, and 30 years of age: Pelotas (Brazil) 2004, 1993, and 1982 birth cohorts. BMC Public Health, 2021, 21, 321.	2.9	16
25	Fetal cranial growth trajectories are associated with growth and neurodevelopment at 2 years of age: INTERBIO-21st Fetal Study. Nature Medicine, 2021, 27, 647-652.	30.7	23
26	Intimate partner violence against women and child maltreatment in a Brazilian birth cohort study: co-occurrence and shared risk factors. BMJ Global Health, 2021, 6, e004306.	4.7	14
27	Association Between Preterm-Birth Phenotypes and Differential Morbidity, Growth, and Neurodevelopment at Age 2 Years. JAMA Pediatrics, 2021, 175, 483.	6.2	26
28	Association between maternal prepregnancy body mass index with offspring cardiometabolic risk factors: analysis of three Brazilian birth cohorts. Journal of Developmental Origins of Health and Disease, 2021, , 1-7.	1.4	2
29	Patterns of Growth in Childhood in Relation to Adult Schooling Attainment and Intelligence Quotient in 6 Birth Cohorts in Low- and Middle-Income Countries: Evidence from the Consortium of Health-Oriented Research in Transitioning Societies (COHORTS). Journal of Nutrition, 2021, 151, 2342-2352.	2.9	9
30	Doenças crônicas não transmissÃveis e covid-19: resultados do estudo Epicovid-19 Brasil. Revista De Saude Publica, 2021, 55, 38.	1.7	11
31	High prevalence of symptoms among Brazilian subjects with antibodies against SARS-CoV-2. Scientific Reports, 2021, 11, 13279.	3.3	10
32	COVID-19 and social distancing among children and adolescents in Brazil. Revista De Saude Publica, 2021, 55, 42.	1.7	5
33	Time-dependent decay of detectable antibodies against SARS-CoV-2: A comparison of ELISA with two batches of a lateral-flow test. Brazilian Journal of Infectious Diseases, 2021, 25, 101601.	0.6	9
34	The challenge of conducting epidemiological research in times of pandemic and denialism: 1-year anniversary of the EPICOVID-19 project in Brazil. International Journal of Epidemiology, 2021, 50, 1049-1052.	1.9	4
35	Slow Spread of SARS-CoV-2 in Southern Brazil Over a 6-Month Period: Report on 8 Sequential Statewide Serological Surveys Including 35 611 Participants. American Journal of Public Health, 2021, 111, 1542-1550.	2.7	6
36	Depression in a youth population-based sample from Brazil: Prevalence and symptom structure. Journal of Affective Disorders, 2021, 292, 633-641.	4.1	7

#	Article	IF	CITATIONS
37	Associations between sleep duration trajectories from adolescence to early adulthood and working memory, schooling and income: a prospective birth cohort study from Brazil. Sleep Medicine, 2021, 86, 40-47.	1.6	3
38	Wich factors influencing the number of teeth at 12 months of age: a birth cohort study. Brazilian Oral Research, 2021, 35, e059.	1.4	0
39	Trajectories of maternal depressive symptoms and offspring's risk behavior in early adolescence: data from the 2004 Pelotas birth cohort study. BMC Psychiatry, 2021, 21, 18.	2.6	8
40	Influence of maternal pre-pregnancy nutritional status on offspring anthropometric measurements and body composition in three Brazilian Birth Cohorts. Public Health Nutrition, 2021, 24, 882-894.	2.2	6
41	Conditional cash transfers and adolescent mental health in Brazil: Evidence from the 2004 Pelotas Birth Cohort. Journal of Global Health, 2021, 11, 04066.	2.7	6
42	Population-level seropositivity trend for SARS-Cov-2 in Rio Grande do Sul, Brazil. Revista De Saude Publica, 2021, 55, 78.	1.7	7
43	The Role of Sleep Duration and Sleep Problems During Childhood in the Development of ADHD in Adolescence: Findings From a Population-Based Birth Cohort. Journal of Attention Disorders, 2020, 24, 590-600.	2.6	21
44	Growth from birth to adolescence and bone mineral density in young adults: The 1993 Pelotas birth cohort. Bone, 2020, 130, 115088.	2.9	2
45	Ultraâ€processed food consumption during childhood and asthma in adolescence: Data from the 2004 Pelotas birth cohort study. Pediatric Allergy and Immunology, 2020, 31, 27-37.	2.6	21
46	The emergence of vaccine hesitancy among upper-class Brazilians: Results from four birth cohorts, 1982–2015. Vaccine, 2020, 38, 482-488.	3.8	46
47	Early child stimulation and attention-related executive functions at 11Âyears: 2004 Pelotas birth cohort study. European Child and Adolescent Psychiatry, 2020, 29, 1265-1276.	4.7	4
48	Short and long sleep duration and associated factors in pre-adolescence and early adulthood: evidence from the 1993 Pelotas birth cohort study. Sleep Medicine, 2020, 75, 477-483.	1.6	3
49	International standards for fetal brain structures based on serial ultrasound measurements from Fetal Growth Longitudinal Study of <scp>INTERGROWTH</scp> â€21 st Project. Ultrasound in Obstetrics and Gynecology, 2020, 56, 359-370.	1.7	15
50	Mental disorders, comorbidities, and suicidality at 30†years of age in a Brazilian birth cohort. Comprehensive Psychiatry, 2020, 102, 152194.	3.1	9
51	Parental attendance in two early-childhood training programmes to improve nurturing care: A randomized controlled trial. Children and Youth Services Review, 2020, 118, 105418.	1.9	9
52	SARS-CoV-2 antibody prevalence in Brazil: results from two successive nationwide serological household surveys. The Lancet Global Health, 2020, 8, e1390-e1398.	6.3	292
53	Early identification of bipolar disorder among young adults – a 22â€year community birth cohort. Acta Psychiatrica Scandinavica, 2020, 142, 476-485.	4.5	16
54	Achieving accurate estimates of fetal gestational age and personalised predictions of fetal growth based on data from an international prospective cohort study: a population-based machine learning study. The Lancet Digital Health, 2020, 2, e368-e375.	12.3	40

#	Article	IF	CITATIONS
55	International values for haemoglobin distributions in healthy pregnant women. EClinicalMedicine, 2020, 29-30, 100660.	7.1	16
56	Second generation of the 1993 birth cohort, Pelotas (Brazil): Aims, design, preliminary results. Health Science Reports, 2020, 3, e199.	1.5	1
57	Associations between growth from birth to 18 years, intelligence, and schooling in a Brazilian cohort. American Journal of Clinical Nutrition, 2020, 112, 187-194.	4.7	15
58	Validation of maternal recall on exclusive breastfeeding 12 months after childbirth. Public Health Nutrition, 2020, 23, 2494-2500.	2.2	3
59	INTERGROWTH-21st Project international INTER-NDA standards for child development at 2 years of age: an international prospective population-based study. BMJ Open, 2020, 10, e035258.	1.9	21
60	Low neurodevelopmental performance and behavioural/emotional problems at 24 and 48 months in Brazilian children exposed to acetaminophen during foetal development. Paediatric and Perinatal Epidemiology, 2020, 34, 278-286.	1.7	13
61	Transtornos mentais em adolescentes, jovens e adultos do Consórcio de Coortes de Nascimento brasileiras RPS (Ribeirão Preto, Pelotas e São LuÃs). Cadernos De Saude Publica, 2020, 36, e00154319.	1.0	21
62	Population-based surveys of antibodies against SARS-CoV-2 in Southern Brazil. Nature Medicine, 2020, 26, 1196-1199.	30.7	132
63	Changes in Infant and Neonatal Mortality and Associated Factors in Eight Cohorts from Three Brazilian Cities. Scientific Reports, 2020, 10, 3249.	3.3	10
64	Sleep duration trajectories from age 3 to 48Âmonths in The Pelotas (Brazil) 2004 Birth Cohort Study. Paediatric and Perinatal Epidemiology, 2020, 34, 60-69.	1.7	4
65	International gestational age-specific centiles forÂumbilicalÂartery Doppler indices: a longitudinalÂprospectiveÂcohort study of the INTERGROWTH-21st Project. American Journal of Obstetrics and Gynecology, 2020, 222, 602.e1-602.e15.	1.3	24
66	Late weaning and maternal closeness, associated with advanced motor and visual maturation, reinforce autonomy in healthy, 2-year-old children. Scientific Reports, 2020, 10, 5251.	3.3	11
67	Vaccine coverage within the first year of life and associated factors with incomplete immunization in a Brazilian birth cohort. Archives of Public Health, 2020, 78, 21.	2.4	27
68	EPICOVID19 protocol: repeated serological surveys on SARS-CoV-2 antibodies in Brazil. Ciencia E Saude Coletiva, 2020, 25, 3573-3578.	0.5	15
69	Prevalence of antibodies against SARS-CoV-2 according to socioeconomic and ethnic status in a nationwide Brazilian survey. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2020, 44, 1-7.	1.1	37
70	Continuity of psychiatric disorders between 6 and 11 years of age in the 2004 Pelotas Birth Cohort. Revista Brasileira De Psiquiatria, 2020, 42, 496-502.	1.7	2
71	Is there an association between depression and periodontitis? A birth cohort study. Journal of Clinical Periodontology, 2019, 46, 31-39.	4.9	42
72	Eosinophilic esophagitis—Where are we today?. Jornal De Pediatria, 2019, 95, 275-281.	2.0	11

#	Article	IF	CITATIONS
73	Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i46-i53.	1.9	38
74	Adolescent parenthood associated with adverse socioâ€economic outcomes at age 30 years in women and men of the Pelotas, Brazil: 1982 Birth Cohort Study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 360-367.	2.3	10
75	Growth of preterm infants at the time of global obesity. Archives of Disease in Childhood, 2019, 104, 725-727.	1.9	17
76	Eosinophilic esophagitis – Where are we today?. Jornal De Pediatria (Versão Em Português), 2019, 95, 275-281.	0.2	0
77	Body composition from 18 to 22 years and pulmonary function at 22 years—1993 Pelotas Birth Cohort. PLoS ONE, 2019, 14, e0219077.	2.5	7
78	The Role of MIR9-2 in Shared Susceptibility of Psychiatric Disorders during Childhood: A Population-Based Birth Cohort Study. Genes, 2019, 10, 626.	2.4	5
79	Commentary: A tale of many cities in one: the Pelotas (Brazil) Birth Cohorts, 1982–2015. International Journal of Epidemiology, 2019, 48, i89-i93.	1.9	4
80	Childhood Behavioural Problems and Adverse Outcomes in Early Adulthood: a Comparison of Brazilian and British Birth Cohorts. Journal of Developmental and Life-Course Criminology, 2019, 5, 517-535.	1.2	19
81	Doenças crônicas não transmissÃveis em profissionais de enfermagem de um hospital filantrópico no Sul do Brasil*. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2019, 28, e2018298.	1.0	6
82	Breastfeeding and maternal cardiovascular risk factors: 1982 Pelotas Birth Cohort. Scientific Reports, 2019, 9, 13092.	3.3	5
83	Neurodevelopmental milestones and associated behaviours are similar among healthy children across diverse geographical locations. Nature Communications, 2019, 10, 511.	12.8	33
84	Grandmothers' mental health is associated with grandchildren's emotional and behavioral development: a three-generation prospective study in Brazil. BMC Psychiatry, 2019, 19, 184.	2.6	8
85	The role of questionnaire length and reminders frequency on response rates to a web-based epidemiologic study: a randomised trial. International Journal of Social Research Methodology: Theory and Practice, 2019, 22, 625-635.	4.4	25
86	Prevalence and associated factors of supine sleep position in 3-month-old infants: findings from the 2015 Pelotas (Brazil) Birth Cohort. BMC Pediatrics, 2019, 19, 165.	1.7	12
87	Maternal depression symptoms and use of child health-care services at The Pelotas 2004 Birth Cohort. Journal of Affective Disorders, 2019, 253, 303-307.	4.1	6
88	Impact of maternal depression trajectories on offspring socioemotional competences at age 11: 2004 Pelotas Birth Cohort. Journal of Affective Disorders, 2019, 253, 8-17.	4.1	16
89	Breastfeeding exclusivity and duration: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i72-i79.	1.9	25
90	Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i54-i62.	1.9	17

#	Article	IF	CITATIONS
91	Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982–2015. International Journal of Epidemiology, 2019, 48, i4-i15.	1.9	32
92	Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i80-i88.	1.9	23
93	Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i37-i45.	1.9	25
94	Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. International Journal of Epidemiology, 2019, 48, i63-i71.	1.9	6
95	Overweight trajectory and cardio metabolic risk factors in young adults. BMC Pediatrics, 2019, 19, 75.	1.7	24
96	Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i16-i25.	1.9	10
97	Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i26-i36.	1.9	22
98	Association of breastfeeding, maternal anthropometry and body composition in women at 30 years of age. Cadernos De Saude Publica, 2019, 35, e00122018.	1.0	3
99	Global Epidemiology of Use of and Disparities in Caesarean Sections. Obstetrical and Gynecological Survey, 2019, 74, 135-137.	0.4	0
100	Transition to parenthood and mental health at 30Âyears: a prospective comparison of mothers and fathers in a large Brazilian birth cohort. Archives of Women's Mental Health, 2019, 22, 621-629.	2.6	12
101	The Inverse Equity Hypothesis: Analyses of Institutional Deliveries in 286 National Surveys. American Journal of Public Health, 2018, 108, 464-471.	2.7	85
102	Cohort Profile: The 2015 Pelotas (Brazil) Birth Cohort Study. International Journal of Epidemiology, 2018, 47, 1048-1048h.	1.9	125
103	Prevalence and risk factors of psychiatric disorders in early adolescence: 2004 Pelotas (Brazil) birth cohort. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 685-697.	3.1	35
104	Cohort Profile Update: The 1993 Pelotas (Brazil) Birth Cohort follow-up at 22 years. International Journal of Epidemiology, 2018, 47, 1389-1390e.	1.9	87
105	Breastfeeding moderates FTO related adiposity: a birth cohort study with 30 years of follow-up. Scientific Reports, 2018, 8, 2530.	3.3	18
106	The INTERGROWTH-21st fetal growth standards: toward the global integration of pregnancy and pediatric care. American Journal of Obstetrics and Gynecology, 2018, 218, S630-S640.	1.3	164
107	The satisfactory growth and development at 2 years of age of theÂINTERGROWTH-21st Fetal Growth Standards cohort support itsÂappropriateness for constructing international standards. American Journal of Obstetrics and Gynecology, 2018, 218, S841-S854.e2.	1.3	43
108	Monitoring the Postnatal Growth of Preterm Infants: A Paradigm Change. Pediatrics, 2018, 141, .	2.1	131

#	Article	IF	CITATIONS
109	Is there a causal effect of parity on body composition: a birth cohort study. BMC Public Health, 2018, 18, 215.	2.9	5
110	Social inequalities in mental disorders and substance misuse in young adults. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 717-726.	3.1	14
111	The antepartum stillbirth syndrome: risk factors and pregnancy conditions identified from the <scp>INTERGROWTH</scp> â€21 st Project. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1145-1153.	2.3	70
112	Socioeconomic inequality in preterm birth in four Brazilian birth cohort studies. Jornal De Pediatria, 2018, 94, 15-22.	2.0	21
113	Quality control of ultrasound for fetal biometry: results from the INTERGROWTHâ€21 st Project. Ultrasound in Obstetrics and Gynecology, 2018, 52, 332-339.	1.7	41
114	Hospitalization in the first years of life and development of psychiatric disorders at age 6 and 11: a birth cohort study in Brazil. Cadernos De Saude Publica, 2018, 34, e00064517.	1.0	4
115	Global epidemiology of use of and disparities in caesarean sections. Lancet, The, 2018, 392, 1341-1348.	13.7	861
116	Birth Cohort Studies and the Early Origins of Adult Health and Disease. NeoReviews, 2018, 19, e313-e321.	0.8	2
117	Caesarean sections and the prevalence of preterm and early-term births in Brazil: secondary analyses of national birth registration. BMJ Open, 2018, 8, e021538.	1.9	41
118	Deep clinical and biological phenotyping of the preterm birth and small for gestational age syndromes: The INTERBIO-21st Newborn Case-Control Study protocol. Gates Open Research, 2018, 2, 49.	1.1	12
119	Associations of Linear Growth and Relative Weight Gain in Early Life with Human Capital at 30 Years of Age. Journal of Pediatrics, 2017, 182, 85-91.e3.	1.8	35
120	Zika rash and increased risk of congenital brain abnormalities – Authors' reply. Lancet, The, 2017, 389, 152.	13.7	1
121	Prolonged breastfeeding for 24Âmonths or more and mental health at 6Âyears of age: evidence from the 2004 Pelotas Birth Cohort Study, Brazil. Child and Adolescent Mental Health, 2017, 22, 209-215.	3.5	3
122	Body composition at birth and its relationship with neonatal anthropometric ratios: the newborn body composition study of the INTERGROWTH-21st project. Pediatric Research, 2017, 82, 305-316.	2.3	82
123	International estimated fetal weight standards of the INTERGROWTH-21 st Project. Ultrasound in Obstetrics and Gynecology, 2017, 49, 478-486.	1.7	250
124	Maternal depression and bullying victimization among adolescents: Results from the 2004 Pelotas cohort study. Depression and Anxiety, 2017, 34, 897-907.	4.1	19
125	Perinatal and postnatal risk factors for disruptive mood dysregulation disorder at age 11: 2004 Pelotas Birth Cohort Study. Journal of Affective Disorders, 2017, 215, 263-268.	4.1	28
126	Physical Activity Throughout Adolescence and Hba1c in Early Adulthood: Birth Cohort Study. Journal of Physical Activity and Health, 2017, 14, 375-381.	2.0	2

#	Article	IF	CITATIONS
127	Caesarean section and adiposity at 6, 18 and 30Âyears of age: results from three Pelotas (Brazil) birth cohorts. BMC Public Health, 2017, 17, 256.	2.9	22
128	Maternal Smoking in Pregnancy and Offspring Depression: a cross cohort and negative control study. Scientific Reports, 2017, 7, 12579.	3.3	37
129	A different rhythm of life: sleep patterns in the first 4 years of life and associated sociodemographic characteristics in a large Brazilian birth cohort. Sleep Medicine, 2017, 37, 77-87.	1.6	27
130	Screen-based sedentary behavior during adolescence and pulmonary function in a birth cohort. International Journal of Behavioral Nutrition and Physical Activity, 2017, 14, 82.	4.6	10
131	Mother-child bed-sharing trajectories and psychiatric disorders at the age of 6 years. Journal of Affective Disorders, 2017, 208, 163-169.	4.1	12
132	Exploring DSM-5 ADHD criteria beyond young adulthood: phenomenology, psychometric properties and prevalence in a large three-decade birth cohort. Psychological Medicine, 2017, 47, 744-754.	4.5	58
133	Estimates of burden and consequences of infants born small for gestational age in low and middle income countries with INTERGROWTH-21 st standard: analysis of CHERGÂdatasets. BMJ: British Medical Journal, 2017, 358, j3677.	2.3	258
134	Gestational age at birth and behavioral problems from four to 11 years of age: birth cohort study. BMC Pediatrics, 2017, 17, 184.	1.7	7
135	Does objectively measured physical activity modify the association between early weight gain and fat mass in young adulthood?. BMC Public Health, 2017, 17, 905.	2.9	4
136	Visceral and subcutaneous abdominal adiposity and pulmonary function in 30-year-old adults: a cross-sectional analysis nested in a birth cohort. BMC Pulmonary Medicine, 2017, 17, 157.	2.0	13
137	Breastfeeding and complementary feeding associated with body composition in 18–19Âyears old adolescents in the 1993 Pelotas Birth Cohort. BMC Nutrition, 2017, 3, 84.	1.6	4
138	Focus and coverage of Bolsa FamÃlia Program in the Pelotas 2004 birth cohort. Revista De Saude Publica, 2017, 51, 22.	1.7	13
139	Is the number of siblings associated with dietary patterns in adolescents? The 1993 birth cohort of Pelotas (Brazil). PLoS ONE, 2017, 12, e0174087.	2.5	3
140	Conhecimento de profissionais que atuam em Unidades Básicas de Saúde no Brasil sobre a associação entre inatividade fÁsica e morbidades. Revista Brasileira De Atividade FÃsica E Saúde, 2017, 22, 450-456.	0.1	1
141	Excesso de peso/obesidade no ciclo da vida e composição corporal na idade adulta: coorte de nascimentos de Pelotas, Rio Grande do Sul, Brasil, 1982. Cadernos De Saude Publica, 2016, 32, e00174014.	1.0	4
142	Vitimização por crime na infância e adolescência segundo registros oficiais: coorte de nascimentos de Pelotas, Rio Grande do Sul, Brasil. Cadernos De Saude Publica, 2016, 32, e00072915.	1.0	2
143	COMT and DAT1 genes are associated with hyperactivity and inattention traits in the 1993 Pelotas Birth Cohort: evidence of sex-specific combined effect. Journal of Psychiatry and Neuroscience, 2016, 41, 405-412.	2.4	17
144	Association between Birth Interval and Cardiovascular Outcomes at 30 Years of Age: A Prospective Cohort Study from Brazil. PLoS ONE, 2016, 11, e0149054.	2.5	1

#	Article	IF	CITATIONS
145	Pulse Wave Velocity at Early Adulthood: Breastfeeding and Nutrition during Pregnancy and Childhood. PLoS ONE, 2016, 11, e0152501.	2.5	5
146	Relationship between Body Composition and Pulmonary Function in Early Adult Life: A Cross-Sectional Analysis Nested in Two Birth Cohort Studies. PLoS ONE, 2016, 11, e0163428.	2.5	12
147	Congenital Zika virus syndrome in Brazil: a case series of the first 1501 livebirths with complete investigation. Lancet, The, 2016, 388, 891-897.	13.7	515
148	Secular trends in smoking during pregnancy according to income and ethnic group: four population-based perinatal surveys in a Brazilian city. BMJ Open, 2016, 6, e010127.	1.9	22
149	Attention-Deficit/Hyperactivity Disorder Trajectories From Childhood to Young Adulthood. JAMA Psychiatry, 2016, 73, 705.	11.0	265
150	Maternal depression and anxiety predicts the pattern of offspring symptoms during their transition to adulthood. Psychological Medicine, 2016, 46, 415-424.	4.5	28
151	LBW and IUGR temporal trend in 4 population-based birth cohorts: the role of economic inequality. BMC Pediatrics, 2016, 16, 115.	1.7	11
152	Physical Activity in Early Adolescence and Pulmonary Function Gain From 15 to 18 Years of Age in a Birth Cohort in Brazil. Journal of Physical Activity and Health, 2016, 13, 1164-1173.	2.0	8
153	Are fetal growth impairment and preterm birth causally related to child attention problems and ADHD? Evidence from a comparison between high-income and middle-income cohorts. Journal of Epidemiology and Community Health, 2016, 70, 704-709.	3.7	43
154	Intellectual Disability in a Birth Cohort: Prevalence, Etiology, and Determinants at the Age of 4 Years. Public Health Genomics, 2016, 19, 290-297.	1.0	25
155	Heart rate reactivity and antisocial behaviour: Table 1 International Journal of Epidemiology, 2016, 45, 1687-1689.	1.9	1
156	Adiposity during adolescence and carotid intima-media thickness in adulthood: Results from the 1993 Pelotas Birth Cohort. Atherosclerosis, 2016, 255, 25-30.	0.8	9
157	Gestational weight gain standards based on women enrolled in the Fetal Growth Longitudinal Study of the INTERGROWTH-21 st Project: a prospective longitudinal cohort study. BMJ, The, 2016, 352, i555.	6.0	116
158	Genomic ancestry and the social pathways leading to major depression in adulthood: the mediating effect of socioeconomic position and discrimination. BMC Psychiatry, 2016, 16, 308.	2.6	9
159	Breastfeeding and mental health in adulthood: A birth cohort study in Brazil. Journal of Affective Disorders, 2016, 202, 115-119.	4.1	27
160	Ultrasoundâ€based gestationalâ€age estimation in late pregnancy. Ultrasound in Obstetrics and Gynecology, 2016, 48, 719-726.	1.7	121
161	Sugar Consumption and Changes in Dental Caries from Childhood to Adolescence. Journal of Dental Research, 2016, 95, 388-394.	5.2	120
162	Low resting heart rate is associated with violence in late adolescence: a prospective birth cohort study in Brazil. International Journal of Epidemiology, 2016, 45, 491-500.	1.9	31

#	Article	IF	CITATIONS
163	Short Sleep Duration in the First Years of Life and Obesity/Overweight atÂAge 4 Years: A Birth Cohort Study. Journal of Pediatrics, 2016, 168, 99-103.e3.	1.8	51
164	The influence of birth order and number of siblings on adolescent body composition: evidence from a Brazilian birth cohort study. British Journal of Nutrition, 2015, 114, 118-125.	2.3	15
165	Association Between Knowledge and Practice in the Field of Physical Activity and Health: A Population-Based Study. Journal of Physical Activity and Health, 2015, 12, 1005-1009.	2.0	2
166	Sex differences in the association between foetal growth and child attention at age four: specific vulnerability of girls. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 1380-1388.	5.2	17
167	Suporte ventilatório ao nascer e associação com doenças respiratórias aos seis anos: Coorte de Nascimentos de Pelotas, Rio Grande do Sul, Brasil, 2004. Cadernos De Saude Publica, 2015, 31, 1403-1415.	1.0	2
168	Carotid Intima-Media Thickness at Age 30, Birth Weight, Accelerated Growth during Infancy and Breastfeeding: A Birth Cohort Study in Southern Brazil. PLoS ONE, 2015, 10, e0115166.	2.5	8
169	Hypertriglyceridemic Waist Phenotype: Effect of Birthweight and Weight Gain in Childhood at 23 Years Old. PLoS ONE, 2015, 10, e0134121.	2.5	5
170	The Effect of Fetal and Childhood Growth over Depression in Early Adulthood in a Southern Brazilian Birth Cohort. PLoS ONE, 2015, 10, e0140621.	2.5	4
171	The Distribution of Clinical Phenotypes of Preterm Birth Syndrome. JAMA Pediatrics, 2015, 169, 220.	6.2	129
172	Body mass index at 11Âyears and bone mass at age 18: path analysis within the 1993 Pelotas (Brazil) birth cohort study. BMC Musculoskeletal Disorders, 2015, 16, 71.	1.9	7
173	Cohort Profile Update: The 1982 Pelotas (Brazil) Birth Cohort Study. International Journal of Epidemiology, 2015, 44, 441-441e.	1.9	129
174	Short Maternal Stature Increases Risk of Small-for-Gestational-Age and Preterm Births in Low- and Middle-Income Countries: Individual Participant Data Meta-Analysis and Population Attributable Fraction. Journal of Nutrition, 2015, 145, 2542-2550.	2.9	126
175	Gestational age and newborn size according to parental social mobility: an intergenerational cohort study. Journal of Epidemiology and Community Health, 2015, 69, 944-949.	3.7	8
176	African ancestry, lung function and the effect of genetics. European Respiratory Journal, 2015, 45, 1582-1589.	6.7	39
177	Perinatal and sociodemographic factors at birth predicting conduct problems and violence to age 18Âyears: comparison of Brazilian and British birth cohorts. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 914-922.	5.2	16
178	Trajectories of maternal depression and offspring psychopathology at 6 years: 2004 Pelotas cohort study. Journal of Affective Disorders, 2015, 174, 424-431.	4.1	97
179	Anthropometric Characterization of Impaired Fetal Growth. JAMA Pediatrics, 2015, 169, e151431.	6.2	53
180	Comparison of US Birth Weight References and the International Fetal and Newborn Growth Consortium for the 21st Century Standard. JAMA Pediatrics, 2015, 169, e151438.	6.2	39

#	Article	IF	CITATIONS
181	Childhood behaviour problems predict crime and violence in late adolescence: Brazilian and British birth cohort studies. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 579-589.	3.1	40
182	Association between breastfeeding and intelligence, educational attainment, and income at 30 years of age: a prospective birth cohort study from Brazil. The Lancet Global Health, 2015, 3, e199-e205.	6.3	468
183	Excessive crying at 3â€months of age and behavioural problems at 4â€years age: a prospective cohort study. Journal of Epidemiology and Community Health, 2015, 69, 654-659.	3.7	29
184	The Association of Maternal Age with Birthweight and Gestational Age: A Crossâ€Cohort Comparison. Paediatric and Perinatal Epidemiology, 2015, 29, 31-40.	1.7	66
185	Gene-Environment Interaction in Youth Depression: Replication of the 5-HTTLPR Moderation in a Diverse Setting. American Journal of Psychiatry, 2015, 172, 978-985.	7.2	22
186	Objectively measured physical activity and sedentary-time are associated with arterial stiffness in Brazilian young adults. Atherosclerosis, 2015, 243, 148-154.	0.8	52
187	Monitoring human growth and development: a continuum from the womb to the classroom. American Journal of Obstetrics and Gynecology, 2015, 213, 494-499.	1.3	39
188	Postnatal growth standards for preterm infants: the Preterm Postnatal Follow-up Study of the INTERGROWTH-21 st Project. The Lancet Global Health, 2015, 3, e681-e691.	6.3	241
189	Breastfeeding and Bone Mass at the Ages of 18 and 30: Prospective Analysis of Live Births from the Pelotas (Brazil) 1982 and 1993 Cohorts. PLoS ONE, 2015, 10, e0122759.	2.5	1
190	Cesarean sections in Brazil: will they ever stop increasing?. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 217-25.	1.1	7
191	Active Commuting Throughout Adolescence and Central Fatness before Adulthood: Prospective Birth Cohort Study. PLoS ONE, 2014, 9, e96634.	2.5	13
192	Body composition assessment using DXA in six-year-old children: the 2004 Pelotas Birth Cohort, Rio Grande do Sul State, Brazil. Cadernos De Saude Publica, 2014, 30, 2123-2133.	1.0	8
193	Early life determinants of low IQ at age 6 in children from the 2004 Pelotas Birth Cohort: a predictive approach. BMC Pediatrics, 2014, 14, 308.	1.7	32
194	Lifecourse relationship between maternal smoking during pregnancy, birth weight, contemporaneous anthropometric measurements and bone mass at 18 years old. The 1993 Pelotas Birth Cohort. Early Human Development, 2014, 90, 901-906.	1.8	8
195	International standards for early fetal size and pregnancy dating based on ultrasound measurement of crown–rump length in the first trimester of pregnancy. Ultrasound in Obstetrics and Gynecology, 2014, 44, 641-648.	1.7	174
196	Increase in child behavior problems among urban Brazilian 4â€year olds: 1993 and 2004 Pelotas birth cohorts. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 1125-1134.	5.2	21
197	Cohort Profile Update: 2004 Pelotas (Brazil) Birth Cohort Study. Body composition, mental health and genetic assessment at the 6 years follow-up. International Journal of Epidemiology, 2014, 43, 1437-1437f.	1.9	111
198	Cohort Profile update: The 1993 Pelotas (Brazil) Birth Cohort follow-up visits in adolescence. International Journal of Epidemiology, 2014, 43, 1082-1088.	1.9	117

#	Article	IF	CITATIONS
199	Antenatal and postnatal maternal mood symptoms and psychiatric disorders in pre-school children from the 2004 Pelotas Birth Cohort. Journal of Affective Disorders, 2014, 164, 112-117.	4.1	34
200	Prevalence and comorbidity of psychiatric disorders among 6-year-old children: 2004 Pelotas Birth Cohort. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 975-983.	3.1	52
201	International standards for newborn weight, length, and head circumference by gestational age and sex: the Newborn Cross-Sectional Study of the INTERGROWTH-21st Project. Lancet, The, 2014, 384, 857-868.	13.7	1,480
202	The likeness of fetal growth and newborn size across non-isolated populations in the INTERGROWTH-21st Project: the Fetal Growth Longitudinal Study and Newborn Cross-Sectional Study. Lancet Diabetes and Endocrinology,the, 2014, 2, 781-792.	11.4	236
203	International standards for fetal growth based on serial ultrasound measurements: the Fetal Growth Longitudinal Study of the INTERGROWTH-21st Project. Lancet, The, 2014, 384, 869-879.	13.7	656
204	Birth Status, Child Growth, and Adult Outcomes in Low- and Middle-Income Countries. Journal of Pediatrics, 2013, 163, 1740-1746.e4.	1.8	47
205	Gene–environment interaction in externalizing problems among adolescents: evidence from the Pelotas 1993 Birth Cohort Study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2013, 54, 298-304.	5.2	33
206	Risk of childhood undernutrition related to small-for-gestational age and preterm birth in low- and middle-income countries. International Journal of Epidemiology, 2013, 42, 1340-1355.	1.9	413
207	A rapid questionnaire assessment of environmental exposures to pregnant women in the <scp>INTERGROWTH</scp> â€21 st Project. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 129-138.	2.3	24
208	The objectives, design and implementation of the INTERGROWTHâ€⊋1 st Project. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 9-26.	2.3	219
209	Implementation of the INTERGROWTHâ€21 st Project in Brazil. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 81-86.	2.3	12
210	Association of family income with BMI from childhood to adult life: a birth cohort study. Public Health Nutrition, 2013, 16, 233-239.	2.2	14
211	Birth by Caesarean Section and Prevalence of Risk Factors for Non-Communicable Diseases in Young Adults: A Birth Cohort Study. PLoS ONE, 2013, 8, e74301.	2.5	38
212	Happiness and Depression in Adolescence after Maternal Smoking during Pregnancy: Birth Cohort Study. PLoS ONE, 2013, 8, e80370.	2.5	37
213	Estimativas corrigidas da prevalência de nascimentos pré-termo no Brasil, 2000 a 2011. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2013, 22, 557-564.	1.0	22
214	Cesarean section and risk of obesity in childhood, adolescence, and early adulthood: evidence from 3 Brazilian birth cohorts. American Journal of Clinical Nutrition, 2012, 95, 465-470.	4.7	91
215	Adolescent blood pressure, body mass index and skin folds: sorting out the effects of early weight and length gains. Journal of Epidemiology and Community Health, 2012, 66, 149-154.	3.7	31
216	Reply to H-t Li et al. American Journal of Clinical Nutrition, 2012, 96, 216-216.	4.7	0

#	Article	IF	CITATIONS
217	Scaling up Maternal Nutrition Programs to Improve Birth Outcomes: A Review of Implementation Issues. Food and Nutrition Bulletin, 2012, 33, S6-S26.	1.4	60
218	Socioeconomic Trajectories From Birth to Adolescence and Risk Factors for Noncommunicable Disease: Prospective Analyses. Journal of Adolescent Health, 2012, 51, S32-S37.	2.5	17
219	Socioeconomic Changes and Adolescent Psychopathology in a Brazilian Birth Cohort Study. Journal of Adolescent Health, 2012, 51, S5-S10.	2.5	21
220	Cohorts in Low- and Middle-Income Countries: From Still Photographs to Full-Length Movies. Journal of Adolescent Health, 2012, 51, S3-S4.	2.5	3
221	Gestational age at birth and morbidity, mortality, and growth in the first 4 years of life: findings from three birth cohorts in Southern Brazil. BMC Pediatrics, 2012, 12, 169.	1.7	24
222	Trends in socioeconomic inequalities in anthropometric status in a population undergoing the nutritional transition: data from 1982, 1993 and 2004 pelotas birth cohort studies. BMC Public Health, 2012, 12, 511.	2.9	15
223	Quality of DNA extracted from saliva samples collected with the Orageneâ,,¢ DNA self-collection kit. BMC Medical Research Methodology, 2012, 12, 65.	3.1	61
224	Challenges in defining and classifying the preterm birth syndrome. American Journal of Obstetrics and Gynecology, 2012, 206, 108-112.	1.3	158
225	The preterm birth syndrome: issues to consider in creating a classification system. American Journal of Obstetrics and Gynecology, 2012, 206, 113-118.	1.3	177
226	The preterm birth syndrome: a prototype phenotypic classification. American Journal of Obstetrics and Gynecology, 2012, 206, 119-123.	1.3	191
227	Health conditions and health-policy innovations in Brazil: the way forward. Lancet, The, 2011, 377, 2042-2053.	13.7	370
228	Maternal and child health in Brazil: progress and challenges. Lancet, The, 2011, 377, 1863-1876.	13.7	677
229	Patterns of deliveries in a Brazilian birth cohort: almost universal cesarean sections for the better-off. Revista De Saude Publica, 2011, 45, 635-643.	1.7	103
230	Childbearing during adolescence and offspring mortality: findings from three population-based cohorts in southern Brazil. BMC Public Health, 2011, 11, 781.	2.9	31
231	Infant-feeding patterns and cardiovascular risk factors in young adulthood: data from five cohorts in low- and middle-income countries. International Journal of Epidemiology, 2011, 40, 47-62.	1.9	121
232	Cohort Profile: The 2004 Pelotas (Brazil) Birth Cohort Study. International Journal of Epidemiology, 2011, 40, 1461-1468.	1.9	175
233	Maternal smoking during pregnancy and offspring growth in childhood: 1993 and 2004 Pelotas cohort studies. Archives of Disease in Childhood, 2011, 96, 519-525.	1.9	49
234	How many low birthweight babies in low- and middle-income countries are preterm?. Revista De Saude Publica, 2011, 45, 607-616.	1.7	38

#	Article	IF	CITATIONS
235	Avoidable deaths in the first four years of life among children in the 2004 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2011, 27, s185-s197.	1.0	9
236	Recent Trends in Maternal, Newborn, and Child Health in Brazil: Progress Toward Millennium Development Goals 4 and 5. American Journal of Public Health, 2010, 100, 1877-1889.	2.7	101
237	Determinants of preterm birth: Pelotas, Rio Grande do Sul State, Brazil, 2004 birth cohort. Cadernos De Saude Publica, 2010, 26, 185-194.	1.0	35
238	Clobal report on preterm birth and stillbirth (3 of 7): evidence for effectiveness of interventions. BMC Pregnancy and Childbirth, 2010, 10, S3.	2.4	198
239	Risk factors for suspected developmental delay at age 2 years in a Brazilian birth cohort. Paediatric and Perinatal Epidemiology, 2010, 24, 211-221.	1.7	64
240	Natural history of suspected developmental delay between 12 and 24 months of age in the 2004 Pelotas birth cohort. Journal of Paediatrics and Child Health, 2010, 46, 329-336.	0.8	20
241	Concurrent determinants of blood pressure among adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1972-1979.	1.0	3
242	Early determinants of attention and hyperactivity problems in adolescents: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1954-1962.	1.0	24
243	Socioeconomic inequities in the health and nutrition of children in low/middle income countries. Revista De Saude Publica, 2010, 44, 1-16.	1.7	132
244	Hospital admissions from birth to early adolescence and early-life risk factors: the 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study. Cadernos De Saude Publica, 2010, 26, 1980-1989.	1.0	2
245	Conceptual issues related to the construction of prescriptive standards for the evaluation of postnatal growth of preterm infants. Archives of Disease in Childhood, 2010, 95, 1034-1038.	1.9	60
246	Weight Gain in the First Two Years of Life Is an Important Predictor of Schooling Outcomes in Pooled Analyses from Five Birth Cohorts from Low- and Middle-Income Countries. Journal of Nutrition, 2010, 140, 348-354.	2.9	224
247	Intergenerational effect of weight gain in childhood on offspring birthweight. International Journal of Epidemiology, 2009, 38, 724-732.	1.9	46
248	Late preterm birth is a risk factor for growth faltering in early childhood: a cohort study. BMC Pediatrics, 2009, 9, 71.	1.7	90
249	Socioeconomic position and overweight among adolescents: data from birth cohort studies in Brazil and the UK. BMC Public Health, 2009, 9, 105.	2.9	47
250	Inequities in maternal postnatal visits among public and private patients: 2004 Pelotas cohort study. BMC Public Health, 2009, 9, 335.	2.9	39
251	Maternal low birth weight and adverse perinatal outcomes: the 1982 Pelotas Birth Cohort Study, Brazil. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2009, 26, 112-119.	1.1	10
252	Does malocclusion influence the adolescent's satisfaction with appearance? A crossâ€sectional study nested in a Brazilian birth cohort. Community Dentistry and Oral Epidemiology, 2008, 36, 137-143.	1.9	50

#	Article	IF	CITATIONS
253	Continuity of behavioral and emotional problems from preâ€school years to preâ€adolescence in a developing country. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 499-507.	5.2	38
254	Associated factors and consequences of late preterm births: results from the 2004 Pelotas birth cohort. Paediatric and Perinatal Epidemiology, 2008, 22, 350-359.	1.7	62
255	Cohort Profile: The 1993 Pelotas (Brazil) Birth Cohort Study. International Journal of Epidemiology, 2008, 37, 704-709.	1.9	211
256	Widening Ethnic Disparities in Infant Mortality in Southern Brazil: Comparison of 3 Birth Cohorts. American Journal of Public Health, 2008, 98, 692-698.	2.7	52
257	Infant malnutrition and obesity in three population-based birth cohort studies in Southern Brazil: trends and differences. Cadernos De Saude Publica, 2008, 24, s417-s426.	1.0	27
258	Aumento da prematuridade no Brasil: revisão de estudos de base populacional. Revista De Saude Publica, 2008, 42, 957-964.	1.7	114
259	Preterm births, low birth weight, and intrauterine growth restriction in three birth cohorts in Southern Brazil: 1982, 1993 and 2004. Cadernos De Saude Publica, 2008, 24, s390-s398.	1.0	74
260	Determinantes precoces da pressão arterial em adultos da coorte de nascimentos de 1982, Pelotas, RS. Revista De Saude Publica, 2008, 42, 86-92.	1.7	6
261	Breastfeeding and feeding patterns in three birth cohorts in Southern Brazil: trends and differentials. Cadernos De Saude Publica, 2008, 24, s409-s416.	1.0	37
262	Perinatal mortality in three population-based cohorts from Southern Brazil: trends and differences. Cadernos De Saude Publica, 2008, 24, s399-s408.	1.0	16
263	Fatores associados ao sedentarismo no lazer de adultos na coorte de nascimentos de 1982, Pelotas, RS. Revista De Saude Publica, 2008, 42, 70-77.	1.7	20
264	The use of maternal and child health services in three population-based cohorts in Southern Brazil, 1982-2004. Cadernos De Saude Publica, 2008, 24, s427-s436.	1.0	35
265	Metodologia do estudo da coorte de nascimentos de 1982 a 2004-5, Pelotas, RS. Revista De Saude Publica, 2008, 42, 7-15.	1.7	70
266	Prevalência e determinantes precoces dos transtornos mentais comuns na coorte de nascimentos de 1982, Pelotas, RS. Revista De Saude Publica, 2008, 42, 26-33.	1.7	41
267	Determinantes sociais da iniciação sexual precoce na coorte de nascimentos de 1982 a 2004-5, Pelotas, RS. Revista De Saude Publica, 2008, 42, 34-41.	1.7	16
268	Maternidade e paternidade na coorte de nascimentos de 1982 a 2004-5, Pelotas, RS. Revista De Saude Publica, 2008, 42, 42-50.	1.7	8
269	Utilização de serviços de saúde por adultos da coorte de nascimentos de 1982 a 2004-5, Pelotas, RS. Revista De Saude Publica, 2008, 42, 51-59.	1.7	17
270	Avaliação nutricional de adultos da coorte de nascimentos de 1982, Pelotas, RS. Revista De Saude Publica, 2008, 42, 60-69.	1.7	28

#	Article	IF	CITATIONS
271	Tabagismo na coorte de nascimentos de 1982: da adolescência à vida adulta, Pelotas, RS. Revista De Saude Publica, 2008, 42, 78-85.	1.7	17
272	Determinantes precoces da glicemia casual em adultos da coorte de nascimentos de 1982, Pelotas, RS. Revista De Saude Publica, 2008, 42, 93-100.	1.7	7
273	Prevalência de chiado no peito em adultos da coorte de nascimentos de 1982, Pelotas, RS. Revista De Saude Publica, 2008, 42, 101-107.	1.7	7
274	Monitorização da mortalidade na coorte de nascimentos de 1982 a 2006, Pelotas, RS. Revista De Saude Publica, 2008, 42, 108-114.	1.7	16
275	Methods used in the 1982, 1993, and 2004 birth cohort studies from Pelotas, Rio Grande do Sul State, Brazil, and a description of the socioeconomic conditions of participants' families. Cadernos De Saude Publica, 2008, 24, s371-s380.	1.0	45
276	Mothers and their pregnancies: a comparison of three population-based cohorts in Southern Brazil. Cadernos De Saude Publica, 2008, 24, s381-s389.	1.0	36
277	Hospitalizations during infancy in three population-based studies in Southern Brazil: trends and differentials. Cadernos De Saude Publica, 2008, 24, s437-s443.	1.0	16
278	Developmental status at age 12 months according to birth weight and family income: a comparison of two Brazilian birth cohorts. Cadernos De Saude Publica, 2008, 24, s444-s450.	1.0	46
279	Infant mortality in three population-based cohorts in Southern Brazil: trends and differentials. Cadernos De Saude Publica, 2008, 24, s451-s460.	1.0	27
280	Maternal-child health in Pelotas, Rio Grande do Sul State, Brazil: major conclusions from comparisons of the 1982, 1993, and 2004 birth cohorts. Cadernos De Saude Publica, 2008, 24, s461-s467.	1.0	24
281	Educação e trabalho na coorte de nascimentos de 1982 a 2004-5, Pelotas, RS. Revista De Saude Publica, 2008, 42, 16-25.	1.7	1
282	Size at Birth and Blood Pressure in Early Adolescence: A Prospective Birth Cohort Study. American Journal of Epidemiology, 2007, 165, 611-616.	3.4	35
283	Risk factors for wheezing in early adolescence: a prospective birth cohort study in Brazil. Annals of Allergy, Asthma and Immunology, 2007, 98, 427-431.	1.0	18
284	Validation of the Edinburgh Postnatal Depression Scale (EPDS) in a sample of mothers from the 2004 Pelotas Birth Cohort Study. Cadernos De Saude Publica, 2007, 23, 2577-2588.	1.0	208
285	Beware: unnecessary caesarean sections may be hazardous. Lancet, The, 2006, 367, 1796-1797.	13.7	48
286	Early Life Factors Are Determinants of Female Height at Age 19 Years in a Population-Based Birth Cohort (Pelotas, Brazil). Journal of Nutrition, 2006, 136, 473-478.	2.9	31
287	Temporal Trends of Preterm Birth Subtypes and Neonatal Outcomes. Obstetrics and Gynecology, 2006, 107, 1035-1041.	2.4	53
288	The Quality of Home Environment in Brazil: An Ecological Model. Journal of Child and Family Studies, 2006, 15, 631-642.	1.3	11

#	Article	IF	CITATIONS
289	Breast feeding and blood lipid concentrations in male Brazilian adolescents. Journal of Epidemiology and Community Health, 2006, 60, 621-625.	3.7	11
290	Cohort Profile: The 1982 Pelotas (Brazil) Birth Cohort Study. International Journal of Epidemiology, 2006, 35, 237-242.	1.9	226
291	Breastfeeding duration and blood pressure among Brazilian adolescents. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 325-331.	1.5	8
292	Breastfeeding duration and blood pressure among Brazilian adolescents. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 325-331.	1.5	0
293	Prevalencia de bajo peso al nacer y factores maternos asociados: Unidad de atención y Protección Materno Infantil de la ClÃnica Universitaria Bolivariana, MedellÃn, Colombia. Revista Colombiana De Obstetricia Y Ginecologia, 2006, 57, 264-270.	0.3	10
294	Respiratory Function in Adolescence in Relation to Low Birth Weight, Preterm Delivery, and Intrauterine Growth Restriction. Chest, 2005, 128, 2400-2407.	0.8	16
295	Social and biological early life influences on severity of dental caries in children aged 6 years. Community Dentistry and Oral Epidemiology, 2005, 33, 53-63.	1.9	156
296	Breastfeeding and school achievement in Brazilian adolescents. Acta Paediatrica, International Journal of Paediatrics, 2005, 94, 1656-1660.	1.5	33
297	The challenge of reducing neonatal mortality in middle-income countries: findings from three Brazilian birth cohorts in 1982, 1993, and 2004. Lancet, The, 2005, 365, 847-854.	13.7	235
298	Psychosocial determinants of behaviour problems in Brazilian preschool children. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2004, 45, 779-788.	5.2	48
299	DA COSTA LIMA ET AL. RESPOND. American Journal of Public Health, 2004, 94, 1843-a-1845.	2.7	1
300	Risk factors for childbearing during adolescence in a population-based birth cohort in southern Brazil. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2004, 16, 1-10.	1.1	32
301	High prevalence of asthma in preschool children in Southern Brazil: A population-based study. Pediatric Pulmonology, 2003, 35, 296-301.	2.0	43
302	Do Risk Factors for Childhood Infections and Malnutrition Protect Against Asthma? A Study of Brazilian Male Adolescents. American Journal of Public Health, 2003, 93, 1858-1864.	2.7	42
303	The Pelotas birth cohort study, Rio Grande do Sul, Brazil, 1982-2001. Cadernos De Saude Publica, 2003, 19, 1241-1256.	1.0	106
304	Consumer demand for caesarean sections in Brazil: informed decision making, patient choice, or social inequality? A population based birth cohort study linking ethnographic and epidemiological methods. BMJ: British Medical Journal, 2002, 324, 942-942.	2.3	287
305	Breast-Feeding Has a Limited Long-Term Effect on Anthropometry and Body Composition of Brazilian Mothers. Journal of Nutrition, 2001, 131, 78-84.	2.9	37
306	The epidemiological transition in maternal and child health in a Brazilian city, 1982-93: a comparison of two population-based cohorts. Paediatric and Perinatal Epidemiology, 2001, 15, 4-11.	1.7	36

#	Article	IF	CITATIONS
307	Short-term benefits of catch-up growth for small-for-gestational-age infants. International Journal of Epidemiology, 2001, 30, 1325-1330.	1.9	185
308	Ethnicity and infant health in Southern Brazil. A birth cohort study. International Journal of Epidemiology, 2001, 30, 1001-1008.	1.9	56
309	Commentary: The catch-up dilemma— relevance of Leitch's â€~low–high' pig to child growth in developing countries. International Journal of Epidemiology, 2001, 30, 217-220.	1.9	71
310	Nutrição materna e duração da amamentação em uma coorte de nascimento de Pelotas, RS. Revista De Saude Publica, 2000, 34, 259-265.	1.7	32
311	Explaining trends in inequities: evidence from Brazilian child health studies. Lancet, The, 2000, 356, 1093-1098.	13.7	540
312	Impact of breast feeding on admission for pneumonia during postneonatal period in Brazil: nested case-control study. BMJ: British Medical Journal, 1999, 318, 1316-1320.	2.3	215
313	The NCHS Reference and the Growth of Breast- and Bottle-Fed Infants. Journal of Nutrition, 1998, 128, 1134-1138.	2.9	92
314	Tabagismo em gestantes de área urbana da região Sul do Brasil: 1982 e 1993. Revista De Saude Publica, 1997, 31, 247-253.	1.7	13
315	Low birthweight, preterm births and intrauterine growth retardation in relation to maternal smoking. Paediatric and Perinatal Epidemiology, 1997, 11, 140-151.	1.7	274
316	Breast feeding, pacifier use and infant development at 12 months of age: a birth cohort study in Brazil. Paediatric and Perinatal Epidemiology, 1997, 11, 441-450.	1.7	22
317	Mortalidade infantil em duas coortes de base populacional no Sul do Brasil: tendências e diferenciais. Cadernos De Saude Publica, 1996, 12, S79-S86.	1.0	22
318	Amamentação e padrões alimentares em crianças de duas coortes de base populacional no Sul do Brasil: tendências e diferenciais. Cadernos De Saude Publica, 1996, 12, S43-S48.	1.0	34
319	Desnutrição e obesidade infantis em duas coortes de base populacional no Sul do Brasil: tendências e diferenciais. Cadernos De Saude Publica, 1996, 12, S49-S57.	1.0	38
320	Tendências e diferenciais na saúde materno-infantil: delineamento e metodologia das coortes de 1982 e 1993 de mães e crianças de Pelotas, Rio Grande do Sul. Cadernos De Saude Publica, 1996, 12, S7-S14.	1.0	33
321	Situação sócio-econômica e condições de vida: comparação de duas coortes de base populacional no Sul do Brasil. Cadernos De Saude Publica, 1996, 12, S15-S19.	1.0	13
322	As mães e suas gestações: comparação de duas coortes de base populacional no Sul do Brasil. Cadernos De Saude Publica, 1996, 12, S21-S25.	1.0	11
323	Baixo peso ao nascer em duas coortes de base populacional no Sul do Brasil. Cadernos De Saude Publica, 1996, 12, S27-S31.	1.0	53
324	Mortalidade perinatal em duas coortes de base populacional no Sul do Brasil: tendências e diferenciais. Cadernos De Saude Publica, 1996, 12, S33-S41.	1.0	29

#	Article	IF	CITATIONS
325	Hospitalizações em menores de um ano pertencentes a duas coortes de base populacional no Sul do Brasil: tendências e diferenciais. Cadernos De Saude Publica, 1996, 12, S67-S71.	1.0	14
326	Desenvolvimento neuropsicomotor aos 12 meses de idade em uma coorte de base populacional no Sul do Brasil: diferenciais conforme peso ao nascer e renda familiar. Cadernos De Saude Publica, 1996, 12, S73-S78.	1.0	28
327	Saúde materno-infantil em Pelotas, Rio Grande do Sul, Brasil: principais conclusões da comparação dos estudos das coortes de 1982 e 1993. Cadernos De Saude Publica, 1996, 12, S87-S92.	1.0	15
328	Falling diarrhoea mortality in Northeastern Brazil: did ORT play a role ?. Health Policy and Planning, 1996, 11, 132-141.	2.7	51
329	Assistência médica materno-infantil em duas coortes de base populacional no Sul do Brasil: tendências e diferenciais. Cadernos De Saude Publica, 1996, 12, S59-S66.	1.0	30
330	Quality Assurance of a Diarrhoea Control Programme in Northeastern Brazil. Scandinavian Journal of Public Health, 1994, 22, 35-40.	0.6	1
331	Determinantes da desnutrição infantil em uma população de baixa renda: um modelo de análise hierarquizado. Cadernos De Saude Publica, 1993, 9, S14-S27.	1.0	55
332	Developing countries need more quality assurance: how health facility surveys can contribute. Health Policy and Planning, 1992, 7, 193-196.	2.7	18
333	Early Childhood Mortality in a Brazilian Cohort: The Roles of Birthweight and Socioeconomic Status. International Journal of Epidemiology, 1992, 21, 911-915.	1.9	37
334	Deaths due to dysentery, acute and persistent diarrhoea among Brazilian infants. Acta Paediatrica, International Journal of Paediatrics, 1992, 81, 7-11.	1.5	48
335	Breast feeding duration in consecutive offspring: a prospective study from southern Brazil. Acta Paediatrica, International Journal of Paediatrics, 1992, 81, 12-14.	1.5	17
336	Maternal education in relation to early and late child health outcomes: Findings from a Brazilian cohort study. Social Science and Medicine, 1992, 34, 899-905.	3.8	98
337	DO MOTHERS OVERESTIMATE BREAST FEEDING DURATION? AN EXAMPLE OF RECALL BIAS FROM A STUDY IN SOUTHERN BRAZIL. American Journal of Epidemiology, 1990, 132, 572-575.	3.4	88
338	Cross-cultural differences in developmental rates: a comparison between British and Brazilian children. Child: Care, Health and Development, 1990, 16, 151-164.	1.7	23
339	The Pelotas (Brazil) Birth Cohort Study 1982–1987: strategies for following up 6000 children in a developing country. Paediatric and Perinatal Epidemiology, 1990, 4, 205-220.	1.7	63
340	Risk Factors for Deaths due to Respiratory Infections among Brazilian Infants. International Journal of Epidemiology, 1989, 18, 918-925.	1.9	82
341	INFANT FEEDING AND DEATHS DUE TO DIARRHEA. American Journal of Epidemiology, 1989, 129, 1032-1041.	3.4	144
342	Birthweight, socio-economic status and growth of Brazilian infants. Annals of Human Biology, 1987, 14, 49-57.	1.0	41

#	Article	IF	CITATIONS
343	Birthweight and Infant Mortality: A Longitudinal Study of 5914 Brazilian Children. International Journal of Epidemiology, 1987, 16, 239-245.	1.9	78
344	Why so many caesarean sections? The need for a further policy change in Brazil. Health Policy and Planning, 1986, 1, 19-29.	2.7	68
345	Mortalidade perinatal e infantil em Pelotas, Rio Grande do Sul: nossas estatÃsticas são confiáveis?. Cadernos De Saude Publica, 1985, 1, 348-358.	1.0	25
346	Deep clinical and biological phenotyping of the preterm birth and small for gestational age syndromes: The INTERBIO-21st Newborn Case-Control Study protocol. Gates Open Research, 0, 2, 49.	1.1	9