Eric D Stein

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4659879/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Thermal Suitability of the Los Angeles River for Cold Water Resident and Migrating Fish Under Physical Restoration Alternatives. Frontiers in Environmental Science, 2022, 9, .	1.5	2
2	Identifying Functional Flow Linkages Between Stream Alteration and Biological Stream Condition Indices Across California. Frontiers in Environmental Science, 2022, 9, .	1.5	6
3	Application of Flow-Ecology Analysis to Inform Prioritization for Stream Restoration and Management Actions. Frontiers in Environmental Science, 2022, 9, .	1.5	2
4	Developing Ecological Flow Needs in a Highly Altered Region: Application of California Environmental Flows Framework in Southern California, USA. Frontiers in Environmental Science, 2022, 10, .	1.5	4
5	Prioritizing Stream Protection, Restoration and Management Actions Using Landscape Modeling and Spatial Analysis. Water (Switzerland), 2022, 14, 1375.	1.2	2
6	Dilution and Pollution: Assessing the Impacts of Water Reuse and Flow Reduction on Water Quality in the Los Angeles River Basin. ACS ES&T Water, 2022, 2, 1309-1319.	2.3	3
7	Advancing the Science of Environmental Flow Management for Protection of Temporarily Closed Estuaries and Coastal Lagoons. Water (Switzerland), 2021, 13, 595.	1.2	23
8	Multi-decadal simulation of estuarine sedimentation under sea level rise with a response-surface surrogate model. Advances in Water Resources, 2021, 150, 103876.	1.7	5
9	Modelling future changes to the hydrological and thermal regime of unaltered streams using projected changes in climate to support planning for sensitive species management. Ecohydrology, 2021, 14, e2299.	1.1	3
10	Simulating the thermal impact of substrate temperature on ecological restoration in shallow urban rivers. Journal of Environmental Management, 2021, 289, 112560.	3.8	5
11	The California Environmental Flows Framework: Meeting the Challenges of Developing a Large-Scale Environmental Flows Program. Frontiers in Environmental Science, 2021, 9, .	1.5	22
12	A functional flows approach to selecting ecologically relevant flow metrics for environmental flow applications. River Research and Applications, 2020, 36, 318-324.	0.7	89
13	Predictive biological indices for algae populations in diverse stream environments. Ecological Indicators, 2020, 119, 106421.	2.6	15
14	Barriers and opportunities for beneficial reuse of sediment to support coastal resilience. Ocean and Coastal Management, 2020, 195, 105287.	2.0	20
15	Translational Molecular Ecology in practice: Linking DNA-based methods to actionable marine environmental management. Science of the Total Environment, 2020, 744, 140780.	3.9	24
16	Improving Effective Impervious Estimates to Inform Stormwater Management. Water Resources Management, 2020, 34, 747-762.	1.9	2
17	Establishing Targets for Regional Coastal Wetland Restoration Planning Using Historical Ecology and Future Scenario Analysis: The Past, Present, Future Approach. Estuaries and Coasts, 2020, 43, 207-222.	1.0	12
18	Effects of Elevated Sea Levels and Waves on Southern California Estuaries During the 2015–2016 El Niño. Estuaries and Coasts, 2020, 43, 256-271.	1.0	12

#	Article	IF	CITATIONS
19	The impact of climate change induced alterations of streamflow and stream temperature on the distribution of riparian species. PLoS ONE, 2020, 15, e0242682.	1.1	8
20	Assessing Biological Impacts from Storm Flow Diversions: A Case Study. , 2020, , .		0
21	Title is missing!. , 2020, 15, e0242682.		0
22	Title is missing!. , 2020, 15, e0242682.		0
23	Title is missing!. , 2020, 15, e0242682.		0
24	Title is missing!. , 2020, 15, e0242682.		0
25	Environmental predictors of stream flow in semi-arid watersheds for biological assessments. Ecological Indicators, 2019, 104, 429-438.	2.6	4
26	Using alpha, beta, and zeta diversity in describing the health of streamâ€based benthic macroinvertebrate communities. Ecological Applications, 2019, 29, e01896.	1.8	23
27	Targeted hydrologic model calibration to improve prediction of ecologically-relevant flow metrics. Journal of Hydrology, 2019, 573, 546-556.	2.3	12
28	Prioritizing management goals for stream biological integrity within the developed landscape context. Freshwater Science, 2019, 38, 883-898.	0.9	8
29	Evaluating regional resiliency of coastal wetlands to sea level rise through hypsometryâ€based modeling. Global Change Biology, 2019, 25, 78-92.	4.2	21
30	CO-DEVELOPMENT OF COASTAL SEDIMENT MANAGEMENT APPROACHES IN SOCIAL ECOLOGICAL SYSTEMS IN SOUTHERN CALIFORNIA. , 2019, , .		1
31	Recent advances in environmental flows science and water management—Innovation in the Anthropocene. Freshwater Biology, 2018, 63, 1022-1034.	1.2	134
32	Tools for managing hydrologic alteration on a regional scale: Estimating changes in flow characteristics at ungauged sites. Freshwater Biology, 2018, 63, 769-785.	1.2	21
33	Tools for managing hydrologic alteration on a regional scale: Setting targets to protect stream health. Freshwater Biology, 2018, 63, 786-803.	1.2	24
34	Evaluating and managing environmental water regimes in a waterâ€scarce and uncertain future. Freshwater Biology, 2018, 63, 733-737.	1.2	24
35	Predicting Hydromodification in Streams Using Nonlinear Memory-Based Algorithms in Southern California Streams. Journal of Water Resources Planning and Management - ASCE, 2018, 144, 04017079.	1.3	3
36	Testing the Accuracy of Three Empirical Equations for Determining the Effective Impervious Area in Southern California. , 2018, , .		0

#	Article	IF	CITATIONS
37	California Rapid Assessment Method for Wetlands and Riparian Areas (CRAM). , 2018, , 353-361.		Ο
38	Beyond Metrics? The Role of Hydrologic Baseline Archetypes in Environmental Water Management. Environmental Management, 2018, 62, 678-693.	1.2	16
39	Tidal asymmetry and residual sediment transport in a short tidal basin under sea level rise. Advances in Water Resources, 2018, 121, 1-8.	1.7	33
40	Application of regional flowâ€ecology relationships to inform watershed management decisions: Application of the ELOHA framework in the San Diego River watershed, California, USA. Ecohydrology, 2017, 10, e1869.	1.1	24
41	Transferability of bioassessment indices among water body types and ecoregions: A California experiment in wetland assessment. Ecological Indicators, 2017, 81, 65-73.	2.6	4
42	Classification of California streams using combined deductive and inductive approaches: Setting the foundation for analysis of hydrologic alteration. Ecohydrology, 2017, 10, e1802.	1.1	9
43	Development of Restoration Performance Curves for Streams in Southern California Using an Integrative Condition Index. Wetlands, 2017, 37, 289-299.	0.7	2
44	Microcystin Prevalence throughout Lentic Waterbodies in Coastal Southern California. Toxins, 2017, 9, 231.	1.5	36
45	Intermittent Estuaries: Linking Hydro-geomorphic Context to Climate Change Resilience. Journal of Coastal Research, 2016, 75, 133-137.	0.1	10
46	How accurate are probability-based estimates of wetland extent? Results of a California validation study. Wetlands Ecology and Management, 2016, 24, 347-356.	0.7	2
47	Bioassessment in complex environments: designing an index for consistent meaning in different settings. Freshwater Science, 2016, 35, 249-271.	0.9	55
48	Evaluating the adequacy of a reference-site pool for ecological assessments in environmentally complex regions. Freshwater Science, 2016, 35, 237-248.	0.9	41
49	Governance issues in developing and implementing offsets for water management benefits: Can preliminary evaluation guide implementation effectiveness?. Wiley Interdisciplinary Reviews: Water, 2015, 2, 121-130.	2.8	4
50	Evaluating Alternative Temporal Survey Designs for Monitoring Wetland Area and Detecting Changes Over Time in California. Journal of the American Water Resources Association, 2015, 51, 388-399.	1.0	1
51	Wadeable streams as widespread sources of benthic cyanotoxins in California, USA. Harmful Algae, 2015, 49, 105-116.	2.2	76
52	Does DNA barcoding improve performance of traditional stream bioassessment metrics?. Freshwater Science, 2014, 33, 302-311.	0.9	56
53	Selecting the optimum plot size for a California design-based stream and wetland mapping program. Environmental Monitoring and Assessment, 2014, 186, 2599-2608.	1.3	5
54	Development and comparison of stream indices of biotic integrity using diatoms vs. non-diatom algae vs. a combination. Journal of Applied Phycology, 2014, 26, 433-450.	1.5	41

#	Article	IF	CITATIONS
55	Cryptic biodiversity in streams: a comparison of macroinvertebrate communities based on morphological and DNA barcode identifications. Freshwater Science, 2014, 33, 312-324.	0.9	65
56	Comparison of four species-delimitation methods applied to a DNA barcode data set of insect larvae for use in routine bioassessment. Freshwater Science, 2014, 33, 338-348.	0.9	31
57	Integrating intermittent streams into watershed assessments: applicability of an index of biotic integrity. Freshwater Science, 2014, 33, 459-474.	0.9	46
58	Is DNA Barcoding Actually Cheaper and Faster than Traditional Morphological Methods: Results from a Survey of Freshwater Bioassessment Efforts in the United States?. PLoS ONE, 2014, 9, e95525.	1.1	116
59	Evaluation of Design-Based Sampling Options for Monitoring Stream and Wetland Extent and Distribution in California. Wetlands, 2013, 33, 717-725.	0.7	4
60	Pre- and post-fire pollutant loads in an urban fringe watershed in Southern California. Environmental Monitoring and Assessment, 2013, 185, 10131-10145.	1.3	67
61	Metals and bacteria partitioning to various size particles in Ballona creek storm water runoff. Environmental Toxicology and Chemistry, 2013, 32, 320-328.	2.2	25
62	Reachâ€Scale Geomorphic and Biological Effects of Localized Streambank Armoring. Journal of the American Water Resources Association, 2013, 49, 780-792.	1.0	11
63	A framework for evaluating regional hydrologic sensitivity to climate change using archetypal watershed modeling. Hydrology and Earth System Sciences, 2013, 17, 3077-3094.	1.9	7
64	Evaluating Ethanol-based Sample Preservation to Facilitate Use of DNA Barcoding in Routine Freshwater Biomonitoring Programs Using Benthic Macroinvertebrates. PLoS ONE, 2013, 8, e51273.	1.1	56
65	Continuous In Situ Characterization of Particulate Sizes in Urban Stormwater: Method Testing and Refinement. Journal of Environmental Engineering, ASCE, 2012, 138, 673-679.	0.7	4
66	Stormwater contaminant loading following southern California wildfires. Environmental Toxicology and Chemistry, 2012, 31, 2625-2638.	2.2	62
67	Performance of Two Southern California Benthic Community Condition Indices Using Species Abundance and Presence-Only Data: Relevance to DNA Barcoding. PLoS ONE, 2012, 7, e40875.	1.1	23
68	Channel Evolution Model of Semiarid Stream Response to Urbanâ€Induced Hydromodification ¹ . Journal of the American Water Resources Association, 2012, 48, 722-744.	1.0	90
69	Framework and Tool for Rapid Assessment of Stream Susceptibility to Hydromodification ¹ . Journal of the American Water Resources Association, 2012, 48, 788-808.	1.0	37
70	Evaluating performance of stormwater sampling approaches using a dynamic watershed model. Environmental Monitoring and Assessment, 2011, 180, 283-302.	1.3	7
71	Demonstration of an integrated watershed assessment using a three-tiered assessment framework. Wetlands Ecology and Management, 2011, 19, 459-474.	0.7	6
72	Levels and patterns of fecal indicator bacteria in stormwater runoff from homogenous land use sites and urban watersheds. Journal of Water and Health, 2011, 9, 279-290.	1.1	38

Eric D Stein

#	Article	IF	CITATIONS
73	Historical Ecology as a Tool for Assessing Landscape Change and Informing Wetland Restoration Priorities. Wetlands, 2010, 30, 589-601.	0.7	41
74	Ecosystem response to regulatory and management actions: The southern California experience in long-term monitoring. Marine Pollution Bulletin, 2009, 59, 91-100.	2.3	41
75	Dissolved oxygen dynamics in a eutrophic estuary, Upper Newport Bay, California. Estuarine, Coastal and Shelf Science, 2009, 82, 139-151.	0.9	57
76	How effective has the Clean Water Act been at reducing pollutant mass emissions to the Southern California Bight over the past 35Âyears?. Environmental Monitoring and Assessment, 2009, 154, 413-426.	1.3	44
77	Fecal indicator bacteria (FIB) levels during dry weather from Southern California reference streams. Environmental Monitoring and Assessment, 2009, 155, 477-492.	1.3	45
78	Validation of a wetland Rapid Assessment Method: Use of EPA's level 1-2-3 framework for method testing and refinement. Wetlands, 2009, 29, 648-665.	0.7	50
79	Dry Weather Flow Contribution of Metals, Nutrients, and Solids from Natural Catchments. Water, Air, and Soil Pollution, 2008, 190, 183-195.	1.1	9
80	Integrating probabalistic and targeted compliance monitoring for comprehensive watershed assessment. Environmental Monitoring and Assessment, 2008, 144, 117-129.	1.3	6
81	Watershed and land use–based sources of trace metals in urban storm water. Environmental Toxicology and Chemistry, 2008, 27, 277-287.	2.2	75
82	Estimating the Variability and Confidence of Land Use and Imperviousness Relationships at a Regional Scale ¹ . Journal of the American Water Resources Association, 2008, 44, 996-1008.	1.0	21
83	Evaluating the Effectiveness of Best Management Practices Using Dynamic Modeling. Journal of Environmental Engineering, ASCE, 2008, 134, 628-639.	0.7	59
84	Natural Catchments as Sources of Background Levels of Storm-Water Metals, Nutrients, and Solids. Journal of Environmental Engineering, ASCE, 2008, 134, 961-973.	0.7	30
85	Land-Use-Based Sources of Pollutants in Urban Storm Water. Proceedings of the Water Environment Federation, 2007, 2007, 700-722.	0.0	9
86	A Study of the Compatibility of Habitat and Water Quality Enhancement Objectives in Urban Wetlands of Southern California, USA. Proceedings of the Water Environment Federation, 2007, 2007, 7169-7200.	0.0	0
87	Dry Weather Water Quality Loadings in Arid, Urban Watersheds of the Los Angeles Basin, California, USA. Journal of the American Water Resources Association, 2007, 43, 398-413.	1.0	32
88	Application of color infrared aerial photography to assess macroalgal distribution in an eutrophic estuary, Upper Newport Bay, California. Estuaries and Coasts, 2007, 30, 855-868.	1.0	17
89	Watershed and Land Use-Based Sources of Trace Metals in Urban Storm Water. Environmental Toxicology and Chemistry, 2007, preprint, 1.	2.2	0
90	A PRACTICAL GUIDE FOR THE DEVELOPMENT OF A WETLAND ASSESSMENT METHOD: THE CALIFORNIA EXPERIENCE. Journal of the American Water Resources Association, 2006, 42, 157-175.	1.0	53

#	Article	IF	CITATIONS
91	WATERSHED-BASED SOURCES OF POLYCYCLIC AROMATIC HYDROCARBONS IN URBAN STORM WATER. Environmental Toxicology and Chemistry, 2006, 25, 373.	2.2	74
92	Spatial and temporal patterns of remotely-sensed and field-measured rainfall in southern California. Remote Sensing of Environment, 2005, 96, 228-245.	4.6	33
93	Stormwater runoff plumes observed by SeaWiFS radiometer in the Southern California Bight. Remote Sensing of Environment, 2005, 98, 494-510.	4.6	75
94	Dry-Weather Metals and Bacteria Loading in an Arid, Urban Watershed: Ballona Creek, California. Water, Air, and Soil Pollution, 2005, 164, 367-382.	1.1	26
95	Influence of geologic setting on slope wetland hydrodynamics. Wetlands, 2004, 24, 244-260.	0.7	36
96	LANDSCAPE-SCALE ANALYSIS AND MANAGEMENT OF CUMULATIVE IMPACTS TO RIPARIAN ECOSYSTEMS: PAST, PRESENT, AND FUTURE. Journal of the American Water Resources Association, 2001, 37, 1597-1614.	1.0	11
97	PROFILE: Wetland Mitigation Banking: A Framework for Crediting and Debiting. Environmental Management, 2000, 26, 233-250.	1.2	28
98	A rapid impact assessment method for use in a regulatory context. Wetlands, 1998, 18, 379-392.	0.7	16
99	Cumulative impacts of Section 404 Clean Water Act permitting on the riparian habitat of the Santa Margarita, California Watershed. Wetlands, 1998, 18, 393-408.	0.7	34
100	Environmental distribution and transformation of mercury compounds. Critical Reviews in Environmental Science and Technology, 1996, 26, 1-43.	6.6	296