

Mark J Rood

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4660102/publications.pdf>

Version: 2024-02-01

131
papers

5,491
citations

76196

40
h-index

95083

68
g-index

134
all docs

134
docs citations

134
times ranked

5802
citing authors

#	ARTICLE	IF	CITATIONS
1	Identifying low-PM _{2.5} exposure commuting routes for cyclists through modeling with the random forest algorithm based on low-cost sensor measurements in three Asian cities. <i>Environmental Pollution</i> , 2022, 294, 118597.	3.7	10
2	Direct Synthesis of Nanosheetâ€Stacked Hierarchical â€Honey Stickâ€Likeâ€MFI Zeolites by an Aromatic Heterocyclic Dualâ€Functional Organic Structureâ€Directing Agent. <i>Chemistry - A European Journal</i> , 2021, 27, 8694-8697.	1.7	4
3	Multi-Arch-Structured All-Carbon Aerogels with Superelasticity and High Fatigue Resistance as Wearable Sensors. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 16822-16830.	4.0	40
4	Effect of grid resolution and spatial representation of NH ₃ emissions from fertilizer application on predictions of NH ₃ and PM _{2.5} concentrations in the United States Corn Belt. <i>Environmental Research Communications</i> , 2020, 2, 025001.	0.9	6
5	Co-assembly route to facile synthesis of hierarchical core-shell nano-CuMOR@SBA-15 composite for one-step conversion of DME to ethanol with enhanced catalytic performance. <i>Journal of Porous Materials</i> , 2020, 27, 855-862.	1.3	1
6	Implementation of the effect of urease inhibitor on ammonia emissions following urea-based fertilizer application at a Zea mays field in central Illinois: A study with SURFATM-NH ₃ model. <i>Agricultural and Forest Meteorology</i> , 2019, 269-270, 78-87.	1.9	8
7	Ammonia flux measurements above a corn canopy using relaxed eddy accumulation and a flux gradient system. <i>Agricultural and Forest Meteorology</i> , 2019, 264, 104-113.	1.9	12
8	Porous materials for steady-state NO conversion: Comparisons of activated carbon fiber cloths, zeolites and metal-organic frameworks. <i>Chemical Engineering Journal</i> , 2019, 360, 89-96.	6.6	19
9	Mercury adsorption and re-emission inhibition from actual WFGD wastewater using sulfur-containing activated carbon. <i>Environmental Research</i> , 2019, 168, 319-328.	3.7	27
10	Isobutane adsorption with carrier gas recirculation at different relative humidities using activated carbon fiber cloth and electrothermal regeneration. <i>Chemical Engineering Journal</i> , 2019, 360, 1011-1019.	6.6	21
11	Surface dealumination of micro-sized ZSM-5 for improving propylene selectivity and catalyst lifetime in methanol to propylene (MTP) reaction. <i>Catalysis Communications</i> , 2018, 109, 1-5.	1.6	32
12	Nitrogen and Sulfur Co-Doped Graphene Nanosheets to Improve Anode Materials for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 37172-37180.	4.0	69
13	Two-stage glucose-assisted crystallization of ZSM-5 to improve methanol to propylene (MTP). <i>Microporous and Mesoporous Materials</i> , 2018, 270, 57-66.	2.2	37
14	Daytime atmospheric plume opacity measurement using a camcorder. <i>Environmental Technology and Innovation</i> , 2018, 12, 43-54.	3.0	1
15	Promoter effect of heteroatom substituted AlPO-11 molecular sieves in hydrocarbons cracking reaction. <i>Journal of Colloid and Interface Science</i> , 2018, 528, 330-335.	5.0	5
16	High performance of H ₃ BO ₃ modified USY and equilibrium catalyst with tailored acid sites in catalytic cracking. <i>Microporous and Mesoporous Materials</i> , 2017, 243, 319-330.	2.2	27
17	Evaluation of DeNitrification DeComposition model for estimating ammonia fluxes from chemical fertilizer application. <i>Agricultural and Forest Meteorology</i> , 2017, 237-238, 123-134.	1.9	21
18	Effect of lanthanum species on the physicochemical properties of La/SAPO-11 molecular sieve. <i>Journal of Catalysis</i> , 2017, 347, 170-184.	3.1	23

#	ARTICLE	IF	CITATIONS
19	A high surface area mesoporous γ -Al ₂ O ₃ with tailoring texture by glucose template for ethanol dehydration to ethylene. <i>Microporous and Mesoporous Materials</i> , 2017, 241, 89-97.	2.2	34
20	Thermal energy storage systems for concentrated solar power plants. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 79, 82-100.	8.2	488
21	Monitoring and Control of an Adsorption System Using Electrical Properties of the Adsorbent for Organic Compound Abatement. <i>Environmental Science & Technology</i> , 2017, 51, 7581-7589.	4.6	10
22	Season-long ammonia flux measurements above fertilized corn in central Illinois, USA, using relaxed eddy accumulation. <i>Agricultural and Forest Meteorology</i> , 2017, 239, 202-212.	1.9	21
23	Study of coke deposited on a VO _x -K ₂ O/ γ -Al ₂ O ₃ catalyst in the non-oxidative dehydrogenation of isobutane. <i>Applied Catalysis A: General</i> , 2017, 545, 1-9.	2.2	35
24	Simulating aerosol chamber experiments with the particle-resolved aerosol model PartMC. <i>Aerosol Science and Technology</i> , 2017, 51, 856-867.	1.5	10
25	Projections of NH ₃ emissions from manure generated by livestock production in China to 2030 under six mitigation scenarios. <i>Science of the Total Environment</i> , 2017, 607-608, 78-86.	3.9	22
26	Technical data for concentrated solar power plants in operation, under construction and in project. <i>Data in Brief</i> , 2017, 13, 597-599.	0.5	18
27	Superior performance of freeze-dried Ni/ZnO-Al ₂ O ₃ adsorbent in the ultra-deep desulfurization of high sulfur model gasoline. <i>Fuel Processing Technology</i> , 2017, 156, 505-514.	3.7	25
28	Lidar equation inversion methods and uncertainties in measuring fugitive particulate matter emission factors. <i>Applied Optics</i> , 2017, 56, 7691.	0.9	4
29	Dust opacities inside the dust devil column in the Taklimakan Desert. <i>Atmospheric Measurement Techniques</i> , 2017, 10, 273-279.	1.2	6
30	Performance and Uncertainty in Measuring Atmospheric Plume Opacity Using Compact and Smartphone Digital Still Cameras. <i>Aerosol and Air Quality Research</i> , 2017, 17, 1281-1293.	0.9	2
31	Observational study of formation mechanism, vertical structure, and dust emission of dust devils over the Taklimakan Desert, China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 3608-3618.	1.2	12
32	Environmental and Economic Assessment of Electrothermal Swing Adsorption of Air Emissions from Sheet-Foam Production Compared to Conventional Abatement Techniques. <i>Environmental Science & Technology</i> , 2016, 50, 1465-1472.	4.6	21
33	Electrothermal adsorption and desorption of volatile organic compounds on activated carbon fiber cloth. <i>Journal of Hazardous Materials</i> , 2016, 301, 27-34.	6.5	91
34	Reconsidering emissions of ammonia from chemical fertilizer usage in Midwest USA. <i>Journal of Geophysical Research D: Atmospheres</i> , 2015, 120, 6232-6246.	1.2	21
35	Novel activated carbon fiber cloth filter with functionalized silica nanoparticles for adsorption of toxic industrial chemicals. <i>Adsorption</i> , 2015, 21, 265-272.	1.4	7
36	NO oxidation by microporous zeolites: Isolating the impact of pore structure to predict NO conversion. <i>Applied Catalysis B: Environmental</i> , 2015, 163, 573-583.	10.8	24

#	ARTICLE	IF	CITATIONS
37	Effects of dissolution alkalinity and self-assembly on ZSM-5-based micro-/mesoporous composites: a study of the relationship between porosity, acidity, and catalytic performance. <i>CrystEngComm</i> , 2015, 17, 3820-3828.	1.3	25
38	Fugitive Particulate Matter Emissions to the Atmosphere from Tracked and Wheeled Vehicles in a Desert Region by Hybrid-Optical Remote Sensing. <i>Aerosol and Air Quality Research</i> , 2015, 15, 1613-1626.	0.9	2
39	Effect of isobutane adsorption on the electrical resistivity of activated carbon fiber cloth with select physical and chemical properties. <i>Carbon</i> , 2014, 76, 435-445.	5.4	25
40	Nitric oxide oxidation catalyzed by microporous activated carbon fiber cloth: An updated reaction mechanism. <i>Applied Catalysis B: Environmental</i> , 2014, 148-149, 573-581.	10.8	44
41	Open burning and open detonation PM10 mass emission factor measurements with optical remote sensing. <i>Journal of the Air and Waste Management Association</i> , 2014, 64, 227-234.	0.9	3
42	Preparation and Characterization of γ -Al ₂ O ₃ with Rich Brønsted Acid Sites and Its Application in the Fluid Catalytic Cracking Process. <i>Journal of Physical Chemistry C</i> , 2014, 118, 6226-6234.	1.5	72
43	SO ₂ abatement over nanocrystalline MgAl ₂ O ₄ spinel-supported catalysts. <i>Journal of Porous Materials</i> , 2013, 20, 571-577.	1.3	8
44	Closure study on measured and modeled optical properties for dry and hydrated laboratory inorganic aerosols with mixtures of dicarboxylic acids. <i>Atmospheric Environment</i> , 2013, 81, 177-187.	1.9	2
45	Evolution and impact of acidic oxygen functional groups on activated carbon fiber cloth during NO oxidation. <i>Carbon</i> , 2013, 54, 444-453.	5.4	50
46	Bench-Scale Aerosol Filtration Test System and Evaluation of an Acoustic Bioaerosol Removal Device for Indoor Air Streams. <i>Aerosol Science and Technology</i> , 2013, 47, 1285-1292.	1.5	4
47	Digital Optical Method to quantify the visual opacity of fugitive plumes. <i>Atmospheric Environment</i> , 2013, 77, 983-989.	1.9	9
48	Performance of an Electrothermal Swing Adsorption System with Postdesorption Liquefaction for Organic Gas Capture and Recovery. <i>Environmental Science & Technology</i> , 2013, 47, 7373-7379.	4.6	7
49	Effects of Sulfur, Nitric Acid, and Thermal Treatments on the Properties and Mercury Adsorption of Activated Carbons from Bituminous Coals. <i>Aerosol and Air Quality Research</i> , 2013, 13, 730-738.	0.9	27
50	Laboratory-Measured Optical Properties of Inorganic and Organic Aerosols at Relative Humidities up to 95%. <i>Aerosol Science and Technology</i> , 2012, 46, 178-190.	1.5	40
51	Temperature Control during Regeneration of Activated Carbon Fiber Cloth with Resistance-Feedback. <i>Environmental Science & Technology</i> , 2012, 46, 11305-11312.	4.6	12
52	Sustainable and hierarchical porous <i>Enteromorpha prolifera</i> based carbon for CO ₂ capture. <i>Journal of Hazardous Materials</i> , 2012, 229-230, 183-191.	6.5	102
53	Preparing microporous carbon from solid organic salt precursors using in situ templating and a fixed-bed reactor. <i>Microporous and Mesoporous Materials</i> , 2012, 160, 174-181.	2.2	22
54	Physical and chemical properties of PAN-derived electrospun activated carbon nanofibers and their potential for use as an adsorbent for toxic industrial chemicals. <i>Adsorption</i> , 2012, 18, 265-274.	1.4	39

#	ARTICLE	IF	CITATIONS
55	Control of Electrothermal Heating during Regeneration of Activated Carbon Fiber Cloth. Environmental Science & Technology, 2011, 45, 738-743.	4.6	20
56	Optical Remote Sensing to Quantify Fugitive Particulate Mass Emissions from Stationary Short-Term and Mobile Continuous Sources: Part II. Field Applications. Environmental Science & Technology, 2011, 45, 666-672.	4.6	7
57	Optical Remote Sensing To Quantify Fugitive Particulate Mass Emissions from Stationary Short-Term and Mobile Continuous Sources: Part I. Method and Examples. Environmental Science & Technology, 2011, 45, 658-665.	4.6	14
58	Synthesis and characterization of iron-impregnated porous carbon spheres prepared by ultrasonic spray pyrolysis. Carbon, 2011, 49, 587-598.	5.4	86
59	Capture and Recovery of Methyl Ethyl Ketone with Electrothermal-Swing Adsorption Systems. Journal of Environmental Engineering, ASCE, 2011, 137, 826-832.	0.7	12
60	An Open-path Laser Transmissometer for Atmospheric Extinction Measurements. , 2011, , .		3
61	Capture and Recovery of Isobutane by Electrothermal Swing Adsorption with Post-Desorption Liquefaction. Environmental Science & Technology, 2010, 44, 7070-7075.	4.6	20
62	Role of functional groups on the microwave attenuation and electric resistivity of activated carbon fiber cloth. Carbon, 2009, 47, 1814-1823.	5.4	77
63	Evaluation of Digital Optical Method To Determine Plume Opacity during Nighttime. Environmental Science & Technology, 2009, 43, 783-789.	4.6	6
64	An Advanced Test Method for Measuring Fugitive Dust Emissions Using a Hybrid System of Optical Remote Sensing and Point Monitor Techniques. , 2009, , 73-81.		4
65	Digital Photographic Technique to Quantify Plume Opacity During Daytime and Nighttime. , 2009, , 39-50.		1
66	Real refractive index: Dependence on relative humidity and solute composition with relevancy to atmospheric aerosol particles. Journal of Geophysical Research, 2008, 113, .	3.3	9
67	Concomitant Adsorption and Desorption of Organic Vapor in Dry and Humid Air Streams using Microwave and Direct Electrothermal Swing Adsorption. Environmental Science & Technology, 2008, 42, 9317-9322.	4.6	26
68	A Novel Method to Quantify Fugitive Dust Emissions Using Optical Remote Sensing. , 2008, , 143-154.		8
69	Rapid Response Concentration-Controlled Desorption of Activated Carbon to Dampen Concentration Fluctuations. Environmental Science & Technology, 2007, 41, 1753-1758.	4.6	23
70	Field Evaluation of Digital Optical Method to Quantify the Visual Opacity of Plumes. Journal of the Air and Waste Management Association, 2007, 57, 836-844.	0.9	10
71	Quantification of Plume Opacity by Digital Photography. Environmental Science & Technology, 2007, 41, 928-935.	4.6	20
72	Steady-State and Dynamic Desorption of Organic Vapor from Activated Carbon with Electrothermal Swing Adsorption. Environmental Science & Technology, 2007, 41, 5063-5069.	4.6	28

#	ARTICLE	IF	CITATIONS
73	Aerosol optical properties along the northeast coast of North America during the New England Air Quality Study-Intercontinental Transport and Chemical Transformation 2004 campaign and the influence of aerosol composition. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	41
74	Water adsorption with hysteresis effect onto microporous activated carbon fabrics. <i>Adsorption</i> , 2007, 13, 173-189.	1.4	60
75	Theoretical and Experimental Investigation of Morphology and Temperature Effects on Adsorption of Organic Vapors in Single-Walled Carbon Nanotubes. <i>Journal of Physical Chemistry B</i> , 2006, 110, 7640-7647.	1.2	93
76	Engineering parameter selection for design optimization during preliminary design. <i>Journal of Engineering Design</i> , 2006, 17, 291-310.	1.1	17
77	Adsorption and electrothermal desorption of organic vapors using activated carbon adsorbents with novel morphologies. <i>Carbon</i> , 2006, 44, 2715-2723.	5.4	85
78	Adsorption site analysis of impurity embedded single-walled carbon nanotube bundles. <i>Carbon</i> , 2006, 44, 2376-2383.	5.4	85
79	Adsorption equilibrium of organic vapors on single-walled carbon nanotubes. <i>Carbon</i> , 2005, 43, 2379-2388.	5.4	158
80	Equilibrium and Heat of Adsorption for Organic Vapors and Activated Carbons. <i>Environmental Science & Technology</i> , 2005, 39, 5864-5871.	4.6	85
81	Structural Characterization of Single-Walled Carbon Nanotube Bundles by Experiment and Molecular Simulation. <i>Langmuir</i> , 2005, 21, 896-904.	1.6	104
82	Microwave-Swing Adsorption To Capture and Recover Vapors from Air Streams with Activated Carbon Fiber Cloth. <i>Environmental Science & Technology</i> , 2005, 39, 6851-6859.	4.6	61
83	Equilibrium Adsorption of Phenol-, Tire-, and Coal-Derived Activated Carbons for Organic Vapors. <i>Journal of Environmental Engineering, ASCE</i> , 2004, 130, 231-241.	0.7	41
84	Capture and Recovery or Destruction of Trace Vapors from Gas Streams. <i>Journal of Environmental Engineering, ASCE</i> , 2004, 130, 209-210.	0.7	0
85	Capture of Organic Vapors Using Adsorption and Electrothermal Regeneration. <i>Journal of Environmental Engineering, ASCE</i> , 2004, 130, 258-267.	0.7	38
86	Organic Vapor Recovery and Energy Efficiency during Electric Regeneration of an Activated Carbon Fiber Cloth Adsorber. <i>Journal of Environmental Engineering, ASCE</i> , 2004, 130, 268-275.	0.7	25
87	Temporal changes in nitrogen adsorption properties of single-walled carbon nanotubes. <i>Carbon</i> , 2004, 42, 2699-2710.	5.4	50
88	Activated Carbon Fiber Cloth Electrothermal Swing Adsorption System. <i>Environmental Science & Technology</i> , 2004, 38, 4865-4877.	4.6	77
89	Environmental snapshots from ACE-Asia. <i>Journal of Geophysical Research</i> , 2004, 109, .	3.3	42
90	Measured and Modeled Light Scattering Values for Dry and Hydrated Laboratory Aerosols*. <i>Journal of Atmospheric and Oceanic Technology</i> , 2004, 21, 981-994.	0.5	12

#	ARTICLE	IF	CITATIONS
91	Influence of relative humidity on aerosol radiative forcing: An ACE-Asia experiment perspective. Journal of Geophysical Research, 2003, 108, .	3.3	74
92	Mixtures of pollution, dust, sea salt, and volcanic aerosol during ACE-Asia: Radiative properties as a function of relative humidity. Journal of Geophysical Research, 2003, 108, .	3.3	234
93	Mercury Adsorption Properties of Sulfur-Impregnated Adsorbents. Journal of Environmental Engineering, ASCE, 2002, 128, 1080-1089.	0.7	98
94	Modeling Effective Diffusivity of Volatile Organic Compounds in Activated Carbon Fiber. Environmental Science & Technology, 2001, 35, 613-619.	4.6	26
95	Direct Measurements of Volumetric Gas Storage Capacity and Some New Insight into Adsorbed Natural Gas Storage. Energy & Fuels, 2001, 15, 1241-1246.	2.5	26
96	Effects of Sulfur Impregnation Temperature on the Properties and Mercury Adsorption Capacities of Activated Carbon Fibers (ACFs). Environmental Science & Technology, 2001, 35, 2785-2791.	4.6	161
97	Aerosol Particle and Organic Vapor Concentrations at Industrial Work Sites in Malaysia. Asia-Pacific Journal of Public Health, 2001, 13, 24-29.	0.4	0
98	Aerosol Optical properties at Sagres, Portugal during ACE-2. Tellus, Series B: Chemical and Physical Meteorology, 2000, 52, 694-715.	0.8	108
99	Equilibrium and Heat of Adsorption for Water Vapor and Activated Carbon. Journal of Environmental Engineering, ASCE, 2000, 126, 267-271.	0.7	37
100	Carbon Fiber Adsorption Using Quantitative Structure-Activity Relationship. Journal of Environmental Engineering, ASCE, 2000, 126, 865-868.	0.7	10
101	NaCl Aerosol Particle Hygroscopicity Dependence on Mixing with Organic Compounds. Journal of Atmospheric Chemistry, 1998, 31, 321-346.	1.4	111
102	Sorption and Modeling of Mass Transfer of Toxic Chemical Vapors in Activated-Carbon Fiber-Cloth Adsorbents. Energy & Fuels, 1998, 12, 1079-1088.	2.5	17
103	Correlating N ₂ and CH ₄ Adsorption on Microporous Carbon Using a New Analytical Model. Energy & Fuels, 1998, 12, 1071-1078.	2.5	32
104	Preparation and Evaluation of Coal-Derived Activated Carbons for Removal of Mercury Vapor from Simulated Coal Combustion Flue Gases. Energy & Fuels, 1998, 12, 1061-1070.	2.5	54
105	Modeling of aerosol properties related to direct climate forcing. Journal of Geophysical Research, 1998, 103, 17009-17032.	3.3	20
106	Aerosol light scattering properties at Cape Grim, Tasmania, during the First Aerosol Characterization Experiment (ACE 1). Journal of Geophysical Research, 1998, 103, 16565-16574.	3.3	105
107	Reprocessing and Reuse of Waste Tire Rubber to Solve Air-Quality Related Problems. Energy & Fuels, 1998, 12, 1095-1099.	2.5	66
108	Isotherm Equation for Water Vapor Adsorption onto Activated Carbon. Journal of Environmental Engineering, ASCE, 1998, 124, 1130-1134.	0.7	21

#	ARTICLE	IF	CITATIONS
109	Adsorbed Natural Gas Storage with Activated Carbons Made from Illinois Coals and Scrap Tires. Energy & Fuels, 1997, 11, 316-322.	2.5	58
110	Gas Phase Adsorption of Volatile Organic Compounds and Water Vapor on Activated Carbon Cloth. Energy & Fuels, 1997, 11, 311-315.	2.5	79
111	Removal of VOCs from humidified gas streams using activated carbon cloth. Separation and Purification Technology, 1996, 10, 117-121.	0.3	103
112	Activated carbon cloth adsorption-cryogenic system to recover toxic volatile organic compounds. Separation and Purification Technology, 1996, 10, 123-130.	0.3	38
113	Chemically Treated Activated Carbon Cloths for Removal of Volatile Organic Carbons from Gas Streams: Evidence for Enhanced Physical Adsorption. Environmental Science & Technology, 1995, 29, 1876-1880.	4.6	81
114	Water Vapor Adsorption on Chemically Treated Activated Carbon Cloths. Chemistry of Materials, 1995, 7, 2269-2272.	3.2	20
115	The (NH ₄) ₂ SO ₄ -Na ₂ SO ₄ -H ₂ O system: comparison of deliquescence humidities measured in the field and estimated from laboratory measurements and thermodynamic modeling. Tellus, Series B: Chemical and Physical Meteorology, 1994, 46, 1-15.	0.8	7
116	The (NH ₄) ₂ SO ₄ -Na ₂ SO ₄ -H ₂ O system: comparison of deliquescence humidities measured in the field and estimated from laboratory measurements and thermodynamic modeling. Tellus, Series B: Chemical and Physical Meteorology, 1994, 46, 1-15.	0.8	12
117	Experimental and modeled results describing the adsorption of acetone and benzene onto activated carbon fibers. Environmental Progress, 1994, 13, 26-30.	0.8	60
118	14.P.10 Heterogeneous nucleation of organics to salt particles. Journal of Aerosol Science, 1994, 25, 129-130.	1.8	3
119	Removal of SO ₂ and NO from Gas Streams with Combined Plasma Photolysis. Journal of Environmental Engineering, ASCE, 1993, 119, 414-423.	0.7	24
120	Development of an Air Quality Program at the University of Illinois at Urbana-Champaign. Journal of Engineering Education, 1993, 82, 101-108.	1.9	4
121	Gas-phase removal of nitric oxide from gas streams via dielectric barrier discharges. Environmental Science & Technology, 1992, 26, 777-781.	4.6	54
122	Adsorption characteristics of trace volatile organic compounds in gas streams onto activated carbon fibers. Chemistry of Materials, 1992, 4, 1068-1073.	3.2	174
123	Hygroscopic properties of a NaCl aerosol coated with organic compounds. Journal of Aerosol Science, 1992, 23, 437-440.	1.8	41
124	Removal of SO ₂ and the simultaneous removal of SO ₂ and NO from simulated flue gas streams using dielectric barrier discharge plasmas. Plasma Chemistry and Plasma Processing, 1992, 12, 565-580.	1.1	64
125	Measurements of Aerosol Particle Size: Improved Precision by Simultaneous Use of Optical Particle Counter and Nephelometer. Aerosol Science and Technology, 1991, 14, 289-301.	1.5	16
126	Removal of SO ₂ from gas streams using a dielectric barrier discharge and combined plasma photolysis. Journal of Applied Physics, 1991, 69, 4409-4417.	1.1	147

#	ARTICLE	IF	CITATIONS
127	Measurement of the crystallization humidities of ambient aerosol particles. Atmospheric Environment Part A General Topics, 1990, 24, 1837-1841.	1.3	34
128	Experimental determination of the hygroscopic properties of organically coated aerosol particles. Journal of Aerosol Science, 1990, 21, S241-S244.	1.8	34
129	Generation of monodisperse aerosol particles that consist of sparingly soluble and non-volatile compounds. Science of the Total Environment, 1989, 79, 105-110.	3.9	0
130	Temperature and Humidity Controlled Nephelometry: Improvements and Calibration. Aerosol Science and Technology, 1987, 7, 57-65.	1.5	20
131	Temporal evolution of nitrogen compounds in Swedish precipitation since 1955. Nature, 1986, 321, 762-764.	13.7	60