## Leila Beltrami Moreira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4660379/publications.pdf

Version: 2024-02-01

127 papers 15,575 citations

87723 38 h-index 119 g-index

137 all docs

137 docs citations

137 times ranked

27599 citing authors

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Timeâ€driven activityâ€based costing as a strategy to increase efficiency: An analyses of interventional coronary procedures. International Journal of Health Planning and Management, 2022, 37, 189-201.   | 0.7  | 3         |
| 2  | Consumer behaviour towards chicken breasts affected with myopathy (Wooden Breast): faceâ€toâ€face vs. online tests. International Journal of Food Science and Technology, 2022, 57, 5514-5522.  | 1.3  | 1         |
| 3  | Effectiveness of chlorthalidone/amiloride versus losartan in patients with stage I hypertension and diabetes mellitus: results from the PREVER-treatment randomized controlled trial. Acta Diabetologica, 2021, 58, 215-220.  | 1.2  | 6         |
| 4  | The Economic Impact of COVID-19 Treatment at a Hospital-level: Investment and Financial Registers of Brazilian Hospitals. Journal of Health Economics and Outcomes Research, 2021, 8, 36-41.  | 0.6  | 14        |
| 5  | Clinical characteristics and outcomes of patients hospitalized with COVID-19 in Brazil: Results from the Brazilian COVID-19 registry. International Journal of Infectious Diseases, 2021, 107, 300-310.   | 1.5  | 79        |
| 6  | Chagas disease and SARS-CoV-2 coinfection does not lead to worse in-hospital outcomes. Scientific Reports, 2021, 11, 20289.   | 1.6  | 12        |
| 7  | Development, Validation, and Reproducibility of Food Group-Based Frequency Questionnaires for Clinical Use in Brazil: A Pre-Hypertension and Hypertension Diet Assessment. Nutrients, 2021, 13, 3881.   | 1.7  | 6         |
| 8  | Comparação de escores de predição de mortalidade em pacientes submetidos a cirurgia cardÃaca.<br>Saúde, 2021, 47, .   | 0.1  | 0         |
| 9  | Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. The Lancet Global Health, 2020, 8, e123-e133.  | 2.9  | 73        |
| 10 | Effect of metformin on blood pressure in patients with hypertension: a randomized clinical trial. Endocrine, 2019, 63, 252-258.   | 1.1  | 7         |
| 11 | Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264.   | 13.7 | 469       |
| 12 | <p>Self-reported adherence to physical activity recommendations compared to the IPAQ interview in patients with hypertension</p> . Patient Preference and Adherence, 2019, Volume 13, 209-214.  | 0.8  | 7         |
| 13 | Adverse events associated with aprepitant pediatric bone cancer patients. Journal of Oncology Pharmacy Practice, 2019, 25, 735-738.   | 0.5  | 4         |
| 14 | Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i. | 0.9  | 65        |
| 15 | Efficacy of nutritional recommendations given by registered dietitians compared to other healthcare providers in reducing arterial blood pressure: Systematic review and meta-analysis. Clinical Nutrition, 2018, 37, 522-531.  | 2.3  | 25        |
| 16 | Cross-cultural Adaptation of the Self-care of Hypertension Inventory Into Brazilian Portuguese. Journal of Cardiovascular Nursing, 2018, 33, 289-295.   | 0.6  | 20        |
| 17 | Effectiveness of low-dose diuretics for blood pressure reduction to optimal values in prehypertension. Journal of Hypertension, 2018, 36, 933-938.  | 0.3  | 5         |
| 18 | Brazilian Analytical Decision Model for Cardiovascular Disease: An Adaptation of the Scottish Cardiovascular Disease Policy Model. Value in Health Regional Issues, 2018, 17, 210-216.  | 0.5  | 2         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Effect of Diacerein on Metabolic Control and Inflammatory Markers in Patients with Type 2 Diabetes Using Antidiabetic Agents: A Randomized Controlled Trial. Journal of Diabetes Research, 2018, 2018, 1-8.  | 1.0 | 15        |
| 20 | COMPARATIVE EFFECTIVENESS AND SAFETY BETWEEN AMPHOTERICIN B LIPID-FORMULATIONS: A SYSTEMATIC REVIEW. International Journal of Technology Assessment in Health Care, 2018, 34, 343-351.   | 0.2 | 8         |
| 21 | Technologies for Innovative Monitoring to Reduce Blood Pressure and Change Lifestyle Using Mobile Phones in Adult and Elderly Populations (TIM Study): Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e169.         | 0.5 | 3         |
| 22 | Influence of high risk of obstructive sleep apnea on adherence to antihypertensive treatment in outpatients. Journal of Clinical Hypertension, 2017, 19, 534-539.  | 1.0 | 13        |
| 23 | Validity and reliability of the dietary sodium restriction questionnaire in patients with hypertension. European Journal of Clinical Nutrition, 2017, 71, 552-554.   | 1.3 | 5         |
| 24 | Diabetes and cardiovascular events in high-risk patients: Insights from a multicenter registry in a middle-income country. Diabetes Research and Clinical Practice, 2017, 127, 275-284.  | 1.1 | 16        |
| 25 | Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642. | 6.3 | 5,010     |
| 26 | Adiposity phenotypes are associated with type-2 diabetes: LAP index, body adiposity index, and neck circumference. Atherosclerosis, 2017, 266, 145-150.  | 0.4 | 21        |
| 27 | Response to the letter entitled "Obstructive sleep apnea, excessive daytime sleepiness, and adherence to antihypertensive treatment: Questionnaire survey†Journal of Clinical Hypertension, 2017, 19, 1384-1384.                                   | 1.0 | O         |
| 28 | Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with $19 \hat{A} \cdot 1$ million participants. Lancet, The, 2017, 389, 37-55.  | 6.3 | 1,667     |
| 29 | Aprepitant in pediatric patients using moderate and highly emetogenic protocols: a systematic review and metaâ€analyses of randomized controlled trials. British Journal of Clinical Pharmacology, 2017, 83, 1108-1117.                            | 1.1 | 9         |
| 30 | Effect of diacerein on renal function and inflammatory cytokines in participants with type 2 diabetes mellitus and chronic kidney disease: A randomized controlled trial. PLoS ONE, 2017, 12, e0186554.  | 1.1 | 8         |
| 31 | The effectiveness of an educational intervention for sodium restriction in patients with hypertension: study protocol for a randomized controlled trial. Trials, 2017, 18, 347.  | 0.7 | 3         |
| 32 | Syntax Score and Major Adverse Cardiac Events in Patients with Suspected Coronary Artery Disease: Results from a Cohort Study in a University-Affiliated Hospital in Southern Brazil. Arquivos Brasileiros De Cardiologia, 2016, 107, 207-215.     | 0.3 | 7         |
| 33 | Effectiveness of chlorthalidone/amiloride versus losartan in patients with stage I hypertension. Journal of Hypertension, 2016, 34, 798-806.   | 0.3 | 17        |
| 34 | Effectiveness of Chlorthalidone Plus Amiloride for the Prevention of Hypertension: The PREVERâ€Prevention Randomized Clinical Trial. Journal of the American Heart Association, 2016, 5, .   | 1.6 | 47        |
| 35 | Effect of inspiratory muscle training with load compared with sham training on blood pressure in individuals with hypertension: study protocol of a double-blind randomized clinical trial. Trials, 2016, 17, 382.                                 | 0.7 | 4         |
| 36 | Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. Lancet, The, 2016, 387, 1377-1396.  | 6.3 | 3,941     |

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 37 | Long-term immune and virological response in HIV-infected patients receiving antiretroviral therapy. Journal of Clinical Pharmacy and Therapeutics, 2016, 41, 689-694.   | 0.7 | 6         |
| 38 | Blood pressure variability in controlled and uncontrolled blood pressure and its association with left ventricular hypertrophy and diastolic function. Journal of Human Hypertension, 2016, 30, 483-487.   | 1.0 | 7         |
| 39 | Alcohol Drinking Pattern: A Comparison between HIV-Infected Patients and Individuals from the General Population. PLoS ONE, 2016, 11, e0158535.  | 1.1 | 19        |
| 40 | Are Retinal Vessels Calibers Influenced by Blood Pressure Measured at the Time of Retinography Acquisition?. PLoS ONE, 2015, 10, e0136678.   | 1,1 | 4         |
| 41 | Variation of Food Intake According to the Seasons and the Modifier Effects of Sex and Age among Adults in Southern Brazil International Journal of Epidemiology, 2015, 44, i114-i114.  | 0.9 | O         |
| 42 | Association between plasma adiponectin and arteriolar vesselÂcaliberÂamong elderly hypertensive subjects. Journal of the American Society of Hypertension, 2015, 9, 620-627.e1.  | 2.3 | 10        |
| 43 | Seasonal variation in food intake and the interaction effects of sex and age among adults in southern Brazil. European Journal of Clinical Nutrition, 2015, 69, 1015-1022.   | 1.3 | 24        |
| 44 | Factors associated with therapeutic success in HIV-positive individuals in southern Brazil. Journal of Clinical Pharmacy and Therapeutics, 2015, 40, 192-195.  | 0.7 | 9         |
| 45 | Reduction of Invasive Fungal Infections Among Cancer Patients With Chemotherapy-Induced<br>Neutropenia After Protective Environment Implementation May Save Costs in a Developing Country: A<br>Quasi-Experimental Study. International Journal of Infection, 2015, 3, . | 0.4 | 1         |
| 46 | Blood pressure-lowering effect of simvastatin: a placebo-controlled randomized clinical trial with 24-h ambulatory blood pressure monitoring. Journal of Human Hypertension, 2014, 28, 62-67.  | 1.0 | 13        |
| 47 | The effect of antihypertensive agents on sleep apnea: protocol for a randomized controlled trial.<br>Trials, 2014, 15, 1.  | 0.7 | 80        |
| 48 | Randomized Controlled Trial to Evaluate the Impact of Pharmaceutical Care on Therapeutic Success in HIV-Infected Patients in Southern Brazil. AIDS and Behavior, 2014, 18, 75-84.  | 1.4 | 15        |
| 49 | Predictors of Non-adherence to Clinical Follow-up Among Patients Participating in a Randomized Trial of Pharmaceutical Care Intervention in HIV-Positive Adults in Southern Brazil. AIDS and Behavior, 2014, 18, 85-88.  | 1.4 | 5         |
| 50 | The Antihypertensive Effect of Positive Airway Pressure on Resistant Hypertension of Patients with Obstructive Sleep Apnea: A Randomized, Double-Blind, Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 345-347.                  | 2.5 | 51        |
| 51 | Influence of sleep apnea severity on blood pressure variability of patients with hypertension. Sleep and Breathing, 2014, 18, 397-401.   | 0.9 | 39        |
| 52 | Effects of FTO RS9939906 and MC4R RS17782313 on obesity, type 2 diabetes mellitus and blood pressure in patients with hypertension. Cardiovascular Diabetology, 2013, 12, 103.   | 2.7 | 45        |
| 53 | Association between carotid intima-media thickness and retinal arteriolar and venular diameter in patients with hypertension: AÂcross-sectional study. Atherosclerosis, 2013, 229, 134-138.  | 0.4 | 15        |
| 54 | Effectiveness of a Protective Environment implementation for cancer patients with chemotherapy-induced neutropenia on fever and mortality incidence. American Journal of Infection Control, 2013, 41, 357-359.   | 1.1 | 8         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Prevalence of Hypertension Among Elderly Persons in Urban Brazil: A Systematic Review With Meta-Analysis. American Journal of Hypertension, 2013, 26, 541-548.  | 1.0 | 67        |
| 56 | Long-Term Effectiveness of Non-Drug Recommendations to Treat Hypertension in a Clinical Setting. American Journal of Hypertension, 2012, 25, 1202-1208.   | 1.0 | 15        |
| 57 | Health-related quality of life and awareness of hypertension. Journal of Hypertension, 2012, 30, 629.   | 0.3 | 6         |
| 58 | Association between hypertension and musculoskeletal complaints. Journal of Hypertension, 2012, 30, 2112-2117.  | 0.3 | 21        |
| 59 | Efficacy of isolated home blood pressure monitoring for blood pressure control. Journal of Hypertension, 2012, 30, 75-80.   | 0.3 | 32        |
| 60 | Health-related quality of life is worse in individuals with hypertension under drug treatment: results of population-based study. Journal of Human Hypertension, 2012, 26, 374-380.                     | 1.0 | 56        |
| 61 | Fruits and vegetables intake and characteristics associated among adolescents from Southern Brazil.<br>Nutrition Journal, 2012, 11, 95.   | 1.5 | 13        |
| 62 | Trends in Prevalence of Hypertension in Brazil: A Systematic Review with Meta-Analysis. PLoS ONE, 2012, 7, e48255.  | 1.1 | 129       |
| 63 | Risk Factors for Infection with Different Hepatitis C Virus Genotypes in Southern Brazil. Scientific World Journal, The, 2012, 2012, 1-6.   | 0.8 | 11        |
| 64 | Proof of concept in cardiovascular risk: the paradoxical findings in blood pressure and lipid abnormalities. Vascular Health and Risk Management, 2012, 8, 437.   | 1.0 | 13        |
| 65 | Prevalência de hipertensão resistente em adultos não idosos: estudo prospectivo em contexto ambulatorial. Arquivos Brasileiros De Cardiologia, 2012, 99, 630-635.                                       | 0.3 | 16        |
| 66 | Obstructive sleep apnea, detected by the Berlin Questionnaire: an associated risk factor for coronary artery disease. Cadernos De Saude Publica, 2012, 28, 1530-1538.                                   | 0.4 | 9         |
| 67 | Meta-analyses and Forest plots using a microsoft excel spreadsheet: step-by-step guide focusing on descriptive data analysis. BMC Research Notes, 2012, 5, 52.  | 0.6 | 557       |
| 68 | Population-Attributable Risks for Ischemic Stroke in a Community in South Brazil: A Case-Control Study. PLoS ONE, 2012, 7, e35680.  | 1.1 | 20        |
| 69 | Depressive symptoms in HIV-infected patients treated with highly active antiretroviral therapy. Revista Brasileira De Psiquiatria, 2012, 34, 162-167.   | 0.9 | 41        |
| 70 | Short-Term Therapy with Enoxaparin or Unfractionated Heparin for Venous Thromboembolism in Hospitalized Patients: Utilization Study and Cost-Minimization Analysis. Value in Health, 2011, 14, S89-S92. | 0.1 | 7         |
| 71 | Prevention of hypertension in patients with pre-hypertension: protocol for the PREVER-prevention trial. Trials, 2011, 12, 65.   | 0.7 | 26        |
| 72 | P2-89 Quality of life is associated with accumulated risk factors for cardiovascular disease: a population-based study. Journal of Epidemiology and Community Health, 2011, 65, A244-A244.              | 2.0 | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | P1-505 Current diet vs dash diet assessed by food frequency questionnaire using food groups: agreement among hypertensive patients. Journal of Epidemiology and Community Health, 2011, 65, A206-A207.                         | 2.0 | O         |
| 74 | SP3-93 Effect of the day of the week on dietary consumption assessed by food frequency questionnaire. Journal of Epidemiology and Community Health, 2011, 65, A433-A434.   | 2.0 | 0         |
| 75 | P2-88 Marital status is a risk factor for overweight and obesity, independently of demographic and socioeconomic characteristics: a population-based study. Journal of Epidemiology and Community Health, 2011, 65, A244-A244. | 2.0 | O         |
| 76 | Health-related quality of life and hypertension: a systematic review and meta-analysis of observational studies. Journal of Hypertension, 2011, 29, 179-188.   | 0.3 | 173       |
| 77 | P2-401 Effect of the age, gender and day of the week on ultra-processed food consumption. Journal of Epidemiology and Community Health, 2011, 65, A332-A332.   | 2.0 | O         |
| 78 | P2-245 Prevalence of hypertension in Brazil over the past 3 decades: a systematic review and meta-analysis. Journal of Epidemiology and Community Health, 2011, 65, A289-A289.   | 2.0 | 0         |
| 79 | A comparison between diuretics and angiotensin-receptor blocker agents in patients with stage I hypertension (PREVER-treatment trial): study protocol for a randomized double-blind controlled trial. Trials, 2011, 12, 53.    | 0.7 | 7         |
| 80 | Computer-Assisted Methods to Evaluate Retinal Vascular Caliber: What Are They Measuring?. Investigative Ophthalmology and Visual Science, 2011, 52, 810-815.   | 3.3 | 26        |
| 81 | Accuracy of Anthropometric Indexes of Obesity to Predict Diabetes Mellitus Type 2 Among Men and Women With Hypertension. American Journal of Hypertension, 2011, 24, 175-180.  | 1.0 | 12        |
| 82 | Impact of hospital-wide infection rate, invasive procedures use and antimicrobial consumption on bacterial resistance inside an intensive care unit. Journal of Hospital Infection, 2010, 75, 23-27.                           | 1.4 | 55        |
| 83 | Survival benefit of liver transplantation and the effect of underlying liver disease. Surgery, 2010, 147, 392-404.   | 1.0 | 22        |
| 84 | Association between different measurements of blood pressure variability by ABP monitoring and ankle-brachial index. BMC Cardiovascular Disorders, 2010, 10, 55.   | 0.7 | 14        |
| 85 | Development and validation of a food frequency questionnaire (FFQ-Porto Alegre) for adolescent, adult and elderly populations from Southern Brazil. Cadernos De Saude Publica, 2010, 26, 2068-2079.                            | 0.4 | 61        |
| 86 | Performance of the ISAAC Questionnaire to Establish the Prevalence of Asthma in Adolescents: A Population-Based Study. Journal of Asthma, 2010, 47, 166-169.   | 0.9 | 34        |
| 87 | Cardiovascular Risk Attributable to Diabetes in Southern Brazil: A population-based cohort study.<br>Diabetes Care, 2009, 32, 854-856.   | 4.3 | 9         |
| 88 | Association between pregnancy-related hypertension and severity of hypertension. Journal of Human Hypertension, 2009, 23, 415-419.   | 1.0 | 6         |
| 89 | Does psychosocial stress cause hypertension? A systematic review of observational studies. Journal of Human Hypertension, 2009, 23, 12-19.   | 1.0 | 230       |
| 90 | Evidence of safety of chloral hydrate for prolonged sedation in PICU in a tertiary teaching hospital in southern Brazil. European Journal of Clinical Pharmacology, 2009, 65, 1253-1258.                                       | 0.8 | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Waist circumference cut-off values to predict the incidence of hypertension: An estimation from a Brazilian population-based cohort. Nutrition, Metabolism and Cardiovascular Diseases, 2009, 19, 15-19.                        | 1.1 | 19        |
| 92  | Diagnosis of Obstructive Sleep Apnea Syndrome and Its Outcomes With Home Portable Monitoring. Chest, 2009, 135, 330-336.  | 0.4 | 112       |
| 93  | Compliance with a critical pathway for the management of febrile neutropenia and impact on clinical outcomes. Annals of Hematology, 2008, 87, 139-145.  | 0.8 | 66        |
| 94  | Stressful life events and current psychological distress are associated with self-reported hypertension but not with true hypertension: results from a cross-sectional population-based study. BMC Public Health, 2008, 8, 357. | 1.2 | 22        |
| 95  | Risk for Obstructive Sleep Apnea by Berlin Questionnaire, But Not Daytime Sleepiness, Is Associated With Resistant Hypertension: A Case-control Study. American Journal of Hypertension, 2008, 21, 832-835.                     | 1.0 | 84        |
| 96  | Incidence of hypertension in Porto Alegre, Brazil: a population-based study. Journal of Human Hypertension, 2008, 22, 48-50.  | 1.0 | 31        |
| 97  | Clustering of risk factors for cardiovascular disease among women in Southern Brazil: a population-based study. Cadernos De Saude Publica, 2008, 24, s285-s293.   | 0.4 | 31        |
| 98  | Obstructive Sleep Apnea and Resistant Hypertension. Chest, 2007, 132, 1858-1862.  | 0.4 | 229       |
| 99  | Detection of Arteriolar Narrowing in Fundoscopic Examination: Evidence of a Low Performance of Direct Ophthalmoscopy in Comparison With a Microdensitometric Method. American Journal of Hypertension, 2007, 20, 501-505.       | 1.0 | 10        |
| 100 | Adverse events of blood-pressure-lowering drugs: evidence of high incidence in a clinical setting. European Journal of Clinical Pharmacology, 2007, 63, 973-978.  | 0.8 | 26        |
| 101 | The efficacy of the combination of sertraline with buspirone for smoking cessation. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 383-388.  | 1.8 | 13        |
| 102 | Pharmaceutical Care Program for Patients With Uncontrolled HypertensionReport of a Double-Blind Clinical Trial With Ambulatory Blood Pressure Monitoring. American Journal of Hypertension, 2006, 19, 528-533.                  | 1.0 | 50        |
| 103 | Incidence of hypertension by alcohol consumption: is it modified by race?. Journal of Hypertension, 2006, 24, 1489-1492.  | 0.3 | 28        |
| 104 | Absence of association between depression and hypertension: results of a prospectively designed population-based study. Journal of Human Hypertension, 2006, 20, 434-439.   | 1.0 | 61        |
| 105 | Anthropometric Indices and the Incidence of Hypertension: A Comparative Analysis. Obesity, 2005, 13, 1515-1517.   | 4.0 | 77        |
| 106 | Stopping oral contraceptives: an effective blood pressure-lowering intervention in women with hypertension. Journal of Human Hypertension, 2005, 19, 451-455.   | 1.0 | 59        |
| 107 | Measuring arteriolar-to-venous ratio in retinal photography of patients with hypertension: Development and application of a new semi-automated method. American Journal of Hypertension, 2005, 18, 417-421.                     | 1.0 | 36        |
| 108 | Association between different measurements of obesity and the incidence of hypertension. American Journal of Hypertension, 2004, 17, 50-53.   | 1.0 | 96        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 109 | ALCOHOL CONSUMPTION AND THE INCIDENCE OF HYPERTENSION. Journal of Hypertension, 2004, 22, S52.   | 0.3 | O         |
| 110 | WAIST-HEIGHT INDEX. Journal of Hypertension, 2004, 22, S211.   | 0.3 | 0         |
| 111 | THE ASSOCIATION BETWEEN ENVIRONMENT TEMPERATURE WITH BLOOD PRESSURE AND PREVALENCE OF HYPERTENSION. Journal of Hypertension, 2004, 22, S209.   | 0.3 | O         |
| 112 | BLOOD PRESSURE CONTROL IN A CLINICAL SETTING. Journal of Hypertension, 2004, 22, S35.  | 0.3 | 0         |
| 113 | Headache is not more frequent among patients with moderate to severe hypertension. Journal of Human Hypertension, 2003, 17, 787-790.   | 1.0 | 28        |
| 114 | Absence of Association between Hypertension and Epistaxis: a Population-based Study. Blood Pressure, 2003, 12, 145-148.  | 0.7 | 36        |
| 115 | Risk factors for cardiovascular disease in a Brazilian population-based cohort study. International Journal of Cardiology, 2003, 90, 205-211.  | 0.8 | 25        |
| 116 | Migraine is more frequent in individuals with optimal and normal blood pressure: a population-based study. Journal of Hypertension, 2002, 20, 1303-1306.   | 0.3 | 78        |
| 117 | Efficacy of ropivacaine compared with ropivacaine †plus sufentanil for postoperative analgesia after †major knee surgery. Anaesthesia, 2002, 57, 424-428.  | 1.8 | 37        |
| 118 | Behavior of Ambulatory Blood Pressure Surrounding Episodes of Headache in Mildly Hypertensive Patients. Archives of Internal Medicine, 2001, 161, 252.   | 4.3 | 41        |
| 119 | Normal values of echocardiographic measurements. A population-based study. Arquivos Brasileiros De Cardiologia, 2000, 75, 107-14.  | 0.3 | 22        |
| 120 | Familial predisposition to hypertension and the association between urinary sodium excretion and blood pressure in a population-based sample of young adults < A NAME="Home" >  . Brazilian Journal of Medical and Biological Research, 2000, 33, 799-803. | 0.7 | 5         |
| 121 | Alcohol intake and blood pressure. Journal of Hypertension, 1998, 16, 175-180.   | 0.3 | 89        |
| 122 | Blood pressure effects of antihypertensive drugs and changes in lifestyle in a Brazilian hypertensive cohort. Journal of Hypertension, 1997, 15, 783-792.  | 0.3 | 27        |
| 123 | Alcoholic beverage consumption and associated factors in Porto Alegre, a southern Brazilian city: a population-based survey Journal of Studies on Alcohol and Drugs, 1996, 57, 253-259.  | 2.4 | 64        |
| 124 | Study of the usefulness of optic fundi examination of patients with hypertension in a clinical setting. Journal of Human Hypertension, 1995, 9, 547-51.  | 1.0 | 38        |
| 125 | INFANT FEEDING AND DEATHS DUE TO DIARRHEA. American Journal of Epidemiology, 1989, 129, 1032-1041.   | 1.6 | 144       |
| 126 | Water Supply, Sanitation and Housing in Relation to the Risk of Infant Mortality from Diarrhoea. International Journal of Epidemiology, 1988, 17, 651-654.   | 0.9 | 101       |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Influence of birth weight on mortality from infectious diseases: a case-control study. Pediatrics, 1988, 81, 807-11. | 1.0 | 38        |