List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4662778/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Epigenetic Alteration of the Cancer-Related Gene TGFBI in B Cells Infected with Epstein–Barr Virus and Exposed to Aflatoxin B1: Potential Role in Burkitt Lymphoma Development. Cancers, 2022, 14, 1284.	3.7	2
2	Le virus d'Epstein-Barr. Medecine/Sciences, 2022, 38, 422-424.	0.2	1
3	Massive clonal expansion of polycytotoxic skin and blood CD8 <sup>+</sup> T cells in patients with toxic epidermal necrolysis. Science Advances, 2021, 7, .	10.3	20
4	Modulation of alternative splicing during early infection of human primary B lymphocytes with Epstein-Barr virus (EBV): a novel function for the viral EBNA-LP protein. Nucleic Acids Research, 2021, 49, 10657-10676.	14.5	11
5	The interferon stimulated gene 20 protein (ISC20) is an innate defense antiviral factor that discriminates self versus non-self translation. PLoS Pathogens, 2019, 15, e1008093.	4.7	50
6	Interplay between the Epigenetic Enzyme Lysine (K)-Specific Demethylase 2B and Epstein-Barr Virus Infection. Journal of Virology, 2019, 93, .	3.4	17
7	Epstein-Barr Virus Protein EB2 Stimulates Translation Initiation of mRNAs through Direct Interactions with both Poly(A)-Binding Protein and Eukaryotic Initiation Factor 4G. Journal of Virology, 2018, 92, .	3.4	15
8	EBNA1: Oncogenic Activity, Immune Evasion and Biochemical Functions Provide Targets for Novel Therapeutic Strategies against Epstein-Barr Virus- Associated Cancers. Cancers, 2018, 10, 109.	3.7	47
9	The splicing factor SRSF3 is functionally connected to the nuclear RNA exosome for intronless mRNA decay. Scientific Reports, 2018, 8, 12901.	3.3	23
10	Viral driven epigenetic events alter the expression of cancer-related genes in Epstein-Barr-virus naturally infected Burkitt lymphoma cell lines. Scientific Reports, 2017, 7, 5852.	3.3	22
11	Epstein–Barr virus nuclear antigen 1 interacts with regulator of chromosome condensation 1 dynamically throughout the cell cycle. Journal of General Virology, 2017, 98, 251-265.	2.9	15
12	Interference with the production of infectious viral particles and bimodal inhibition of replication are broadly conserved antiviral properties of IFITMs. PLoS Pathogens, 2017, 13, e1006610.	4.7	56
13	Herpesvirus Late Gene Expression: A Viral-Specific Pre-initiation Complex Is Key. Frontiers in Microbiology, 2016, 7, 869.	3.5	92
14	A vaccine against the Epstein-Barr virus: a reality for tomorrow, but for whom ?. Virologie, 2016, 20, 297-301.	0.1	0
15	InÂvitro translation of mRNAs that are in their native ribonucleoprotein complexes. Biochemical Journal, 2015, 472, 111-119.	3.7	7
16	The mycotoxin aflatoxin B1 stimulates Epstein–Barr virus-induced B-cell transformation in <i>in vitro</i> and <i>in vivo</i> experimental models. Carcinogenesis, 2015, 36, 1440-1451.	2.8	23
17	Epstein-Barr Virus Down-Regulates Tumor Suppressor DOK1 Expression. PLoS Pathogens, 2014, 10, e1004125.	4.7	17
18	Epstein–Barr virus nuclear antigen 3A protein regulates CDKN2B transcription via interaction with MIZ-1. Nucleic Acids Research, 2014, 42, 9700-9716.	14.5	24

#	Article	IF	CITATIONS
19	Epstein-Barr Virus Late Gene Transcription Depends on the Assembly of a Virus-Specific Preinitiation Complex. Journal of Virology, 2014, 88, 12825-12838.	3.4	69
20	TLR9 Transcriptional Regulation in Response to Double-Stranded DNA Viruses. Journal of Immunology, 2014, 193, 3398-3408.	0.8	8
21	Interaction of Ubinuclein-1, a nuclear and adhesion junction protein, with the 14-3-3 epsilon protein in epithelial cells: Implication of the PKA pathway. European Journal of Cell Biology, 2013, 92, 105-111.	3.6	10
22	Epstein - Barr Virus Transforming Protein LMP-1 Alters B Cells Gene Expression by Promoting Accumulation of the Oncoprotein ΔNp73α. PLoS Pathogens, 2013, 9, e1003186.	4.7	22
23	Drosophila Yemanuclein and HIRA Cooperate for De Novo Assembly of H3.3-Containing Nucleosomes in the Male Pronucleus. PLoS Genetics, 2013, 9, e1003285.	3.5	50
24	The Epstein-Barr Virus BcRF1 Gene Product Is a TBP-Like Protein with an Essential Role in Late Gene Expression. Journal of Virology, 2012, 86, 6023-6032.	3.4	63
25	Epstein–Barr virus protein EB2 stimulates cytoplasmic mRNA accumulation by counteracting the deleterious effects of SRp20 on viral mRNAs. Nucleic Acids Research, 2012, 40, 6834-6849.	14.5	29
26	Functional mechanisms of the cellular prion protein (PrPC) associated anti-HIV-1 properties. Cellular and Molecular Life Sciences, 2012, 69, 1331-1352.	5.4	20
27	Identification of new interacting partners of the shuttling protein ubinuclein (Ubn-1). Experimental Cell Research, 2012, 318, 509-520.	2.6	17
28	Homozygous deletion of EPB41 genuine AUG-containing exons results in mRNA splicing defects, NMD activation and protein 4.1R complete deficiency in hereditary elliptocytosis. Blood Cells, Molecules, and Diseases, 2011, 47, 158-165.	1.4	10
29	The Nuclear and Adherent Junction Complex Component Protein Ubinuclein Negatively Regulates the Productive Cycle of Epstein-Barr Virus in Epithelial Cells. Journal of Virology, 2011, 85, 784-794.	3.4	8
30	EBV Latent Membrane Protein 1 Is a Negative Regulator of TLR9. Journal of Immunology, 2010, 185, 6439-6447.	0.8	93
31	Methylation-Dependent Binding of the Epstein-Barr Virus BZLF1 Protein to Viral Promoters. PLoS Pathogens, 2009, 5, e1000356.	4.7	70
32	Translation of intronless RNAs is strongly stimulated by the Epstein–Barr virus mRNA export factor EB2. Nucleic Acids Research, 2009, 37, 4932-4943.	14.5	28
33	Epstein-Barr Virus Protein EB2 Contains an N-Terminal Transferable Nuclear Export Signal That Promotes Nucleocytoplasmic Export by Directly Binding TAP/NXF1. Journal of Virology, 2009, 83, 12759-12768.	3.4	31
34	Characterization of the ubinuclein protein as a new member of the nuclear and adhesion complex components (NACos). Biology of the Cell, 2009, 101, 319-334.	2.0	19
35	Overexpression of MBNL1 fetal isoforms and modified splicing of Tau in the DM1 brain: Two individual consequences of CUG trinucleotide repeats. Experimental Neurology, 2008, 210, 467-478.	4.1	47
36	The Epstein-Barr virus (EBV) protein EB is an mRNA export factor essential for virus production. Frontiers in Bioscience - Landmark, 2008, Volume, 3798.	3.0	18

#	Article	IF	CITATIONS
37	Protein Kinase CK2 Phosphorylation of EB2 Regulates Its Function in the Production of Epstein-Barr Virus Infectious Viral Particles. Journal of Virology, 2007, 81, 11850-11860.	3.4	30
38	Epstein-Barr Virus mRNA Export Factor EB2 Is Essential for Intranuclear Capsid Assembly and Production of gp350. Journal of Virology, 2005, 79, 14102-14111.	3.4	33
39	Interaction of the Epstein-Barr Virus mRNA Export Factor EB2 with Human Spen Proteins SHARP, OTT1, and a Novel Member of the Family, OTT3, Links Spen Proteins with Splicing Regulation and mRNA Export. Journal of Biological Chemistry, 2005, 280, 36935-36945.	3.4	70
40	Cellular uptake of the EBV transcription factor EB1/Zta. Virus Research, 2005, 110, 187-193.	2.2	8
41	Transcription factor cCP2 controls gene expression in chicken embryonic stem cells. Nucleic Acids Research, 2004, 32, 2259-2271.	14.5	13
42	The BRRF1 Early Gene of Epstein-Barr Virus Encodes a Transcription Factor That Enhances Induction of Lytic Infection by BRLF1. Journal of Virology, 2004, 78, 4983-4992.	3.4	54
43	A novel function for the Epstein–Barr virus transcription factor EB1/Zta: induction of transcription of the hIL-10 gene. Journal of General Virology, 2003, 84, 965-974.	2.9	72
44	Differential Hyperacetylation of Histones H3 and H4 upon Promoter-Specific Recruitment of EBNA2 in Epstein-Barr Virus Chromatin. Journal of Virology, 2003, 77, 8166-8172.	3.4	45
45	A Novel Nuclear Export Signal and a REF Interaction Domain Both Promote mRNA Export by the Epstein-Barr Virus EB2 Protein. Journal of Biological Chemistry, 2003, 278, 335-342.	3.4	73
46	A Region of the Epstein-Barr Virus (EBV) mRNA Export Factor EB2 Containing an Arginine-rich Motif Mediates Direct Binding to RNA. Journal of Biological Chemistry, 2003, 278, 37790-37798.	3.4	55
47	Epstein-Barr Virus mRNA Export Factor EB2 Is Essential for Production of Infectious Virus. Journal of Virology, 2002, 76, 9635-9644.	3.4	76
48	MEF2â€mediated recruitment of class II HDAC at the EBV immediate early gene BZLF1 links latency and chromatin remodeling. EMBO Reports, 2002, 3, 141-146.	4.5	101
49	Identification of a short amino acid sequence essential for efficient nuclear targeting of the Kaposi's sarcoma-associated herpesvirus/human herpesvirus-8 K8 protein. Journal of General Virology, 2001, 82, 507-512.	2.9	18
50	Kaposi's sarcoma-associated herpesvirus and Kaposi's sarcoma. Microbes and Infection, 2000, 2, 671-680.	1.9	14
51	Ubinuclein, a Novel Nuclear Protein Interacting with Cellular and Viral Transcription Factors. Journal of Cell Biology, 2000, 148, 1165-1176.	5.2	40
52	Characterization of the Epstein–Barr virus BRRF1 gene, located between early genes BZLF1 and BRLF1. Microbiology (United Kingdom), 2000, 81, 1791-1799.	1.8	17
53	A particular DNA structure is required for the function of a cis-acting component of the Epstein-Barr virus OriLyt origin of replication. Nucleic Acids Research, 1997, 25, 1347-1354.	14.5	19
54	Repression by RAZ of EpsteinBarr virus bZIP transcription factor EB1 is dimerization independent. Journal of General Virology, 1996, 77, 1529-1536.	2.9	18

#	Article	IF	CITATIONS
55	Characterization of the DNA-binding site repertoire for the Epstein - Barr virus transcription factor R. Nucleic Acids Research, 1994, 22, 1172-1178.	14.5	86
56	Domains of the Epstein-Barr virus (EBV) transcription factor R required for dimerization, DNA binding and activation. Nucleic Acids Research, 1991, 19, 2661-2667.	14.5	84
57	The enhancer factor R of Epstein-Barr virus (EBV) Is a sequence-specific DNA binding protein. Nucleic Acids Research, 1990, 18, 6835-6843.	14.5	130