

J Jaime Miranda

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4664155/j-jaime-miranda-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

371
papers

8,996
citations

44
h-index

81
g-index

435
ext. papers

12,100
ext. citations

7.1
avg, IF

6.08
L-index

#	Paper	IF	Citations
371	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 1911 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
370	Global burden of cancer attributable to high body-mass index in 2012: a population-based study. <i>Lancet Oncology, The</i> , 2015 , 16, 36-46	21.7	529
369	Indigenous and tribal peoples' health (The Lancet-Lowitja Institute Global Collaboration): a population study. <i>Lancet, The</i> , 2016 , 388, 131-57	40	456
368	The UCL-Lancet Commission on Migration and Health: the health of a world on the move. <i>Lancet, The</i> , 2018 , 392, 2606-2654	40	310
367	Non-communicable diseases in low- and middle-income countries: context, determinants and health policy. <i>Tropical Medicine and International Health</i> , 2008 , 13, 1225-34	2.3	231
366	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021 , 398, 957-980	40	154
365	Epidemiology in Latin America and the Caribbean: current situation and challenges. <i>International Journal of Epidemiology</i> , 2012 , 41, 557-71	7.8	119
364	Nutrition status of children in Latin America. <i>Obesity Reviews</i> , 2017 , 18 Suppl 2, 7-18	10.6	101
363	Global patterns of mortality in international migrants: a systematic review and meta-analysis. <i>Lancet, The</i> , 2018 , 392, 2553-2566	40	101
362	Achieving the Millennium Development Goals: does mental health play a role?. <i>PLoS Medicine</i> , 2005 , 2, e291	11.6	97
361	Differences in cardiovascular risk factors in rural, urban and rural-to-urban migrants in Peru. <i>Heart</i> , 2011 , 97, 787-96	5.1	86
360	Understanding the rise of cardiometabolic diseases in low- and middle-income countries. <i>Nature Medicine</i> , 2019 , 25, 1667-1679	50.5	84
359	Addressing geographical variation in the progression of non-communicable diseases in Peru: the CRONICAS cohort study protocol. <i>BMJ Open</i> , 2012 , 2, e000610	3	84
358	Major cardiovascular risk factors in Latin America: a comparison with the United States. The Latin American Consortium of Studies in Obesity (LASO). <i>PLoS ONE</i> , 2013 , 8, e54056	3.7	78
357	Life and death, day after day. <i>Journal of Epidemiology and Community Health</i> , 2004 , 58, 633-633	5.1	78
356	The right water and the right to water. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 455-455	5.1	78
355	Association between Household Air Pollution Exposure and Chronic Obstructive Pulmonary Disease Outcomes in 13 Low- and Middle-Income Country Settings. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 197, 611-620	10.2	77

354	Trade-offs in relative limb length among Peruvian children: extending the thrifty phenotype hypothesis to limb proportions. <i>PLoS ONE</i> , 2012 , 7, e51795	3.7	76
353	Effectiveness of an mHealth intervention to improve the cardiometabolic profile of people with prehypertension in low-resource urban settings in Latin America: a randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 52-63	18.1	75
352	Behavioral attitudes and preferences in cooking practices with traditional open-fire stoves in Peru, Nepal, and Kenya: implications for improved cookstove interventions. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 10310-26	4.6	72
351	Management of NCD in low- and middle-income countries. <i>Global Heart</i> , 2014 , 9, 431-43	2.9	69
350	The Lancet NCDI Poverty Commission: bridging a gap in universal health coverage for the poorest billion. <i>Lancet, The</i> , 2020 , 396, 991-1044	40	65
349	Hypertension Prevalence, Awareness, Treatment, and Control in Selected LMIC Communities: Results From the NHLBI/UHG Network of Centers of Excellence for Chronic Diseases. <i>Global Heart</i> , 2016 , 11, 47-59	2.9	65
348	Chronic exposure to biomass fuel is associated with increased carotid artery intima-media thickness and a higher prevalence of atherosclerotic plaque. <i>Heart</i> , 2013 , 99, 984-91	5.1	64
347	International Health Electives: Four years of experience. <i>Travel Medicine and Infectious Disease</i> , 2005 , 3, 133-41	8.4	64
346	Endemic Cardiovascular Diseases of the Poorest Billion. <i>Circulation</i> , 2016 , 133, 2561-75	16.7	62
345	Comorbid depression in medical diseases. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 69	51.1	62
344	Cardiovascular, respiratory, and related disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2018 , 391, 1224-1236	40	61
343	Understanding global health issues: are international medical electives the answer?. <i>Medical Education</i> , 2004 , 38, 688-90	3.7	60
342	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 396, 97-109	40	59
341	Agreement Between the World Health Organization Algorithm and Lung Consolidation Identified Using Point-of-Care Ultrasound for the Diagnosis of Childhood Pneumonia by General Practitioners. <i>Lung</i> , 2015 , 193, 531-8	2.9	55
340	Prevention, management, and rehabilitation of stroke in low- and middle-income countries. <i>ENeurologicalSci</i> , 2016 , 2, 21-30	2.1	53
339	Noncommunicable diseases and injuries in Latin America and the Caribbean: time for action. <i>PLoS Medicine</i> , 2006 , 3, e344	11.6	51
338	A cross-sectional study of determinants of indoor environmental exposures in households with and without chronic exposure to biomass fuel smoke. <i>Environmental Health</i> , 2014 , 13, 21	6	50
337	The evolution of global health teaching in undergraduate medical curricula. <i>Globalization and Health</i> , 2012 , 8, 35	10	49

336	Cultural adaptation of birthing services in rural Ayacucho, Peru. <i>Bulletin of the World Health Organization</i> , 2009 , 87, 724-9	8.2	49
335	Prevalence of chronic obstructive pulmonary disease and variation in risk factors across four geographically diverse resource-limited settings in Peru. <i>Respiratory Research</i> , 2015 , 16, 40	7.3	48
334	Effect of salt substitution on community-wide blood pressure and hypertension incidence. <i>Nature Medicine</i> , 2020 , 26, 374-378	50.5	48
333	The shift of obesity burden by socioeconomic status between 1998 and 2017 in Latin America and the Caribbean: a cross-sectional series study. <i>The Lancet Global Health</i> , 2019 , 7, e1644-e1654	13.6	48
332	Effect of rural-to-urban within-country migration on cardiovascular risk factors in low- and middle-income countries: a systematic review. <i>Heart</i> , 2012 , 98, 185-94	5.1	48
331	Interethnic differences in the accuracy of anthropometric indicators of obesity in screening for high risk of coronary heart disease. <i>International Journal of Obesity</i> , 2009 , 33, 568-76	5.5	47
330	Socioeconomic status and COPD among low- and middle-income countries. <i>International Journal of COPD</i> , 2016 , 11, 2497-2507	3	47
329	Relationship between daily exposure to biomass fuel smoke and blood pressure in high-altitude Peru. <i>Hypertension</i> , 2015 , 65, 1134-40	8.5	46
328	The effect on cardiovascular risk factors of migration from rural to urban areas in Peru: PERU MIGRANT Study. <i>BMC Cardiovascular Disorders</i> , 2009 , 9, 23	2.3	45
327	Building a Data Platform for Cross-Country Urban Health Studies: the SALURBAL Study. <i>Journal of Urban Health</i> , 2019 , 96, 311-337	5.8	44
326	Design and Rationale of the HAPIN Study: A Multicountry Randomized Controlled Trial to Assess the Effect of Liquefied Petroleum Gas Stove and Continuous Fuel Distribution. <i>Environmental Health Perspectives</i> , 2020 , 128, 47008	8.4	43
325	Obesity risk in rural, urban and rural-to-urban migrants: prospective results of the PERU MIGRANT study. <i>International Journal of Obesity</i> , 2016 , 40, 181-5	5.5	43
324	Mortality profiles in a country facing epidemiological transition: an analysis of registered data. <i>BMC Public Health</i> , 2009 , 9, 47	4.1	43
323	Overlooking undernutrition? Using a composite index of anthropometric failure to assess how underweight misses and misleads the assessment of undernutrition in young children. <i>Social Science and Medicine</i> , 2008 , 66, 1963-6	5.1	43
322	Urban environment interventions linked to the promotion of physical activity: a mixed methods study applied to the urban context of Latin America. <i>Social Science and Medicine</i> , 2015 , 131, 18-30	5.1	42
321	Conceptualising global health: theoretical issues and their relevance for teaching. <i>Globalization and Health</i> , 2012 , 8, 36	10	41
320	Inequalities in life expectancy in six large Latin American cities from the SALURBAL study: an ecological analysis. <i>Lancet Planetary Health</i> , 2019 , 3, e503-e510	9.8	41
319	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. <i>Cardiology Clinics</i> , 2017 , 35, 99-115	2.5	40

318	A Novel International Partnership for Actionable Evidence on Urban Health in Latin America: LAC-Urban Health and SALURBAL. <i>Global Challenges</i> , 2019 , 3, 1800013	4.3	39
317	Integration of a Technology-Based Mental Health Screening Program Into Routine Practices of Primary Health Care Services in Peru (The Allillanchu Project): Development and Implementation. <i>Journal of Medical Internet Research</i> , 2018 , 20, e100	7.6	39
316	Exporting 'failure': why research from rich countries may not benefit the developing world. <i>Revista De Saude Publica</i> , 2010 , 44, 185-9	2.4	38
315	Obesity and its Relation With Diabetes and Hypertension: A Cross-Sectional Study Across 4 Geographical Regions. <i>Global Heart</i> , 2016 , 11, 71-79.e4	2.9	38
314	A Multiethnic Study of Pre-Diabetes and Diabetes in LMIC. <i>Global Heart</i> , 2016 , 11, 61-70	2.9	37
313	Peruvian Mental Health Reform: A Framework for Scaling-up Mental Health Services. <i>International Journal of Health Policy and Management</i> , 2017 , 6, 501-508	2.5	36
312	Physical activity and sedentary behavior patterns and sociodemographic correlates in 116,982 adults from six South American countries: the South American physical activity and sedentary behavior network (SAPASEN). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 68	8.4	33
311	Low correlation between household carbon monoxide and particulate matter concentrations from biomass-related pollution in three resource-poor settings. <i>Environmental Research</i> , 2015 , 142, 424-31	7.9	33
310	Urbanisation but not biomass fuel smoke exposure is associated with asthma prevalence in four resource-limited settings. <i>Thorax</i> , 2016 , 71, 154-60	7.3	33
309	Diagnostic accuracy of the Finnish Diabetes Risk Score (FINDRISC) for undiagnosed T2DM in Peruvian population. <i>Primary Care Diabetes</i> , 2018 , 12, 517-525	2.4	33
308	Gaps in Hypertension Guidelines in Low- and Middle-Income Versus High-Income Countries: A Systematic Review. <i>Hypertension</i> , 2016 , 68, 1328-1337	8.5	33
307	Assessing computer skills in Tanzanian medical students: an elective experience. <i>BMC Public Health</i> , 2004 , 4, 37	4.1	32
306	Physical activity and cardiovascular risk factors among rural and urban groups and rural-to-urban migrants in Peru: a cross-sectional study. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2010 , 28, 1-8	4.1	32
305	Design and Multi-Country Validation of Text Messages for an mHealth Intervention for Primary Prevention of Progression to Hypertension in Latin America. <i>JMIR MHealth and UHealth</i> , 2015 , 3, e19	5.5	32
304	Addressing healthy aging populations in developing countries: unlocking the opportunity of eHealth and mHealth. <i>Emerging Themes in Epidemiology</i> , 2014 , 11, 136	3.9	31
303	The process of prioritization of non-communicable diseases in the global health policy arena. <i>Health Policy and Planning</i> , 2019 , 34, 370-383	3.4	30
302	The association between socioeconomic status and obesity in Peruvian women. <i>Obesity</i> , 2012 , 20, 2283-9		30
301	Prevalence, clinical profile, iron status, and subject-specific traits for excessive erythrocytosis in andean adults living permanently at 3,825 meters above sea level. <i>Chest</i> , 2014 , 146, 1327-1336	5.3	29

300	The "rule of halves" does not apply in Peru: awareness, treatment, and control of hypertension and diabetes in rural, urban, and rural-to-urban migrants. <i>Critical Pathways in Cardiology</i> , 2013 , 12, 53-8	1.3	29
299	Increased Cardiometabolic Risk and Worsening Hypoxemia at High Altitude. <i>High Altitude Medicine and Biology</i> , 2016 , 17, 93-100	1.9	28
298	An exploration into caring for a stroke-survivor in Lima, Peru: Emotional impact, stress factors, coping mechanisms and unmet needs of informal caregivers. <i>ENeurologicalSci</i> , 2017 , 6, 33-50	2.1	28
297	Contribution of modifiable risk factors for hypertension and type-2 diabetes in Peruvian resource-limited settings. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 49-55	5.1	27
296	Global prevention and control of NCDs: Limitations of the standard approach. <i>Journal of Public Health Policy</i> , 2015 , 36, 408-25	2.9	27
295	Stunting, adiposity, and the individual-level "dual burden" among urban lowland and rural highland Peruvian children. <i>American Journal of Human Biology</i> , 2014 , 26, 481-90	2.7	27
294	The effect of rural-to-urban migration on social capital and common mental disorders: PERU MIGRANT study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 967-73	4.5	27
293	Relation between the global burden of disease and randomized clinical trials conducted in Latin America published in the five leading medical journals. <i>PLoS ONE</i> , 2008 , 3, e1696	3.7	27
292	Launching a salt substitute to reduce blood pressure at the population level: a cluster randomized stepped wedge trial in Peru. <i>Trials</i> , 2014 , 15, 93	2.8	26
291	Global Shifts in Cardiovascular Disease, the Epidemiologic Transition, and Other Contributing Factors: Toward a New Practice of Global Health Cardiology. <i>Cardiology Clinics</i> , 2017 , 35, 1-12	2.5	26
290	The Latin American Consortium of Studies in Obesity (LASO). <i>Obesity Reviews</i> , 2009 , 10, 364-70	10.6	26
289	Chronic exposure to biomass fuel smoke and markers of endothelial inflammation. <i>Indoor Air</i> , 2016 , 26, 768-75	5.4	26
288	Tackling NCD in LMIC: Achievements and Lessons Learned From the NHLBI-UnitedHealth Global Health Centers of Excellence Program. <i>Global Heart</i> , 2016 , 11, 5-15	2.9	26
287	Training and Capacity Building in LMIC for Research in Heart and Lung Diseases: The NHLBI-UnitedHealth Global Health Centers of Excellence Program. <i>Global Heart</i> , 2016 , 11, 17-25	2.9	26
286	Impact of urbanisation and altitude on the incidence of, and risk factors for, hypertension. <i>Heart</i> , 2017 , 103, 827-833	5.1	25
285	Low HDL cholesterol as a cardiovascular risk factor in rural, urban, and rural-urban migrants: PERU MIGRANT cohort study. <i>Atherosclerosis</i> , 2016 , 246, 36-43	3.1	25
284	Maternal obesity and fetal deaths: results from the Brazilian cross-sectional Demographic Health Survey, 2006. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 5	3.2	24
283	Global Alliance for Chronic Disease researchers' statement on multimorbidity. <i>The Lancet Global Health</i> , 2018 , 6, e1270-e1271	13.6	24

282	A 'polypill' aimed at preventing cardiovascular disease could prove highly cost-effective for use in Latin America. <i>Health Affairs</i> , 2013 , 32, 155-64	7	23
281	Agreement Between Cardiovascular Disease Risk Scores in Resource-Limited Settings: Evidence from 5 Peruvian Sites. <i>Critical Pathways in Cardiology</i> , 2015 , 14, 74-80	1.3	23
280	Introducing medical students to global health issues: a Bachelor of Science degree in international health. <i>Lancet, The</i> , 2003 , 362, 822-4	40	23
279	Epidemiology and risk factors of asthma-chronic obstructive pulmonary disease overlap in low- and middle-income countries. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 1598-1606	11.5	23
278	Secondary CV Prevention in South America in a Community Setting: The PURE Study. <i>Global Heart</i> , 2017 , 12, 305-313	2.9	23
277	Cancer patterns, trends, and transitions in Peru: a regional perspective. <i>Lancet Oncology, The</i> , 2017 , 18, e573-e586	21.7	22
276	Behaviour change strategies for reducing blood pressure-related disease burden: findings from a global implementation research programme. <i>Implementation Science</i> , 2015 , 10, 158	8.4	22
275	Use of a Mobile Phone App to Treat Depression Comorbid With Hypertension or Diabetes: A Pilot Study in Brazil and Peru. <i>JMIR Mental Health</i> , 2019 , 6, e11698	6	22
274	Comparison of Nonblood-Based and Blood-Based Total CV Risk Scores in Global Populations. <i>Global Heart</i> , 2016 , 11, 37-46.e2	2.9	22
273	Moving from formative research to co-creation of interventions: insights from a community health system project in Mozambique, Nepal and Peru. <i>BMJ Global Health</i> , 2018 , 3, e001183	6.6	22
272	Geographical variation in the progression of type 2 diabetes in Peru: The CRONICAS Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2016 , 121, 135-145	7.4	21
271	Job preferences of nurses and midwives for taking up a rural job in Peru: a discrete choice experiment. <i>PLoS ONE</i> , 2012 , 7, e50315	3.7	21
270	Stated preferences of doctors for choosing a job in rural areas of Peru: a discrete choice experiment. <i>PLoS ONE</i> , 2012 , 7, e50567	3.7	21
269	The Relationship Between Socioeconomic Status and CV Risk Factors: The CRONICAS Cohort Study of Peruvian Adults. <i>Global Heart</i> , 2016 , 11, 121-130.e2	2.9	21
268	Combating non-communicable diseases: potentials and challenges for community health workers in a digital age, a narrative review of the literature. <i>Health Policy and Planning</i> , 2019 , 34, 55-66	3.4	20
267	Burden of chronic kidney disease in resource-limited settings from Peru: a population-based study. <i>BMC Nephrology</i> , 2015 , 16, 114	2.7	20
266	Body mass index and self-perception of overweight and obesity in rural, urban and rural-to-urban migrants: PERU MIGRANT study. <i>PLoS ONE</i> , 2012 , 7, e50252	3.7	20
265	Global response to non-communicable disease. <i>BMJ, The</i> , 2011 , 342, d3823	5.9	20

264	Reproductive health without rights in Peru. <i>Lancet, The</i> , 2004 , 363, 68-9	40	20
263	Cross-Sectional Comparison of Sleep-Disordered Breathing in Native Peruvian Highlanders and Lowlanders. <i>High Altitude Medicine and Biology</i> , 2017 , 18, 11-19	1.9	19
262	Challenges in the diagnosis of paediatric pneumonia in intervention field trials: recommendations from a pneumonia field trial working group. <i>Lancet Respiratory Medicine, the</i> , 2019 , 7, 1068-1083	35.1	19
261	Adherence to pharmacotherapy and medication-related beliefs in patients with hypertension in Lima, Peru. <i>PLoS ONE</i> , 2014 , 9, e112875	3.7	19
260	Early anthropometric indices predict short stature and overweight status in a cohort of Peruvians in early adolescence. <i>American Journal of Physical Anthropology</i> , 2012 , 148, 451-61	2.5	19
259	Associations of stunting in early childhood with cardiometabolic risk factors in adulthood. <i>PLoS ONE</i> , 2018 , 13, e0192196	3.7	19
258	Rural-to-urban migration and risk of hypertension: longitudinal results of the PERU MIGRANT study. <i>Journal of Human Hypertension</i> , 2017 , 31, 22-28	2.6	18
257	Effect of low-sodium salt substitutes on blood pressure, detected hypertension, stroke and mortality. <i>Heart</i> , 2019 , 105, 953-960	5.1	18
256	Reducing salt in bread: a quasi-experimental feasibility study in a bakery in Lima, Peru. <i>Public Health Nutrition</i> , 2016 , 19, 976-82	3.3	18
255	Towards a comprehensive global approach to prevention and control of NCDs. <i>Globalization and Health</i> , 2014 , 10, 74	10	18
254	Sex differences in risk factors for cardiovascular disease: the PERU MIGRANT study. <i>PLoS ONE</i> , 2012 , 7, e35127	3.7	18
253	Determining a cost effective intervention response to HIV/AIDS in Peru. <i>BMC Public Health</i> , 2009 , 9, 3524.1	4.1	18
252	Climate change and COVID-19: reinforcing Indigenous food systems. <i>Lancet Planetary Health, The</i> , 2020 , 4, e381-e382	9.8	18
251	Life expectancy and mortality in 363 cities of Latin America. <i>Nature Medicine</i> , 2021 , 27, 463-470	50.5	18
250	Family Support and Diabetes: Patient's Experiences From a Public Hospital in Peru. <i>Qualitative Health Research</i> , 2018 , 28, 1871-1882	3.9	18
249	Traditional Medicines and Kidney Disease in Low- and Middle-Income Countries: Opportunities and Challenges. <i>Seminars in Nephrology</i> , 2017 , 37, 245-259	4.8	17
248	Disability, caregiver's dependency and patterns of access to rehabilitation care: results from a national representative study in Peru. <i>Disability and Rehabilitation</i> , 2016 , 38, 582-8	2.4	17
247	Urbanization and Daily Exposure to Biomass Fuel Smoke Both Contribute to Chronic Bronchitis Risk in a Population with Low Prevalence of Daily Tobacco Smoking. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2016 , 13, 186-95	2	17

246	A systematic review of shared decision making interventions in chronic conditions: a review protocol. <i>Systematic Reviews</i> , 2014 , 3, 38	3	17
245	Implementation of foot thermometry plus mHealth to prevent diabetic foot ulcers: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 206	2.8	17
244	Effectiveness-implementation of COPD case finding and self-management action plans in low- and middle-income countries: global excellence in COPD outcomes (GECO) study protocol. <i>Trials</i> , 2018 , 19, 571	2.8	17
243	Transitioning mental health into primary care. <i>Lancet Psychiatry</i> , 2017 , 4, 90-92	23.3	16
242	Process evaluation in the field: global learnings from seven implementation research hypertension projects in low-and middle-income countries. <i>BMC Public Health</i> , 2019 , 19, 953	4.1	16
241	The cost of illness attributable to diabetic foot and cost-effectiveness of secondary prevention in Peru. <i>BMC Health Services Research</i> , 2015 , 15, 483	2.9	16
240	Type 2 diabetes and cardiac autonomic neuropathy screening using dynamic pupillometry. <i>Diabetic Medicine</i> , 2015 , 32, 1470-8	3.5	16
239	Metabolic Abnormalities Are Common among South American Hispanics Subjects with Normal Weight or Excess Body Weight: The CRONICAS Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0138968	3.7	16
238	Migration surrogates and their association with obesity among within-country migrants. <i>Obesity</i> , 2010 , 18, 2199-203	8	16
237	Delivery of Type 2 diabetes care in low- and middle-income countries: lessons from Lima, Peru. <i>Diabetic Medicine</i> , 2016 , 33, 752-60	3.5	16
236	Biomass fuel smoke exposure was associated with adverse cardiac remodeling and left ventricular dysfunction in Peru. <i>Indoor Air</i> , 2017 , 27, 737-745	5.4	15
235	Addressing the impact of urban exposure on the incidence of type 2 diabetes mellitus: The PERU MIGRANT Study. <i>Scientific Reports</i> , 2018 , 8, 5512	4.9	15
234	Pedestrian signalization and the risk of pedestrian-motor vehicle collisions in Lima, Peru. <i>Accident Analysis and Prevention</i> , 2014 , 70, 273-81	6.1	15
233	Associations between arterial oxygen saturation, body size and limb measurements among high-altitude Andean children. <i>American Journal of Human Biology</i> , 2013 , 25, 629-36	2.7	15
232	Sex differences in health care-seeking behavior for acute coronary syndrome in a low income country, Peru. <i>Critical Pathways in Cardiology</i> , 2011 , 10, 99-103	1.3	14
231	On the front line of primary health care: the profile of community health workers in rural Quechua communities in Peru. <i>Human Resources for Health</i> , 2006 , 4, 11	4.6	14
230	Implementation barriers for mHealth for non-communicable diseases management in low and middle income countries: a scoping review and field-based views from implementers. <i>Wellcome Open Research</i> , 2020 , 5, 7	4.8	14
229	Applying the Triangle Taste Test to Assess Differences between Low Sodium Salts and Common Salt: Evidence from Peru. <i>PLoS ONE</i> , 2015 , 10, e0134700	3.7	14

228	Delivery by caesarean section and risk of childhood obesity: analysis of a Peruvian prospective cohort. <i>PeerJ</i> , 2015 , 3, e1046	3.1	14
227	Cohort Profile: The PERU MIGRANT Study-A prospective cohort study of rural dwellers, urban dwellers and rural-to-urban migrants in Peru. <i>International Journal of Epidemiology</i> , 2017 , 46, 1752-1752	7.8	13
226	Seizures, cysticercosis and rural-to-urban migration: the PERU MIGRANT study. <i>Tropical Medicine and International Health</i> , 2015 , 20, 546-52	2.3	13
225	Short sleep duration and childhood obesity: cross-sectional analysis in Peru and patterns in four developing countries. <i>PLoS ONE</i> , 2014 , 9, e112433	3.7	13
224	Length of urban residence and obesity among within-country rural-to-urban Andean migrants. <i>Public Health Nutrition</i> , 2016 , 19, 1270-8	3.3	13
223	Bus stops and pedestrian-motor vehicle collisions in Lima, Peru: a matched case-control study. <i>Injury Prevention</i> , 2015 , 21, e15-22	3.2	12
222	Migration, urbanisation and mortality: 5-year longitudinal analysis of the PERU MIGRANT study. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 715-8	5.1	12
221	Human resources for health in Peru: recent trends (2007-2013) in the labour market for physicians, nurses and midwives. <i>Human Resources for Health</i> , 2017 , 15, 69	4.6	12
220	Role of mHealth in overcoming the occurrence of post-stroke depression. <i>Acta Neurologica Scandinavica</i> , 2018 , 137, 12-19	3.8	12
219	Hair follicle characteristics as early marker of Type 2 Diabetes. <i>Medical Hypotheses</i> , 2016 , 95, 39-44	3.8	12
218	Feasibility intervention trial of two types of improved cookstoves in three resource-limited settings: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 327	2.8	12
217	Association between chronic conditions and health-related quality of life: differences by level of urbanization in Peru. <i>Quality of Life Research</i> , 2017 , 26, 3439-3447	3.7	12
216	The effect of changes in visibility and price on fruit purchasing at a university cafeteria in Lima, Peru. <i>Public Health Nutrition</i> , 2015 , 18, 2742-9	3.3	12
215	Diabetic peripheral neuropathy in ambulatory patients with type 2 diabetes in a general hospital in a middle income country: a cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e95403	3.7	12
214	Park use, perceived park proximity, and neighborhood characteristics: Evidence from 11 cities in Latin America. <i>Cities</i> , 2020 , 105, 102817	5.6	12
213	Development and Validation of a Simple Risk Score for Undiagnosed Type 2 Diabetes in a Resource-Constrained Setting. <i>Journal of Diabetes Research</i> , 2016 , 2016, 8790235	3.9	12
212	Smoking and heavy drinking patterns in rural, urban and rural-to-urban migrants: the PERU MIGRANT Study. <i>BMC Public Health</i> , 2017 , 17, 165	4.1	11
211	Glycated haemoglobin (HbA _{1c}) and fasting plasma glucose relationships in sea-level and high-altitude settings. <i>Diabetic Medicine</i> , 2017 , 34, 804-812	3.5	11

210	High-quality health systems: time for a revolution in research and research funding. <i>The Lancet Global Health</i> , 2019 , 7, e303-e304	13.6	11
209	Resilience in Vulnerable Populations With Type 2 Diabetes Mellitus and Hypertension: A Systematic Review and Meta-analysis. <i>Canadian Journal of Cardiology</i> , 2015 , 31, 1180-8	3.8	11
208	Lessons learned about co-creation: developing a complex intervention in rural Peru. <i>Global Health Action</i> , 2020 , 13, 1754016	3	11
207	Parity and Overweight/Obesity in Peruvian Women. <i>Preventing Chronic Disease</i> , 2017 , 14, E102	3.7	11
206	Surname-inferred Andean ancestry is associated with child stature and limb lengths at high altitude in Peru, but not at sea level. <i>American Journal of Human Biology</i> , 2015 , 27, 798-806	2.7	11
205	A validated agent-based model to study the spatial and temporal heterogeneities of malaria incidence in the rainforest environment. <i>Malaria Journal</i> , 2015 , 14, 514	3.6	11
204	Birth month associations with height, head circumference, and limb lengths among Peruvian children. <i>American Journal of Physical Anthropology</i> , 2014 , 154, 115-24	2.5	11
203	Lack of association between chronic exposure to biomass fuel smoke and markers of right ventricular pressure overload at high altitude. <i>American Heart Journal</i> , 2014 , 168, 731-8	4.9	11
202	Million Migrants study of healthcare and mortality outcomes in non-EU migrants and refugees to England: Analysis protocol for a linked population-based cohort study of 1.5 million migrants. <i>Wellcome Open Research</i> , 2019 , 4, 4	4.8	11
201	Designing a comprehensive behaviour change intervention to promote and monitor exclusive use of liquefied petroleum gas stoves for the Household Air Pollution Intervention Network (HAPIN) trial. <i>BMJ Open</i> , 2020 , 10, e037761	3	11
200	Evaluating consumer preferences for healthy eating from Community Kitchens in low-income urban areas: A discrete choice experiment of Comedores Populares in Peru. <i>Social Science and Medicine</i> , 2015 , 140, 1-8	5.1	10
199	Patterns and Determinants of Physical Inactivity in Rural and Urban Areas in Peru: A Population-Based Study. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 654-62	2.5	10
198	Impact of Food Assistance Programs on Obesity in Mothers and Children: A Prospective Cohort Study in Peru. <i>American Journal of Public Health</i> , 2016 , 106, 1301-7	5.1	10
197	The prevalence of angina symptoms and association with cardiovascular risk factors, among rural, urban and rural to urban migrant populations in Peru. <i>BMC Cardiovascular Disorders</i> , 2010 , 10, 50	2.3	10
196	Hypertension among adults in a deprived urban area of Peru - undiagnosed and uncontrolled?. <i>BMC Research Notes</i> , 2008 , 1, 2	2.3	10
195	Performance of oscillometric blood pressure devices in children in resource-poor settings. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 362-4		10
194	A research agenda to guide progress on childhood obesity prevention in Latin America. <i>Obesity Reviews</i> , 2017 , 18 Suppl 2, 19-27	10.6	10
193	Implementation barriers for mHealth for non-communicable diseases prevention and management in low and middle income countries: a scoping review and field-based views from implementers. <i>Wellcome Open Research</i> , 2020 , 5, 7	4.8	10

192	Peruvians' sleep duration: analysis of a population-based survey on adolescents and adults. <i>PeerJ</i> , 2014 , 2, e345	3.1	10
191	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021 , 10,	8.9	10
190	Chronic respiratory disease and high altitude are associated with depressive symptoms in four diverse settings. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016 , 20, 1263-9	2.1	10
189	Rural-to-Urban Migration: Socioeconomic Status But Not Acculturation was Associated with Overweight/Obesity Risk. <i>Journal of Immigrant and Minority Health</i> , 2016 , 18, 644-651	2.2	9
188	Indoor air pollution concentrations and cardiometabolic health across four diverse settings in Peru: a cross-sectional study. <i>Environmental Health</i> , 2020 , 19, 59	6	9
187	Cardiometabolic correlates of sleep disordered breathing in Andean highlanders. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	9
186	Epidemiology of road traffic incidents in Peru 1973-2008: incidence, mortality, and fatality. <i>PLoS ONE</i> , 2014 , 9, e99662	3.7	9
185	Global health training--one way street?. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011 , 84, 506; author reply 507	3.2	9
184	Characterising variability and predictors of infant mortality in urban settings: findings from 286 Latin American cities. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 264-270	5.1	9
183	Multimorbidity at sea level and high-altitude urban and rural settings: The CRONICAS Cohort Study. <i>Journal of Comorbidity</i> , 2019 , 9, 2235042X19875297	4	9
182	Low Body Mass Index Is Associated with Higher Odds of COPD and Lower Lung Function in Low- and Middle-Income Countries. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019 , 16, 58-65	2	8
181	Depressive Mood Among Within-Country Migrants in Periurban Shantytowns of Lima, Peru. <i>Journal of Immigrant and Minority Health</i> , 2015 , 17, 1635-42	2.2	8
180	Disparities in dietary intake and physical activity patterns across the urbanization divide in the Peruvian Andes. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017 , 14, 90	8.4	8
179	Low cigarette smoking prevalence in peri-urban Peru: results from a population-based study of tobacco use by self-report and urine cotinine. <i>Tobacco Induced Diseases</i> , 2017 , 15, 32	3.2	8
178	Evaluation of interventions on road traffic injuries in Peru: a qualitative approach. <i>BMC Public Health</i> , 2012 , 12, 71	4.1	8
177	Health systems research for policy change: lessons from the implementation of rapid assessment protocols for diabetes in low- and middle-income settings. <i>Health Research Policy and Systems</i> , 2015 , 13, 41	3.7	8
176	Sleep Disordered Breathing in Four Resource-Limited Settings in Peru: Prevalence, Risk Factors, and Association with Chronic Diseases. <i>Sleep</i> , 2015 , 38, 1451-9	1.1	8
175	TB and you and me...personal reflections. <i>Lancet, The</i> , 2003 , 362, 2081-2	40	8

174	Addressing Depression Comorbid With Diabetes or Hypertension in Resource-Poor Settings: A Qualitative Study About User Perception of a Nurse-Supported Smartphone App in Peru. <i>JMIR Mental Health</i> , 2019 , 6, e11701	6	8
173	Critical review of multimorbidity outcome measures suitable for low-income and middle-income country settings: perspectives from the Global Alliance for Chronic Diseases (GACD) researchers. <i>BMJ Open</i> , 2020 , 10, e037079	3	8
172	Addressing post-stroke care in rural areas with Peru as a case study. Placing emphasis on evidence-based pragmatism. <i>Journal of the Neurological Sciences</i> , 2017 , 375, 309-315	3.2	7
171	Cognitive impairment and hypertension in older adults living in extreme poverty: a cross-sectional study in Peru. <i>BMC Geriatrics</i> , 2017 , 17, 250	4.1	7
170	Wealth index and risk of childhood overweight and obesity: evidence from four prospective cohorts in Peru and Vietnam. <i>International Journal of Public Health</i> , 2016 , 61, 475-85	4	7
169	Low wages and brain drain: an alert from Peru. <i>Lancet, The</i> , 2008 , 371, 1577	4.0	7
168	The role of medical students in the fight to control neglected tropical diseases: a view from Peru. <i>PLoS Neglected Tropical Diseases</i> , 2008 , 2, e292	4.8	7
167	A1C as a diagnostic criteria for diabetes in low- and middle-income settings: evidence from Peru. <i>PLoS ONE</i> , 2011 , 6, e18069	3.7	7
166	Mercado de formaci3n y disponibilidad de profesionales de ciencias de la salud en el Per3. <i>Revista Peruana De Medicina De Experimental Y Salud Publica</i> , 2015 , 32, 41	4	7
165	Aceptabilidad de una intervenci3n basada en salud m3vil para modificar estilos de vida en prehipertensos de Argentina, Guatemala y Per3. <i>Revista Peruana De Medicina De Experimental Y Salud Publica</i> , 2015 , 32, 221	4	7
164	Travel Time to Health Facilities as a Marker of Geographical Accessibility Across Heterogeneous Land Coverage in Peru. <i>Frontiers in Public Health</i> , 2020 , 8, 498	6	7
163	Towards sustainable partnerships in global health: the case of the CRONICAS Centre of Excellence in Chronic Diseases in Peru. <i>Globalization and Health</i> , 2016 , 12, 29	10	7
162	Factors associated with consumption of fruits and vegetables among Community Kitchens customers in Lima, Peru. <i>Preventive Medicine Reports</i> , 2016 , 4, 469-73	2.6	7
161	The need to focus on primary health care for chronic diseases. <i>Lancet Diabetes and Endocrinology,the</i> , 2016 , 4, 731-732	18.1	7
160	Skinfold thickness and the incidence of type 2 diabetes mellitus and hypertension: an analysis of the PERU MIGRANT study. <i>Public Health Nutrition</i> , 2020 , 23, 63-71	3.3	7
159	Regression from prediabetes to normal glucose levels is more frequent than progression towards diabetes: The CRONICAS Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2020 , 163, 107829	7.4	7
158	It is Not Easy Living with This Illness—A Syndemic Approach to Medication Adherence and Lifestyle Change among Low-income Diabetes Patients in Lima, Peru. <i>Human Organization</i> , 2019 , 78, 85-96	1.2	6
157	Within-country migration and obesity dynamics: analysis of 94,783 women from the Peruvian demographic and health surveys. <i>BMC Public Health</i> , 2019 , 19, 263	4.1	6

156	Association between serum concentrations of hypoxia inducible factor responsive proteins and excessive erythrocytosis in high altitude Peru. <i>High Altitude Medicine and Biology</i> , 2015 , 16, 26-33	1.9	6
155	Noninvasive Assessment of Excessive Erythrocytosis as a Screening Method for Chronic Mountain Sickness at High Altitude. <i>High Altitude Medicine and Biology</i> , 2015 , 16, 162-8	1.9	6
154	Advancing health through research partnerships in Latin America. <i>BMJ, The</i> , 2018 , 362, k2690	5.9	6
153	Urbanization, mainly rurality, but not altitude is associated with dyslipidemia profiles. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 1212-1222.e4	4.9	6
152	Taste, Salt Consumption, and Local Explanations around Hypertension in a Rural Population in Northern Peru. <i>Nutrients</i> , 2017 , 9,	6.7	6
151	Factors behind job preferences of Peruvian medical, nursing and midwifery students: a qualitative study focused on rural deployment. <i>Human Resources for Health</i> , 2015 , 13, 90	4.6	6
150	The walking environment in Lima, Peru and pedestrian-motor vehicle collisions: an exploratory analysis. <i>Traffic Injury Prevention</i> , 2015 , 16, 314-21	1.8	6
149	Learning from low income countries: what are the lessons? Community oral rehydration units can contain cholera epidemics. <i>BMJ, The</i> , 2004 , 329, 1183-4	5.9	6
148	Compensating control participants when the intervention is of significant value: experience in Guatemala, India, Peru and Rwanda. <i>BMJ Global Health</i> , 2019 , 4, e001567	6.6	6
147	Atendiendo la salud mental de las personas con enfermedades crónicas no transmisibles en el Perú: retos y oportunidades para la integración de cuidados en el primer nivel de atención. <i>Revista Peruana De Medicina De Experimental Y Salud Publica</i> , 2014 , 31,	4	6
146	Social marketing interventions for the prevention and control of neglected tropical diseases: A systematic review. <i>PLoS Neglected Tropical Diseases</i> , 2020 , 14, e0008360	4.8	6
145	Macroeconomic, demographic and human developmental correlates of physical activity and sitting time among South American adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020 , 17, 163	8.4	6
144	Gender income gap among physicians and nurses in Peru: a nationwide assessment. <i>The Lancet Global Health</i> , 2019 , 7, e412-e413	13.6	6
143	Prevalence of Pragmatically Defined High CV Risk and its Correlates in LMIC: A Report From 10 LMIC Areas in Africa, Asia, and South America. <i>Global Heart</i> , 2016 , 11, 27-36	2.9	6
142	The South American Physical Activity and Sedentary Behavior Network (SAPASEN). <i>Global Health Promotion</i> , 2020 , 27, 171-176	1.4	6
141	World Heart Federation Emerging Leaders Program: An Innovative Capacity Building Program to Facilitate the 25x25 Goal. <i>Global Heart</i> , 2015 , 10, 229-33	2.9	6
140	Forty years since Alma-Ata: do we need a new model for noncommunicable diseases?. <i>Journal of Global Health</i> , 2019 , 9, 010316	4.3	5
139	Parents' Perceptions about Salt Consumption in Urban Areas of Peru: Formative Research for a Social Marketing Strategy. <i>Nutrients</i> , 2020 , 12,	6.7	5

138	Prevalence and risk factors of restrictive spirometry in a cohort of Peruvian adults. <i>International Journal of Tuberculosis and Lung Disease</i> , 2017 , 21, 1062-1068	2.1	5
137	Design and content validation of a set of SMS to promote seeking of specialized mental health care within the Allillanchu Project. <i>Global Health, Epidemiology and Genomics</i> , 2018 , 3, e2	2.9	5
136	The Latin America and the Caribbean search strategy proposal. <i>Global Health Promotion</i> , 2018 , 25, 60-64	1.4	5
135	Engagement of adolescents in a health communications program to prevent noncommunicable diseases: Multiplicadores Jvenes, Lima, Peru, 2011. <i>Preventing Chronic Disease</i> , 2015 , 12, E28	3.7	5
134	Distribution of Short-Term and Lifetime Predicted Risks of Cardiovascular Diseases in Peruvian Adults. <i>Journal of the American Heart Association</i> , 2015 , 4, e002112	6	5
133	Discriminative Accuracy of Chronic Obstructive Pulmonary Disease Screening Instruments in 3 Low- and Middle-Income Country Settings.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 151-160	27.4	5
132	Implementation Tells Us More Beyond Pooled Estimates: Secondary Analysis of a Multicountry mHealth Trial to Reduce Blood Pressure. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e10226	5.5	5
131	Sustainability of mHealth Effects on Cardiometabolic Risk Factors: Five-Year Results of a Randomized Clinical Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e14595	7.6	5
130	Urban health and health equity in Latin American cities: what COVID-19 is teaching us. <i>Cities and Health</i> , 2020 , 1-5	2.8	5
129	Effect of a Digital Intervention on Depressive Symptoms in Patients With Comorbid Hypertension or Diabetes in Brazil and Peru: Two Randomized Clinical Trials. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1852-1862	27.4	5
128	Educational inequalities in obesity: a multilevel analysis of survey data from cities in Latin America. <i>Public Health Nutrition</i> , 2021 , 1-9	3.3	5
127	Inadequate glycaemic control in LMIC: health system failures in Peru. <i>British Journal of General Practice</i> , 2016 , 66, 197	1.6	5
126	Cardiovascular Disease Prognostic Models in Latin America and the Caribbean: A Systematic Review. <i>Global Heart</i> , 2019 , 14, 81-93	2.9	5
125	Rethinking research processes to strengthen co-production in low and middle income countries. <i>BMJ, The</i> , 2021 , 372, m4785	5.9	5
124	The HOMA-IR Performance to Identify New Diabetes Cases by Degree of Urbanization and Altitude in Peru: The CRONICAS Cohort Study. <i>Journal of Diabetes Research</i> , 2018 , 2018, 7434918	3.9	5
123	Quality of stroke guidelines in low- and middle-income countries: a systematic review. <i>Bulletin of the World Health Organization</i> , 2021 , 99, 640-652E	8.2	5
122	Trends and patterns of the double burden of malnutrition (DBM) in Peru: a pooled analysis of 129,159 mother-child dyads. <i>International Journal of Obesity</i> , 2021 , 45, 609-618	5.5	5
121	Tobacco consumption and positive mental health: an epidemiological study from a positive psychology perspective. <i>BMC Psychology</i> , 2016 , 4, 22	2.8	4

120	Can a simple test of functional capacity add to the clinical assessment of diabetes?. <i>Diabetic Medicine</i> , 2016 , 33, 1133-9	3.5	4
119	Environmental exposures and systemic hypertension are risk factors for decline in lung function. <i>Thorax</i> , 2018 , 73, 1120-1127	7.3	4
118	Sodium and Potassium Consumption in a Semi-Urban Area in Peru: Evaluation of a Population-Based 24-Hour Urine Collection. <i>Nutrients</i> , 2018 , 10,	6.7	4
117	Addressing NCDs: is it really a global coalition?. <i>Lancet, The</i> , 2013 , 381, 2081; discussion 2081-2	4.0	4
116	Association between sleep difficulties as well as duration and hypertension: is BMI a mediator?. <i>Global Health, Epidemiology and Genomics</i> , 2017 , 2, e12	2.9	4
115	Patient perspectives on the promptness and quality of care of road traffic incident victims in Peru: a cross-sectional, active surveillance study. <i>F1000Research</i> , 2013 , 2, 167	3.6	4
114	Frequency of diarrhoea as a predictor of elevated blood pressure in children. <i>Journal of Hypertension</i> , 2009 , 27, 259-65	1.9	4
113	Provision of mental health care within primary care in Peru: A qualitative study exploring the perspectives of psychologists, primary health care providers, and patients. <i>Wellcome Open Research</i> , 2018 , 3, 9	4.8	4
112	The effect of individual and mixed rewards on diabetes management: A feasibility randomized controlled trial. <i>Wellcome Open Research</i> , 2018 , 3, 139	4.8	4
111	Foot thermometry with mHealth-based supplementation to prevent diabetic foot ulcers: A randomized controlled trial. <i>Wellcome Open Research</i> , 2020 , 5, 23	4.8	4
110	EZSCAN for undiagnosed type 2 diabetes mellitus: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0187297	3.7	4
109	Asociación entre ver televisión y obesidad en mujeres peruanas. <i>Revista De Saude Publica</i> , 2012 , 46, 610-616.	4.4	4
108	Beyond birth-weight: early growth and adolescent blood pressure in a Peruvian population. <i>PeerJ</i> , 2014 , 2, e381	3.1	4
107	The future of human malnutrition: rebalancing agency for better nutritional health. <i>Globalization and Health</i> , 2021 , 17, 119	1.0	4
106	Dark Adaptation at High Altitude: An Unexpected Pupillary Response to Chronic Hypoxia in Andean Highlanders. <i>High Altitude Medicine and Biology</i> , 2016 , 17, 208-213	1.9	4
105	Food Perceptions and Dietary Changes for Chronic Condition Management in Rural Peru: Insights for Health Promotion. <i>Nutrients</i> , 2018 , 10,	6.7	4
104	Revealing the air pollution burden associated with internal Migration in Peru. <i>Scientific Reports</i> , 2020 , 10, 7147	4.9	3
103	Risk score for first-screening of prevalent undiagnosed chronic kidney disease in Peru: the CRONICAS-CKD risk score. <i>BMC Nephrology</i> , 2017 , 18, 343	2.7	3

102	Trajectories of body mass index and waist circumference in four Peruvian settings at different level of urbanisation: the CRONICAS Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 397-403	5.1	3
101	Establishing a higher priority for chronic kidney disease in Peru. <i>The Lancet Global Health</i> , 2016 , 4, e17-8	13.6	3
100	Spatial distribution of individuals with symptoms of depression in a periurban area in Lima: an example from Peru. <i>Annals of Epidemiology</i> , 2016 , 26, 93-99.e2	6.4	3
99	A cross-sectional study of differences in 6-min walk distance in healthy adults residing at high altitude versus sea level. <i>Extreme Physiology and Medicine</i> , 2014 , 3, 3		3
98	Ambulances and curfews: delivering health care in Palestine. <i>Lancet, The</i> , 2004 , 363, 176	40	3
97	So simple and so meaningful: An approach to mental health after violence. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 642	5.1	3
96	Foot thermometry with mHealth-based supplementation to prevent diabetic foot ulcers: A randomized controlled trial. <i>Wellcome Open Research</i> , 2020 , 5, 23	4.8	3
95	The equigenic effect of greenness on the association between education with life expectancy and mortality in 28 large Latin American cities. <i>Health and Place</i> , 2021 , 72, 102703	4.6	3
94	Fidelity and Adherence to a Liquefied Petroleum Gas Stove and Fuel Intervention during Gestation: The Multi-Country Household Air Pollution Intervention Network (HAPIN) Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
93	Peru [Progress in health and sciences in 200 years of independence. <i>The Lancet Regional Health Americas</i> , 2022 , 7, 100148		3
92	Multimorbidity: Not Just for the West. <i>Global Heart</i> , 2020 , 15, 45	2.9	3
91	Travel time to health facilities as a marker of geographical accessibility across heterogeneous land coverage in Peru		3
90	Developing Visual Messages to Support Liquefied Petroleum Gas Use in Intervention Homes in the Household Air Pollution Intervention Network (HAPIN) Trial in Rural Guatemala. <i>Health Education and Behavior</i> , 2021 , 48, 651-669	4.2	3
89	Global, regional, and national burden of aortic aneurysm, 1990-2017: a systematic analysis of the Global Burden of Disease Study 2017. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	3
88	SARS-COV-2 and biomimetics: What saves the planet will save our health. <i>Journal of Internal Medicine</i> , 2021 , 289, 244-246	10.8	3
87	Walking for transportation in large Latin American cities: walking-only trips and total walking events and their sociodemographic correlates.. <i>Transport Reviews</i> , 2022 , 42, 296-317	9.9	3
86	Should rural Latin America align to the international diabetes rise forecasts?. <i>Diabetes Research and Clinical Practice</i> , 2012 , 97, e1-2	7.4	2
85	Mental Health in the Millennium Development Goals: Authors' Reply. <i>PLoS Medicine</i> , 2007 , 4, e57	11.6	2

84	Neurocysticercosis: households, pigs, and risks. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 570-570	5.1	2
83	Traditional healers, still part of the community health systems in the Andes. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 733	5.1	2
82	Where is the real debate on globalisation?. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 719	5.1	2
81	Culturally-based health promotion programmes. <i>Lancet, The</i> , 2002 , 359, 262-3	4.0	2
80	Culturally appropriate birth services within health facilities. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 161a-161	5.1	2
79	Sobre las recomendaciones del Ministerio de Salud para el tratamiento farmacológico de la COVID-19 en el Perú <i>Acta Medica Peruana</i> , 2020 , 37,	2.7	2
78	Corruption in Health Systems: The Conversation Has Started, Now Time to Continue it Comment on "We Need to Talk About Corruption in Health Systems". <i>International Journal of Health Policy and Management</i> , 2020 , 9, 128-132	2.5	2
77	The Effect of a Priest-Led Intervention on the Choice and Preference of Soda Beverages: A Cluster-Randomized Controlled Trial in Catholic Parishes. <i>Annals of Behavioral Medicine</i> , 2020 , 54, 436-446	4.5	2
76	Machine learning health-related applications in low-income and middle-income countries: a scoping review protocol. <i>BMJ Open</i> , 2020 , 10, e035983	3	2
75	Report of the WHO independent high-level commission on NCDs: where is the focus on addressing inequalities?. <i>BMJ Global Health</i> , 2020 , 5,	6.6	2
74	Diagnostics and monitoring tools for noncommunicable diseases: a missing component in the global response. <i>Globalization and Health</i> , 2021 , 17, 26	10	2
73	Urbanization in Peru is inversely associated with double burden of malnutrition: Pooled analysis of 92,841 mother-child pairs. <i>Obesity</i> , 2021 , 29, 1363-1374	8	2
72	Evaluation of cognitive impairment in elderly population with hypertension from a low-resource setting: Agreement and bias between screening tools. <i>ENeurologicalSci</i> , 2016 , 5, 35-40	2.1	2
71	Characteristics Associated With Antihypertensive Treatment and Blood Pressure Control: A Population-Based Follow-Up Study in Peru. <i>Global Heart</i> , 2016 , 11, 109-19	2.9	2
70	Building a platform for translational research in chronic noncommunicable diseases to address population health: lessons from NHLBI supported CRONICAS in Peru. <i>Global Heart</i> , 2015 , 10, 13-9	2.9	2
69	The Global Society on Migration, Ethnicity, Race and Health: why race can't be ignored even if it causes discomfort. <i>European Journal of Public Health</i> , 2021 , 31, 3-4	2.1	2
68	Mortality amenable to healthcare in Latin American cities: a cross-sectional study examining between-country variation in amenable mortality and the role of urban metrics. <i>International Journal of Epidemiology</i> , 2021 ,	7.8	2
67	To tackle diabetes, science and health systems must take into account social context. <i>Nature Medicine</i> , 2021 , 27, 193-195	50.5	2

66	Recruitment, training and supervision of nurses and nurse assistants for a task-shifting depression intervention in two RCTs in Brazil and Peru. <i>Human Resources for Health</i> , 2021 , 19, 16	4.6	2
65	Availability, Formulation, Labeling, and Price of Low-sodium Salt Worldwide: Environmental Scan. <i>JMIR Public Health and Surveillance</i> , 2021 , 7, e27423	11.4	2
64	Data pooling efforts in Africa and Latin America. <i>The Lancet Global Health</i> , 2017 , 5, e37	13.6	1
63	Lack of an Association Between Household Air Pollution Exposure and Previous Pulmonary Tuberculosis. <i>Lung</i> , 2019 , 197, 793-801	2.9	1
62	Urbanization and Altitude Are Associated with Low Kidney Function in Peru. <i>High Altitude Medicine and Biology</i> , 2019 , 20, 133-140	1.9	1
61	A secondary analysis examining the concordance of self-perception of weight and actual measurement of body fat percentage: The CRONICAS Cohort Study. <i>BMC Obesity</i> , 2019 , 6, 9	3.6	1
60	Intermediate hyperglycaemia and 10-year mortality in resource-constrained settings: the PERU MIGRANT Study. <i>Diabetic Medicine</i> , 2020 , 37, 1519-1527	3.5	1
59	Parental body mass index and blood pressure are associated with higher body mass index and blood pressure in their adult offspring: a cross-sectional study in a resource-limited setting in northern Peru. <i>Tropical Medicine and International Health</i> , 2018 , 23, 533-540	2.3	1
58	What is a COPD-Like Spirometry Test Result in Resource Constrained Settings?. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019 , 16, 213-214	2	1
57	Rosiglitazone plus metformin to prevent type 2 diabetes mellitus. <i>Lancet, The</i> , 2010 , 376, 1387; author reply 1388	40	1
56	A 26-year-old man with sternoclavicular arthritis. <i>PLoS Medicine</i> , 2006 , 3, e293	11.6	1
55	El Niño and health. <i>Lancet, The</i> , 2004 , 363, 247-8	40	1
54	Do we need them? Working with traditional birth attendants in the Andes. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 562-562	5.1	1
53	Platform trials and the future of evaluating therapeutic behavioural interventions 2022 , 1, 7-8		1
52	Maternal internal migration and child growth and nutritional health in Peru: an analysis of the demographic and health surveys from 1991 to 2017.. <i>BMC Public Health</i> , 2022 , 22, 37	4.1	1
51	Urban landscape and street-design factors associated with road-traffic mortality in Latin America between 2010 and 2016 (SALURBAL): an ecological study.. <i>Lancet Planetary Health, The</i> , 2022 , 6, e122-e131	8.8	1
50	Is self-reported park proximity associated with perceived social disorder? Findings from eleven cities in Latin America.. <i>Landscape and Urban Planning</i> , 2022 , 219, None	7.7	1
49	Frameworks for Understanding Dilemmas of Health Care in a Globalized World: A Case Study of Reproductive Health Policies in Peru. <i>Politics and Ethics Review</i> , 2005 , 1, 177-187		1

48	A descriptive study of potential participant preferences for the design of an incentivised weight loss programme for people with type 2 diabetes mellitus attending a public hospital in Lima, Peru. <i>Wellcome Open Research</i> , 2018 , 3, 53	4.8	1
47	Addressing Depression Comorbid With Diabetes or Hypertension in Resource-Poor Settings: A Qualitative Study About User Perception of a Nurse-Supported Smartphone App in Peru (Preprint)		1
46	A descriptive study of potential participant preferences for the design of an incentivised weight loss programme for people with type 2 diabetes mellitus attending a public hospital in Lima, Peru. <i>Wellcome Open Research</i> , 2018 , 3, 53	4.8	1
45	Assessment of Two Diabetes Point-of-care Analyzers Measuring Hemoglobin A1c in the Peruvian Amazon. <i>Annals of Global Health</i> , 2018 , 84, 618	3.3	1
44	Obesity markers for the prediction of incident type 2 diabetes mellitus in resource-poor settings: The CRONICAS Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2020 , 170, 108494	7.4	1
43	Cohort Profile: The Cohorts Consortium of Latin America and the Caribbean (CC-LAC). <i>International Journal of Epidemiology</i> , 2020 , 49, 1437-1437g	7.8	1
42	Prevalence of stroke survival in rural communities living in northern Peru. <i>PLoS ONE</i> , 2021 , 16, e0254440	3.7	1
41	Attitudes, health lifestyle behaviors and cardiometabolic risk factors among relatives of individuals with type 2 diabetes mellitus. <i>Primary Care Diabetes</i> , 2021 , 15, 101-105	2.4	1
40	Using satellite imagery to estimate heavy vehicle volume for ecological injury analysis in India. <i>International Journal of Injury Control and Safety Promotion</i> , 2021 , 28, 68-77	1.8	1
39	CKD and CKDu in northern Peru: a cross-sectional analysis under the DEGREE protocol. <i>BMC Nephrology</i> , 2021 , 22, 37	2.7	1
38	Association between acculturation surrogates and alcohol consumption in rural-to-urban migrants: The PERU MIGRANT study. <i>Journal of Migration and Health</i> , 2021 , 3, 100015	1.5	1
37	Associations of Urban Environment Features with Hypertension and Blood Pressure across 230 Latin American Cities.. <i>Environmental Health Perspectives</i> , 2022 , 130, 27010	8.4	1
36	Patterns of Body Composition Relating to Chronic Respiratory Diseases Among Adults in Four Resource-Poor Settings in Peru. <i>Lung</i> , 2018 , 196, 277-284	2.9	0
35	Ambulances and curfews: delivering health care in Palestine. <i>Lancet, The</i> , 2004 , 363, 895-896	4.0	0
34	Managing Post-Stroke Care During the COVID-19 Pandemic at a Tertiary Care Level Hospital in Peru.. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 31, 106275	2.8	0
33	High-sensitivity C-reactive protein and all-cause mortality in four diverse populations: the CRONICAS Cohort Study.. <i>Annals of Epidemiology</i> , 2021 , 67, 13-13	6.4	0
32	Provision of mental health care within primary care in Peru: A qualitative study exploring the perspectives of psychologists, primary health care providers, and patients. <i>Wellcome Open Research</i> , 2021 , 3, 9	4.8	0
31	Population-based stroke incidence estimates in Peru: Exploratory results from the CRONICAS cohort study.. <i>The Lancet Regional Health Americas</i> , 2022 , 5, 100083-100083		0

30	Patients' perceptions of self-management of high blood pressure in three low- and middle-income countries: findings from the BPMONITOR study. <i>Global Health, Epidemiology and Genomics</i> , 2020 , 5, e4	2.9	○
29	Association between body mass index and blood pressure levels across socio-demographic groups and geographical settings: analysis of pooled data in Peru. <i>PeerJ</i> , 2021 , 9, e11307	3.1	○
28	Inequalities in access to safe drinking water in Peruvian households according to city size: an analysis from 2008 to 2018. <i>International Journal for Equity in Health</i> , 2021 , 20, 133	4.6	○
27	Analysis of dietary patterns and cross-sectional and longitudinal associations with hypertension, high BMI and type 2 diabetes in Peru. <i>Public Health Nutrition</i> , 2020 , 23, 1009-1019	3.3	○
26	Forty years after Alma-Ata: primary health-care preparedness for chronic diseases in Mozambique, Nepal and Peru. <i>Global Health Action</i> , 2021 , 14, 1975920	3	○
25	Regional and state-level patterns of type 2 diabetes prevalence in Mexico over the last three decades. <i>Diabetes Research and Clinical Practice</i> , 2021 , 177, 108927	7.4	○
24	/Madre de Dios Birth Cohort to Study Effects of in-utero Trace Metals Exposure in the Southern Peruvian Amazon. <i>Annals of Global Health</i> , 2021 , 87, 69	3.3	○
23	Occurrence and inequalities by education in multimorbidity in Brazilian adults between 2013 and 2019: evidence from the National Health Survey.. <i>Revista Brasileira De Epidemiologia</i> , 2021 , 24, e210016	1.3	○
22	Process evaluation of complex interventions in chronic and neglected tropical diseases in low- and middle-income countries-a scoping review protocol. <i>Systematic Reviews</i> , 2021 , 10, 244	3	○
21	Design of financial incentive interventions to improve lifestyle behaviors and health outcomes: A systematic review. <i>Wellcome Open Research</i> , 2021 , 6, 163	4.8	○
20	Aggregation and combination of cardiovascular risk factors and their association with 10-year all-cause mortality: the PERU MIGRANT Study. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 582	2.3	○
19	Scaling of mortality in 742 metropolitan areas of the Americas. <i>Science Advances</i> , 2021 , 7, eabl6325	14.3	○
18	Burden of treatment as a measure of healthcare quality: An innovative approach to addressing global inequities in multimorbidity. <i>PLOS Global Public Health</i> , 2022 , 2, e0000484		○
17	Ignorance or motivated beliefs: the role of motivated beliefs in self-management of diabetes. <i>Journal of Bioeconomics</i> , 2020 , 22, 155-176	0.7	
16	Perceived behavioral control as a potential precursor of walking three times a week: Patient's perspectives. <i>PLoS ONE</i> , 2018 , 13, e0192915	3.7	
15	Éido tranexfñico: evidencia científica y su traducciñ en la prñtica clñica. <i>Revista Chilena De Cirugia</i> , 2017 , 69, 99-100	0.1	
14	Strengthening research to improve hypertensive patient outcomes in Peru. <i>Research in Social and Administrative Pharmacy</i> , 2017 , 13, 259-260	2.9	
13	Frameworks for Understanding Dilemmas of Health Care in a Globalized World: A Case Study of Reproductive Health Policies in Peru. <i>Journal of International Political Theory</i> , 2005 , 1, 177-187	0.9	

12	Leisure-Time and Transport-Related Physical Activity and the Risk of Mortality: The CRONICAS Cohort Study.. <i>Journal of Physical Activity and Health</i> , 2022 , 1-7	2.5
11	Health on the Move (HOME) Study: Using a smartphone app to explore the health and wellbeing of migrants in the United Kingdom. <i>Wellcome Open Research</i> , 2020 , 5, 268	4.8
10	Blood pressure and 10-year all-cause mortality: Findings from the PERU MIGRANT Study. <i>F1000Research</i> , 10 , 1134	3.6
9	A Mobile Health Intervention for Patients With Depressive Symptoms: Protocol for an Economic Evaluation Alongside Two Randomized Trials in Brazil and Peru. <i>JMIR Research Protocols</i> , 2021 , 10, e26164	2
8	Training opportunities for noncommunicable diseases research in Latin America: A scoping review. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2019 , 43, e68	4.1
7	Building rights-based health movements: lessons from the Peruvian experience 176-207	
6	Diabetes care quality according to facility setting: A cross-sectional analysis in six Peruvian regions. <i>Primary Care Diabetes</i> , 2021 , 15, 488-494	2.4
5	Design of financial incentive interventions to improve lifestyle behaviors and health outcomes: A systematic review. <i>Wellcome Open Research</i> , 2021 , 6, 163	4.8
4	Capitalizing on natural experiments in low- to middle-income countries to explore epigenetic contributions to disease risk in migrant populations. <i>Global Health, Epidemiology and Genomics</i> , 2016 , 1, e3	2.9
3	In-hospital mortality among incident hemodialysis older patients in Peru. <i>International Health</i> , 2020 , 12, 142-147	2.4
2	Diabetes mellitus as a risk factor for SARS-CoV-2 test positivity in Mexico: A propensity score matched study. <i>Diabetes Research and Clinical Practice</i> , 2021 , 178, 108953	7.4
1	Applying systems thinking to identify enablers and challenges to scale-up interventions for hypertension and diabetes in low-income and middle-income countries: protocol for a longitudinal mixed-methods study.. <i>BMJ Open</i> , 2022 , 12, e053122	3