

Adelino M Galvao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4664872/adelino-m-galvao-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81

papers

1,012

citations

18

h-index

24

g-index

83

ext. papers

1,102

ext. citations

3.4

avg, IF

3.83

L-index

#	Paper	IF	Citations
81	Red-Purple Photochromic Indigos from Green Chemistry: Mono-BOC or Di-BOC -Substituted Indigos Displaying Excited State Proton Transfer or Photoisomerization. <i>Journal of Physical Chemistry B</i> , 2021 , 125, 4108-4119	3.4	2
80	Key Parameters on the Antibacterial Activity of Silver Camphor Complexes. <i>Antibiotics</i> , 2021 , 10,	4.9	1
79	Concurrent Enhancement of Conductivity and Stability in Water of Poly(3,4-Ethylenedioxythiophene):Poly(Styrenesulfonate) Films Using an Oxetane Additive. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100517	4.6	2
78	Photoresponsive N,N'-disubstituted indigo derivatives. <i>Dyes and Pigments</i> , 2020 , 176, 108197	4.6	5
77	Tryptanthrin from indigo: Synthesis, excited state deactivation routes and efficient singlet oxygen sensitization. <i>Dyes and Pigments</i> , 2020 , 175, 108125	4.6	3
76	On the effect of pattern substitution and oligo(ethylene oxide) side-chain modification on thiophene-quinoxaline copolymers and their applications in photovoltaic cells. <i>Organic Electronics</i> , 2020 , 78, 105612	3.5	3
75	Deep in blue with green chemistry: influence of solvent and chain length on the behaviour of - and ,alkyl indigo derivatives. <i>Chemical Science</i> , 2020 , 12, 303-313	9.4	6
74	Structural dependence of the optical properties of narrow band gap thiophene-thiadiazoloquinoxaline derivatives and their application in organic photovoltaic cells. <i>New Journal of Chemistry</i> , 2019 , 43, 5202-5213	3.6	8
73	Band-gap tunable thiadiazolo[3,4-g]quinoxaline derivatives as non-fullerene acceptors in organic photovoltaic cells processed from low toxic ethanol/anisole mixtures. <i>New Journal of Chemistry</i> , 2019 , 43, 14246-14256	3.6	6
72	Naphthoylhydrazones: coordination to metal ions and biological screening. <i>New Journal of Chemistry</i> , 2019 , 43, 17801-17818	3.6	8
71	Ag(I) camphor complexes: antimicrobial activity by design. <i>Journal of Inorganic Biochemistry</i> , 2019 , 199, 110791	4.2	9
70	Search for cytotoxic compounds against ovarian cancer cells: Synthesis, characterization and assessment of the activity of new camphor carboxylate and camphor carboxamide silver complexes. <i>Journal of Inorganic Biochemistry</i> , 2018 , 188, 88-95	4.2	11
69	Quantitative Assessment of Methods Used To Obtain Rate Constants from Molecular Dynamics Simulations-Translocation of Cholesterol across Lipid Bilayers. <i>Journal of Chemical Theory and Computation</i> , 2018 , 14, 3840-3848	6.4	10
68	Photophysical properties and biological evaluation of a Zinc(II)-5-methyl-1H-pyrazole Schiff base complex. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 204, 317-327	4.4	4
67	Cyclopentadithiophene derivatives: a step towards an understanding of thiophene copolymer excited state deactivation pathways. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 149-156	7.8	8
66	Thioindigo, and sulfonated thioindigo derivatives as solvent polarity dependent fluorescent on-off systems. <i>Dyes and Pigments</i> , 2018 , 158, 259-266	4.6	12
65	Excited-State Proton Transfer in Indigo. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 2308-2318	3.4	44

64	Synthesis of Ag(I) camphor sulphonylimine complexes and assessment of their cytotoxic properties against cisplatin-resistant A2780cisR and A2780 cell lines. <i>Journal of Inorganic Biochemistry</i> , 2017 , 166, 55-63	4.2	21
63	Antibacterial activity of silver camphorimine coordination polymers. <i>Dalton Transactions</i> , 2016 , 45, 7114-7123	4.3	31
62	Supramolecular arrangement in mono and bi-camphor acyl hydrazones: A structural study. <i>Journal of Molecular Structure</i> , 2016 , 1108, 708-716	3.4	4
61	Oxygen activation by copper camphor complexes. <i>Inorganic Chemistry Frontiers</i> , 2015 , 2, 1019-1028	6.8	4
60	Photochemistry of the hemiketal form of anthocyanins and its potential role in plant protection from UV-B radiation. <i>Tetrahedron</i> , 2015 , 71, 3157-3162	2.4	31
59	Synthesis and characterization of ferrocenyl camphor compounds. <i>Journal of Organometallic Chemistry</i> , 2014 , 760, 108-114	2.3	7
58	Reactivity of Pyrimidine on Clean Ru(0001): Experimental and Calculated Infrared Spectra. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 17521-17530	3.8	
57	Supramolecular arrangement promoted in trans-[PdCl ₂ (HONC ₁₀ H ₁₄ O) ₂] \cdot 2H ₂ O by hydrogen bonding. <i>Journal of Molecular Structure</i> , 2014 , 1065-1066, 108-112	3.4	2
56	Theoretical investigation on the fast kinetics mechanism for vibronically activated photochromism in benzopyrans. The role of the conical intersection topology in driving the mode enhanced photoproducts. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014 , 289, 66-72	4.7	3
55	Cu(I) camphor coordination polymers: Synthesis and study of the catalytic activity for cyclization of 4-pentyn-1-ol acid. <i>Journal of Polymer Science Part A</i> , 2014 , 52, 3316-3323	2.5	5
54	Synthesis, characterization and study of the catalytic properties of Zn(II) camphor derived complexes. <i>Journal of Organometallic Chemistry</i> , 2014 , 760, 186-196	2.3	9
53	Tuning structure and properties of Pd and Pt camphor derived complexes. <i>Inorganica Chimica Acta</i> , 2013 , 395, 169-175	2.7	7
52	Model for conformational relaxation of flexible conjugated polymers: application to p-phenylenevinylene trimers in nonpolar solvents. <i>ChemPhysChem</i> , 2013 , 14, 583-90	3.2	6
51	Electronic structure and properties of camphorimine Cu(I) coordination polymers. <i>Journal of Polymer Science Part A</i> , 2012 , 50, 1102-1110	2.5	9
50	Synthesis and catalytic activity of camphor titanium complexes. <i>Inorganica Chimica Acta</i> , 2012 , 383, 244-249	2.4	8
49	Pathway from chain to dimer in Cu(I) camphor hydrazone complexes. <i>Inorganic Chemistry</i> , 2010 , 49, 10339-10347	3.7	16
48	Effect of ancillary ligands in the hapticity of the pyrrolyl ligand in [Ti(pyrrolyl)(NMe ₂) _x Cl _{3-x}] (x = 0, 1, 2, 3) complexes. <i>Journal of Organometallic Chemistry</i> , 2010 , 695, 1533-1540	2.3	9
47	One-dimensional Cu(I) camphor hydrazone polymers: Structure and catalytic properties. <i>Inorganica Chimica Acta</i> , 2010 , 363, 71-76	2.7	8

- 46 Cooperative effect of the camphor imine ligand in alkynols activation by trans-[MCl₂(YNC₁₀H₁₄O)₂] (M=Pd or Pt). *Inorganica Chimica Acta*, **2010**, 363, 1767-1772 2.7 11
- 45 Pentynol to furan conversion [Search for the best trans-[MX₂(YNC₁₀H₁₄O)₂] catalyst. *Journal of Organometallic Chemistry*, **2009**, 694, 2061-2068 2.3 14
- 44 Ethylene polymerisation by Ni-diphosphine azine complexes. *Polymer International*, **2007**, 56, 613-620 3.3 3
- 43 Enantioselectivity in Ni(II) Schiff-base complexes derived from amino-acids and (S)-o-N-(N-benzylpropyl)aminobenzophenone: molecular structure of several chiral Ni(II) Schiff-base complexes, circular dichroism and molecular mechanics studies. *Dalton Transactions*, **2005**, 2312-21 4.3 16
- 42 The role of neutral coligands on the stabilization of mono-Tp(i)Pr₂ U(III) complexes. *Inorganic Chemistry*, **2004**, 43, 6426-34 5.1 20
- 41 Benzene ring assembly promoted by a camphor derived palladium complex. *Journal of Organometallic Chemistry*, **2003**, 679, 143-147 2.3 22
- 40 Cationic nickel(II) complexes with azine diphosphines-Structural and electrochemical study. *Inorganica Chimica Acta*, **2002**, 338, 201-209 2.7 6
- 39 Reactivity Trends in the Reaction of Alkynes with 3-Oxo-camphorsulfonylimine. *Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences*, **2002**, 57, 691-698 1 9
- 38 Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of [B-monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of [FeCp(DPPE)(p-NCC₆H₄NO₂)] [PF₆] [CH₂Cl₂]. *Journal of Organometallic Chemistry*, **2001**, 619, 252-264 2.3 39
- 37 Synthesis and crystal structure of the novel trimanganese tetrathiolate incomplete cubane: [Mo(B-C₅H₅)₂(H)CO][Mn₃(CO)₉(B₃C₆H₅)₄]. *Journal of Organometallic Chemistry*, **2001**, 620, 276-281 2.3 5
- 36 Synthesis and characterisation of [M(B-NC₄Me₄)(CH₂Ph)₃] (M=Ti, Zr, Hf) and [Ti(B-NC₄Me₄)(Me)Cl₂]. Structural determination and bonding of [Ti(B-NC₄Me₄)(Me)Cl₂] depicting an agostic interaction. *Journal of Organometallic Chemistry*, **2001**, 632, 157-163 2.3 14
- 35 Synthesis, bonding and dynamic behavior of fac-[Mo(II)(CO)₂(B-allyl)] derivatives. *Journal of Organometallic Chemistry*, **2001**, 632, 197-208 2.3 48
- 34 Biscyclopentadienyl Group 6 metal complexes as metalloligands in the synthesis of heterobimetallic species. Crystal structures of new thiolato-bridged molybdenum(IV)-copper(I) complexes. *Journal of Organometallic Chemistry*, **2001**, 632, 75-84 2.3 11
- 33 Solid-state structure and solution behavior of eight-coordinate Sm(III) poly(pyrazolyl)borate compounds. *Inorganic Chemistry*, **2001**, 40, 1116-25 5.1 20
- 32 Metal vapour synthesis and conformational analysis of bis(2-trimethylsilyl-3-methylphosphobenzene). *Applied Organometallic Chemistry*, **2000**, 14, 561-564 3.1 3
- 31 Activation of a coordinated alkyne by electron transfer: crystal structures of [Pd{PPh₂CH₂C(But)NN₂C(But)CH₂PPh₂}{C(CO₂Me)₂CH(CO₂Me)}] and [Pd{(Z,Z)PPh₂CH₂C(But)₂NN₂C(But)CH₂PPh₂}{C(CO₂Me)₂C(CO₂Me)}]. *Journal of Organometallic Chemistry*, **2000**, 598, 318-328 2.3 10
- 30 Proton addition and hydrogen-bond formation in reactions of the dicyano-complex [NBu₄][trans-Re(CN)₂(dppe)₂] with protic reagents. *Dalton Transactions RSC*, **2000**, 3393-3400 17
- 29 Kinetic study of the alkylation of cyanide at [NBu₄][trans-Re(CN)₂(dppe)₂]. Crystal structures of [NBu₄][trans-Re(CN)₂(dppe)₂] and trans-[Re(CN)₂(dppe)₂]. *Journal of Organometallic Chemistry*, **1999**, 583, 56-62 2.3 15

28	Derivative chemistry of [UCl ₂ {B(pz) ₄ } ₂]: stability of complexes containing the fragments [U{B(pz) ₄ } ₂] and [U{HB(pz) ₃ } ₂]. <i>Journal of Organometallic Chemistry</i> , 1999 , 579, 5-17	2.3	11
27	Rhenium-(III) and -(V) hydride complexes with modified poly(pyrazolyl)borates. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999 , 1293-1300		18
26	Syntheses and characterization of phenyldiazenido and mixed phenyldiazenidoisocyanide complexes of rhenium. Crystal structure of [ReBr ₂ (NNPh) ₂ (PPh ₃) ₂]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998 , 2405-2410		15
25	Syntheses, properties and Mössbauer studies of mono- and di-nitrile phosphine complexes of iron(II). Crystal structures of trans-[Fe(NCR) ₂ (Et ₂ PCH ₂ CH ₂ PEt ₂) ₂][BF ₄] ₂ (R = Me or CH ₂ C ₆ H ₄ OMe-4). <i>Journal of the Chemical Society Dalton Transactions</i> , 1998 , 3311-3318		16
24	Analysis of ¹ H NMR Data for Arene-Metal Complexes Using Extended Huckel Calculations. <i>Collection of Czechoslovak Chemical Communications</i> , 1998 , 63, 299-304		2
23	Synthesis, Characterization and Theoretical Evaluation of [Ti(NC ₄ Me ₄)(NMe ₂) ₃] - A Complex with N-Bonded 2,3,4,5-Tetramethylpyrrolyl Ligand. <i>Collection of Czechoslovak Chemical Communications</i> , 1998 , 63, 182-186		8
22	Synthesis, characterisation, crystal structure, reactivity and bonding in titanium complexes containing 2,3,4,5-tetramethylpyrrolyl. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997 , 1055-1062		23
21	Hydrocarbyl derivatives of [UCl ₂ HB(pz) ₃] ₂ : Synthesis, characterization and reactivity studies towards protic substrates and ketones. <i>Journal of Organometallic Chemistry</i> , 1997 , 538, 223-239	2.3	17
20	Nucleophilic and electrophilic reactions of C ₅ cyclo-polyenes coordinated to the [CpMoL ₂] ⁿ⁺ fragment (n = 1,2; L = 1/2dppe, PMe ₃ , P(OMe) ₃ , CO). <i>Journal of Organometallic Chemistry</i> , 1997 , 544, 257-276	2.3	27
19	Synthesis and characterisation of Ti, Cr, Mo and W bis(fluorene) complexes. <i>Journal of Organometallic Chemistry</i> , 1997 , 548, 177-183	2.3	8
18	Hall effect in RBa ₂ Cu ₃ O ₇ (R=Y,Yb) thin films in high magnetic fields. <i>European Physical Journal D</i> , 1996 , 46, 1753-1754		1
17	Alkylation of cyanide at [NBu ₄]trans-[Re(CN) ₂ (Ph ₂ PCH ₂ CH ₂ PPh ₂) ₂]. Syntheses and properties of derived isocyanide complexes and X-ray structure of trans-[Re(CN ₂ Et) ₂ (Ph ₂ PCH ₂ CH ₂ PPh ₂) ₂][PF ₆]. <i>Journal of Organometallic Chemistry</i> , 1996 , 511, 163-169	2.3	13
16	Formation of vinyl and dithioformate metallacycles by insertion of an ester-functionalized alkyne or carbon disulfide into an FeH bond: crystal structure of cis-[Fe(CHCHCOOMe)(Ph ₂ PCH ₂ CH ₂ PPh ₂) ₂][BF ₄]. <i>Journal of Organometallic Chemistry</i> , 1996 , 521, 13-21	2.3	19
15	Uracil and thiouracil complexes of dicyclopentadienyl molybdenum and tungsten: Preparation and electrochemistry. The structures of [M(η ⁵ -C ₅ H ₅) ₂ (2-SN ₂ OC ₄ H ₃)][PF ₆], [M(η ⁵ -C ₅ H ₅) ₂ (2-S(CH ₃)N ₂ OC ₄ H ₂)][PF ₆], [Mo(η ⁵ -C ₅ H ₅) ₂ (4-SN ₂ OC ₄ H ₃)][PF ₆] and [W(η ⁵ -C ₅ H ₅) ₂ (4-S(CH ₃)N ₂ OC ₄ H ₂)][PF ₆]. <i>Journal of Organometallic Chemistry</i> , 1995 , 497, 141-147	2.7	9
14	Synthesis, characterization and reactivity of lanthanide(II) poly(pyrazol-1-yl)borates (Ln=Sm, Eu and Yb); fluorescence studies of [EuL ₂ (THF) ₂] [L=B(pz) ₄ , HB(pz) ₃]; X-ray crystal structures of [Eu{B(pz) ₄ } ₂ (THF) ₂] and [Yb{B(pz) ₄ } ₃][2H ₅ OH]. <i>Polyhedron</i> , 1995 , 14, 3067-3076	2.7	20
13	Electrostatic potentials from charge-density studies of benzamide at 123 K. <i>Acta Crystallographica Section B: Structural Science</i> , 1995 , 51 (Pt 5), 835-8		12
12	Cyanide and methylisocyanide complexes of rhenium(I) [NBu ₄][ReX(CN)(dppe) ₂] (X = Cl or CN; dppe = Ph ₂ PCH ₂ CH ₂ PPh ₂) and trans-[ReX(CNMe)(dppe) ₂] (X = H, F, Cl or CN): crystal structures of trans-[ReX(CNMe)(dppe) ₂] (X = H or Cl). <i>Journal of Organometallic Chemistry</i> , 1994 , 469, 79-87	2.3	24
11	Electron spin resonance studies and crystal structures of copper(II) complexes of some 12-, 13- and 14-membered oxatriaza macrocycles. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994 , 3099-3106		7

10	Structural and electronic comparison of 15- to 17-electron dichloro-complexes of molybdenum and rhenium: electrochemical behaviour and crystal structures of trans-[ReCl ₂ (dppe) ₂]A (A = Cl or BF ₄ ; dppe = Ph ₂ PCH ₂ CH ₂ PPh ₂), trans-[ReCl ₂ (dppe) ₂] and [NBun ₄] ₂ [trans-MoCl ₂ (dppe) ₂][BF ₄] ₃ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1993 , 3015-3023		27
9	Transition-metal complexes of (1S,2S,3R)-3-hydroxycamphorsultam. <i>Inorganic Chemistry</i> , 1993 , 32, 5160-5164		9
8	Rhodoxetane: synthesis, structure, and theoretical evaluation. <i>Organometallics</i> , 1993 , 12, 3316-3325	3.8	39
7	Synthesis, characterization and bonding of fulvalene dimolybdenum(III) and ditungsten(III) cations with one thiolate bridging ligand. Crystal structure of [Mo ₂ (η ⁵ -C ₁₀ H ₈)(η ⁵ -C ₅ H ₅) ₂][Re ₂ (η ⁵ -C ₆ H ₅) ₃ (CO) ₆]. <i>Journal of Organometallic Chemistry</i> , 1993 , 453, 231-240	2.3	11
6	Uranium-ligand bond dissociation enthalpies in uranium(IV) polypyrazolylborate complexes. <i>Organometallics</i> , 1992 , 11, 1632-1637	3.8	18
5	Addition of aldehydes to tantalum-carbene complexes and the reduction of epoxides by unsaturated tantalum complexes. Theoretical study of the reaction mechanism and product structures. <i>Organometallics</i> , 1992 , 11, 4213-4221	3.8	4
4	The cis-Re(Ph ₂ PCH ₂ CH ₂ PPh ₂) ₂ ⁺ metal centre. Synthesis and molecular structure of the dinitrile complex cis-[Re(NCC ₆ H ₄ Me) ₂ (Ph ₂ PCH ₂ CH ₂ PPh ₂) ₂][BF ₄]. <i>Journal of Organometallic Chemistry</i> , 1992 , 433, C14-C17	2.3	8
3	Syntheses, electrochemistry, and bonding of bis(cyclopentadienyl)molybdenum alkyl complexes. Molecular structure of Mo(η ⁵ -C ₅ H ₅) ₂ (C ₄ H ₉) ₂ . Thermochemistry of Mo(η ⁵ -C ₅ H ₅) ₂ R ₂ and Mo(η ⁵ -C ₅ H ₅) ₂ L (R = CH ₃ , C ₂ H ₅ , C ₄ H ₉ ; L = ethylene, diphenylacetylene). <i>Organometallics</i> , 1991 , 10, 483-494	3.8	17
2	Energetics of molybdenum-azobenzene, titanium-azobenzene, titanium-iodide, and titanium-carbonyl bonds in bis(cyclopentadienyl) complexes. <i>Organometallics</i> , 1987 , 6, 1427-1432	3.8	14
1	Estimation of stepwise M-L bond dissociation enthalpies in M(η ⁵ -C ₅ H ₅) ₂ L ₂ complexes. <i>Journal of Organometallic Chemistry</i> , 1986 , 307, 167-176	2.3	9