

Marie-Jose Fleury

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4666689/marie-josee-fleury-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161 papers	1,678 citations	21 h-index	31 g-index
184 ext. papers	2,016 ext. citations	2.8 avg, IF	5.28 L-index

#	Paper	IF	Citations
161	Profiles of high emergency department users with mental disorders.. <i>American Journal of Emergency Medicine</i> , 2022 , 54, 131-141	2.9	
160	The Text4HealthyAging Program: An Evidence-Based Text Messaging Innovation to Support Healthy Urban Aging in Canada and Australia.. <i>Gerontology and Geriatric Medicine</i> , 2022 , 8, 23337214221081378	2.3	0
159	Profiles of individuals with cannabis-related disorders.. <i>Substance Abuse</i> , 2022 , 43, 855-864	3.8	0
158	Perceptions on barriers, facilitators, and recommendations related to mental health service delivery during the COVID-19 pandemic in Quebec, Canada: a qualitative descriptive study. 2022 , 23, 32		0
157	Profiles, Correlates and Outcomes Among Patients Experiencing an Onset of Mental Disorder Based on Outpatient Care Received Following Index Emergency Department Visits.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437221087004	4.8	0
156	Predictors of Emergency Department Use for Suicidal Behaviors among Patients with Substance-Related Disorders.. <i>Archives of Suicide Research</i> , 2022 , 1-22	2.3	
155	Investigating characteristics of patients with mental disorders to predict out-patient physician follow-up within 30 days of emergency department discharge.. <i>BJPsych Open</i> , 2022 , 8, e95	5	
154	Predictors of Frequent Emergency Department Use and Hospitalization among Patients with Substance-Related Disorders Recruited in Addiction Treatment Centers. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6607	4.6	1
153	Impact of Co-occurring Mental Disorders and Chronic Physical Illnesses on Frequency of Emergency Department Use and Hospitalization for Mental Health Reasons. <i>Frontiers in Psychiatry</i> , 2021 , 12, 735005	5	
152	Case management aux urgences psychiatriques : étude pilote sur l'implantation et les effets d'un modèle québécois d'intervention brève de crise 2021 , 87-100		
151	Predictors of Recurrent High Emergency Department Use among Patients with Mental Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
150	Prevalence, sociodemographic variables, mental health condition, and type of drug use associated with suicide behaviors among people with substance use disorders: a systematic review and meta-analysis. <i>Journal of Addictive Diseases</i> , 2021 , 39, 550-569	1.7	4
149	Typology of changes in quality of life over 12 months among currently or formerly homeless individuals using different housing services in Quebec, Canada. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 128	3	1
148	Deployment of the consultation-liaison model in adult and child-adolescent psychiatry and its impact on improving mental health treatment. <i>BMC Family Practice</i> , 2021 , 22, 82	2.6	2
147	The role of gender, profession and informational role self-efficacy in physician-nurse knowledge sharing and decision-making. <i>Journal of Interprofessional Care</i> , 2021 , 1-10	2.7	0
146	Predictors of Frequent Emergency Department Utilization for Mental Health Reasons. <i>Journal of Behavioral Health Services and Research</i> , 2021 , 48, 259-273	1.7	4
145	Typology of Currently or Formerly Homeless Individuals Based on Their Use of Health and Social Services. <i>Community Mental Health Journal</i> , 2021 , 57, 948-959	2.1	1

144	Factors Related to 30-day Readmission following Hospitalization for Any Medical Reason among Patients with Mental Disorders: Facteurs liés à la réhospitalisation à 30 jours suivant une hospitalisation pour une raison médicale chez des patients souffrant de troubles mentaux. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 43-55	4.8	2
143	Determinants of suicidal ideation and suicide attempt among former and currently homeless individuals. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 747-757	4.5	5
142	Using administrative health data to estimate prevalence and mortality rates of alcohol and other substance-related disorders for surveillance purposes. <i>Drug and Alcohol Review</i> , 2021 , 40, 662-672	3.2	0
141	Met and unmet needs of homeless individuals at different stages of housing reintegration: A mixed-method investigation. <i>PLoS ONE</i> , 2021 , 16, e0245088	3.7	3
140	Socio-demographic, clinical and service use determinants associated with HIV related stigma among people living with HIV/AIDS: a systematic review and meta-analysis. <i>BMC Health Services Research</i> , 2021 , 21, 1004	2.9	4
139	Urbanicity, Schizophrenia and Equitable Specialist Services Allocation. <i>Canadian Journal of Psychiatry</i> , 2021 , 7067437211040606	4.8	
138	A multilevel study of patient-centered care perceptions in mental health teams. <i>BMC Health Services Research</i> , 2021 , 21, 44	2.9	1
137	Frequencies of emergency department use and hospitalization comparing patients with different types of substance or polysubstance-related disorders.. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021 , 16, 89	3.4	2
136	Profiles of persons with current or previous experience of homelessness using emergency departments. <i>Housing Studies</i> , 2020 , 1-19	1.5	0
135	Predictors of emergency department visits for suicidal ideation and suicide attempt. <i>Psychiatry Research</i> , 2020 , 285, 112805	9.9	11
134	Le soutien postlogement transitoire auprès des femmes en situation d'enfance : besoins, implantation et impact d'une étude pilote. <i>Santé Mentale Au Québec</i> , 2020 , 45, 79	0.2	
133	Relationships Among Structures, Team Processes, and Outcomes for Service Users in Quebec Mental Health Service Networks. <i>International Journal of Integrated Care</i> , 2020 , 20, 12	2	1
132	Array of Services for Homeless Mentally Ill in Six Canadian Cities: Non-Governmental Organizations' Contributions and Perspectives. <i>Canadian Journal of Community Mental Health</i> , 2020 , 39, 9-24	0.5	
131	Satisfaction with health and community services among homeless and formerly homeless individuals in Quebec, Canada. <i>Health and Social Care in the Community</i> , 2020 , 28, 22-33	2.6	11
130	Variables associated with interprofessional collaboration: a comparison between primary healthcare and specialized mental health teams. <i>BMC Family Practice</i> , 2020 , 21, 4	2.6	8
129	Factors Associated with Perceived Continuity of Care Among Patients Suffering from Mental Disorders. <i>Community Mental Health Journal</i> , 2020 , 56, 670-679	2.1	3
128	Variables associated with low, moderate and high emergency department use among patients with substance-related disorders. <i>Drug and Alcohol Dependence</i> , 2020 , 207, 107817	4.9	8
127	Implementation of three innovative interventions in a psychiatric emergency department aimed at improving service use: a mixed-method study. <i>BMC Health Services Research</i> , 2020 , 20, 854	2.9	0

126	Typology of patients who use emergency departments for mental and substance use disorders. <i>BJPsych Open</i> , 2020 , 6, e59	5	7
125	Risk factors of hospitalization for any medical condition among patients with prior emergency department visits for mental health conditions. <i>BMC Psychiatry</i> , 2020 , 20, 431	4.2	7
124	Typology of patients with mental health disorders and perceived continuity of care. <i>Journal of Mental Health</i> , 2020 , 29, 296-305	2.7	19
123	Predictors of Number of Healthcare Professionals Consulted by Individuals with Mental Disorders or High Psychological Distress. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
122	Modeling variables associated with personal recovery among service users with mental disorders using community-based services. <i>International Journal of Social Psychiatry</i> , 2019 , 65, 123-135	8.5	22
121	Profiles of Quality of Life in a Homeless Population. <i>Frontiers in Psychiatry</i> , 2019 , 10, 10	5	19
120	Profiling mental health professionals in relation to perceived interprofessional collaboration on teams. <i>SAGE Open Medicine</i> , 2019 , 7, 2050312119841467	2.4	1
119	Assessing quality indicators related to mental health emergency room utilization. <i>BMC Emergency Medicine</i> , 2019 , 19, 8	2.4	15
118	Use of Emergency Rooms for Mental Health Reasons in Quebec: Barriers and Facilitators. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019 , 46, 18-33	3.1	11
117	Factors associated with emergency department use for mental health reasons among low, moderate and high users. <i>General Hospital Psychiatry</i> , 2019 , 60, 111-119	5.6	12
116	Reasons for Emergency Department Use among Patients with Mental Disorders. <i>Psychiatric Quarterly</i> , 2019 , 90, 703-716	4.1	6
115	Profiles of Service Users with Severe Mental Disorders Based on Adequacy of Help. <i>Psychiatric Quarterly</i> , 2019 , 90, 613-627	4.1	
114	System Performance Measurement: Implications for Service Planning. <i>Journal of Studies on Alcohol and Drugs Supplement</i> , 2019 , Sup 18, 152-153	3.9	
113	Satisfaction with Emergency Departments and Other Mental Health Services among Patients with Mental Disorders. <i>Healthcare Policy</i> , 2019 , 14, 43-54	1.1	5
112	Predictors of Emergency Department Use among Individuals with Current or Previous Experience of Homelessness. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	2
111	Variables associated with interprofessional collaboration: The case of professionals working in Quebec local mental health service networks. <i>Journal of Interprofessional Care</i> , 2019 , 33, 76-84	2.7	5
110	Sociodemographic Variation in Increasing Needs for Mental Health Services among Canadian Adults from 2002 to 2012. <i>Psychiatric Quarterly</i> , 2019 , 90, 137-150	4.1	1
109	Variables Associated With Perceived Work Role Performance Among Professionals in Multidisciplinary Mental Health Teams Overall and in Primary Care and Specialized Service Teams, Respectively. <i>Evaluation and the Health Professions</i> , 2019 , 42, 169-195	2.5	5

108	Modeling Relationships Involving Perceived Recovery Orientation of Mental Health Teams Among Quebec Mental Health Professionals. <i>Journal of Behavioral Health Services and Research</i> , 2019 , 46, 434-449	4.7	4
107	Neighbourhood Material and Social Deprivation and Exposure to Antidepressant Drug Treatment: A Cohort Study Using Administrative Data. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 701-711	4.8	3
106	Satisfaction with primary and specialized mental health care among patients with mental disorders. <i>International Journal of Mental Health</i> , 2018 , 47, 97-117	1.4	
105	A typology of satisfaction with mental health services based on Andersen's behavioral model. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 587-595	4.5	1
104	Resilience and protective factors among people with a history of child maltreatment: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 453-475	4.5	81
103	Effects of comorbid substance use disorders on outcomes in a Housing First intervention for homeless people with mental illness. <i>Addiction</i> , 2018 , 113, 137-145	4.6	30
102	Associated and Mediating Variables Related to Job Satisfaction among Professionals from Mental Health Teams. <i>Psychiatric Quarterly</i> , 2018 , 89, 399-413	4.1	9
101	Patient satisfaction with mental health services based on Andersen's Behavioral Model. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 103-114	4.8	31
100	Associated and mediating variables related to quality of life among service users with mental disorders. <i>Quality of Life Research</i> , 2018 , 27, 491-502	3.7	7
99	Évaluation du Plan d'action en santé mentale (2005-2015) : intégration et performance des réseaux de services. <i>Santé Mentale Au Québec</i> , 2018 , 43, 15	0.2	3
98	Patterns of Health Care Service Utilization by Individuals with Mental Health Problems: a Predictive Cluster Analysis. <i>Psychiatric Quarterly</i> , 2018 , 89, 675-690	4.1	2
97	Utilisation de l'urgence au Québec des patients avec des troubles mentaux incluant les troubles liés aux substances psychoactives. <i>Santé Mentale Au Québec</i> , 2018 , 43, 127	0.2	6
96	Utilisation et enjeux des données clinico-administratives dans le domaine de la santé mentale et de la dépendance. <i>Santé Mentale Au Québec</i> , 2018 , 43, 21	0.2	1
95	Comparing Perceived Adequacy of Help Received Among Different Classes of Individuals with Severe Mental Disorders at Five-Year Follow-Up: A Longitudinal Cluster Analysis. <i>Community Mental Health Journal</i> , 2018 , 54, 540-554	2.1	2
94	A Developmental Perspective in Mental Health Services Use Among Adults with Mental Disorders. <i>Journal of Behavioral Health Services and Research</i> , 2018 , 45, 389-420	1.7	3
93	Efficacy of extensive intervention models for substance use disorders: A systematic review. <i>Drug and Alcohol Review</i> , 2018 , 37 Suppl 1, S246-S262	3.2	9
92	Neighborhood Perceptions Associated with Gambling Outcomes. <i>Canadian Journal of Addiction</i> , 2018 , 9, 42-49	1.8	
91	Work-related variables associated with perceptions of recovery-oriented care among Quebec mental health professionals. <i>BJPsych Open</i> , 2018 , 4, 478-485	5	5

90	Predictors of mental health service use among individuals with high psychological distress and mental disorders. <i>Psychiatry Research</i> , 2018 , 270, 1122-1130	9.9	5
89	Variables associated with job satisfaction among mental health professionals. <i>PLoS ONE</i> , 2018 , 13, e0205963	9.6	8
88	Changes in percentages of perceived met needs for care over time in a Canadian longitudinal cohort. <i>Psychiatry Research</i> , 2018 , 269, 579-584	9.9	
87	Patient and health system factors associated with hospital readmission in older adults without cognitive impairment. <i>General Hospital Psychiatry</i> , 2018 , 53, 44-51	5.6	3
86	Profiles of mental health care professionals based on work role performance. <i>Psychiatric Quarterly</i> , 2017 , 88, 827-838	4.1	5
85	Modelling the effect of perceived interdependence among mental healthcare professionals on their work role performance. <i>Journal of Interprofessional Care</i> , 2017 , 31, 520-528	2.7	6
84	A comparative study of job satisfaction among nurses, psychologists/psychotherapists and social workers working in Quebec mental health teams. <i>BMC Nursing</i> , 2017 , 16, 62	3.2	6
83	Améliorer la santé mentale des populations par l'intégration des soins de santé mentale aux soins primaires. <i>Santé Mentale Au Québec</i> , 2017 , 42, 243-271	0.2	
82	Amorcer un traitement antipsychotique en schizophrénie : la situation au Québec de 1998 à 2006. <i>Santé Mentale Au Québec</i> , 2017 , 42, 85-103	0.2	1
81	Variables associated with work performance in multidisciplinary mental health teams. <i>SAGE Open Medicine</i> , 2017 , 5, 2050312117719093	2.4	1
80	Job satisfaction among mental healthcare professionals: The respective contributions of professional characteristics, team attributes, team processes, and team emergent states. <i>SAGE Open Medicine</i> , 2017 , 5, 2050312117745222	2.4	5
79	Mental Health Status, Health Care Utilisation, and Service Satisfaction among Immigrants in Montreal: An Epidemiological Comparison. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 570-579	4.8	22
78	Relations between mental health team characteristics and work role performance. <i>PLoS ONE</i> , 2017 , 12, e0185451	3.7	6
77	Implementation of Integrated Service Networks under the Quebec Mental Health Reform: Facilitators and Barriers associated with Different Territorial Profiles. <i>International Journal of Integrated Care</i> , 2017 , 17, 3	2	17
76	Implementation of the Quebec mental health reform (2005-2015). <i>BMC Health Services Research</i> , 2016 , 16, 586	2.9	29
75	Adequacy of Help Received by Individuals with Severe Mental Disorders After a Major Healthcare Reform in Quebec: Predictors and Changes at 5-Year Follow-Up. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2016 , 43, 799-812	3.1	12
74	Mental health services use among adults with or without mental disorders: Do development stages matter?. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 434-51	8.5	8
73	Factors Influencing the Frequency of Emergency Department Utilization by Individuals with Substance Use Disorders. <i>Psychiatric Quarterly</i> , 2016 , 87, 713-728	4.1	27

72	Variables Associated With Perceived Unmet Need for Mental Health Care in a Canadian Epidemiologic Catchment Area. <i>Psychiatric Services</i> , 2016 , 67, 78-85	3.3	18
71	Implementation of the Consultation-liaison Model in Quebec and its Impact on Primary Care Providers. <i>Mental Health in Family Medicine</i> , 2016 , 12,		12
70	Implementing Key Strategies for Successful Network Integration in the Quebec Substance-Use Disorders Programme. <i>International Journal of Integrated Care</i> , 2016 , 16, 7	2	14
69	Factors associated with high use of general practitioner and psychiatrist services among patients attending an addiction rehabilitation center. <i>BMC Psychiatry</i> , 2016 , 16, 258	4.2	7
68	Severity of Needs Among Individuals With Severe Mental Disorders: Changes After a Five-Year Follow-Up. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 132-41	1.8	3
67	Collaboration and involvement of persons with lived experience in planning Canada's At Home/Chez Soi project. <i>Health and Social Care in the Community</i> , 2016 , 24, 184-93	2.6	9
66	Mediation analysis of severity of needs, service performance and outcomes for patients with mental disorders. <i>British Journal of Psychiatry</i> , 2016 , 209, 511-516	5.4	8
65	Typologies of Individuals Attending an Addiction Rehabilitation Center Based on Diagnosis of Mental Disorders. <i>Journal of Substance Abuse Treatment</i> , 2016 , 71, 68-78	4.2	7
64	Development of a Typology of Antidepressant Users: The Role of Mental Health Disorders and Substance Use. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2016 , 23, e90-102	3.3	3
63	Typology of individuals with substance dependence based on a Montreal longitudinal catchment area study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2015 , 42, 405-19	3.1	4
62	Profiles Associated Respectively with Substance Dependence Only, Mental Disorders Only and Co-occurring Disorders. <i>Psychiatric Quarterly</i> , 2015 , 86, 355-71	4.1	3
61	Resident and proprietor perspectives on a recovery orientation in community-based housing. <i>Psychiatric Rehabilitation Journal</i> , 2015 , 38, 88-95	2.4	6
60	Predictors of frequent recourse to health professionals by people with severe mental disorders. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, 77-86	4.8	8
59	Predictive typology of subjective quality of life among participants with severe mental disorders after a five-year follow-up: a longitudinal two-step cluster analysis. <i>Health and Quality of Life Outcomes</i> , 2015 , 13, 150	3	12
58	Help Received for Perceived Needs Related to Mental Health in a Montreal (Canada) Epidemiological Catchment Area. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 13016-37	4.6	4
57	Neighborhood characteristics associated with the availability of alcohol outlets in quebec, Canada. <i>Journal of Addiction</i> , 2015 , 2015, 876582	2.2	4
56	Disentangling the influence of neighborhood and individual characteristics on early residential mobility among newly diagnosed patients with schizophrenia: a multilevel analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1569-78	4.5	5
55	Adequacy of help received among individuals with severe mental disorders. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2014 , 41, 302-16	3.1	18

54	Determinants and patterns of service utilization and recourse to professionals for mental health reasons. <i>BMC Health Services Research</i> , 2014 , 14, 161	2.9	26
53	The role of advocacy coalitions in a project implementation process: the example of the planning phase of the At Home/Chez Soi project dealing with homelessness in Montreal. <i>Evaluation and Program Planning</i> , 2014 , 45, 42-9	1.7	10
52	Rôle du communautaire en santé mentale dans un système en évolution: état des connaissances et recommandations. <i>Santé Mentale Au Québec</i> , 2014 , 39, 119-136	0.2	3
51	La réforme des soins primaires de santé mentale au Québec et le rôle et les stratégies de coordination des omnipraticiens. <i>Santé Mentale Au Québec</i> , 2014 , 39, 25-45	0.2	12
50	Predictors of alcohol and drug dependence. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 203-12	4.8	17
49	Predictors of healthcare service utilization for mental health reasons. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 10559-86	4.6	52
48	Evaluation of the implementation of the Montreal At Home/Chez Soi project. <i>BMC Health Services Research</i> , 2014 , 14, 557	2.9	5
47	High users of emergency departments in Quebec among patients with both schizophrenia and a substance use disorder. <i>Psychiatric Services</i> , 2014 , 65, 1389-91	3.3	18
46	Utility of the Montreal assessment of need questionnaire for community mental health planning. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 677-87	1.8	17
45	Network collaboration of organisations for homeless individuals in the Montreal region. <i>International Journal of Integrated Care</i> , 2014 , 14, e003	2	11
44	Politiques et plans d'action en santé mentale dans l'OCDE: leçons pour le Québec?. <i>Santé Mentale Au Québec</i> , 2014 , 39, 65-84	0.2	10
43	Bonnes pratiques, stratégies d'intégration et enjeux d'implantation des transformations, particulièrement au Québec. <i>Vie Sociale</i> , 2014 , 6, 37	2.3	2
42	Typology of sleep medication users and associated mental health and substance use from a Montreal epidemiological study. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2014 , 21, e233-45	3.3	3
41	Predictors of quality of life in a longitudinal study of users with severe mental disorders. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 92	3	46
40	Factors associated with needs of users with severe mental disorders. <i>Psychiatric Quarterly</i> , 2013 , 84, 363-79	4.1	15
39	Spatio-temporal clustering of the incidence of schizophrenia in Quebec, Canada from 2004 to 2007. <i>Spatial and Spatio-temporal Epidemiology</i> , 2013 , 6, 37-47	3.5	15
38	Typology of persons with severe mental disorders. <i>BMC Psychiatry</i> , 2013 , 13, 137	4.2	7
37	Does elapsed time between first diagnosis of schizophrenia and migration between health territories vary by place of residence? A survival analysis approach. <i>Health and Place</i> , 2013 , 20, 66-74	4.6	20

36	Help received from relatives and services to satisfy needs of adults with severe mental disorders. <i>Health</i> , 2013 , 05, 200-211	0.4	5
35	GP group profiles and involvement in mental health care. <i>Journal of Evaluation in Clinical Practice</i> , 2012 , 18, 396-403	2.5	12
34	Determinants associated with the utilization of primary and specialized mental health services. <i>Psychiatric Quarterly</i> , 2012 , 83, 41-51	4.1	25
33	General practitioners' management of mental disorders: a rewarding practice with considerable obstacles. <i>BMC Family Practice</i> , 2012 , 13, 19	2.6	79
32	Comprehensive determinants of health service utilisation for mental health reasons in a Canadian catchment area. <i>International Journal for Equity in Health</i> , 2012 , 11, 20	4.6	38
31	Prevalence of psychological distress and mental disorders, and use of mental health services in the epidemiological catchment area of Montreal South-West. <i>BMC Psychiatry</i> , 2012 , 12, 183	4.2	55
30	Primary Mental Healthcare and Integrated Services 2012 ,		5
29	Determinants of the utilization of diversified types of professionals for mental health reasons in a Montreal (Canadian) catchment area. <i>Global Journal of Health Science</i> , 2012 , 4, 13-29	1.3	6
28	Treatment prevalence and incidence of schizophrenia in Quebec using a population health services perspective: different algorithms, different estimates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 533-43	4.5	40
27	Determinants of Referral to the Public Health care and Social Sector by Nonprofit Organizations: Clinical Profile and Interorganizational Characteristics. <i>Nonprofit and Voluntary Sector Quarterly</i> , 2012 , 41, 257-279	1.9	7
26	Collaboration between general practitioners (GPs) and mental healthcare professionals within the context of reforms in Quebec. <i>Mental Health in Family Medicine</i> , 2012 , 9, 77-90		21
25	Management of mental health problems by general practitioners in Quebec. <i>Canadian Family Physician</i> , 2012 , 58, e732-8, e725-31	0.9	15
24	Mental health service utilization among patients with severe mental disorders. <i>Community Mental Health Journal</i> , 2011 , 47, 365-77	2.1	7
23	Typology of adults diagnosed with mental disorders based on socio-demographics and clinical and service use characteristics. <i>BMC Psychiatry</i> , 2011 , 11, 67	4.2	17
22	Application des réseaux intégrés de services en santé mentale au Québec: contexte d'implantation, état de la mise en œuvre et opinions des omnipraticiens. <i>Santé Publique</i> , 2011 , 23, 155		3
21	Divergent modes of integration: the Canadian way. <i>International Journal of Integrated Care</i> , 2011 , 11, e018	2	13
20	Extent and Determinants of General Practitioner Referrals and Contacts With Mental Health Care Providers. <i>Canadian Journal of Community Mental Health</i> , 2010 , 29, 113-129	0.5	5
19	Components associated with adequacy of help for consumers with severe mental disorders. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2010 , 37, 497-508	3.1	11

18	Professional service utilisation among patients with severe mental disorders. <i>BMC Health Services Research</i> , 2010 , 10, 141	2.9	14
17	Clinical Practice Settings Associated with GPs Who Take on Patients with Mental Disorders. <i>Healthcare Policy</i> , 2010 , 5, 90-104	1.1	3
16	Mental health network governance: comparative analysis across Canadian regions. <i>International Journal of Integrated Care</i> , 2010 , 10, e60	2	12
15	Variables associated with general practitioners taking on serious mental disorder patients. <i>BMC Family Practice</i> , 2009 , 10, 41	2.6	20
14	CLSCs in Quebec: thirty years of community action. <i>Social Work in Public Health</i> , 2008 , 23, 89-106	1.7	4
13	Patients' report of help provided by relatives and services to meet their needs. <i>Community Mental Health Journal</i> , 2008 , 44, 271-81	2.1	23
12	Variables associated with general practitioners taking on patients with common mental disorders. <i>Mental Health in Family Medicine</i> , 2008 , 5, 149-60		13
11	Integration Strategies in Mental Health Care: Lessons Drawn From a Pilot Project. <i>Canadian Journal of Community Mental Health</i> , 2008 , 27, 111-124	0.5	2
10	La création d'une nouvelle génération d'études épidémiologiques en santé mentale. <i>Santé Mentale Au Québec</i> , 2007 , 32, 225-238	0.2	5
9	Integrated service networks: the Quebec case. <i>Health Services Management Research</i> , 2006 , 19, 153-65	1	44
8	Agreement between staff and service users concerning the clientele's mental health needs: a Quebec study. <i>Canadian Journal of Psychiatry</i> , 2006 , 51, 281-6	4.8	10
7	Quebec mental health services networks: models and implementation. <i>International Journal of Integrated Care</i> , 2005 , 5, e07	2	26
6	La transformation des services de santé mentale et le rôle des pros. <i>Recherches Sociographiques</i> , 2004 , 45, 105-127	0.1	1
5	The role of regional planning and management strategies in the transformation of the healthcare system. <i>Health Services Management Research</i> , 2003 , 16, 56-69	1	4
4	Regional planning implementation and its impact on integration of a mental health care network. <i>International Journal of Health Planning and Management</i> , 2002 , 17, 315-32	2.2	23
3	Integrated local networks as a model for organizing mental health services. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2002 , 30, 55-73	3.1	35
2	Conditions d'implantation d'une réforme. Institutionnalisation des champs impliqués dans le traitement du sida. <i>Recherches Sociographiques</i> , 2001 , 42, 517-541	0.1	2
1	Bilan de la mise en oeuvre et des effets des plans régionaux d'organisation des services (PROS) comme stratégies d'implantation de la réforme des services de santé mentale au Québec. <i>Santé Mentale Au Québec</i> , 2000 , 25, 217-140	0.2	1

