

Andrew M Atz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4666930/andrew-m-atz-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

8,749
citations

46
h-index

91
g-index

168
ext. papers

10,615
ext. citations

4.7
avg, IF

5.29
L-index

#	Paper	IF	Citations
164	Diastolic Dysfunction With Preserved Ejection Fraction After the Fontan Procedure.. <i>Journal of the American Heart Association</i> , 2022 , e024095	6	0
163	Clinically Suspected Myocarditis Temporally Related to COVID-19 Vaccination in Adolescents and Young Adults. <i>Circulation</i> , 2021 ,	16.7	33
162	Site-Level Variation in the Characteristics and Care of Infants With Neonatal Opioid Withdrawal. <i>Pediatrics</i> , 2021 , 147,	7.4	6
161	Safety of sildenafil in extremely premature infants: a phase I trial. <i>Journal of Perinatology</i> , 2021 ,	3.1	2
160	Capacity Building for a New Multicenter Network Within the ECHO IDeA States Pediatric Clinical Trials Network. <i>Frontiers in Pediatrics</i> , 2021 , 9, 679516	3.4	
159	Physiologically-Based Pharmacokinetic Modeling Characterizes the CYP3A-Mediated Drug-Drug Interaction Between Fluconazole and Sildenafil in Infants. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 109, 253-262	6.1	12
158	Exercise Capacity and Predictors of Performance After Fontan: Results from the Pediatric Heart Network Fontan 3 Study. <i>Pediatric Cardiology</i> , 2021 , 42, 158-168	2.1	13
157	Six-Year Neurodevelopmental Outcomes for Children With Single-Ventricle Physiology. <i>Pediatrics</i> , 2021 , 147,	7.4	5
156	Remestemcel-L Therapy for COVID-19-Associated Multisystem Inflammatory Syndrome in Children. <i>Pediatrics</i> , 2021 , 147,	7.4	2
155	Carvedilol Does Not Improve Exercise Performance in Fontan Patients: Results of a Crossover Trial. <i>Pediatric Cardiology</i> , 2021 , 42, 934-941	2.1	1
154	Population Pharmacokinetics of Metoclopramide in Infants, Children, and Adolescents. <i>Clinical and Translational Science</i> , 2020 , 13, 1189-1198	4.9	1
153	Longitudinal study of anthropometry in Fontan survivors: Pediatric Heart Network Fontan study. <i>American Heart Journal</i> , 2020 , 224, 192-200	4.9	4
152	Recruitment, retention, and adherence in a clinical trial: The Pediatric Heart Network® Marfan Trial experience. <i>Clinical Trials</i> , 2020 , 17, 684-695	2.2	0
151	IDeA States Pediatric Clinical Trials Network for Underserved and Rural Communities. <i>Pediatrics</i> , 2020 , 146,	7.4	1
150	The Bayley-III scale may underestimate neurodevelopmental disability after cardiac surgery in infants. <i>European Journal of Cardio-thoracic Surgery</i> , 2020 , 57, 63-71	3	5
149	Two Brothers With Dextro-Transposition of the Great Arteries. <i>World Journal for Pediatric & Congenital Heart Surgery</i> , 2020 , 11, NP155-NP157	1.1	2
148	Comparison of echocardiographic measurements to invasive measurements of diastolic function in infants with single ventricle physiology: a report from the Pediatric Heart Network Infant Single Ventricle Trial. <i>Cardiology in the Young</i> , 2019 , 29, 1248-1256	1	4

147	Creation of a Multicenter Pediatric Inpatient Data Repository Derived from Electronic Health Records. <i>Applied Clinical Informatics</i> , 2019 , 10, 307-315	3.1	7
146	Association of intraoperative circulating-brain injury biomarker and neurodevelopmental outcomes at 1 year among neonates who have undergone cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 157, 1996-2002	1.5	12
145	Population Pharmacokinetics of Milrinone in Infants, Children, and Adolescents. <i>Journal of Clinical Pharmacology</i> , 2019 , 59, 1606-1619	2.9	3
144	Challenges With Left Ventricular Functional Parameters: The Pediatric Heart Network Normal Echocardiogram Database. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 1331-1338.e1	5.8	8
143	Corticosteroid Therapy in Neonates Undergoing Cardiopulmonary Bypass: Randomized Controlled Trial. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 659-668	15.1	21
142	Evaluation and Management of the Child and Adult With Fontan Circulation: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2019 , CIR0000000000000696	16.7	227
141	Population pharmacokinetics of sildenafil in extremely premature infants. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2824-2837	3.8	15
140	Behavior and Quality of Life at 6 Years for Children With Hypoplastic Left Heart Syndrome. <i>Pediatrics</i> , 2019 , 144,	7.4	13
139	Variation in care for children undergoing the Fontan operation for hypoplastic left heart syndrome. <i>Cardiology in the Young</i> , 2019 , 29, 1510-1516	1	1
138	The Relationship Between Pre-operative Left Ventricular Longitudinal Strain and Post-operative Length of Stay in Patients Undergoing Arterial Switch Operation Is Age Dependent. <i>Pediatric Cardiology</i> , 2019 , 40, 366-373	2.1	1
137	Health-Related Quality of Life in Children and Young Adults with Marfan Syndrome. <i>Journal of Pediatrics</i> , 2019 , 204, 250-255.e1	3.6	15
136	Recommendations to Enhance Pediatric Cardiovascular Drug Development: Report of a Multi-Stakeholder Think Tank. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	16
135	Population Pharmacokinetics of Intramuscular and Intravenous Ketamine in Children. <i>Journal of Clinical Pharmacology</i> , 2018 , 58, 1092-1104	2.9	9
134	Transplant-Free Survival and Interventions at 6 Years in the SVR Trial. <i>Circulation</i> , 2018 , 137, 2246-2253	16.7	106
133	A pharmacokinetic model for amiodarone in infants developed from an opportunistic sampling trial and published literature data. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 2018 , 45, 419-430	2.7	5
132	Heart failure after the Norwood procedure: An analysis of the Single Ventricle Reconstruction Trial. <i>Journal of Heart and Lung Transplantation</i> , 2018 , 37, 879-885	5.8	23
131	Population Pharmacokinetics of Trimethoprim-Sulfamethoxazole in Infants and Children. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	14
130	Variation in care for infants undergoing the Stage II palliation for hypoplastic left heart syndrome. <i>Cardiology in the Young</i> , 2018 , 28, 1109-1115	1	8

129	Longer Ischemic Time is Associated with Increased Ventricular Stiffness as Measured by Pressure-Volume Loop Analysis in Pediatric Heart Transplant Recipients. <i>Pediatric Cardiology</i> , 2018 , 39, 324-328	2.1	5
128	Predictors of Rapid Aortic Root Dilation and Referral for Aortic Surgery in Marfan Syndrome. <i>Pediatric Cardiology</i> , 2018 , 39, 1453-1461	2.1	10
127	Speckle-Tracking Echocardiography Improves Pre-operative Risk Stratification Before the Total Cavopulmonary Connection. <i>Journal of the American Society of Echocardiography</i> , 2017 , 30, 478-484	5.8	9
126	Preoperative Feeding Neonates With Cardiac Disease. <i>World Journal for Pediatric & Congenital Heart Surgery</i> , 2017 , 8, 62-68	1.1	28
125	Translating clinical trials into clinical practice: a survey assessing the potential impact of the Pediatric Heart Network Infant Single Ventricle Trial. <i>Cardiology in the Young</i> , 2017 , 27, 1265-1270	1	7
124	Effects of persistent Fontan fenestration patency on cardiopulmonary exercise testing variables. <i>Congenital Heart Disease</i> , 2017 , 12, 399-402	3.1	8
123	Longitudinal Outcomes of Patients With Single Ventricle After the Fontan Procedure. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2735-2744	15.1	128
122	An anthropometric survey of US pre-term and full-term neonates. <i>Annals of Human Biology</i> , 2017 , 44, 678-686	1.7	5
121	Preoperative echocardiographic measures of left ventricular mechanics are associated with postoperative vasoactive support in preterm infants undergoing patent ductus arteriosus ligation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017 , 154, 2054-2059.e1	1.5	3
120	Effect of Induction Therapy on Graft Survival in Primary Pediatric Heart Transplantation: A Propensity Score Analysis of the UNOS Database. <i>Transplantation</i> , 2017 , 101, 1228-1233	1.8	9
119	A preliminary comparison of two-dimensional speckle tracking echocardiography and pressure-volume loop analysis in patients with Fontan physiology: The role of ventricular morphology. <i>Echocardiography</i> , 2017 , 34, 1353-1359	1.5	3
118	A Weight Estimation Strategy for Preterm and Full-Term Infants. <i>Global Pediatric Health</i> , 2017 , 4, 2333794X17748775	1.4	174
117	Impact of Operative and Postoperative Factors on Neurodevelopmental Outcomes After Cardiac Operations. <i>Annals of Thoracic Surgery</i> , 2016 , 102, 843-849	2.7	73
116	Validation of a Simple Score to Determine Risk of Hospital Mortality After the Norwood Procedure. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2016 , 28, 425-433	1.7	6
115	Assessment of Quality of Life in Young Patients with Single Ventricle after the Fontan Operation. <i>Journal of Pediatrics</i> , 2016 , 170, 166-72.e1	3.6	49
114	Potential Unintended Consequences of a Conservative Management Strategy for Patent Ductus Arteriosus. <i>Congenital Heart Disease</i> , 2016 , 11, 52-7	3.1	8
113	Factors affecting Fontan length of stay: Results from the Single Ventricle Reconstruction trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016 , 151, 669-675.e1	1.5	19
112	Effect of Sildenafil on Pressure-Volume Loop Measures of Ventricular Function in Fontan Patients. <i>Pediatric Cardiology</i> , 2016 , 37, 184-91	2.1	11

111	Intraoperative Steroid Use and Outcomes Following the Norwood Procedure: An Analysis of the Pediatric Heart Network® Public Database. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 30-5	3	25
110	Decline in ventricular function as a result of general anesthesia in pediatric heart transplant recipients. <i>Pediatric Transplantation</i> , 2016 , 20, 1106-1110	1.8	2
109	Tissue plasminogen activator for mediastinal tube clearance in pediatric chylous effusion: A case report. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016 , 152, e55-6	1.5	0
108	The prevalence of attention-deficit/hyperactivity disorder following neonatal aortic arch repair. <i>Cardiology in the Young</i> , 2015 , 25, 663-9	1	9
107	Improved Detection of Cardiac Allograft Vasculopathy: A Multi-Institutional Analysis of Functional Parameters in Pediatric Heart Transplant Recipients. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 547-57	15.1	37
106	Outcomes after percutaneous coronary artery revascularization procedures for cardiac allograft vasculopathy in pediatric heart transplant recipients: A multi-institutional study. <i>Journal of Heart and Lung Transplantation</i> , 2015 , 34, 1163-8	5.8	18
105	Randomized Clinical Trial of Preoperative Feeding to Evaluate Intestinal Barrier Function in Neonates Requiring Cardiac Surgery. <i>Journal of Pediatrics</i> , 2015 , 167, 47-51.e1	3.6	8
104	Neurodevelopmental outcomes after cardiac surgery in infancy. <i>Pediatrics</i> , 2015 , 135, 816-25	7.4	262
103	Association Between Method of Cerebral Protection During Neonatal Aortic Arch Surgery and Attention Deficit/Hyperactivity Disorder. <i>Annals of Thoracic Surgery</i> , 2015 , 100, 663-70	2.7	4
102	Simultaneous determination of trimethoprim and sulfamethoxazole in dried plasma and urine spots. <i>Bioanalysis</i> , 2015 , 7, 1137-49	2.1	21
101	Validation of a Simple Score to Determine Risk of Early Rejection After Pediatric Heart Transplantation. <i>JACC: Heart Failure</i> , 2015 , 3, 670-6	7.9	9
100	Survival data and predictors of functional outcome an average of 15 years after the Fontan procedure: the pediatric heart network Fontan cohort. <i>Congenital Heart Disease</i> , 2015 , 10, E30-42	3.1	48
99	Estimating equations for cardiopulmonary exercise testing variables in Fontan patients: derivation and validation using a multicenter cross-sectional database. <i>Pediatric Cardiology</i> , 2015 , 36, 393-401	2.1	6
98	Factors associated with serum B-type natriuretic peptide in infants with single ventricles. <i>Pediatric Cardiology</i> , 2014 , 35, 879-87	2.1	11
97	Transplantation-free survival and interventions at 3 years in the single ventricle reconstruction trial. <i>Circulation</i> , 2014 , 129, 2013-20	16.7	126
96	Effect of human leukocyte antigen-C and -DQ matching on pediatric heart transplant graft survival. <i>Journal of Heart and Lung Transplantation</i> , 2014 , 33, 1282-7	5.8	3
95	Validation of association of the apolipoprotein E ϵ 4 allele with neurodevelopmental dysfunction after cardiac surgery in neonates and infants. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 2560-6	1.5	40
94	Risk factors for prolonged length of stay after the stage 2 procedure in the single-ventricle reconstruction trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 147, 1791-8, 1798.e1-4	1.5	25

93	A composite outcome for neonatal cardiac surgery research. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 147, 428-33	1.5	10
92	Atenolol versus losartan in children and young adults with Marfan [®] syndrome. <i>New England Journal of Medicine</i> , 2014 , 371, 2061-71	59.2	347
91	Functional health status in children and adolescents after Fontan: comparison of generic and disease-specific assessments. <i>Cardiology in the Young</i> , 2014 , 24, 469-77	1	13
90	Association of human leukocyte antigen donor-recipient matching and pediatric heart transplant graft survival. <i>Circulation: Heart Failure</i> , 2014 , 7, 605-11	7.6	15
89	Preoperative steroid treatment does not improve markers of inflammation after cardiac surgery in neonates: results from a randomized trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 147, 902-8 ⁵	1.5	36
88	The relationship of patient medical and laboratory characteristics to changes in functional health status in children and adolescents after the Fontan procedure. <i>Pediatric Cardiology</i> , 2014 , 35, 632-40	2.1	10
87	Palliative Procedures 2014 , 323-328		
86	Standard Monitoring Techniques in the Pediatric Cardiac Intensive Care Unit 2014 , 821-834		1
85	Response to a single dose of sildenafil in single-ventricle patients: an echocardiographic evaluation. <i>Pediatric Cardiology</i> , 2013 , 34, 1739-42	2.1	5
84	Vitamin D status in neonates undergoing cardiac operations: relationship to cardiopulmonary bypass and association with outcomes. <i>Journal of Pediatrics</i> , 2013 , 162, 823-6	3.6	26
83	Cardiac performance and quality of life in patients who have undergone the Fontan procedure with and without prior superior cavopulmonary connection. <i>Cardiology in the Young</i> , 2013 , 23, 335-43	1	11
82	Factors impacting echocardiographic imaging after the Fontan procedure: a report from the pediatric heart network fontan cross-sectional study. <i>Echocardiography</i> , 2013 , 30, 1098-106	1.5	7
81	Effect of prostaglandin duration on outcomes in transposition of the great arteries with intact ventricular septum. <i>Congenital Heart Disease</i> , 2012 , 7, 387-91	3.1	12
80	Differential effects of aprotinin and tranexamic acid on outcomes and cytokine profiles in neonates undergoing cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012 , 143, 1069-76	1.5	23
79	Interstage mortality after the Norwood procedure: Results of the multicenter Single Ventricle Reconstruction trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012 , 144, 896-906	1.5	225
78	Reduction in postoperative high-density lipoprotein cholesterol levels in children undergoing the Fontan operation. <i>Pediatric Cardiology</i> , 2012 , 33, 1154-9	2.1	9
77	Comparison of maximum vasoactive inotropic score and low cardiac output syndrome as markers of early postoperative outcomes after neonatal cardiac surgery. <i>Pediatric Cardiology</i> , 2012 , 33, 633-8	2.1	71
76	Late status of Fontan patients with persistent surgical fenestration. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2437-43	15.1	72

75	Lessons learned from a pediatric clinical trial: the Pediatric Heart Network angiotensin-converting enzyme inhibition in mitral regurgitation study. <i>American Heart Journal</i> , 2011 , 161, 233-40	4.9	24
74	Practice variability and outcomes of coil embolization of aortopulmonary collaterals before Fontan completion: a report from the Pediatric Heart Network Fontan Cross-Sectional Study. <i>American Heart Journal</i> , 2011 , 162, 125-30	4.9	36
73	Factors associated with serum brain natriuretic peptide levels after the Fontan procedure. <i>Congenital Heart Disease</i> , 2011 , 6, 313-21	3.1	31
72	Evaluation of Kawasaki disease risk-scoring systems for intravenous immunoglobulin resistance. <i>Journal of Pediatrics</i> , 2011 , 158, 831-835.e3	3.6	218
71	Factors affecting growth in infants with single ventricle physiology: a report from the Pediatric Heart Network Infant Single Ventricle Trial. <i>Journal of Pediatrics</i> , 2011 , 159, 1017-22.e2	3.6	70
70	Surgical management of complete atrioventricular septal defect: associations with surgical technique, age, and trisomy 21. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011 , 141, 1371-9	1.5	59
69	Standardized preoperative corticosteroid treatment in neonates undergoing cardiac surgery: results from a randomized trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011 , 142, 1523-9	1.5	68
68	Surgical interventions for atrioventricular septal defect subtypes: the pediatric heart network experience. <i>Annals of Thoracic Surgery</i> , 2011 , 92, 1468-75; discussion 1475	2.7	31
67	Enalapril in infants with single ventricle: results of a multicenter randomized trial. <i>Circulation</i> , 2010 , 122, 333-40	16.7	213
66	Laboratory measures of exercise capacity and ventricular characteristics and function are weakly associated with functional health status after Fontan procedure. <i>Circulation</i> , 2010 , 121, 34-42	16.7	38
65	Comparison of shunt types in the Norwood procedure for single-ventricle lesions. <i>New England Journal of Medicine</i> , 2010 , 362, 1980-92	59.2	630
64	Anthropometric measures after Fontan procedure: implications for suboptimal functional outcome. <i>American Heart Journal</i> , 2010 , 160, 1092-8, 1098.e1	4.9	48
63	Initial experience with a miniaturized multiplane transesophageal probe in small infants undergoing cardiac operations. <i>Annals of Thoracic Surgery</i> , 2010 , 89, 1990-4	2.7	34
62	The Fontan patient: inconsistencies in medication therapy across seven pediatric heart network centers. <i>Pediatric Cardiology</i> , 2010 , 31, 1219-28	2.1	48
61	Sex reversal and hypoplastic left heart syndrome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 139, e35-6	1.5	1
60	Circulating matrix metalloproteinase levels after ventricular septal defect repair in infants. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 140, 1257-65	1.5	3
59	Prenatal diagnosis and risk factors for preoperative death in neonates with single right ventricle and systemic outflow obstruction: screening data from the Pediatric Heart Network Single Ventricle Reconstruction Trial(*). <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 140, 1245-50	1.5	68
58	Partial and transitional atrioventricular septal defect outcomes. <i>Annals of Thoracic Surgery</i> , 2010 , 89, 530-6	2.7	36

57	Comparison of Norwood shunt types: do the outcomes differ 6 years later?. <i>Annals of Thoracic Surgery</i> , 2010 , 90, 31-5	2.7	28
56	Birth weight and prematurity in infants with single ventricle physiology: pediatric heart network infant single ventricle trial screened population. <i>Congenital Heart Disease</i> , 2010 , 5, 96-103	3.1	31
55	Innovation in congenital and paediatric cardiac critical care. <i>Cardiology in the Young</i> , 2009 , 19 Suppl 2, 85-9	1	3
54	Parent- versus child-reported functional health status after the Fontan procedure. <i>Pediatrics</i> , 2009 , 124, e942-9	7.4	45
53	Associated symptoms in the ten days before diagnosis of Kawasaki disease. <i>Journal of Pediatrics</i> , 2009 , 154, 592-595.e2	3.6	80
52	Comparison of echocardiographic and cardiac magnetic resonance imaging measurements of functional single ventricular volumes, mass, and ejection fraction (from the Pediatric Heart Network Fontan Cross-Sectional Study). <i>American Journal of Cardiology</i> , 2009 , 104, 419-28	3	139
51	Universal screening for extracardiac abnormalities in neonates with congenital heart disease. <i>Pediatric Cardiology</i> , 2009 , 30, 269-73	2.1	20
50	Chromosomal anomalies influence parental treatment decisions in relation to prenatally diagnosed congenital heart disease. <i>Pediatric Cardiology</i> , 2009 , 30, 1105-11	2.1	26
49	Rationale and design of a trial of angiotensin-converting enzyme inhibition in infants with single ventricle. <i>American Heart Journal</i> , 2009 , 157, 37-45	4.9	31
48	Functional state following the Fontan procedure. <i>Cardiology in the Young</i> , 2009 , 19, 320-30	1	24
47	Palliative Procedures 2009 , 1-4		
46	Effect of preoperative use of propranolol on postoperative outcome in patients with tetralogy of Fallot. <i>American Journal of Cardiology</i> , 2008 , 101, 693-5	3	8
45	Design and rationale of a randomized trial comparing the Blalock-Taussig and right ventricle-pulmonary artery shunts in the Norwood procedure. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 136, 968-75	1.5	95
44	Contemporary outcomes after the Fontan procedure: a Pediatric Heart Network multicenter study. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 85-98	15.1	326
43	Right ventricle-to-pulmonary artery shunt: alternative palliation in infants with inadequate pulmonary blood flow prior to two-ventricle repair. <i>Annals of Thoracic Surgery</i> , 2008 , 86, 183-8; discussion 188	2.7	25
42	QRS duration following the norwood procedure: Blalock-Taussig shunt versus right ventricle to pulmonary artery shunt. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 1336-8	1.6	9
41	Survival after bidirectional cavopulmonary anastomosis: analysis of preoperative risk factors. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007 , 134, 82-9, 89.e1-2	1.5	76
40	Coronary artery involvement in children with Kawasaki disease: risk factors from analysis of serial normalized measurements. <i>Circulation</i> , 2007 , 116, 174-9	16.7	238

39	Randomized trial of pulsed corticosteroid therapy for primary treatment of Kawasaki disease. <i>New England Journal of Medicine</i> , 2007 , 356, 663-75	59.2	291
38	Controversies, genetics, diagnostic assessment, and outcomes relating to the heterotaxy syndrome. <i>Cardiology in the Young</i> , 2007 , 17 Suppl 2, 29-43	1	77
37	Does a ventriculotomy have deleterious effects following palliation in the Norwood procedure using a shunt placed from the right ventricle to the pulmonary arteries?. <i>Cardiology in the Young</i> , 2007 , 17, 145-50	1	60
36	Functional state of patients with heterotaxy syndrome following the Fontan operation. <i>Cardiology in the Young</i> , 2007 , 17 Suppl 2, 44-53	1	28
35	Delayed diagnosis of Kawasaki disease: what are the risk factors?. <i>Pediatrics</i> , 2007 , 120, e1434-40	7.4	92
34	Percutaneous occlusion of a pseudoaneurysm evolving after homograft aortic valve and root replacement with the Amplatzer muscular ventricular septal defect occluder. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006 , 131, 914-6	1.5	17
33	Incidence and outcome of cardiopulmonary resuscitation in patients with shunted single ventricle: advantage of right ventricle to pulmonary artery shunt. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006 , 131, e7-8	1.5	18
32	Relationship of patient and medical characteristics to health status in children and adolescents after the Fontan procedure. <i>Circulation</i> , 2006 , 113, 1123-9	16.7	127
31	Complete repair of conotruncal defects with an interatrial communication: oxygenation, hemodynamic status, and early outcome. <i>Annals of Thoracic Surgery</i> , 2006 , 82, 1286-91; discussion 1291	2.7	5
30	Neoaortic root modification for late thrombosis after Norwood palliation. <i>Annals of Thoracic Surgery</i> , 2006 , 82, e29-30	2.7	11
29	Early experience with real-time three-dimensional echocardiographic guidance of right ventricular biopsy in children. <i>Echocardiography</i> , 2006 , 23, 45-9	1.5	26
28	Preoperative management of hypoplastic left heart syndrome. <i>Expert Opinion on Pharmacotherapy</i> , 2005 , 6, 687-93	4	16
27	Postoperative management: the role of mixed venous oxygen saturation monitoring. <i>Pediatric Cardiac Surgery Annual</i> , 2005 , 22-7	2.1	17
26	Inhaled nitric oxide does not improve systemic oxygenation after bidirectional superior cavopulmonary anastomosis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 129, 217-9	1.5	23
25	Vasopressin to attenuate pulmonary hypertension and improve systemic blood pressure after correction of obstructed total anomalous pulmonary venous return. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 129, 464-6	1.5	28
24	Left atrial decompression by percutaneous cannula placement while on extracorporeal membrane oxygenation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 595-6	1.5	41
23	Laryngopharyngeal dysfunction after the Norwood procedure. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 1293-301	1.5	123
22	Redefining the impact of oxygen and hyperventilation after the Norwood procedure. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004 , 127, 473-80	1.5	34

21	Effectiveness of cardiac surgery in trisomies 13 and 18 (from the Pediatric Cardiac Care Consortium). <i>American Journal of Cardiology</i> , 2004 , 93, 801-3	3	92
20	Implications and limitations of an abnormal fetal echocardiogram. <i>American Journal of Cardiology</i> , 2004 , 94, 688-9	3	20
19	A population pharmacokinetic analysis of milrinone in pediatric patients after cardiac surgery. <i>Journal of Pharmacokinetics and Pharmacodynamics</i> , 2004 , 31, 43-59	2.7	56
18	Hemodynamic status after the Norwood procedure: a comparison of right ventricle-to-pulmonary artery connection versus modified Blalock-Taussig shunt. <i>Annals of Thoracic Surgery</i> , 2004 , 78, 933-41; discussion 933-41	2.7	75
17	Outcome following, and impact of, prenatal identification of the candidates for the Norwood procedure. <i>Cardiology in the Young</i> , 2004 , 14, 32-8	1	13
16	Diagnostic and therapeutic uses of inhaled nitric oxide in neonatal Ebstein's anomaly. <i>American Journal of Cardiology</i> , 2003 , 91, 906-8	3	29
15	Efficacy and safety of milrinone in preventing low cardiac output syndrome in infants and children after corrective surgery for congenital heart disease. <i>Circulation</i> , 2003 , 107, 996-1002	16.7	595
14	Echocardiographic diagnosis of partial obstruction of Blalock-Taussig shunts. <i>Cardiology in the Young</i> , 2002 , 12, 189-91	1	5
13	Sildenafil augments the effect of inhaled nitric oxide for postoperative pulmonary hypertensive crises. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002 , 124, 628-9	1.5	119
12	The infant with single ventricle and excessive pulmonary blood flow: results of a strategy of pulmonary artery division and shunt. <i>Annals of Thoracic Surgery</i> , 2002 , 74, 805-10; discussion 810	2.7	25
11	Prophylactic intravenous use of milrinone after cardiac operation in pediatrics (PRIMACORP) study. Prophylactic Intravenous Use of Milrinone After Cardiac Operation in Pediatrics. <i>American Heart Journal</i> , 2002 , 143, 15-21	4.9	108
10	Mechanical circulatory support for the treatment of children with acute fulminant myocarditis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2001 , 122, 440-8	1.5	206
9	Hemodynamic effects of inspired carbon dioxide after the Norwood procedure. <i>Annals of Thoracic Surgery</i> , 2001 , 72, 2088-93; discussion 2093-4	2.7	42
8	Preoperative management of pulmonary venous hypertension in hypoplastic left heart syndrome with restrictive atrial septal defect. <i>American Journal of Cardiology</i> , 1999 , 83, 1224-8	3	100
7	Combined effects of nitric oxide and oxygen during acute pulmonary vasodilator testing. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 813-9	15.1	113
6	Inhaled nitric oxide and heparin for infantile primary pulmonary hypertension. <i>Lancet</i> , 1998 , 351, 1701	40	213
5	Inhaled nitric oxide in the neonate with cardiac disease. <i>Seminars in Perinatology</i> , 1997 , 21, 441-55	3.3	62
4	Rebound pulmonary hypertension after inhalation of nitric oxide. <i>Annals of Thoracic Surgery</i> , 1996 , 62, 1759-64	2.7	160

3	Inhaled nitric oxide in children with pulmonary hypertension and congenital mitral stenosis. <i>American Journal of Cardiology</i> , 1996 , 77, 316-9	3	43
2	Diagnostic use of inhaled nitric oxide after neonatal cardiac operations. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1996 , 112, 1403-5	1.5	33
1	Milrinone: systemic and pulmonary hemodynamic effects in neonates after cardiac surgery. <i>Critical Care Medicine</i> , 1995 , 23, 1907-14	1.4	220