

Graham J Pierce

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4666958/publications.pdf>

Version: 2024-02-01

281
papers

11,069
citations

30070

54
h-index

56724

83
g-index

288
all docs

288
docs citations

288
times ranked

8484
citing authors

#	ARTICLE	IF	CITATIONS
1	Travelling through a warming world: climate change and migratory species. <i>Endangered Species Research</i> , 2009, 7, 87-99.	2.4	297
2	Levels of Hexabromocyclododecane in Harbor Porpoises and Common Dolphins from Western European Seas, with Evidence for Stereoisomer-Specific Biotransformation by Cytochrome P450. <i>Environmental Science & Technology</i> , 2005, 39, 2095-2100.	10.0	222
3	Subtle population structuring within a highly vagile marine invertebrate, the veined squid <i>Loligo forbesi</i> , demonstrated with microsatellite DNA markers. <i>Molecular Ecology</i> , 1999, 8, 407-417.	3.9	221
4	World Squid Fisheries. <i>Reviews in Fisheries Science and Aquaculture</i> , 2015, 23, 92-252.	9.1	211
5	Global proliferation of cephalopods. <i>Current Biology</i> , 2016, 26, R406-R407.	3.9	211
6	Species and size differences in the digestion of otoliths and beaks: implications for estimates of pinniped diet composition. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1997, 54, 105-119.	1.4	164
7	Fishery discards and bycatch: solutions for an ecosystem approach to fisheries management?. <i>Hydrobiologia</i> , 2011, 670, 317-333.	2.0	156
8	Assessing the importance of cephalopods in the diets of marine mammals and other top predators: problems and solutions. <i>Fisheries Research</i> , 2001, 52, 121-139.	1.7	152
9	Modelling of essential fish habitat based on remote sensing, spatial analysis and GIS. <i>Hydrobiologia</i> , 2008, 612, 5-20.	2.0	145
10	Effect of feed and feeding in the culture of salmonids on the marine aquatic environment: a synthesis for European aquaculture. <i>Aquaculture International</i> , 2006, 14, 499-522.	2.2	143
11	Assessing the risk of an emerging zoonosis of worldwide concern: anisakiasis. <i>Scientific Reports</i> , 2017, 7, 43699.	3.3	143
12	How biodiversity affects ecosystem functioning: roles of infaunal species richness, identity and density in the marine benthos. <i>Marine Ecology - Progress Series</i> , 2006, 311, 263-271.	1.9	139
13	A review of cephalopod "environment interactions in European Seas. <i>Hydrobiologia</i> , 2008, 612, 49-70.	2.0	138
14	Stakeholders' participation in the fisheries management decision-making process: Fishers' perceptions of participation. <i>Marine Policy</i> , 2010, 34, 1093-1102.	3.2	136
15	Climate change and the cetacean community of north-west Scotland. <i>Biological Conservation</i> , 2005, 124, 477-483.	4.1	130
16	Common trends in northeast Atlantic squid time series. <i>Journal of Sea Research</i> , 2004, 52, 57-72.	1.6	124
17	Environmental Effects on Cephalopod Population Dynamics. <i>Advances in Marine Biology</i> , 2014, 67, 99-233.	1.4	124
18	Review of Data on Diets of Beaked Whales: Evidence of Niche Separation and Geographic Segregation. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 651-665.	0.8	118

#	ARTICLE	IF	CITATIONS
19	Stock assessment methods used for cephalopod fisheries. <i>Fisheries Research</i> , 1994, 21, 255-285.	1.7	116
20	Potential Effects Of Climate Change On Marine Mammals. <i>Oceanography and Marine Biology</i> , 2006, , 431-464.	1.0	114
21	VARIABILITY IN THE DIET OF HARBOR PORPOISES (PHOCOENA PHOCOENA) IN SCOTTISH WATERS 1992â€“2003. <i>Marine Mammal Science</i> , 2004, 20, 1-27.	1.8	102
22	Sub-surface hotspots in shallow seas: fine-scale limited locations of top predator foraging habitat indicated by tidal mixing and sub-surface chlorophyll. <i>Marine Ecology - Progress Series</i> , 2010, 408, 207-226.	1.9	100
23	Fishery by-catches of marine mammals in Galician waters: results from on-board observations and an interview survey of fishermen. <i>Biological Conservation</i> , 2003, 111, 25-40.	4.1	96
24	Flexible reproductive strategies in the squid <i>Loligo forbesi</i> . <i>Marine Biology</i> , 1995, 121, 501-508.	1.5	95
25	Reproductive Failure in UK Harbour Porpoises <i>Phocoena phocoena</i> : Legacy of Pollutant Exposure?. <i>PLoS ONE</i> , 2015, 10, e0131085.	2.5	92
26	Intraspecific dietary variation in the short-beaked common dolphin <i>Delphinus delphis</i> in the Bay of Biscay: importance of fat fish. <i>Marine Ecology - Progress Series</i> , 2008, 354, 277-287.	1.9	91
27	Microplastics in the stomach contents of common dolphin (<i>Delphinus delphis</i>) stranded on the Galician coasts (NW Spain, 2005â€“2010). <i>Marine Pollution Bulletin</i> , 2018, 137, 526-532.	5.0	85
28	Impact of cephalopods in the food chain and their interaction with the environment and fisheries: an overview. <i>Fisheries Research</i> , 2001, 52, 5-10.	1.7	80
29	Modelling intra-annual variation in abundance of squid <i>Loligo forbesi</i> in Scottish waters using generalised additive models. <i>Fisheries Research</i> , 2001, 52, 23-39.	1.7	80
30	Timing of migratory baleen whales at the Azores in relation to the North Atlantic spring bloom. <i>Marine Ecology - Progress Series</i> , 2011, 440, 267-279.	1.9	79
31	The life history of <i>Loligo forbesi</i> (Cephalopoda: Loliginidae) in Scottish waters. <i>Fisheries Research</i> , 1994, 21, 17-41.	1.7	76
32	Stable isotope analysis in two sympatric populations of bottlenose dolphins <i>Tursiops truncatus</i> : evidence of resource partitioning?. <i>Marine Biology</i> , 2011, 158, 1043-1055.	1.5	76
33	A survey of zoonotic nematodes of commercial key fish species from major European fishing groundsâ€”Introducing the FP7 PARASITE exposure assessment study. <i>Fisheries Research</i> , 2018, 202, 4-21.	1.7	76
34	Future challenges in cephalopod research. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 999-1015.	0.8	75
35	Stomach contents of sperm whales <i>Physeter macrocephalus</i> stranded in the North Sea 1990-1996. <i>Marine Ecology - Progress Series</i> , 1999, 183, 281-294.	1.9	72
36	Breaking symmetry: The marine environment, prey size, and the evolution of asymmetry in cetacean skulls. <i>Anatomical Record</i> , 2007, 290, 539-545.	1.4	72

#	ARTICLE	IF	CITATIONS
37	Stable carbon and nitrogen isotope ratio profiling of sperm whale teeth reveals ontogenetic movements and trophic ecology. <i>Oecologia</i> , 2007, 151, 605-615.	2.0	71
38	Bioaccumulation of persistent organic pollutants in female common dolphins (<i>Delphinus delphis</i>) and harbour porpoises (<i>Phocoena phocoena</i>) from western European seas: Geographical trends, causal factors and effects on reproduction and mortality. <i>Environmental Pollution</i> , 2008, 153, 401-415.	7.5	71
39	Indicators of the impact of climate change on migratory species. <i>Endangered Species Research</i> , 2009, 7, 101-113.	2.4	71
40	Fish discarded from Scottish demersal vessels: Estimators of total discards and annual estimates for targeted gadoids. <i>ICES Journal of Marine Science</i> , 1999, 56, 592-605.	2.5	68
41	Geographic, seasonal and ontogenetic variation in cadmium and mercury concentrations in squid (Cephalopoda: Teuthoidea) from UK waters. <i>Ecotoxicology and Environmental Safety</i> , 2008, 70, 422-432.	6.0	68
42	An overview of commercial fishers' attitudes towards marine protected areas. <i>Hydrobiologia</i> , 2011, 670, 289-306.	2.0	67
43	Habitat preferences and interannual variability in occurrence of the harbour porpoise <i>Phocoena phocoena</i> off northwest Scotland. <i>Marine Ecology - Progress Series</i> , 2009, 381, 297-310.	1.9	65
44	Variability in the diet of bottlenose dolphin, <i>Tursiops truncatus</i> , in Galician waters, north-western Spain, 1990-2005. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 231-241.	0.8	64
45	Foraging ecology of five toothed whale species in the Northwest Iberian Peninsula, inferred using carbon and nitrogen isotope ratios. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 413, 150-158.	1.5	63
46	Spatial and temporal patterns of cuttlefish (<i>Sepia officinalis</i>) abundance and environmental influences - a case study using trawl fishery data in French Atlantic coastal, English Channel, and adjacent waters. <i>ICES Journal of Marine Science</i> , 2003, 60, 1149-1158.	2.5	62
47	Experimental study on the effect of diet on fatty acid and stable isotope profiles of the squid <i>Lolliguncula brevis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 333, 97-114.	1.5	62
48	Identifying essential fish habitat for small pelagic species in Spanish Mediterranean waters. <i>Hydrobiologia</i> , 2008, 612, 171-184.	2.0	62
49	Trophic position of deep-sea fish - Assessment through fatty acid and stable isotope analyses. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009, 56, 812-826.	1.4	62
50	Distribution maps of cetacean and seabird populations in the North-East Atlantic. <i>Journal of Applied Ecology</i> , 2020, 57, 253-269.	4.0	60
51	Long-term variation in common dolphin diet in relation to prey abundance. <i>Marine Ecology - Progress Series</i> , 2013, 481, 249-268.	1.9	59
52	Empirical modelling of interannual trends in abundance of squid (<i>Loligo forbesi</i>) in Scottish waters. <i>Fisheries Research</i> , 2003, 59, 305-326.	1.7	58
53	Lantern fish (<i>Bentosema pterotum</i>) resources as a target for commercial exploitation in the Oman Sea. <i>Journal of Applied Ichthyology</i> , 2007, 23, 573-577.	0.7	58
54	Genetic variation in the neritic squid <i>Loligo forbesi</i> (Myopsida: Loliginidae) in the northeast Atlantic Ocean. <i>Marine Biology</i> , 1995, 122, 79-86.	1.5	57

#	ARTICLE	IF	CITATIONS
55	Linking sandeel consumption and the likelihood of starvation in harbour porpoises in the Scottish North Sea: could climate change mean more starving porpoises?. <i>Biology Letters</i> , 2007, 3, 185-188.	2.3	57
56	A comparison of approaches for modelling the occurrence of marine animals. <i>Hydrobiologia</i> , 2008, 612, 21-32.	2.0	57
57	Abundance of demersal fish resources in the Persian Gulf and Oman Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 1455-1462.	0.8	56
58	Risso's dolphins alter daily resting pattern in response to whale watching at the Azores. <i>Marine Mammal Science</i> , 2011, 27, 366-381.	1.8	56
59	Human health, legislative and socioeconomic issues caused by the fish-borne zoonotic parasite <i>Anisakis</i> : Challenges in risk assessment. <i>Trends in Food Science and Technology</i> , 2019, 86, 298-310.	15.1	56
60	Diets of squid <i>Loligo forbesi</i> and <i>Loligo vulgaris</i> in the northeast Atlantic. <i>Fisheries Research</i> , 1994, 21, 149-163.	1.7	55
61	New insights from age determination on toxic element accumulation in striped and bottlenose dolphins from Atlantic and Mediterranean waters. <i>Marine Pollution Bulletin</i> , 2006, 52, 1219-1230.	5.0	55
62	An ecosystem approach for the assessment of fisheries impacts on marine top predators: the Bay of Biscay case study. <i>ICES Journal of Marine Science</i> , 2012, 69, 925-938.	2.5	55
63	Monthly variation in the diet of harbour seals in inshore waters along the southeast Shetland (UK) coastline. <i>Marine Ecology - Progress Series</i> , 1998, 167, 275-289.	1.9	55
64	Long-term dietary segregation of common dolphins <i>Delphinus delphis</i> in the Bay of Biscay, determined using cadmium as an ecological tracer. <i>Marine Ecology - Progress Series</i> , 2005, 305, 275-285.	1.9	55
65	Using model systems to address the biodiversity-ecosystem functioning process. <i>Marine Ecology - Progress Series</i> , 2006, 311, 295-309.	1.9	55
66	Distribution and abundance of the fished population of <i>Loligo forbesi</i> in Scottish waters: analysis of research cruise data. <i>ICES Journal of Marine Science</i> , 1998, 55, 14-33.	2.5	54
67	Species effects on ecosystem processes are modified by faunal responses to habitat composition. <i>Oecologia</i> , 2008, 158, 511-520.	2.0	53
68	Stock assessment and management of cephalopods: advances and challenges for short-lived fishery resources. <i>ICES Journal of Marine Science</i> , 2021, 78, 714-730.	2.5	53
69	Trends in strandings and by-catch of marine mammals in north-west Spain during the 1990s. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 513-521.	0.8	52
70	The apparent disappearance of <i>Loligo forbesi</i> from the south of its range in the 1990s: Trends in <i>Loligo</i> spp. abundance in the northeast Atlantic and possible environmental influences. <i>Fisheries Research</i> , 2006, 78, 44-54.	1.7	52
71	Sustainable whale-watching tourism and climate change: towards a framework of resilience. <i>Journal of Sustainable Tourism</i> , 2010, 18, 409-427.	9.2	52
72	Life-history traits of the giant squid <i>Architeuthis dux</i> revealed from stable isotope signatures recorded in beaks. <i>ICES Journal of Marine Science</i> , 2010, 67, 1425-1431.	2.5	51

#	ARTICLE	IF	CITATIONS
73	Importance of biological parameters in assessing the status of <i>Delphinus delphis</i> . <i>Marine Ecology - Progress Series</i> , 2009, 388, 273-291.	1.9	51
74	Distribution and abundance of the fished population of <i>Loligo forbesi</i> in UK waters: analysis of fishery data. <i>Fisheries Research</i> , 1994, 21, 193-216.	1.7	50
75	Cycles, trends, and residual variation in the Iberian sardine (<i>Sardina pilchardus</i>) recruitment series and their relationship with the environment. <i>ICES Journal of Marine Science</i> , 2012, 69, 739-750.	2.5	50
76	Factors Affecting the Occurrence and Demographics of Common Dolphins (<i>Delphinus delphis</i>) in the Eastern North Atlantic. <i>Journal of Marine Biology</i> , 2007, 77, 1-15.	0.7	49
77	Fishery biology of northeast Atlantic squid: an overview. <i>Fisheries Research</i> , 1994, 21, 1-15.	1.7	48
78	Remotely sensed mesoscale oceanography and the distribution of <i>Illex argentinus</i> in the South Atlantic. <i>Fisheries Oceanography</i> , 2001, 10, 207-216.	1.7	48
79	Interannual patterns of variation in concentrations of trace elements in arms of <i>Octopus vulgaris</i> . <i>Chemosphere</i> , 2005, 59, 1113-1124.	8.2	48
80	Stomach contents of cetaceans stranded in the Canary Islands 1996–2006. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 873-883.	0.8	48
81	Comparisons of size at maturity and fecundity of two Scottish populations of the European lobster, <i>Homarus gammarus</i> . <i>Fisheries Research</i> , 2003, 65, 137-152.	1.7	47
82	TAXONOMIC STATUS AND GEOGRAPHICAL CRANIAL VARIATION OF COMMON DOLPHINS (<i>DELPHINUS</i>) IN THE EASTERN NORTH ATLANTIC. <i>Marine Mammal Science</i> , 2006, 22, 573-599.	1.8	47
83	Trends in cetacean sightings along the Galician coast, north-west Spain, 2003–2007, and inferences about cetacean habitat preferences. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1547-1560.	0.8	47
84	A review of the human activities impacting cetaceans in the eastern tropical Atlantic. <i>Mammal Review</i> , 2013, 43, 258-274.	4.8	47
85	Diet Composition and Variability of Wild <i>Octopus vulgaris</i> and <i>Alloteuthis media</i> (Cephalopoda) Paralarvae: a Metagenomic Approach. <i>Frontiers in Physiology</i> , 2017, 8, 321.	2.8	47
86	Relative prey size consumption in toothed whales: implications for prey selection and level of specialisation. <i>Marine Ecology - Progress Series</i> , 2006, 326, 295-307.	1.9	46
87	Accumulation of mercury in the tissues of the common octopus <i>Octopus vulgaris</i> (L.) in two localities on the Portuguese coast. <i>Science of the Total Environment</i> , 2005, 340, 113-122.	8.0	45
88	Fishers' perceptions about the EU discards policy and its economic impact on small-scale fisheries in Galicia (North West Spain). <i>Ecological Economics</i> , 2016, 130, 130-138.	5.7	45
89	The spatio-temporal pattern of Argentine shortfin squid <i>Illex argentinus</i> abundance in the southwest Atlantic. <i>Aquatic Living Resources</i> , 2005, 18, 361-372.	1.2	44
90	Quantifying the predation on sardine and hake by cetaceans in the Atlantic waters of the Iberian peninsula. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 106, 232-244.	1.4	44

#	ARTICLE	IF	CITATIONS
91	Marine biodiversity and ecosystem function: empirical approaches and future research needs. <i>Marine Ecology - Progress Series</i> , 2006, 311, 175-309.	1.9	44
92	Application of depletion methods to estimate stock size in the squid <i>Loligo forbesi</i> in Scottish waters (UK). <i>Fisheries Research</i> , 2004, 69, 211-227.	1.7	43
93	Mass-dependent predation risk and lethal dolphin-porpoise interactions. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 2587-2593.	2.6	42
94	Cetacean-fishery interactions in Galicia (NW Spain): results and management implications of a face-to-face interview survey of local fishers. <i>ICES Journal of Marine Science</i> , 2014, 71, 604-617.	2.5	42
95	Identification of fish otoliths and bones in faeces and digestive tracts of seals. <i>Journal of Zoology</i> , 1991, 224, 320-328.	1.7	41
96	Use of frequency analysis methods to estimate growth of anchovy (<i>Engraulis encrasicolus</i> L. 1758) in the Gulf of Cádiz (SW Spain). <i>Fisheries Research</i> , 2000, 48, 107-115.	1.7	41
97	Distribution patterns of small cetaceans in Galician waters. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004, 84, 283-294.	0.8	41
98	Real-time PCR assay for detection and relative quantification of <i>Liocarcinus depurator</i> larvae from plankton samples. <i>Marine Biology</i> , 2008, 153, 859-870.	1.5	41
99	A spatially explicit risk assessment approach: Cetaceans and marine traffic in the Pelagos Sanctuary (Mediterranean Sea). <i>PLoS ONE</i> , 2017, 12, e0179686.	2.5	40
100	Geographic variation in <i>Loligo forbesi</i> in the Northeast Atlantic Ocean: analysis of morphometric data and tests of causal hypotheses. <i>Marine Biology</i> , 1994, 119, 541-547.	1.5	39
101	Growth strategies in the squid <i>Loligo vulgaris</i> from Portuguese waters. <i>Marine Biology Research</i> , 2007, 3, 49-59.	0.7	39
102	Insights into the diet of beaked whales from the atypical mass stranding in the Canary Islands in September 2002. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 243-251.	0.8	39
103	Ecological niche segregation among five toothed whale species off the NW Iberian Peninsula using ecological tracers as multi-approach. <i>Marine Biology</i> , 2013, 160, 2825-2840.	1.5	39
104	Cetacean range and climate in the eastern North Atlantic: future predictions and implications for conservation. <i>Global Change Biology</i> , 2014, 20, 1782-1793.	9.5	39
105	PYGMY SPERM WHALES <i>KOGIA BREVICEPS</i> IN THE NORTHEAST ATLANTIC: NEW INFORMATION ON STOMACH CONTENTS AND STRANDINGS. <i>Marine Mammal Science</i> , 2006, 22, 600-616.	1.8	38
106	The perceptions of Scottish inshore fishers about marine protected areas. <i>Marine Policy</i> , 2013, 37, 254-263.	3.2	38
107	Biological and ecological factors related to trace element levels in harbour porpoises (<i>Phocoena</i>). <i>Journal of Environmental Monitoring</i> , 2014, 16, 1782-1793.	2.5	37
108	An assessment of contaminant concentrations in toothed whale species of the NW Iberian Peninsula: Part II. Trace element concentrations. <i>Science of the Total Environment</i> , 2014, 484, 206-217.	8.0	37

#	ARTICLE	IF	CITATIONS
109	Additional notes on stomach contents of sperm whales <i>Physeter macrocephalus</i> stranded in the north-east Atlantic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 501-507.	0.8	36
110	Results of a short study of interactions of cetaceans and longline fisheries in Atlantic waters: environmental correlates of catches and depredation events. <i>Hydrobiologia</i> , 2008, 612, 251-268.	2.0	36
111	Willingness for mobility amongst European fishermen. <i>Journal of Rural Studies</i> , 2010, 26, 308-319.	4.7	36
112	Identification of métiers of the Northern Spanish coastal bottom pair trawl fleet by using the partitioning method CLARA. <i>Fisheries Research</i> , 2010, 102, 184-190.	1.7	36
113	Quantifying likely cetacean range shifts in response to global climatic change: implications for conservation strategies in a changing world. <i>Endangered Species Research</i> , 2011, 15, 205-222.	2.4	35
114	Atmospheric forcing on chlorophyll concentration in the Mediterranean. <i>Hydrobiologia</i> , 2008, 612, 33-48.	2.0	34
115	Infection levels and species diversity of ascaridoid nematodes in Atlantic cod, <i>Gadus morhua</i> , are correlated with geographic area and fish size. <i>Fisheries Research</i> , 2018, 202, 90-102.	1.7	34
116	Assessing the effect of persistent organic pollutants on reproductive activity in common dolphins and harbour porpoises. <i>Journal of Northwest Atlantic Fishery Science</i> , 0, 42, 153-173.	1.4	34
117	Fine-scale genetic structure of bottlenose dolphins, <i>Tursiops truncatus</i> , in Atlantic coastal waters of the Iberian Peninsula. <i>Hydrobiologia</i> , 2011, 670, 111-125.	2.0	33
118	Feeding ecology of striped dolphins, <i>Stenella coeruleoalba</i> , in the north-western Mediterranean Sea based on stable isotope analyses. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1677-1687.	0.8	33
119	Patterns and trends in the diet of long-finned pilot whales (<i>Globicephala melas</i>) in the northeast Atlantic. <i>Marine Mammal Science</i> , 2014, 30, 1-19.	1.8	33
120	Life history of harbor porpoises (<i>Phocoena phocoena</i>) in Scottish (UK) waters. <i>Marine Mammal Science</i> , 2014, 30, 1427-1455.	1.8	33
121	Morphometric variation in <i>Loligo forbesi</i> and <i>Loligo vulgaris</i> : regional, seasonal, sex, maturity and worker differences. <i>Fisheries Research</i> , 1994, 21, 127-148.	1.7	32
122	Resolution of multiple cohorts in the <i>Loligo forbesi</i> population from the west of Scotland. <i>ICES Journal of Marine Science</i> , 1999, 56, 500-509.	2.5	32
123	On reproduction and age of the squid <i>Loligo vulgaris</i> from the Saharan Bank (north-west African) Tj ETQq1 1 0.784314 rgBT /Overlock 1	0.8	32
124	Historical trends in the incidence of strandings of sperm whales (<i>Physeter macrocephalus</i>) on North Sea coasts: An association with positive temperature anomalies. <i>Fisheries Research</i> , 2007, 87, 219-228.	1.7	32
125	Consumers' attitudes and willingness to pay for Anisakis-free fish in Spain. <i>Fisheries Research</i> , 2018, 202, 149-160.	1.7	32
126	Predation by seals on salmonids in two Scottish estuaries. <i>Fisheries Management and Ecology</i> , 2001, 8, 207-225.	2.0	31

#	ARTICLE	IF	CITATIONS
127	The English Channel stock of <i>Sepia officinalis</i> : Modelling variability in abundance and impact of the fishery. <i>Fisheries Research</i> , 2006, 78, 96-106.	1.7	31
128	Spatial and temporal trends in the distribution of harbour porpoises, white-beaked dolphins and minke whales off Aberdeenshire (UK), north-western North Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 327-338.	0.8	31
129	Essential habitats for pre-recruit <i>Octopus vulgaris</i> along the Portuguese coast. <i>Fisheries Research</i> , 2014, 152, 74-85.	1.7	31
130	Cetacean occurrence, habitat preferences and potential for cetacean-fishery interactions in Iberian Atlantic waters: results from cooperative research involving local stakeholders. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2015, 25, 138-154.	2.0	31
131	To land or not to land: How do stakeholders perceive the zero discard policy in European small-scale fisheries?. <i>Marine Policy</i> , 2016, 71, 166-174.	3.2	31
132	Spatiotemporal patterns of marine mammal distribution in coastal waters of Galicia, NW Spain. <i>Hydrobiologia</i> , 2011, 670, 87-109.	2.0	30
133	<i>Anisakis</i> species composition and infection characteristics in Atlantic mackerel, <i>Scomber scombrus</i> , from major European fishing grounds reflecting changing fish host distribution and migration pattern. <i>Fisheries Research</i> , 2018, 202, 112-121.	1.7	30
134	Interannual variation in life-cycle characteristics of the veined squid (<i>Loligo forbesi</i>) in Scottish (UK) waters. <i>Aquatic Living Resources</i> , 2005, 18, 327-340.	1.2	30
135	Stomach contents of northern bottlenose whales <i>Hyperoodon ampullatus</i> stranded in the North Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 143-150.	0.8	29
136	Bottlenose dolphins around Aberdeen harbour, north-east Scotland: a short study of habitat utilization and the potential effects of boat traffic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 1547-1554.	0.8	29
137	A simulation model of sustainability of coastal communities: Aquaculture, fishing, environment and labour markets. <i>Ecological Modelling</i> , 2006, 193, 271-294.	2.5	29
138	Do ovarian scars persist with age in all Cetaceans: new insight from the short-beaked common dolphin (<i>Delphinus delphis</i> Linnaeus, 1758). <i>Marine Biology</i> , 2008, 156, 127-139.	1.5	29
139	Environmental drivers of the anchovy/sardine complex in the Eastern Mediterranean. <i>Hydrobiologia</i> , 2011, 670, 49-65.	2.0	29
140	Stable isotope profiles in sperm whale teeth: variations between areas and sexes. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 621-627.	0.8	28
141	Interaction between bottlenose dolphin (<i>Tursiops truncatus</i>) and trammel nets in the Archipelago de La Maddalena, Italy. <i>Hydrobiologia</i> , 2015, 747, 69-82.	2.0	28
142	Spatial Models of Abundance and Habitat Preferences of Commerson's and Peale's Dolphin in Southern Patagonian Waters. <i>PLoS ONE</i> , 2016, 11, e0163441.	2.5	28
143	Feeding ecology of the common dolphin (<i>Delphinus delphis</i>) in Western Iberian waters: has the decline in sardine (<i>Sardina pilchardus</i>) affected dolphin diet?. <i>Marine Biology</i> , 2018, 165, 1.	1.5	28
144	Spatial patterns of whiting abundance in Scottish waters and relationships with environmental variables. <i>Fisheries Research</i> , 2001, 50, 259-270.	1.7	27

#	ARTICLE	IF	CITATIONS
145	Characterizing and contrasting instream and riparian coarse wood in western Montana basins. <i>Forest Ecology and Management</i> , 2006, 226, 26-40.	3.2	27
146	Quantification of interactions between the Portuguese sardine purse-seine fishery and cetaceans. <i>ICES Journal of Marine Science</i> , 2015, 72, 2438-2449.	2.5	27
147	Female reproductive success and calf survival in a North Sea coastal bottlenose dolphin (<i>Tursiops Tj ETQq1 1 0.784314 rgBT/Overlo</i>	2.5	27
148	Opportunistic sightings of killer whales from Scottish pelagic trawlers fishing for mackerel and herring off North Scotland (UK) between 2000 and 2006. <i>Aquatic Living Resources</i> , 2006, 19, 403-410.	1.2	26
149	Assessing sources of variation underlying estimates of cetacean diet composition: a simulation study on analysis of harbour porpoise diet in Scottish (UK) waters. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 213-221.	0.8	26
150	Diet of minke whales <i>Balaenoptera acutorostrata</i> in Scottish (UK) waters with notes on strandings of this species in Scotland 1992-2002. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004, 84, 1241-1244.	0.8	25
151	Marine mammals and good environmental status: science, policy and society; challenges and opportunities. <i>Hydrobiologia</i> , 2015, 750, 13-41.	2.0	25
152	RNA concentration and the RNA to protein ratio in cephalopod tissues: sources of variation and relationship with growth rate. <i>Journal of Experimental Marine Biology and Ecology</i> , 1999, 237, 185-201.	1.5	24
153	The magnitude and sustainability of marine mammal by-catch in fisheries in East Malaysia. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 907-920.	0.8	24
154	Experimental fishing with an "umbrella-and-stones" system to reduce interactions of sperm whales (<i>Physeter macrocephalus</i>) and seabirds with bottom-set longlines for Patagonian toothfish (<i>Dissostichus eleginoides</i>) in the Southwest Atlantic. <i>ICES Journal of Marine Science</i> , 2011, 68, 228-238.	2.5	24
155	Seasonal patterns of investment in reproductive and somatic tissues in the squid <i>Loligo forbesi</i> . <i>Aquatic Living Resources</i> , 2005, 18, 341-351.	1.2	23
156	Identification of markets of the Spanish set-longline fleet operating in non-Spanish European waters. <i>Fisheries Research</i> , 2011, 107, 100-111.	1.7	23
157	Effects of vessel traffic on relative abundance and behaviour of cetaceans: the case of the bottlenose dolphins in the Archipelago de La Maddalena, north-western Mediterranean sea. <i>Hydrobiologia</i> , 2016, 776, 237-248.	2.0	23
158	Interannual variation in the summer diets of harbour seals <i>Phoca vitulina</i> at Mousa, Shetland (UK). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 325-337.	0.8	22
159	Captures accessoires et rejets des chalutiers pêchant la langoustine dans le golfe de la Clyde (ouest-Å%cosse).. <i>Aquatic Living Resources</i> , 2001, 14, 283-291.	1.2	22
160	A cephalopod fishery GIS for the Northeast Atlantic: development and application. <i>International Journal of Geographical Information Science</i> , 2001, 15, 763-784.	4.8	22
161	Diet of the Monk Seal (<i>Monachus monachus</i>) in Greek Waters. <i>Aquatic Mammals</i> , 2011, 37, 284-297.	0.7	22
162	Participatory issues in fisheries governance in Europe. <i>Management of Environmental Quality</i> , 2012, 23, 347-361.	4.3	22

#	ARTICLE	IF	CITATIONS
163	The Moray Firth directed squid fishery. <i>Fisheries Research</i> , 2006, 78, 39-43.	1.7	21
164	Age, growth, and mortality of <i>Loligo vulgaris</i> wild paralarvae: implications for understanding of the life cycle and longevity. <i>ICES Journal of Marine Science</i> , 2010, 67, 1119-1127.	2.5	21
165	Assessing the environmental status of the short-beaked common dolphin (<i>Delphinus delphis</i>) in North-western Spanish waters using abundance trends and safe removal limits. <i>Progress in Oceanography</i> , 2018, 166, 66-75.	3.2	21
166	Multi-scale habitat preference analyses for Azorean blue whales. <i>PLoS ONE</i> , 2018, 13, e0201786.	2.5	20
167	Does the North Atlantic current affect spatial distribution of whiting? Testing environmental hypotheses using statistical and GIS techniques. <i>ICES Journal of Marine Science</i> , 2002, 59, 239-253.	2.5	19
168	Trends and assessment of cephalopod fisheries. <i>Fisheries Research</i> , 2006, 78, 1-3.	1.7	19
169	Examining the importance of Aberdeenshire (UK) coastal waters for North Sea bottlenose dolphins (<i>Tursiops truncatus</i>). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 201-207.	0.8	19
170	Seasonal distribution of white-beaked dolphins (<i>Lagenorhynchus albirostris</i>) in UK waters with new information on diet and habitat use. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1159-1166.	0.8	19
171	The NE Atlantic European hake: A neglected high exposure risk for zoonotic parasites in European fish markets. <i>Fisheries Research</i> , 2018, 202, 69-78.	1.7	19
172	Ecological-Fishery Forecasting of Squid Stock Dynamics under Climate Variability and Change: Review, Challenges, and Recommendations. <i>Reviews in Fisheries Science and Aquaculture</i> , 2021, 29, 682-705.	9.1	19
173	Prey remains in grey seal (<i>Halichoerus grypus</i>) faeces from the Moray Firth, north-east Scotland. <i>Journal of Zoology</i> , 1991, 224, 337-341.	1.7	18
174	Assessment of errors in cetacean diet analysis: in vitro digestion of otoliths. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1999, 79, 573-575.	0.8	18
175	Climate change and marine mammals. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1483-1487.	0.8	18
176	Characterization of the pelagic fish community of the north-western and northern Spanish shelf waters. <i>Journal of Fish Biology</i> , 2013, 83, 716-738.	1.6	18
177	A review of recent studies on the life history and ecology of European cephalopods with emphasis on species with the greatest commercial fishery and culture potential. <i>Fisheries Research</i> , 2021, 236, 105847.	1.7	18
178	Sources of evidence for salmon in the diet of seals. <i>Fisheries Research</i> , 1990, 10, 137-150.	1.7	17
179	Cephalopod consumption by trawl caught fish in Scottish and English Channel waters. <i>Fisheries Research</i> , 2001, 52, 51-64.	1.7	17
180	Twenty years of marine mammal research in Europe. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 1-4.	0.8	17

#	ARTICLE	IF	CITATIONS
181	The effect of temperature on growth of early life stages of the common squid <i>Loligo vulgaris</i> . Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 1619-1628.	0.8	17
182	Predicting population-level risk effects of predation from the responses of individuals. Ecology, 2014, 95, 2006-2015.	3.2	17
183	Fisheries for common octopus in Europe: socioeconomic importance and management. Fisheries Research, 2021, 235, 105820.	1.7	17
184	Factors affecting prey handling in lesser octopus (<i>Eledone cirrhosa</i>) feeding on crabs (<i>Carcinus</i>)	0.8	16
185	Population genetic structure of the parasite <i>Anisakis simplex</i> (s. s.) collected in <i>Clupea harengus</i> L. from North East Atlantic fishing grounds. Fisheries Research, 2018, 202, 103-111.	1.7	16
186	Predicting Cetacean Distributions in the Eastern North Atlantic to Support Marine Management. Frontiers in Marine Science, 2021, 8, .	2.5	16
187	Preliminary description of the overlap between squid fisheries and VMEs on the high seas of the Patagonian Shelf. Fisheries Research, 2010, 106, 229-238.	1.7	15
188	Habitat preferences and evidence for niche partitioning amongst cetaceans in the waters between Gabon and Angola, eastern tropical Atlantic. Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 1735-1749.	0.8	15
189	Behavioural responses of sardines <i>Sardina pilchardus</i> to simulated purse-seine capture and slipping. Journal of Fish Biology, 2013, 83, 480-500.	1.6	15
190	Employing visual inspection and Magnetic Resonance Imaging to investigate <i>Anisakis simplex</i> s.l. infection in herring viscera. Food Control, 2017, 75, 40-47.	5.5	15
191	Using statolith elemental signatures to confirm ontogenetic migrations of the squid <i>Doryteuthis gahi</i> around the Falkland Islands (Southwest Atlantic). Chemical Geology, 2018, 481, 85-94.	3.3	15
192	Environmental and stock effects on recruitment variability in the English Channel squid <i>Loligo forbesi</i> . Aquatic Living Resources, 2005, 18, 353-360.	1.2	14
193	Spatial and temporal variation in age and growth in juvenile <i>Loligo forbesi</i> and relationships with recruitment in the English Channel and Scottish waters. Journal of Sea Research, 2006, 55, 217-229.	1.6	14
194	Remotely sensed local oceanic thermal features and their influence on the distribution of hake (<i>Merluccius hubbsi</i>) at the Patagonian shelf edge in the SW Atlantic. Fisheries Research, 2007, 83, 133-144.	1.7	14
195	Inter-specific and seasonal comparison of the niches occupied by small cetaceans off north-west Iberia. Continental Shelf Research, 2013, 64, 88-98.	1.8	14
196	An assessment of contaminant concentrations in toothed whale species of the NW Iberian Peninsula: Part I. Persistent organic pollutants. Science of the Total Environment, 2014, 484, 196-205.	8.0	14
197	<i>Anisakis</i> infection in allis shad, <i>Alosa alosa</i> (Linnaeus, 1758), and twaite shad, <i>Alosa fallax</i> (Lac��de.)	1.6	14
198	Factors driving patterns and trends in strandings of small cetaceans. Marine Biology, 2017, 164, 1.	1.5	14

#	ARTICLE	IF	CITATIONS
199	Vanadium, rubidium and potassium in <i>Octopus vulgaris</i> (Mollusca: Cephalopoda). <i>Scientia Marina</i> , 2005, 69, 215-222.	0.6	14
200	Search paths of foraging common shrews <i>Sorex araneus</i> . <i>Animal Behaviour</i> , 1987, 35, 1215-1224.	1.9	13
201	Results of a short study on by-catches and discards in pelagic fisheries in Scotland (UK). <i>Aquatic Living Resources</i> , 2002, 15, 327-334.	1.2	13
202	Starvation and sandeel consumption in harbour porpoises in the Scottish North Sea. <i>Biology Letters</i> , 2007, 3, 535-536.	2.3	13
203	Dentinal anomalies in teeth of harbour porpoises (<i>Phocoena phocoena</i>) from Scottish waters: are they linked to sexual maturation and environmental events?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 893-902.	0.8	13
204	Vocal foragers and silent crowds: context-dependent vocal variation in Northeast Atlantic long-finned pilot whales. <i>Behavioral Ecology and Sociobiology</i> , 2017, 71, 170.	1.4	13
205	Trends and drivers of marine fish landings in Portugal since its entrance in the European Union. <i>ICES Journal of Marine Science</i> , 2020, 77, 988-1001.	2.5	13
206	Spatiotemporal coupling/decoupling of planktonic larvae and benthic settlement in decapods in the Scottish east coast. <i>Marine Biology</i> , 2011, 158, 31-46.	1.5	12
207	Strandings of northern bottlenose whales, <i>Hyperoodon ampullatus</i> , in the north-east Atlantic: seasonality and diet. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 1109-1116.	0.8	12
208	First evidence of a new spawning stock of <i>Illex coindetii</i> in the North Sea (NE-Atlantic). <i>Fisheries Research</i> , 2020, 221, 105384.	1.7	12
209	Conservation management of common dolphins: Lessons learned from the North-East Atlantic. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 137-166.	2.0	12
210	The Traditional Small-Scale Octopus Fishery in Portugal: Framing Its Governability. <i>MARE Publication Series</i> , 2015, , 117-132.	0.5	12
211	Application of serological methods to identification of fish prey in diets of seals and dolphins. <i>Journal of Experimental Marine Biology and Ecology</i> , 1990, 137, 123-140.	1.5	11
212	Diet of the harbour seals <i>Phoca vitulina</i> of Dundrum Bay, north-east Ireland. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 1009-1018.	0.8	11
213	Diet of harbour seals (<i>Phoca vitulina</i>) in Mull and Skye (Inner Hebrides, western Scotland). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 647-650.	0.8	11
214	Strandings of striped dolphin <i>Stenella coeruleoalba</i> in Scottish waters (1992-2003) with notes on the diet of this species. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1175-1183.	0.8	11
215	Comparison of two histological techniques for age determination in small cetaceans. <i>Marine Mammal Science</i> , 2009, 25, 902-919.	1.8	11
216	Temporal and ontogenetic variation in the diet of squid (<i>Loligo forbesii</i> Streenstrup) in Scottish waters. <i>Hydrobiologia</i> , 2011, 670, 223-240.	2.0	11

#	ARTICLE	IF	CITATIONS
217	Diet of the Atlantic bonito <i>Sarda sarda</i> (Bloch, 1793) in the Northeast Aegean Sea. <i>Journal of Applied Ichthyology</i> , 2013, 29, 1030-1035.	0.7	11
218	Distribution and habitat modelling of common dolphins (<i>Delphinus delphis</i>) in the eastern North Atlantic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1443-1457.	0.8	11
219	Size-dependent change in body shape and its possible ecological role in the Patagonian squid (<i>Doryteuthis gahi</i>) in the Southwest Atlantic. <i>Marine Biology</i> , 2019, 166, 1.	1.5	11
220	Distribution of cetacean species at a large scale – Connecting continents with the Macaronesian archipelagos in the eastern North Atlantic. <i>Diversity and Distributions</i> , 2020, 26, 1234-1247.	4.1	11
221	Digestive tract contents of seals in Scottish waters: comparison of samples from salmon nets and elsewhere. <i>Journal of Zoology</i> , 1991, 225, 670-676.	1.7	10
222	Identification of métiers based on economic and biological data: The Spanish bottom otter trawl fleet operating in non-Iberian European waters. <i>Fisheries Research</i> , 2012, 125-126, 77-86.	1.7	10
223	Habitat and distribution of post-recruit life stages of the squid <i>Loligo forbesii</i> . <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2013, 95, 145-159.	1.4	10
224	Ascaridoid nematode infection in haddock (<i>Melanogrammus aeglefinus</i>) and whiting (<i>Merlangius merlangus</i>). <i>Journal of Fish Diseases</i> , 2010, 33, 107-115.	1.7	10
225	Marine megafauna niche coexistence and hotspot areas in a temperate ecosystem. <i>Continental Shelf Research</i> , 2019, 186, 77-87.	1.8	10
226	Do fisher associations really represent their members' needs and opinions? The case study of the octopus fishery in the Algarve (south Portugal). <i>Marine Policy</i> , 2019, 101, 276-284.	3.2	10
227	Abundance prediction and influence of environmental parameters in the abundance of Octopus (<i>Octopus vulgaris</i> Cuvier, 1797) in the Gulf of Cadiz. <i>Fisheries Research</i> , 2020, 221, 105382.	1.7	10
228	Fisheries Production and Market Demand. , 2014, , 41-58.		10
229	Reproductive biology of the loliginid squid, <i>Alloteuthis subulata</i> , in the north-east Atlantic and adjacent waters. <i>Aquatic Living Resources</i> , 2009, 22, 35-44.	1.2	10
230	The effect of fishing on the distribution and behaviour of waterbirds in the Kukut area of Lake Songkla, Southern Thailand. <i>Biological Conservation</i> , 1993, 66, 23-34.	4.1	9
231	Modelling of essential fish habitat based on remote sensing, spatial analysis and GIS. , 2008, , 5-20.		9
232	Patterns of investment in reproductive and somatic tissues in the loliginid squid <i>Loligo forbesii</i> and <i>Loligo vulgaris</i> in Iberian and Azorean waters. <i>Hydrobiologia</i> , 2011, 670, 201-221.	2.0	9
233	Are mineralization anomalies in common dolphin teeth associated with life history events and/or the exposure to anthropogenic pollutants?. <i>Journal of Zoology</i> , 2013, 291, 194-204.	1.7	9
234	Postprandial hepatic protein expression in trout <i>Oncorhynchus mykiss</i> a proteomics examination. <i>Biochemistry and Biophysics Reports</i> , 2017, 9, 79-85.	1.3	9

#	ARTICLE	IF	CITATIONS
235	Barcoding and morphometry to identify and assess genetic population differentiation and size variability in loliginid squid paralarvae from NE Atlantic (Spain). <i>Marine Biology</i> , 2018, 165, 1.	1.5	9
236	Long-finned pilot whale population diversity and structure in Atlantic waters assessed through biogeochemical and genetic markers. <i>Marine Ecology - Progress Series</i> , 2015, 536, 243-257.	1.9	9
237	Identifying essential fish habitat for small pelagic species in Spanish Mediterranean waters. , 2008, , 171-184.		8
238	Seasonal and interannual variation of decapod larval abundance from two coastal locations in Scotland, UK. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 1443-1451.	0.8	8
239	Generic skills needs for graduate employment in the aquaculture, fisheries and related sectors in Europe. <i>Aquaculture International</i> , 2015, 23, 767-786.	2.2	8
240	Inter-species differences in polychlorinated biphenyls patterns from five sympatric species of odontocetes: Can PCBs be used as tracers of feeding ecology?. <i>Ecological Indicators</i> , 2017, 74, 98-108.	6.3	8
241	Reprint of Using statolith elemental signatures to confirm ontogenetic migrations of the squid <i>Doryteuthis gahi</i> around the Falkland Islands (Southwest Atlantic). <i>Chemical Geology</i> , 2019, 526, 165-174.	3.3	8
242	Bioaccumulation of Lead, Calcium and Strontium and their Relationships in the Octopus <i>Octopus vulgaris</i> . <i>Water, Air, and Soil Pollution</i> , 2005, 163, 137-152.	2.4	7
243	A review of cephalopodâ€™environment interactions in European Seas. , 2008, , 49-70.		7
244	Scottish lobster fisheries and environmental variability. <i>ICES Journal of Marine Science</i> , 2015, 72, i211-i224.	2.5	7
245	Beyond the Basics: Improving Information About Small-Scale Fisheries. <i>MARE Publication Series</i> , 2019, , 377-395.	0.5	7
246	Sandeels in the diets of seals: application of novel and conventional methods of analysis to faeces from seals in the Moray Firth area of Scotland. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1990, 70, 829-840.	0.8	6
247	Diet of demersal fish species in relation to aquaculture development in Scottish sea lochs. <i>Aquaculture</i> , 2008, 277, 263-274.	3.5	6
248	Do abundanceâ€™occupancy relationships exist in cetaceans?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1571-1581.	0.8	6
249	Can habitat modelling for the octopus <i>Eledone cirrhosa</i> help identify key areas for Rissoâ€™s dolphin in Scottish waters?. <i>Hydrobiologia</i> , 2014, 725, 125-136.	2.0	6
250	Harbour porpoises (<i>Phocoena phocoena</i>) and minke whales (<i>Balaenoptera acutorostrata</i>) observed during land-based surveys in The Minch, north-west Scotland. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 1185-1194.	0.8	6
251	Sepiolid paralarval diversity in a regional upwelling area of the NE Atlantic. <i>Hydrobiologia</i> , 2018, 808, 57-70.	2.0	6
252	Abundance and spatial distribution of brown crab (<i>Cancer pagurus</i>) from fishery-independent dredge and trawl surveys in the North Sea. <i>ICES Journal of Marine Science</i> , 2021, 78, 597-610.	2.5	6

#	ARTICLE	IF	CITATIONS
253	Stranding patterns and feeding ecology of striped dolphins, <i>Stenella coeruleoalba</i> , in Western Iberia (1981–2014). <i>Journal of Sea Research</i> , 2021, 169, 101996.	1.6	6
254	Reproduction of Crustaceans in Relation to Fisheries. , 2008, , 169-222.		6
255	Seasonal movements of veined squid <i>Loligo forbesi</i> in Scottish (UK) waters. <i>Aquatic Living Resources</i> , 2009, 22, 291-305.	1.2	5
256	Ambergris as an overlooked historical marine resource: its biology and role as a global economic commodity. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 0, , 1-12.	0.8	5
257	A dataset of cetacean occurrences in the Eastern North Atlantic. <i>Scientific Data</i> , 2019, 6, 177.	5.3	5
258	Mesoscale effects of aquaculture installations on benthic and epibenthic communities in four Scottish sea lochs. <i>Aquatic Living Resources</i> , 2010, 23, 267-276.	1.2	4
259	Do pingers cause stress in fish? An experimental tank study with European sardine, <i>Sardina pilchardus</i> (Walbaum, 1792) (Actinopterygii, Clupeidae), exposed to a 70 kHz dolphin pinger. <i>Hydrobiologia</i> , 2015, 749, 83-96.	2.0	4
260	'Superbull' males: what role do they play and what drives their appearance within the <i>Doryteuthis gahi</i> Patagonian Shelf population?. <i>Marine and Freshwater Research</i> , 2019, 70, 1805.	1.3	4
261	Spiral valve parasites of blue and common thresher sharks as indicators of shark feeding behaviour and ecology. <i>Journal of Fish Biology</i> , 2020, 97, 354-361.	1.6	4
262	Size-at-maturity of Brown Crab (<i>Cancer pagurus</i>) in Scottish waters based on gonadal and morphometric traits. <i>Fisheries Research</i> , 2020, 229, 105610.	1.7	4
263	Diet selection by common shrews <i>Sorex araneus</i> in a depleting environment. <i>Behavioural Processes</i> , 1993, 29, 65-84.	1.1	3
264	Multi-method approach shows stock structure in <i>Loligo forbesii</i> squid. <i>ICES Journal of Marine Science</i> , 2022, 79, 1159-1174.	2.5	3
265	Spatial and temporal variability of spawning and nursery grounds of <i>Loligo forbesii</i> and <i>Loligo vulgaris</i> squids in ecoregions of Celtic Seas and Greater North Sea. <i>ICES Journal of Marine Science</i> , 2022, 79, 1918-1930.	2.5	3
266	Integrating science and management for marine mammal conservation. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1081-1083.	0.8	2
267	Marine mammal studies to address future challenges in conservation management. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1639-1644.	0.8	2
268	Patterns and Trends in Cetacean Occurrence Revealed by Shorewatch, a Land-Based Citizen Science Program in Scotland (United Kingdom). <i>Frontiers in Marine Science</i> , 2021, 8, .	2.5	2
269	Alongside but separate: Sympatric baleen whales choose different habitat conditions in S�o Miguel, Azores. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2022, 184, 103766.	1.4	2
270	Size-related, seasonal and interdecadal changes in the diet of the Patagonian longfin squid <i>Doryteuthis gahi</i> in the South-western Atlantic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2021, 101, 1111-1128.	0.8	2

#	ARTICLE	IF	CITATIONS
271	First record on stranding of a live giant squid <i>Architeuthis dux</i> outside Japanese waters. Ecology, 2018, 99, 755-757.	3.2	1
272	Cetacean Diet. , 2017, , 1-9.		1
273	Open access publishing: a service or a detriment to science?. Ethics in Science and Environmental Politics, 2018, 18, 37-48.	7.9	1
274	Marine mammals in time: past, present and future. Journal of the Marine Biological Association of the United Kingdom, 2009, 89, 869-872.	0.8	0
275	Preface: European Commissionâ€™s Marie Curie Action ECOSUMMER. Hydrobiologia, 2011, 670, 1-4.	2.0	0
276	Seasonal and interannual variation of decapod larval abundance from two coastal locations in Scotland, UK â€” ERRATUM. Journal of the Marine Biological Association of the United Kingdom, 2012, 92, 1637-1637.	0.8	0
277	Strandings of striped dolphin <i>Stenella coeruleoalba</i> in Scottish waters (1992â€“2003) with notes on the diet of this species â€” CORRIGENDUM. Journal of the Marine Biological Association of the United Kingdom, 2013, 93, 575-575.	0.8	0
278	Zooplankton Identification Manual for North European Seas (ZIMNES). , 0, , 107-110.		0
279	Major Histocompatibility Complex (MHC) class II sequence polymorphism in long-finned pilot whale (<i>Globicephala melas</i>) from the North Atlantic. Marine Biology Research, 2016, 12, 595-607.	0.7	0
280	Differences in life history features of long rough dab <i>Hippoglossoides platessoides</i> within Scottish waters. Marine Ecology - Progress Series, 1997, 158, 303-306.	1.9	0
281	Cetacean Diet. , 2022, , 1234-1242.		0