

Graham J Pierce

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4666958/publications.pdf>

Version: 2024-02-01

281
papers

11,069
citations

30070

54
h-index

56724

83
g-index

288
all docs

288
docs citations

288
times ranked

8484
citing authors

#	ARTICLE	IF	CITATIONS
1	Multi-method approach shows stock structure in <i>Loligo forbesii</i> squid. ICES Journal of Marine Science, 2022, 79, 1159-1174.	2.5	3
2	Alongside but separate: Sympatric baleen whales choose different habitat conditions in São Miguel, Azores. Deep-Sea Research Part I: Oceanographic Research Papers, 2022, 184, 103766.	1.4	2
3	Cetacean Diet. , 2022, , 1234-1242.		0
4	Spatial and temporal variability of spawning and nursery grounds of <i>Loligo forbesii</i> and <i>Loligo vulgaris</i> squids in ecoregions of Celtic Seas and Greater North Sea. ICES Journal of Marine Science, 2022, 79, 1918-1930.	2.5	3
5	Stock assessment and management of cephalopods: advances and challenges for short-lived fishery resources. ICES Journal of Marine Science, 2021, 78, 714-730.	2.5	53
6	Abundance and spatial distribution of brown crab (<i>Cancer pagurus</i>) from fishery-independent dredge and trawl surveys in the North Sea. ICES Journal of Marine Science, 2021, 78, 597-610.	2.5	6
7	Fisheries for common octopus in Europe: socioeconomic importance and management. Fisheries Research, 2021, 235, 105820.	1.7	17
8	Conservation management of common dolphins: Lessons learned from the North-East Atlantic. Aquatic Conservation: Marine and Freshwater Ecosystems, 2021, 31, 137-166.	2.0	12
9	Ecological-Fishery Forecasting of Squid Stock Dynamics under Climate Variability and Change: Review, Challenges, and Recommendations. Reviews in Fisheries Science and Aquaculture, 2021, 29, 682-705.	9.1	19
10	Stranding patterns and feeding ecology of striped dolphins, <i>Stenella coeruleoalba</i> , in Western Iberia (1981-2014). Journal of Sea Research, 2021, 169, 101996.	1.6	6
11	A review of recent studies on the life history and ecology of European cephalopods with emphasis on species with the greatest commercial fishery and culture potential. Fisheries Research, 2021, 236, 105847.	1.7	18
12	Predicting Cetacean Distributions in the Eastern North Atlantic to Support Marine Management. Frontiers in Marine Science, 2021, 8, .	2.5	16
13	Patterns and Trends in Cetacean Occurrence Revealed by Shorewatch, a Land-Based Citizen Science Program in Scotland (United Kingdom). Frontiers in Marine Science, 2021, 8, .	2.5	2
14	Size-related, seasonal and interdecadal changes in the diet of the Patagonian longfin squid <i>Doryteuthis gahi</i> in the South-western Atlantic. Journal of the Marine Biological Association of the United Kingdom, 2021, 101, 1111-1128.	0.8	2
15	Abundance prediction and influence of environmental parameters in the abundance of Octopus (<i>Octopus vulgaris</i> Cuvier, 1797) in the Gulf of Cadiz. Fisheries Research, 2020, 221, 105382.	1.7	10
16	First evidence of a new spawning stock of <i>Illex coindetii</i> in the North Sea (NE-Atlantic). Fisheries Research, 2020, 221, 105384.	1.7	12
17	Distribution maps of cetacean and seabird populations in the North-East Atlantic. Journal of Applied Ecology, 2020, 57, 253-269.	4.0	60
18	Distribution of cetacean species at a large scale -Connecting continents with the Macaronesian archipelagos in the eastern North Atlantic. Diversity and Distributions, 2020, 26, 1234-1247.	4.1	11

#	ARTICLE	IF	CITATIONS
19	Spiral valve parasites of blue and common thresher sharks as indicators of shark feeding behaviour and ecology. <i>Journal of Fish Biology</i> , 2020, 97, 354-361.	1.6	4
20	Size-at-maturity of Brown Crab (<i>Cancer pagurus</i>) in Scottish waters based on gonadal and morphometric traits. <i>Fisheries Research</i> , 2020, 229, 105610.	1.7	4
21	Trends and drivers of marine fish landings in Portugal since its entrance in the European Union. <i>ICES Journal of Marine Science</i> , 2020, 77, 988-1001.	2.5	13
22	Marine megafauna niche coexistence and hotspot areas in a temperate ecosystem. <i>Continental Shelf Research</i> , 2019, 186, 77-87.	1.8	10
23	A dataset of cetacean occurrences in the Eastern North Atlantic. <i>Scientific Data</i> , 2019, 6, 177.	5.3	5
24	Distribution and habitat modelling of common dolphins (<i>Delphinus delphis</i>) in the eastern North Atlantic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1443-1457.	0.8	11
25	Size-dependent change in body shape and its possible ecological role in the Patagonian squid (<i>Doryteuthis gahi</i>) in the Southwest Atlantic. <i>Marine Biology</i> , 2019, 166, 1.	1.5	11
26	Human health, legislative and socioeconomic issues caused by the fish-borne zoonotic parasite <i>Anisakis</i> : Challenges in risk assessment. <i>Trends in Food Science and Technology</i> , 2019, 86, 298-310.	15.1	56
27	'Superbull' males: what role do they play and what drives their appearance within the <i>Doryteuthis gahi</i> Patagonian Shelf population?. <i>Marine and Freshwater Research</i> , 2019, 70, 1805.	1.3	4
28	Do fisher associations really represent their members'™ needs and opinions? The case study of the octopus fishery in the Algarve (south Portugal). <i>Marine Policy</i> , 2019, 101, 276-284.	3.2	10
29	Reprint of Using statolith elemental signatures to confirm ontogenetic migrations of the squid <i>Doryteuthis gahi</i> around the Falkland Islands (Southwest Atlantic). <i>Chemical Geology</i> , 2019, 526, 165-174.	3.3	8
30	Beyond the Basics: Improving Information About Small-Scale Fisheries. <i>MARE Publication Series</i> , 2019, , 377-395.	0.5	7
31	Feeding ecology of the common dolphin (<i>Delphinus delphis</i>) in Western Iberian waters: has the decline in sardine (<i>Sardina pilchardus</i>) affected dolphin diet?. <i>Marine Biology</i> , 2018, 165, 1.	1.5	28
32	Using statolith elemental signatures to confirm ontogenetic migrations of the squid <i>Doryteuthis gahi</i> around the Falkland Islands (Southwest Atlantic). <i>Chemical Geology</i> , 2018, 481, 85-94.	3.3	15
33	First record on stranding of a live giant squid <i>Architeuthis dux</i> outside Japanese waters. <i>Ecology</i> , 2018, 99, 755-757.	3.2	1
34	The NE Atlantic European hake: A neglected high exposure risk for zoonotic parasites in European fish markets. <i>Fisheries Research</i> , 2018, 202, 69-78.	1.7	19
35	Sepiolid paralarval diversity in a regional upwelling area of the NE Atlantic. <i>Hydrobiologia</i> , 2018, 808, 57-70.	2.0	6
36	Infection levels and species diversity of ascaridoid nematodes in Atlantic cod, <i>Gadus morhua</i> , are correlated with geographic area and fish size. <i>Fisheries Research</i> , 2018, 202, 90-102.	1.7	34

#	ARTICLE	IF	CITATIONS
37	Consumers' attitudes and willingness to pay for Anisakis-free fish in Spain. <i>Fisheries Research</i> , 2018, 202, 149-160.	1.7	32
38	Ascaridoid nematode infection in haddock (<i>Melanogrammus aeglefinus</i>) and whiting (<i>Merlangius</i>) in the North East Atlantic fishing grounds. <i>Fisheries Research</i> , 2018, 202, 103-111.	1.7	16
39	A survey of zoonotic nematodes of commercial key fish species from major European fishing grounds: introducing the FP7 PARASITE exposure assessment study. <i>Fisheries Research</i> , 2018, 202, 4-21.	1.7	76
40	Population genetic structure of the parasite <i>Anisakis simplex</i> (s. s.) collected in <i>Clupea harengus</i> L. from North East Atlantic fishing grounds. <i>Fisheries Research</i> , 2018, 202, 103-111.	1.7	16
41	<i>Anisakis</i> species composition and infection characteristics in Atlantic mackerel, <i>Scomber scombrus</i> , from major European fishing grounds: reflecting changing fish host distribution and migration pattern. <i>Fisheries Research</i> , 2018, 202, 112-121.	1.7	30
42	Assessing the environmental status of the short-beaked common dolphin (<i>Delphinus delphis</i>) in North-western Spanish waters using abundance trends and safe removal limits. <i>Progress in Oceanography</i> , 2018, 166, 66-75.	3.2	21
43	Microplastics in the stomach contents of common dolphin (<i>Delphinus delphis</i>) stranded on the Galician coasts (NW Spain, 2005-2010). <i>Marine Pollution Bulletin</i> , 2018, 137, 526-532.	5.0	85
44	Multi-scale habitat preference analyses for Azorean blue whales. <i>PLoS ONE</i> , 2018, 13, e0201786.	2.5	20
45	Barcoding and morphometry to identify and assess genetic population differentiation and size variability in loliginid squid paralarvae from NE Atlantic (Spain). <i>Marine Biology</i> , 2018, 165, 1.	1.5	9
46	Open access publishing: a service or a detriment to science?. <i>Ethics in Science and Environmental Politics</i> , 2018, 18, 37-48.	7.9	1
47	Employing visual inspection and Magnetic Resonance Imaging to investigate <i>Anisakis simplex</i> s.l. infection in herring viscera. <i>Food Control</i> , 2017, 75, 40-47.	5.5	15
48	Postprandial hepatic protein expression in trout <i>Oncorhynchus mykiss</i> : a proteomics examination. <i>Biochemistry and Biophysics Reports</i> , 2017, 9, 79-85.	1.3	9
49	Assessing the risk of an emerging zoonosis of worldwide concern: anisakiasis. <i>Scientific Reports</i> , 2017, 7, 43699.	3.3	143
50	Factors driving patterns and trends in strandings of small cetaceans. <i>Marine Biology</i> , 2017, 164, 1.	1.5	14
51	Vocal foragers and silent crowds: context-dependent vocal variation in Northeast Atlantic long-finned pilot whales. <i>Behavioral Ecology and Sociobiology</i> , 2017, 71, 170.	1.4	13
52	Inter-species differences in polychlorinated biphenyls patterns from five sympatric species of odontocetes: Can PCBs be used as tracers of feeding ecology?. <i>Ecological Indicators</i> , 2017, 74, 98-108.	6.3	8
53	Diet Composition and Variability of Wild Octopus <i>vulgaris</i> and <i>Alloteuthis media</i> (Cephalopoda) Paralarvae: a Metagenomic Approach. <i>Frontiers in Physiology</i> , 2017, 8, 321.	2.8	47
54	A spatially explicit risk assessment approach: Cetaceans and marine traffic in the Pelagos Sanctuary (Mediterranean Sea). <i>PLoS ONE</i> , 2017, 12, e0179686.	2.5	40

#	ARTICLE	IF	CITATIONS
55	Female reproductive success and calf survival in a North Sea coastal bottlenose dolphin (<i>Tursiops</i>) Tj ETQq1 1 0.784314 rgBT /Overlo	2.5	27
56	Cetacean Diet. , 2017, , 1-9.		1
57	Spatial Models of Abundance and Habitat Preferences of Commersonâ€™s and Pealeâ€™s Dolphin in Southern Patagonian Waters. PLoS ONE, 2016, 11, e0163441.	2.5	28
58	Global proliferation of cephalopods. Current Biology, 2016, 26, R406-R407.	3.9	211
59	Effects of vessel traffic on relative abundance and behaviour of cetaceans: the case of the bottlenose dolphins in the Archipelago de La Maddalena, north-western Mediterranean sea. Hydrobiologia, 2016, 776, 237-248.	2.0	23
60	Fishers' perceptions about the EU discards policy and its economic impact on small-scale fisheries in Galicia (North West Spain). Ecological Economics, 2016, 130, 130-138.	5.7	45
61	To land or not to land: How do stakeholders perceive the zero discard policy in European small-scale fisheries?. Marine Policy, 2016, 71, 166-174.	3.2	31
62	Major Histocompatibility Complex (MHC) class II sequence polymorphism in long-finned pilot whale (<i>Globicephala melas</i>) from the North Atlantic. Marine Biology Research, 2016, 12, 595-607.	0.7	0
63	Reproductive Failure in UK Harbour Porpoises <i>Phocoena phocoena</i> : Legacy of Pollutant Exposure?. PLoS ONE, 2015, 10, e0131085.	2.5	92
64	Scottish lobster fisheries and environmental variability. ICES Journal of Marine Science, 2015, 72, i211-i224.	2.5	7
65	Marine mammals and good environmental status: science, policy and society; challenges and opportunities. Hydrobiologia, 2015, 750, 13-41.	2.0	25
66	Future challenges in cephalopod research. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 999-1015.	0.8	75
67	Do pingers cause stress in fish? An experimental tank study with European sardine, <i>Sardina pilchardus</i> (Walbaum, 1792) (Actinopterygii, Clupeidae), exposed to a 70ÂkHz dolphin pinger. Hydrobiologia, 2015, 749, 83-96.	2.0	4
68	Quantification of interactions between the Portuguese sardine purse-seine fishery and cetaceans. ICES Journal of Marine Science, 2015, 72, 2438-2449.	2.5	27
69	Anisakis infection in allis shad, <i>Alosa alosa</i> (Linnaeus, 1758), and twaite shad, <i>Alosa fallax</i> (LacÃ©pÃ©de,) Tj ETQq1 1 0.784314 rgBT /Ov	1.6	14
70	World Squid Fisheries. Reviews in Fisheries Science and Aquaculture, 2015, 23, 92-252.	9.1	211
71	Interaction between bottlenose dolphin (<i>Tursiops truncatus</i>) and trammel nets in the Archipelago de La Maddalena, Italy. Hydrobiologia, 2015, 747, 69-82.	2.0	28
72	Generic skills needs for graduate employment in the aquaculture, fisheries and related sectors in Europe. Aquaculture International, 2015, 23, 767-786.	2.2	8

#	ARTICLE	IF	CITATIONS
73	Cetacean occurrence, habitat preferences and potential for cetacean-fishery interactions in Iberian Atlantic waters: results from cooperative research involving local stakeholders. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2015, 25, 138-154.	2.0	31
74	The Traditional Small-Scale Octopus Fishery in Portugal: Framing Its Governability. <i>MARE Publication Series</i> , 2015, , 117-132.	0.5	12
75	Long-finned pilot whale population diversity and structure in Atlantic waters assessed through biogeochemical and genetic markers. <i>Marine Ecology - Progress Series</i> , 2015, 536, 243-257.	1.9	9
76	Patterns and trends in the diet of long-finned pilot whales (<i>Globicephala melas</i>) in the northeast Atlantic. <i>Marine Mammal Science</i> , 2014, 30, 1-19.	1.8	33
77	Strandings of northern bottlenose whales, <i>Hyperoodon ampullatus</i> , in the north-east Atlantic: seasonality and diet. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 1109-1116.	0.8	12
78	Essential habitats for pre-recruit <i>Octopus vulgaris</i> along the Portuguese coast. <i>Fisheries Research</i> , 2014, 152, 74-85.	1.7	31
79	An assessment of contaminant concentrations in toothed whale species of the NW Iberian Peninsula: Part II. Trace element concentrations. <i>Science of the Total Environment</i> , 2014, 484, 206-217.	8.0	37
80	An assessment of contaminant concentrations in toothed whale species of the NW Iberian Peninsula: Part I. Persistent organic pollutants. <i>Science of the Total Environment</i> , 2014, 484, 196-205.	8.0	14
81	Cetacean-fishery interactions in Galicia (NW Spain): results and management implications of a face-to-face interview survey of local fishers. <i>ICES Journal of Marine Science</i> , 2014, 71, 604-617.	2.5	42
82	Cetacean range and climate in the eastern North Atlantic: future predictions and implications for conservation. <i>Global Change Biology</i> , 2014, 20, 1782-1793.	9.5	39
83	Life history of harbor porpoises (<i>Phocoena phocoena</i>) in Scottish (UK) waters. <i>Marine Mammal Science</i> , 2014, 30, 1427-1455.	1.8	33
84	Quantifying the predation on sardine and hake by cetaceans in the Atlantic waters of the Iberian peninsula. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014, 106, 232-244.	1.4	44
85	Can habitat modelling for the octopus <i>Eledone cirrhosa</i> help identify key areas for Risso's dolphin in Scottish waters?. <i>Hydrobiologia</i> , 2014, 725, 125-136.	2.0	6
86	Predicting population-level risk effects of predation from the responses of individuals. <i>Ecology</i> , 2014, 95, 2006-2015.	3.2	17
87	Environmental Effects on Cephalopod Population Dynamics. <i>Advances in Marine Biology</i> , 2014, 67, 99-233.	1.4	124
88	Harbour porpoises (<i>Phocoena phocoena</i>) and minke whales (<i>Balaenoptera acutorostrata</i>) observed during land-based surveys in The Minch, north-west Scotland. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 1185-1194.	0.8	6
89	Fisheries Production and Market Demand. , 2014, , 41-58.		10
90	Ecological niche segregation among five toothed whale species off the NW Iberian Peninsula using ecological tracers as multi-approach. <i>Marine Biology</i> , 2013, 160, 2825-2840.	1.5	39

#	ARTICLE	IF	CITATIONS
91	Inter-specific and seasonal comparison of the niches occupied by small cetaceans off north-west Iberia. <i>Continental Shelf Research</i> , 2013, 64, 88-98.	1.8	14
92	Behavioural responses of sardines <i>Sardina pilchardus</i> to simulated purse-seine capture and slipping. <i>Journal of Fish Biology</i> , 2013, 83, 480-500.	1.6	15
93	Diet of the Atlantic bonito <i>Sarda sarda</i> (Bloch, 1793) in the Northeast Aegean Sea. <i>Journal of Applied Ichthyology</i> , 2013, 29, 1030-1035.	0.7	11
94	Are mineralization anomalies in common dolphin teeth associated with life-history events and/or the exposure to anthropogenic pollutants?. <i>Journal of Zoology</i> , 2013, 291, 194-204.	1.7	9
95	A review of the human activities impacting cetaceans in the eastern tropical Atlantic. <i>Mammal Review</i> , 2013, 43, 258-274.	4.8	47
96	Habitat and distribution of post-recruit life stages of the squid <i>Loligo forbesii</i> . <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2013, 95, 145-159.	1.4	10
97	Long-term variation in common dolphin diet in relation to prey abundance. <i>Marine Ecology - Progress Series</i> , 2013, 481, 249-268.	1.9	59
98	Characterization of the pelagic fish community of the north-western and northern Spanish shelf waters. <i>Journal of Fish Biology</i> , 2013, 83, 716-738.	1.6	18
99	The perceptions of Scottish inshore fishers about the marine protected areas. <i>Marine Policy</i> , 2013, 37, 254-263.	3.2	38
100	Strandings of striped dolphin <i>Stenella coeruleoalba</i> in Scottish waters (1992-2003) with notes on the diet of this species – CORRIGENDUM. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 575-575.	0.8	0
101	Marine mammal studies to address future challenges in conservation management. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1639-1644.	0.8	2
102	The effect of temperature on growth of early life stages of the common squid <i>Loligo vulgaris</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1619-1628.	0.8	17
103	Participatory issues in fisheries governance in Europe. <i>Management of Environmental Quality</i> , 2012, 23, 347-361.	4.3	22
104	Seasonal and interannual variation of decapod larval abundance from two coastal locations in Scotland, UK – ERRATUM. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1637-1637.	0.8	0
105	Feeding ecology of striped dolphins, <i>Stenella coeruleoalba</i> , in the north-western Mediterranean Sea based on stable isotope analyses. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1677-1687.	0.8	33
106	Identification of métiers based on economic and biological data: The Spanish bottom otter trawl fleet operating in non-Iberian European waters. <i>Fisheries Research</i> , 2012, 125-126, 77-86.	1.7	10
107	Habitat preferences and evidence for niche partitioning amongst cetaceans in the waters between Gabon and Angola, eastern tropical Atlantic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1735-1749.	0.8	15
108	Cycles, trends, and residual variation in the Iberian sardine (<i>Sardina pilchardus</i>) recruitment series and their relationship with the environment. <i>ICES Journal of Marine Science</i> , 2012, 69, 739-750.	2.5	50

#	ARTICLE	IF	CITATIONS
109	An ecosystem approach for the assessment of fisheries impacts on marine top predators: the Bay of Biscay case study. <i>ICES Journal of Marine Science</i> , 2012, 69, 925-938.	2.5	55
110	Foraging ecology of five toothed whale species in the Northwest Iberian Peninsula, inferred using carbon and nitrogen isotope ratios. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 413, 150-158.	1.5	63
111	Timing of migratory baleen whales at the Azores in relation to the North Atlantic spring bloom. <i>Marine Ecology - Progress Series</i> , 2011, 440, 267-279.	1.9	79
112	Identification of métiers of the Spanish set-longline fleet operating in non-Spanish European waters. <i>Fisheries Research</i> , 2011, 107, 100-111.	1.7	23
113	Diet of the Monk Seal (<i>Monachus monachus</i>) in Greek Waters. <i>Aquatic Mammals</i> , 2011, 37, 284-297.	0.7	22
114	Seasonal and interannual variation of decapod larval abundance from two coastal locations in Scotland, UK. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2011, 91, 1443-1451.	0.8	8
115	Risso's dolphins alter daily resting pattern in response to whale watching at the Azores. <i>Marine Mammal Science</i> , 2011, 27, 366-381.	1.8	56
116	An overview of commercial fishers' attitudes towards marine protected areas. <i>Hydrobiologia</i> , 2011, 670, 289-306.	2.0	67
117	Patterns of investment in reproductive and somatic tissues in the loliginid squid <i>Loligo forbesii</i> and <i>Loligo vulgaris</i> in Iberian and Azorean waters. <i>Hydrobiologia</i> , 2011, 670, 201-221.	2.0	9
118	Fine-scale genetic structure of bottlenose dolphins, <i>Tursiops truncatus</i> , in Atlantic coastal waters of the Iberian Peninsula. <i>Hydrobiologia</i> , 2011, 670, 111-125.	2.0	33
119	Environmental drivers of the anchovy/sardine complex in the Eastern Mediterranean. <i>Hydrobiologia</i> , 2011, 670, 49-65.	2.0	29
120	Fishery discards and bycatch: solutions for an ecosystem approach to fisheries management?. <i>Hydrobiologia</i> , 2011, 670, 317-333.	2.0	156
121	Spatiotemporal patterns of marine mammal distribution in coastal waters of Galicia, NW Spain. <i>Hydrobiologia</i> , 2011, 670, 87-109.	2.0	30
122	Temporal and ontogenetic variation in the diet of squid (<i>Loligo forbesii</i> Streenstrup) in Scottish waters. <i>Hydrobiologia</i> , 2011, 670, 223-240.	2.0	11
123	Preface: European Commission's Marie Curie Action ECOSUMMER. <i>Hydrobiologia</i> , 2011, 670, 1-4.	2.0	0
124	Spatiotemporal coupling/decoupling of planktonic larvae and benthic settlement in decapods in the Scottish east coast. <i>Marine Biology</i> , 2011, 158, 31-46.	1.5	12
125	Stable isotope analysis in two sympatric populations of bottlenose dolphins <i>Tursiops truncatus</i> : evidence of resource partitioning?. <i>Marine Biology</i> , 2011, 158, 1043-1055.	1.5	76
126	Experimental fishing with an 'umbrella-and-stones' system to reduce interactions of sperm whales (<i>Physeter macrocephalus</i>) and seabirds with bottom-set longlines for Patagonian toothfish (<i>Dissostichus eleginoides</i>) in the Southwest Atlantic. <i>ICES Journal of Marine Science</i> , 2011, 68, 228-238.	2.5	24

#	ARTICLE	IF	CITATIONS
127	Quantifying likely cetacean range shifts in response to global climatic change: implications for conservation strategies in a changing world. <i>Endangered Species Research</i> , 2011, 15, 205-222.	2.4	35
128	Do abundance–occupancy relationships exist in cetaceans?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1571-1581.	0.8	6
129	Stakeholders’ participation in the fisheries management decision-making process: Fishers’ perceptions of participation. <i>Marine Policy</i> , 2010, 34, 1093-1102.	3.2	136
130	Trends in cetacean sightings along the Galician coast, north-west Spain, 2003–2007, and inferences about cetacean habitat preferences. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1547-1560.	0.8	47
131	Life-history traits of the giant squid <i>Architeuthis dux</i> revealed from stable isotope signatures recorded in beaks. <i>ICES Journal of Marine Science</i> , 2010, 67, 1425-1431.	2.5	51
132	Mesoscale effects of aquaculture installations on benthic and epibenthic communities in four Scottish sea lochs. <i>Aquatic Living Resources</i> , 2010, 23, 267-276.	1.2	4
133	Age, growth, and mortality of <i>Loligo vulgaris</i> wild paralarvae: implications for understanding of the life cycle and longevity. <i>ICES Journal of Marine Science</i> , 2010, 67, 1119-1127.	2.5	21
134	Sustainable whale-watching tourism and climate change: towards a framework of resilience. <i>Journal of Sustainable Tourism</i> , 2010, 18, 409-427.	9.2	52
135	Climate change and marine mammals. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2010, 90, 1483-1487.	0.8	18
136	Willingness for mobility amongst European fishermen. <i>Journal of Rural Studies</i> , 2010, 26, 308-319.	4.7	36
137	Identification of métiers of the Northern Spanish coastal bottom pair trawl fleet by using the partitioning method CLARA. <i>Fisheries Research</i> , 2010, 102, 184-190.	1.7	36
138	Preliminary description of the overlap between squid fisheries and VMEs on the high seas of the Patagonian Shelf. <i>Fisheries Research</i> , 2010, 106, 229-238.	1.7	15
139	Sub-surface hotspots in shallow seas: fine-scale limited locations of top predator foraging habitat indicated by tidal mixing and sub-surface chlorophyll. <i>Marine Ecology - Progress Series</i> , 2010, 408, 207-226.	1.9	100
140	Seasonal movements of veined squid <i>Loligo forbesi</i> in Scottish (UK) waters. <i>Aquatic Living Resources</i> , 2009, 22, 291-305.	1.2	5
141	Marine mammals in time: past, present and future. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 869-872.	0.8	0
142	Stomach contents of cetaceans stranded in the Canary Islands 1996–2006. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 873-883.	0.8	48
143	Comparison of two histological techniques for age determination in small cetaceans. <i>Marine Mammal Science</i> , 2009, 25, 902-919.	1.8	11
144	Trophic position of deep-sea fish—Assessment through fatty acid and stable isotope analyses. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009, 56, 812-826.	1.4	62

#	ARTICLE	IF	CITATIONS
145	Dentinal anomalies in teeth of harbour porpoises (<i>Phocoena phocoena</i>) from Scottish waters: are they linked to sexual maturation and environmental events?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 893-902.	0.8	13
146	The magnitude and sustainability of marine mammal by-catch in fisheries in East Malaysia. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 907-920.	0.8	24
147	Travelling through a warming world: climate change and migratory species. <i>Endangered Species Research</i> , 2009, 7, 87-99.	2.4	297
148	Reproductive biology of the loliginid squid, <i>Alloteuthis subulata</i> , in the north-east Atlantic and adjacent waters. <i>Aquatic Living Resources</i> , 2009, 22, 35-44.	1.2	10
149	Indicators of the impact of climate change on migratory species. <i>Endangered Species Research</i> , 2009, 7, 101-113.	2.4	71
150	Habitat preferences and interannual variability in occurrence of the harbour porpoise <i>Phocoena phocoena</i> off northwest Scotland. <i>Marine Ecology - Progress Series</i> , 2009, 381, 297-310.	1.9	65
151	Importance of biological parameters in assessing the status of <i>Delphinus delphis</i> . <i>Marine Ecology - Progress Series</i> , 2009, 388, 273-291.	1.9	51
152	Identifying essential fish habitat for small pelagic species in Spanish Mediterranean waters. <i>Hydrobiologia</i> , 2008, 612, 171-184.	2.0	62
153	A review of cephalopodâ€™environment interactions in European Seas. <i>Hydrobiologia</i> , 2008, 612, 49-70.	2.0	138
154	A comparison of approaches for modelling the occurrence of marine animals. <i>Hydrobiologia</i> , 2008, 612, 21-32.	2.0	57
155	Atmospheric forcing on chlorophyll concentration in the Mediterranean. <i>Hydrobiologia</i> , 2008, 612, 33-48.	2.0	34
156	Modelling of essential fish habitat based on remote sensing, spatial analysis and GIS. <i>Hydrobiologia</i> , 2008, 612, 5-20.	2.0	145
157	Results of a short study of interactions of cetaceans and longline fisheries in Atlantic waters: environmental correlates of catches and depredation events. <i>Hydrobiologia</i> , 2008, 612, 251-268.	2.0	36
158	Real-time PCR assay for detection and relative quantification of <i>Liocarcinus depurator</i> larvae from plankton samples. <i>Marine Biology</i> , 2008, 153, 859-870.	1.5	41
159	Do ovarian scars persist with age in all Cetaceans: new insight from the short-beaked common dolphin (<i>Delphinus delphis</i> Linnaeus, 1758). <i>Marine Biology</i> , 2008, 156, 127-139.	1.5	29
160	Species effects on ecosystem processes are modified by faunal responses to habitat composition. <i>Oecologia</i> , 2008, 158, 511-520.	2.0	53
161	Modelling of essential fish habitat based on remote sensing, spatial analysis and GIS. , 2008, , 5-20.		9
162	Identifying essential fish habitat for small pelagic species in Spanish Mediterranean waters. , 2008, , 171-184.		8

#	ARTICLE	IF	CITATIONS
163	A review of cephalopod environment interactions in European Seas. , 2008, , 49-70.		7
164	Diet of demersal fish species in relation to aquaculture development in Scottish sea lochs. Aquaculture, 2008, 277, 263-274.	3.5	6
165	Bioaccumulation of persistent organic pollutants in female common dolphins (<i>Delphinus delphis</i>) and harbour porpoises (<i>Phocoena phocoena</i>) from western European seas: Geographical trends, causal factors and effects on reproduction and mortality. Environmental Pollution, 2008, 153, 401-415.	7.5	71
166	Geographic, seasonal and ontogenetic variation in cadmium and mercury concentrations in squid (Cephalopoda: Teuthoidea) from UK waters. Ecotoxicology and Environmental Safety, 2008, 70, 422-432.	6.0	68
167	Integrating science and management for marine mammal conservation. Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 1081-1083.	0.8	2
168	Strandings of striped dolphin <i>Stenella coeruleoalba</i> in Scottish waters (1992-2003) with notes on the diet of this species. Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 1175-1183.	0.8	11
169	Seasonal distribution of white-beaked dolphins (<i>Lagenorhynchus albirostris</i>) in UK waters with new information on diet and habitat use. Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 1159-1166.	0.8	19
170	Reproduction of Crustaceans in Relation to Fisheries. , 2008, , 169-222.		6
171	Factors Affecting the Occurrence and Demographics of Common Dolphins (<i>Delphinus</i>) Tj ETQq1 1,0,784314,rgBT /C 0,7		
172	Intraspecific dietary variation in the short-beaked common dolphin <i>Delphinus delphis</i> in the Bay of Biscay: importance of fat fish. Marine Ecology - Progress Series, 2008, 354, 277-287.	1.9	91
173	Stable isotope profiles in sperm whale teeth: variations between areas and sexes. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 621-627.	0.8	28
174	Variability in the diet of bottlenose dolphin, <i>Tursiops truncatus</i> , in Galician waters, north-western Spain, 1990-2005. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 231-241.	0.8	64
175	Spatial and temporal trends in the distribution of harbour porpoises, white-beaked dolphins and minke whales off Aberdeenshire (UK), north-western North Sea. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 327-338.	0.8	31
176	Assessing sources of variation underlying estimates of cetacean diet composition: a simulation study on analysis of harbour porpoise diet in Scottish (UK) waters. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 213-221.	0.8	26
177	Growth strategies in the squid <i>Loligo vulgaris</i> from Portuguese waters. Marine Biology Research, 2007, 3, 49-59.	0.7	39
178	Mass-dependent predation risk and lethal dolphin porpoise interactions. Proceedings of the Royal Society B: Biological Sciences, 2007, 274, 2587-2593.	2.6	42
179	Twenty years of marine mammal research in Europe. Journal of the Marine Biological Association of the United Kingdom, 2007, 87, 1-4.	0.8	17
180	Remotely sensed local oceanic thermal features and their influence on the distribution of hake (<i>Merluccius hubbsi</i>) at the Patagonian shelf edge in the SW Atlantic. Fisheries Research, 2007, 83, 133-144.	1.7	14

#	ARTICLE	IF	CITATIONS
181	Historical trends in the incidence of strandings of sperm whales (<i>Physeter macrocephalus</i>) on North Sea coasts: An association with positive temperature anomalies. <i>Fisheries Research</i> , 2007, 87, 219-228.	1.7	32
182	Biological and ecological factors related to trace element levels in harbour porpoises (<i>Phocoena</i>) Tj ETQq0 0 0 rgBT/Overlock,10 Tf 50 7	2.5	37
183	Linking sandeel consumption and the likelihood of starvation in harbour porpoises in the Scottish North Sea: could climate change mean more starving porpoises?. <i>Biology Letters</i> , 2007, 3, 185-188.	2.3	57
184	Starvation and sandeel consumption in harbour porpoises in the Scottish North Sea. <i>Biology Letters</i> , 2007, 3, 535-536.	2.3	13
185	Insights into the diet of beaked whales from the atypical mass stranding in the Canary Islands in September 2002. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 243-251.	0.8	39
186	Breaking symmetry: The marine environment, prey size, and the evolution of asymmetry in cetacean skulls. <i>Anatomical Record</i> , 2007, 290, 539-545.	1.4	72
187	Lantern fish (<i>Benthoosema pterotum</i>) resources as a target for commercial exploitation in the Oman Sea. <i>Journal of Applied Ichthyology</i> , 2007, 23, 573-577.	0.7	58
188	Stable carbon and nitrogen isotope ratio profiling of sperm whale teeth reveals ontogenetic movements and trophic ecology. <i>Oecologia</i> , 2007, 151, 605-615.	2.0	71
189	The apparent disappearance of <i>Loligo forbesi</i> from the south of its range in the 1990s: Trends in <i>Loligo</i> spp. abundance in the northeast Atlantic and possible environmental influences. <i>Fisheries Research</i> , 2006, 78, 44-54.	1.7	52
190	The English Channel stock of <i>Sepia officinalis</i> : Modelling variability in abundance and impact of the fishery. <i>Fisheries Research</i> , 2006, 78, 96-106.	1.7	31
191	The Moray Firth directed squid fishery. <i>Fisheries Research</i> , 2006, 78, 39-43.	1.7	21
192	Trends and assessment of cephalopod fisheries. <i>Fisheries Research</i> , 2006, 78, 1-3.	1.7	19
193	Characterizing and contrasting instream and riparian coarse wood in western Montana basins. <i>Forest Ecology and Management</i> , 2006, 226, 26-40.	3.2	27
194	Spatial and temporal variation in age and growth in juvenile <i>Loligo forbesi</i> and relationships with recruitment in the English Channel and Scottish waters. <i>Journal of Sea Research</i> , 2006, 55, 217-229.	1.6	14
195	Examining the importance of Aberdeenshire (UK) coastal waters for North Sea bottlenose dolphins (<i>Tursiops truncatus</i>). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 201-207.	0.8	19
196	Opportunistic sightings of killer whales from Scottish pelagic trawlers fishing for mackerel and herring off North Scotland (UK) between 2000 and 2006. <i>Aquatic Living Resources</i> , 2006, 19, 403-410.	1.2	26
197	TAXONOMIC STATUS AND GEOGRAPHICAL CRANIAL VARIATION OF COMMON DOLPHINS (<i>DELPHINUS</i>) IN THE EASTERN NORTH ATLANTIC. <i>Marine Mammal Science</i> , 2006, 22, 573-599.	1.8	47
198	PYGMY SPERM WHALES <i>KOGIA BREVICEPS</i> IN THE NORTHEAST ATLANTIC: NEW INFORMATION ON STOMACH CONTENTS AND STRANDINGS. <i>Marine Mammal Science</i> , 2006, 22, 600-616.	1.8	38

#	ARTICLE	IF	CITATIONS
199	Effect of feed and feeding in the culture of salmonids on the marine aquatic environment: a synthesis for European aquaculture. <i>Aquaculture International</i> , 2006, 14, 499-522.	2.2	143
200	A simulation model of sustainability of coastal communities: Aquaculture, fishing, environment and labour markets. <i>Ecological Modelling</i> , 2006, 193, 271-294.	2.5	29
201	New insights from age determination on toxic element accumulation in striped and bottlenose dolphins from Atlantic and Mediterranean waters. <i>Marine Pollution Bulletin</i> , 2006, 52, 1219-1230.	5.0	55
202	Experimental study on the effect of diet on fatty acid and stable isotope profiles of the squid <i>Lolliguncula brevis</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 333, 97-114.	1.5	62
203	Abundance of demersal fish resources in the Persian Gulf and Oman Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006, 86, 1455-1462.	0.8	56
204	Potential Effects Of Climate Change On Marine Mammals. <i>Oceanography and Marine Biology</i> , 2006, , 431-464.	1.0	114
205	Marine biodiversity and ecosystem function: empirical approaches and future research needs. <i>Marine Ecology - Progress Series</i> , 2006, 311, 175-309.	1.9	44
206	How biodiversity affects ecosystem functioning: roles of infaunal species richness, identity and density in the marine benthos. <i>Marine Ecology - Progress Series</i> , 2006, 311, 263-271.	1.9	139
207	Using model systems to address the biodiversity–ecosystem functioning process. <i>Marine Ecology - Progress Series</i> , 2006, 311, 295-309.	1.9	55
208	Relative prey size consumption in toothed whales: implications for prey selection and level of specialisation. <i>Marine Ecology - Progress Series</i> , 2006, 326, 295-307.	1.9	46
209	Seasonal patterns of investment in reproductive and somatic tissues in the squid <i>Loligo forbesi</i> . <i>Aquatic Living Resources</i> , 2005, 18, 341-351.	1.2	23
210	Bottlenose dolphins around Aberdeen harbour, north-east Scotland: a short study of habitat utilization and the potential effects of boat traffic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2005, 85, 1547-1554.	0.8	29
211	Accumulation of mercury in the tissues of the common octopus <i>Octopus vulgaris</i> (L.) in two localities on the Portuguese coast. <i>Science of the Total Environment</i> , 2005, 340, 113-122.	8.0	45
212	Bioaccumulation of Lead, Calcium and Strontium and their Relationships in the Octopus <i>Octopus vulgaris</i> . <i>Water, Air, and Soil Pollution</i> , 2005, 163, 137-152.	2.4	7
213	Environmental and stock effects on recruitment variability in the English Channel squid <i>Loligo forbesi</i> . <i>Aquatic Living Resources</i> , 2005, 18, 353-360.	1.2	14
214	The spatio-temporal pattern of Argentine shortfin squid <i>Illex argentinus</i> abundance in the southwest Atlantic. <i>Aquatic Living Resources</i> , 2005, 18, 361-372.	1.2	44
215	Levels of Hexabromocyclododecane in Harbor Porpoises and Common Dolphins from Western European Seas, with Evidence for Stereoisomer-Specific Biotransformation by Cytochrome P450. <i>Environmental Science & Technology</i> , 2005, 39, 2095-2100.	10.0	222
216	Interannual patterns of variation in concentrations of trace elements in arms of <i>Octopus vulgaris</i> . <i>Chemosphere</i> , 2005, 59, 1113-1124.	8.2	48

#	ARTICLE	IF	CITATIONS
217	Climate change and the cetacean community of north-west Scotland. <i>Biological Conservation</i> , 2005, 124, 477-483.	4.1	130
218	Interannual variation in life-cycle characteristics of the veined squid (<i>Loligo forbesi</i>) in Scottish (UK) waters. <i>Aquatic Living Resources</i> , 2005, 18, 327-340.	1.2	30
219	Long-term dietary segregation of common dolphins <i>Delphinus delphis</i> in the Bay of Biscay, determined using cadmium as an ecological tracer. <i>Marine Ecology - Progress Series</i> , 2005, 305, 275-285.	1.9	55
220	Vanadium, rubidium and potassium in <i>Octopus vulgaris</i> (Mollusca: Cephalopoda). <i>Scientia Marina</i> , 2005, 69, 215-222.	0.6	14
221	VARIABILITY IN THE DIET OF HARBOR PORPOISES (<i>PHOCOENA PHOCOENA</i>) IN SCOTTISH WATERS 1992-2003. <i>Marine Mammal Science</i> , 2004, 20, 1-27.	1.8	102
222	Application of depletion methods to estimate stock size in the squid <i>Loligo forbesi</i> in Scottish waters (UK). <i>Fisheries Research</i> , 2004, 69, 211-227.	1.7	43
223	Common trends in northeast Atlantic squid time series. <i>Journal of Sea Research</i> , 2004, 52, 57-72.	1.6	124
224	Distribution patterns of small cetaceans in Galician waters. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004, 84, 283-294.	0.8	41
225	Diet of minke whales <i>Balaenoptera acutorostrata</i> in Scottish (UK) waters with notes on strandings of this species in Scotland 1992-2002. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004, 84, 1241-1244.	0.8	25
226	Comparisons of size at maturity and fecundity of two Scottish populations of the European lobster, <i>Homarus gammarus</i> . <i>Fisheries Research</i> , 2003, 65, 137-152.	1.7	47
227	Fishery by-catches of marine mammals in Galician waters: results from on-board observations and an interview survey of fishermen. <i>Biological Conservation</i> , 2003, 111, 25-40.	4.1	96
228	Empirical modelling of interannual trends in abundance of squid (<i>Loligo forbesi</i>) in Scottish waters. <i>Fisheries Research</i> , 2003, 59, 305-326.	1.7	58
229	Spatial and temporal patterns of cuttlefish (<i>Sepia officinalis</i>) abundance and environmental influences - a case study using trawl fishery data in French Atlantic coastal, English Channel, and adjacent waters. <i>ICES Journal of Marine Science</i> , 2003, 60, 1149-1158.	2.5	62
230	Review of Data on Diets of Beaked Whales: Evidence of Niche Separation and Geographic Segregation. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 651-665.	0.8	118
231	Diet of harbour seals (<i>Phoca vitulina</i>) in Mull and Skye (Inner Hebrides, western Scotland). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 647-650.	0.8	11
232	Does the North Atlantic current affect spatial distribution of whiting? Testing environmental hypotheses using statistical and GIS techniques. <i>ICES Journal of Marine Science</i> , 2002, 59, 239-253.	2.5	19
233	Trends in strandings and by-catch of marine mammals in north-west Spain during the 1990s. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 513-521.	0.8	52
234	Additional notes on stomach contents of sperm whales <i>Physeter macrocephalus</i> stranded in the north-east Atlantic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 501-507.	0.8	36

#	ARTICLE	IF	CITATIONS
235	Diet of the harbour seals <i>Phoca vitulina</i> of Dundrum Bay, north-east Ireland. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 1009-1018.	0.8	11
236	Results of a short study on by-catches and discards in pelagic fisheries in Scotland (UK). <i>Aquatic Living Resources</i> , 2002, 15, 327-334.	1.2	13
237	Spatial patterns of whiting abundance in Scottish waters and relationships with environmental variables. <i>Fisheries Research</i> , 2001, 50, 259-270.	1.7	27
238	Impact of cephalopods in the food chain and their interaction with the environment and fisheries: an overview. <i>Fisheries Research</i> , 2001, 52, 5-10.	1.7	80
239	Modelling intra-annual variation in abundance of squid <i>Loligo forbesi</i> in Scottish waters using generalised additive models. <i>Fisheries Research</i> , 2001, 52, 23-39.	1.7	80
240	Cephalopod consumption by trawl caught fish in Scottish and English Channel waters. <i>Fisheries Research</i> , 2001, 52, 51-64.	1.7	17
241	Assessing the importance of cephalopods in the diets of marine mammals and other top predators: problems and solutions. <i>Fisheries Research</i> , 2001, 52, 121-139.	1.7	152
242	Interannual variation in the summer diets of harbour seals <i>Phoca vitulina</i> at Mousa, Shetland (UK). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 325-337.	0.8	22
243	Predation by seals on salmonids in two Scottish estuaries. <i>Fisheries Management and Ecology</i> , 2001, 8, 207-225.	2.0	31
244	Remotely sensed mesoscale oceanography and the distribution of <i>Illex argentinus</i> in the South Atlantic. <i>Fisheries Oceanography</i> , 2001, 10, 207-216.	1.7	48
245	Captures accessoires et rejets des chalutiers pêchant la langoustine dans le golfe de la Clyde (ouest-Écosse).. <i>Aquatic Living Resources</i> , 2001, 14, 283-291.	1.2	22
246	Stomach contents of northern bottlenose whales <i>Hyperoodon ampullatus</i> stranded in the North Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 143-150.	0.8	29
247	A cephalopod fishery GIS for the Northeast Atlantic: development and application. <i>International Journal of Geographical Information Science</i> , 2001, 15, 763-784.	4.8	22
248	Use of frequency analysis methods to estimate growth of anchovy (<i>Engraulis encrasicolus</i> L. 1758) in the Gulf of Cádiz (SW Spain). <i>Fisheries Research</i> , 2000, 48, 107-115.	1.7	41
249	Fish discarded from Scottish demersal vessels: Estimators of total discards and annual estimates for targeted gadoids. <i>ICES Journal of Marine Science</i> , 1999, 56, 592-605.	2.5	68
250	Resolution of multiple cohorts in the <i>Loligo forbesi</i> population from the west of Scotland. <i>ICES Journal of Marine Science</i> , 1999, 56, 500-509.	2.5	32
251	Subtle population structuring within a highly vagile marine invertebrate, the veined squid <i>Loligo forbesi</i> , demonstrated with microsatellite DNA markers. <i>Molecular Ecology</i> , 1999, 8, 407-417.	3.9	221
252	RNA concentration and the RNA to protein ratio in cephalopod tissues: sources of variation and relationship with growth rate. <i>Journal of Experimental Marine Biology and Ecology</i> , 1999, 237, 185-201.	1.5	24

#	ARTICLE	IF	CITATIONS
253	Stomach contents of sperm whales <i>Physeter macrocephalus</i> stranded in the North Sea 1990-1996. <i>Marine Ecology - Progress Series</i> , 1999, 183, 281-294.	1.9	72
254	On reproduction and age of the squid <i>Loligo vulgaris</i> from the Saharan Bank (north-west African) Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50 7	0.8	32
255	Assessment of errors in cetacean diet analysis: in vitro digestion of otoliths. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1999, 79, 573-575.	0.8	18
256	Factors affecting prey handling in lesser octopus (<i>Eledone cirrhosa</i>) feeding on crabs (<i>Carcinus</i>) Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50 62	0.8	16
257	Distribution and abundance of the fished population of <i>Loligo forbesi</i> in Scottish waters: analysis of research cruise data. <i>ICES Journal of Marine Science</i> , 1998, 55, 14-33.	2.5	54
258	Monthly variation in the diet of harbour seals in inshore waters along the southeast Shetland (UK) coastline. <i>Marine Ecology - Progress Series</i> , 1998, 167, 275-289.	1.9	55
259	Species and size differences in the digestion of otoliths and beaks: implications for estimates of pinniped diet composition. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1997, 54, 105-119.	1.4	164
260	Differences in life history features of long rough dab <i>Hippoglossoides platessoides</i> within Scottish waters. <i>Marine Ecology - Progress Series</i> , 1997, 158, 303-306.	1.9	0
261	Genetic variation in the neritic squid <i>Loligo forbesi</i> (Myopsida: Loliginidae) in the northeast Atlantic Ocean. <i>Marine Biology</i> , 1995, 122, 79-86.	1.5	57
262	Flexible reproductive strategies in the squid <i>Loligo forbesi</i> . <i>Marine Biology</i> , 1995, 121, 501-508.	1.5	95
263	Geographic variation in <i>Loligo forbesi</i> in the Northeast Atlantic Ocean: analysis of morphometric data and tests of causal hypotheses. <i>Marine Biology</i> , 1994, 119, 541-547.	1.5	39
264	Fishery biology of northeast Atlantic squid: an overview. <i>Fisheries Research</i> , 1994, 21, 1-15.	1.7	48
265	The life history of <i>Loligo forbesi</i> (Cephalopoda: Loliginidae) in Scottish waters. <i>Fisheries Research</i> , 1994, 21, 17-41.	1.7	76
266	Morphometric variation in <i>Loligo forbesi</i> and <i>Loligo vulgaris</i> : regional, seasonal, sex, maturity and worker differences. <i>Fisheries Research</i> , 1994, 21, 127-148.	1.7	32
267	Diets of squid <i>Loligo forbesi</i> and <i>Loligo vulgaris</i> in the northeast Atlantic. <i>Fisheries Research</i> , 1994, 21, 149-163.	1.7	55
268	Distribution and abundance of the fished population of <i>Loligo forbesi</i> in UK waters: analysis of fishery data. <i>Fisheries Research</i> , 1994, 21, 193-216.	1.7	50
269	Stock assessment methods used for cephalopod fisheries. <i>Fisheries Research</i> , 1994, 21, 255-285.	1.7	116
270	The effect of fishing on the distribution and behaviour of waterbirds in the Kukut area of Lake Songkla, Southern Thailand. <i>Biological Conservation</i> , 1993, 66, 23-34.	4.1	9

#	ARTICLE	IF	CITATIONS
271	Diet selection by common shrews <i>Sorex araneus</i> in a depleting environment. <i>Behavioural Processes</i> , 1993, 29, 65-84.	1.1	3
272	Digestive tract contents of seals in Scottish waters: comparison of samples from salmon nets and elsewhere. <i>Journal of Zoology</i> , 1991, 225, 670-676.	1.7	10
273	Identification of fish otoliths and bones in faeces and digestive tracts of seals. <i>Journal of Zoology</i> , 1991, 224, 320-328.	1.7	41
274	Prey remains in grey seal (<i>Halichoerus grypus</i>) faeces from the Moray Firth, north-east Scotland. <i>Journal of Zoology</i> , 1991, 224, 337-341.	1.7	18
275	Sandeels in the diets of seals: application of novel and conventional methods of analysis to faeces from seals in the Moray Firth area of Scotland. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1990, 70, 829-840.	0.8	6
276	Sources of evidence for salmon in the diet of seals. <i>Fisheries Research</i> , 1990, 10, 137-150.	1.7	17
277	Application of serological methods to identification of fish prey in diets of seals and dolphins. <i>Journal of Experimental Marine Biology and Ecology</i> , 1990, 137, 123-140.	1.5	11
278	Search paths of foraging common shrews <i>Sorex araneus</i> . <i>Animal Behaviour</i> , 1987, 35, 1215-1224.	1.9	13
279	Ambergris as an overlooked historical marine resource: its biology and role as a global economic commodity. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 0, , 1-12.	0.8	5
280	Zooplankton Identification Manual for North European Seas (ZIMNES). , 0, , 107-110.		0
281	Assessing the effect of persistent organic pollutants on reproductive activity in common dolphins and harbour porpoises. <i>Journal of Northwest Atlantic Fishery Science</i> , 0, 42, 153-173.	1.4	34