

Nathalie Janel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4668076/publications.pdf>

Version: 2024-02-01

58
papers

1,756
citations

361413

20
h-index

289244

40
g-index

58
all docs

58
docs citations

58
times ranked

2259
citing authors

#	ARTICLE	IF	CITATIONS
1	Homocysteine Metabolism Pathway Is Involved in the Control of Glucose Homeostasis: A Cystathionine Beta Synthase Deficiency Study in Mouse. <i>Cells</i> , 2022, 11, 1737.	4.1	5
2	DYRK1A and Activity-Dependent Neuroprotective Protein Comparative Diagnosis Interest in Cerebrospinal Fluid and Plasma in the Context of Alzheimer-Related Cognitive Impairment in Down Syndrome Patients. <i>Biomedicines</i> , 2022, 10, 1380.	3.2	2
3	DYRK1A Overexpression in Mice Downregulates the Gonadotropic Axis and Disturbs Early Stages of Spermatogenesis. <i>Genes</i> , 2021, 12, 1800.	2.4	1
4	Ethanol-Induced Changes in Brain of Transgenic Mice Overexpressing DYRK1A. <i>Molecular Neurobiology</i> , 2020, 57, 3195-3205.	4.0	3
5	Molecular Rescue of Dyrk1A Overexpression Alterations in Mice with Fontup [®] Dietary Supplement: Role of Green Tea Catechins. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1404.	4.1	16
6	LPS-Induced Inflammation Abolishes the Effect of DYRK1A on I κ B Stability in the Brain of Mice. <i>Molecular Neurobiology</i> , 2019, 56, 963-975.	4.0	17
7	Deciphering the Link Between Hyperhomocysteinemia and Ceramide Metabolism in Alzheimer-Type Neurodegeneration. <i>Frontiers in Neurology</i> , 2019, 10, 807.	2.4	22
8	Hypothesis and Theory: Circulating Alzheimer's-Related Biomarkers in Type 2 Diabetes. Insight From the Goto-Kakizaki Rat. <i>Frontiers in Neurology</i> , 2019, 10, 649.	2.4	14
9	Inhibition of DYRK1A proteolysis modifies its kinase specificity and rescues Alzheimer phenotype in APP/PS1 mice. <i>Acta Neuropathologica Communications</i> , 2019, 7, 46.	5.2	31
10	Prenatal treatment with EGCG enriched green tea extract rescues GAD67 related developmental and cognitive defects in Down syndrome mouse models. <i>Scientific Reports</i> , 2019, 9, 3914.	3.3	35
11	Overexpression of the DYRK1A Gene (Dual-Specificity Tyrosine Phosphorylation-Regulated Kinase 1A) Induces Alterations of the Serotonergic and Dopaminergic Processing in Murine Brain Tissues. <i>Molecular Neurobiology</i> , 2018, 55, 3822-3831.	4.0	17
12	Homocysteine-lowering gene therapy rescues signaling pathways in brain of mice with intermediate hyperhomocysteinemia. <i>Redox Biology</i> , 2018, 19, 200-209.	9.0	18
13	Effect of lyophilized prune extract on hyperhomocysteinemia in mice. <i>Food and Chemical Toxicology</i> , 2017, 103, 183-187.	3.6	5
14	Hepatoprotective effects of lycopene on liver enzymes involved in methionine and xenobiotic metabolism in hyperhomocysteinemic rats. <i>Food and Function</i> , 2016, 7, 2862-2869.	4.6	20
15	Effect of cadmium administration in hyperhomocysteinemic mice due to cystathionine beta synthase deficiency. <i>Experimental and Toxicologic Pathology</i> , 2016, 68, 365-370.	2.1	3
16	Safety and efficacy of cognitive training plus epigallocatechin-3-gallate in young adults with Down's syndrome (TESDAD): a double-blind, randomised, placebo-controlled, phase 2 trial. <i>Lancet Neurology</i> , The, 2016, 15, 801-810.	10.2	227
17	Impact of Dyrk1A level on alcohol metabolism. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016, 1862, 1495-1503.	3.8	5
18	Pharmacological correction of excitation/inhibition imbalance in Down syndrome mouse models. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 267.	2.0	57

#	ARTICLE	IF	CITATIONS
19	Corrective effects of hepatotoxicity by hepatic Dyrk1a gene delivery in mice with intermediate hyperhomocysteinemia. <i>Molecular Genetics and Metabolism Reports</i> , 2015, 2, 51-60.	1.1	5
20	The iron component of particulate matter is antiapoptotic: A clue to the development of lung cancer after exposure to atmospheric pollutants?. <i>Biochimie</i> , 2015, 118, 195-206.	2.6	10
21	Molecular Rescue of DYRK1A Overexpression in Cystathionine Beta Synthase-Deficient Mouse Brain by Enriched Environment Combined with Voluntary Exercise. <i>Journal of Molecular Neuroscience</i> , 2015, 55, 318-323.	2.3	6
22	Optimisation of microwave-assisted extraction of prune (<i>Prunus domestica</i>) antioxidants by response surface methodology. <i>International Journal of Food Science and Technology</i> , 2014, 49, 2158-2166.	2.7	16
23	Epigallocatechin gallate, a DYRK1A inhibitor, rescues cognitive deficits in Down syndrome mouse models and in humans. <i>Molecular Nutrition and Food Research</i> , 2014, 58, 278-288.	3.3	234
24	Excitation/inhibition balance and learning are modified by Dyrk1a gene dosage. <i>Neurobiology of Disease</i> , 2014, 69, 65-75.	4.4	104
25	A high-performance liquid chromatography assay for Dyrk1a, a Down syndrome-associated kinase. <i>Analytical Biochemistry</i> , 2014, 449, 172-178.	2.4	15
26	Protection and Reversal of Hepatic Fibrosis by Polyphenols. , 2014, , 665-679.		9
27	One-carbon cycle alterations induced by Dyrk1a dosage. <i>Molecular Genetics and Metabolism Reports</i> , 2014, 1, 487-492.	1.1	8
28	Mice Deficient in Cystathionine Beta Synthase Display Increased Dyrk1A and SAHH Activities in Brain. <i>Journal of Molecular Neuroscience</i> , 2013, 50, 1-6.	2.3	17
29	Effect of catechin/epicatechin dietary intake on endothelial dysfunction biomarkers and proinflammatory cytokines in aorta of hyperhomocysteinemic mice. <i>European Journal of Nutrition</i> , 2013, 52, 1243-1250.	3.9	29
30	Dyrk1A, a Serine/Threonine Kinase, is Involved in ERK and Akt Activation in the Brain of Hyperhomocysteinemic Mice. <i>Molecular Neurobiology</i> , 2013, 47, 105-116.	4.0	35
31	Hepatocyte-specific Dyrk1a gene transfer rescues plasma apolipoprotein A-I levels and aortic Akt/GSK3 pathways in hyperhomocysteinemic mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 718-728.	3.8	16
32	DYRK1A overexpression decreases plasma lecithin:cholesterol acyltransferase activity and apolipoprotein A-I levels. <i>Molecular Genetics and Metabolism</i> , 2013, 110, 371-377.	1.1	5
33	Plasma nitrate levels are increased in adult Down syndrome patients. <i>Biomarkers</i> , 2013, 18, 373-374.	1.9	2
34	Dyrk1a activates antioxidant NQO1 expression through an ERK1/2-Nrf2 dependent mechanism. <i>Molecular Genetics and Metabolism</i> , 2012, 105, 484-488.	1.1	14
35	BDNF and DYRK1A Are Variable and Inversely Correlated in Lymphoblastoid Cell Lines from Down Syndrome Patients. <i>Molecular Neurobiology</i> , 2012, 46, 297-303.	4.0	15
36	Effect of red wine polyphenol dietary supplementation on two phase II enzymes in liver of hyperhomocysteinemic mice. <i>Food and Chemical Toxicology</i> , 2011, 49, 1764-1769.	3.6	14

#	ARTICLE	IF	CITATIONS
37	Early reduction of circulating homocysteine levels in Goto-Kakizaki rat, a spontaneous nonobese model of type 2 diabetes. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 699-702.	3.8	12
38	Protection and reversal of hepatic fibrosis by red wine polyphenols in hyperhomocysteinemic mice. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 856-864.	4.2	14
39	Myocardial fibrosis and TGFB expression in hyperhomocysteinemic rats. <i>Molecular and Cellular Biochemistry</i> , 2011, 347, 63-70.	3.1	27
40	Hyperhomocysteinemia-induced Dyrk1a downregulation results in cardiomyocyte hypertrophy in rats. <i>International Journal of Cardiology</i> , 2010, 145, 306-307.	1.7	8
41	Effects of red wine polyphenolic compounds on paraoxonase-1 and lectin-like oxidized low-density lipoprotein receptor-1 in hyperhomocysteinemic mice. <i>Journal of Nutritional Biochemistry</i> , 2009, 20, 586-596.	4.2	52
42	Effect of hyperhomocysteinemia on the protein kinase DYRK1A in liver of mice. <i>Biochemical and Biophysical Research Communications</i> , 2009, 378, 673-677.	2.1	29
43	Calpain activation is required for homocysteine-mediated hepatic degradation of inhibitor I κ B alpha. <i>Molecular Genetics and Metabolism</i> , 2009, 97, 114-120.	1.1	15
44	DYRK1A, a Novel Determinant of the Methionine-Homocysteine Cycle in Different Mouse Models Overexpressing this Down-Syndrome-Associated Kinase. <i>PLoS ONE</i> , 2009, 4, e7540.	2.5	50
45	Cystathionine beta synthase deficiency induces catalase-mediated hydrogen peroxide detoxification in mice liver. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2008, 1782, 482-488.	3.8	12
46	Effects of catechin on homocysteine metabolism in hyperhomocysteinemic mice. <i>Biochemical and Biophysical Research Communications</i> , 2007, 355, 221-227.	2.1	26
47	Hyperhomocysteinemia due to cystathionine beta synthase deficiency induces dysregulation of genes involved in hepatic lipid homeostasis in mice. <i>Journal of Hepatology</i> , 2007, 46, 151-159.	3.7	104
48	Mice lacking cystathionine beta synthase have lung fibrosis and air space enlargement. <i>Experimental and Molecular Pathology</i> , 2007, 83, 249-253.	2.1	28
49	Thiol compounds metabolism in mice, rats and humans: Comparative study and potential explanation of rodents protection against vascular diseases. <i>Clinica Chimica Acta</i> , 2006, 372, 140-146.	1.1	25
50	Inhibition of Extracellular Signal-Regulated Kinase in Liver of Hyperhomocysteinemic Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, e126-7.	2.4	5
51	Homocysteine is not detected in normal human vessel walls. <i>Atherosclerosis</i> , 2005, 179, 211-212.	0.8	2
52	Cystathionine β Synthase Deficiency Promotes Oxidative Stress, Fibrosis, and Steatosis in Mice Liver. <i>Gastroenterology</i> , 2005, 128, 1405-1415.	1.3	163
53	Mouse liver paraoxonase-1 gene expression is downregulated in hyperhomocysteinemia. <i>Thrombosis and Haemostasis</i> , 2004, 92, 221-222.	3.4	21
54	The neuronal SAPK/JNK pathway is altered in a murine model of hyperhomocysteinemia. <i>Journal of Neurochemistry</i> , 2004, 89, 33-43.	3.9	19

#	ARTICLE	IF	CITATIONS
55	Hyperkeratosis in cystathionine beta synthase-deficient mice: An animal model of hyperhomocysteinemia. <i>The Anatomical Record</i> , 2004, 280A, 1072-1076.	1.8	26
56	Mouse liver paraoxonase-1 gene expression is downregulated in hyperhomocysteinemia. <i>Thrombosis and Haemostasis</i> , 2004, 92, 221-2.	3.4	4
57	Altered Gene Expression in Liver from a Murine Model of Hyperhomocysteinemia. <i>Journal of Biological Chemistry</i> , 2003, 278, 31504-31511.	3.4	53
58	Elevated plasma von Willebrand factor in a murine model of severe hyperhomocysteinemia. <i>Thrombosis and Haemostasis</i> , 2003, 90, 362-363.	3.4	9