

Jennita Reefhuis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4668370/publications.pdf>

Version: 2024-02-01

97
papers

6,333
citations

87723

38
h-index

69108

77
g-index

98
all docs

98
docs citations

98
times ranked

6671
citing authors

#	ARTICLE	IF	CITATIONS
1	Modeling complex effects of exposure to particulate matter and extreme heat during pregnancy on congenital heart defects: A U.S. population-based case-control study in the National Birth Defects Prevention Study. <i>Science of the Total Environment</i> , 2022, 808, 152150.	3.9	7
2	Testing and Validating Semi-automated Approaches to the Occupational Exposure Assessment of Polycyclic Aromatic Hydrocarbons. <i>Annals of Work Exposures and Health</i> , 2021, 65, 682-693.	0.6	1
3	Venlafaxine prescription claims among insured women of reproductive age and pregnant women, 2011–2016. <i>Birth Defects Research</i> , 2021, 113, 1052-1056.	0.8	2
4	Prescription opioid use during pregnancy and risk for preterm birth or term low birthweight. <i>Journal of Opioid Management</i> , 2021, 17, 215-225.	0.2	6
5	ADHD Medication Use During Pregnancy and Risk for Selected Birth Defects: National Birth Defects Prevention Study, 1998-2011. <i>Journal of Attention Disorders</i> , 2020, 24, 479-489.	1.5	21
6	Zika Virus Disease in Colombia – Preliminary Report. <i>New England Journal of Medicine</i> , 2020, 383, e44.	13.9	225
7	Atypical antipsychotic use during pregnancy and birth defect risk: National Birth Defects Prevention Study, 1997–2011. <i>Schizophrenia Research</i> , 2020, 215, 81-88.	1.1	12
8	Maternal Use of Specific Antidepressant Medications During Early Pregnancy and the Risk of Selected Birth Defects. <i>JAMA Psychiatry</i> , 2020, 77, 1246.	6.0	58
9	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 466.	0.7	0
10	Using Supervised Learning Methods to Develop a List of Prescription Medications of Greatest Concern during Pregnancy. <i>Maternal and Child Health Journal</i> , 2020, 24, 901-910.	0.7	7
11	Maternal occupational exposure to solvents and gastroschisis in offspring - National Birth Defects Prevention Study 1997–2011. <i>Occupational and Environmental Medicine</i> , 2020, 77, 172-178.	1.3	3
12	Association between maternal occupational exposure to polycyclic aromatic hydrocarbons and rare birth defects of the face and central nervous system. <i>Birth Defects Research</i> , 2020, 112, 404-417.	0.8	9
13	Maternal Exposure to Disinfection By-Products and Risk of Hypospadias in the National Birth Defects Prevention Study (2000–2005). <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9564.	1.2	3
14	Projected Changes in Maternal Heat Exposure During Early Pregnancy and the Associated Congenital Heart Defect Burden in the United States. <i>Journal of the American Heart Association</i> , 2019, 8, e010995.	1.6	41
15	Maternal Occupational Oil Mist Exposure and Birth Defects, National Birth Defects Prevention Study, 1997–2011. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1560.	1.2	7
16	Risk of gastroschisis with maternal genitourinary infections: the US National birth defects prevention study 1997–2011. <i>BMJ Open</i> , 2019, 9, e026297.	0.8	16
17	Associations between fine particulate matter, extreme heat events, and congenital heart defects. <i>Environmental Epidemiology</i> , 2019, 3, e071.	1.4	18
18	Evaluation of State-Mandated Reporting of Neonatal Abstinence Syndrome – Six States, 2013–2017. <i>Morbidity and Mortality Weekly Report</i> , 2019, 68, 6-10.	9.0	46

#	ARTICLE	IF	CITATIONS
19	Gastroschisis Trends and Ecologic Link to Opioid Prescription Rates â€” United States, 2006â€”2015. <i>Morbidity and Mortality Weekly Report</i> , 2019, 68, 31-36.	9.0	43
20	Antibiotics Dispensed to Privately Insured Pregnant Women with Urinary Tract Infections â€” United States, 2014. <i>Morbidity and Mortality Weekly Report</i> , 2018, 67, 18-22.	9.0	23
21	A populationâ€based caseâ€control study of the association between weatherâ€related extreme heat events and orofacial clefts. <i>Birth Defects Research</i> , 2018, 110, 1468-1477.	0.8	13
22	Nongenetic risk factors for holoprosencephaly: An updated review of the epidemiologic literature. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2018, 178, 151-164.	0.7	14
23	Drinking water disinfection byproducts and risk of orofacial clefts in the National Birth Defects Prevention Study. <i>Birth Defects Research</i> , 2018, 110, 1027-1042.	0.8	6
24	Maternal ambient heat exposure during early pregnancy in summer and spring and congenital heart defects â€” A large US population-based, case-control study. <i>Environment International</i> , 2018, 118, 211-221.	4.8	44
25	Serial Head and Brain Imaging of 17 Fetuses With Confirmed Zika Virus Infection in Colombia, South America. <i>Obstetrics and Gynecology</i> , 2017, 130, 207-212.	1.2	33
26	Impact of sample collection participation on the validity of estimated measures of association in the National Birth Defects Prevention Study when assessing geneâ€environment interactions. <i>Genetic Epidemiology</i> , 2017, 41, 834-843.	0.6	1
27	Populationâ€based caseâ€control study of the association between weatherâ€related extreme heat events and neural tube defects. <i>Birth Defects Research</i> , 2017, 109, 1482-1493.	0.8	10
28	Projecting Month of Birth for At-Risk Infants after Zika Virus Disease Outbreaks. <i>Emerging Infectious Diseases</i> , 2016, 22, 828-832.	2.0	41
29	Association between antibiotic use among pregnant women with urinary tract infections in the first trimester and birth defects, National Birth Defects Prevention Study 1997 to 2011. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2016, 106, 940-949.	1.6	41
30	Twinning and major birth defects, National Birth Defects Prevention Study, 1997â€”2007. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 1114-1121.	2.0	48
31	Zika and the Risk of Microcephaly. <i>New England Journal of Medicine</i> , 2016, 375, 1-4.	13.9	394
32	Zika and the Risk of Microcephaly. <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 635-636.	0.2	4
33	Next steps for birth defects research and prevention: The birth defects study to evaluate pregnancy exposures (BDâ€STEPS). <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2015, 103, 733-740.	1.6	21
34	Maternal exposures in the National Birth Defects Prevention Study: Time trends of selected exposures. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2015, 103, 703-712.	1.6	12
35	The national birth defects prevention study: A review of the methods. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2015, 103, 656-669.	1.6	188
36	Epidemiology of twinning in the National Birth Defects Prevention Study, 1997 to 2007. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2015, 103, 85-99.	1.6	9

#	ARTICLE	IF	CITATIONS
37	Specific SSRIs and birth defects: bayesian analysis to interpret new data in the context of previous reports. <i>BMJ, The</i> , 2015, 351, h3190.	3.0	123
38	Challenges in Studying Modifiable Risk Factors for Birth Defects. <i>Current Epidemiology Reports</i> , 2015, 2, 23-30.	1.1	31
39	CDC Grand Rounds: Understanding the Causes of Major Birth Defects â€” Steps to Prevention. <i>Morbidity and Mortality Weekly Report</i> , 2015, 64, 1104-1107.	9.0	17
40	Supplement use and other characteristics among pregnant women with a previous pregnancy affected by a neural tube defect - United States, 1997-2009. <i>Morbidity and Mortality Weekly Report</i> , 2015, 64, 6-9.	9.0	5
41	Factors affecting maternal participation in the genetic component of the National Birth Defects Prevention Studyâ€”United States, 1997â€”2007. <i>Genetics in Medicine</i> , 2014, 16, 329-337.	1.1	8
42	Using Bayesian Models to Assess the Effects of Underâ€”reporting of Cannabis Use on the Association with Birth Defects, National Birth Defects Prevention Study, 1997â€”2005. <i>Paediatric and Perinatal Epidemiology</i> , 2014, 28, 424-433.	0.8	47
43	Maternal exposure to methotrexate and birth defects: A populationâ€”based study. <i>American Journal of Medical Genetics, Part A</i> , 2014, 164, 2212-2216.	0.7	37
44	Association between reported venlafaxine use in early pregnancy and birth defects, national birth defects prevention study, 1997â€”2007. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2013, 97, 28-35.	1.6	59
45	Impact of Time to Maternal Interview on Interview Responses in the National Birth Defects Prevention Study. <i>American Journal of Epidemiology</i> , 2013, 177, 1225-1235.	1.6	20
46	Maternal medication and herbal use and risk for hypospadias: data from the National Birth Defects Prevention Study, 1997â€”2007. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 783-793.	0.9	39
47	Association Between Maternal Age and Birth Defects of Unknown Etiologyâ€”United States, 1997â€”2007. <i>Obstetrical and Gynecological Survey</i> , 2013, 68, 346-347.	0.2	0
48	Maternal Occupational Exposure to Polycyclic Aromatic Hydrocarbons: Effects on Gastroschisis among Offspring in the National Birth Defects Prevention Study. <i>Environmental Health Perspectives</i> , 2012, 120, 910-915.	2.8	57
49	Association between maternal age and birth defects of unknown etiology â€” United States, 1997â€”2007. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2012, 94, 1010-1018.	1.6	111
50	The effects of opt-out legislation on data collection and surveillance of birth defects by the New Hampshire Birth Conditions Program, New Hampshire, United States, 2007-2009. <i>Journal of Registry Management</i> , 2012, 39, 19-23.	0.1	2
51	Use of clomiphene citrate and birth defects, National Birth Defects Prevention Study, 1997-2005. <i>Human Reproduction</i> , 2011, 26, 451-457.	0.4	81
52	Maternal injuries during the periconceptual period and the risk of birth defects, National Birth Defects Prevention Study, 1997â€”2005. <i>Paediatric and Perinatal Epidemiology</i> , 2011, 25, 487-496.	0.8	24
53	Maternal treatment with opioid analgesics and risk for birth defects. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 314.e1-314.e11.	0.7	291
54	Reproductive Health Characteristics of Marijuana And Cocaine Users: Results from the 2002 National Survey of Family Growth. <i>Perspectives on Sexual and Reproductive Health</i> , 2011, 43, 164-172.	0.9	19

#	ARTICLE	IF	CITATIONS
55	Letter to the editor: Ventricular septal defects and the national birth defects prevention study. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, 66-66.	1.6	2
56	Maternal occupational pesticide exposure and risk of hypospadias in the national birth defects prevention study. Birth Defects Research Part A: Clinical and Molecular Teratology, 2011, 91, 927-936.	1.6	30
57	Patterns of Antidepressant Medication Use Among Pregnant Women in a United States Population. Journal of Clinical Pharmacology, 2011, 51, 264-270.	1.0	139
58	Inter-Rater Reliability of Assessed Prenatal Maternal Occupational Exposures to Solvents, Polycyclic Aromatic Hydrocarbons, and Heavy Metals. Journal of Occupational and Environmental Hygiene, 2011, 8, 718-728.	0.4	21
59	A Public Health Perspective on Cochlear Implants and Meningitis in Children. Otology and Neurotology, 2010, 31, 1329-1330.	0.7	5
60	Association Between Pregnancy Intention and Reproductive-health Related Behaviors Before and After Pregnancy Recognition, National Birth Defects Prevention Study, 1997-2002. Maternal and Child Health Journal, 2010, 14, 373-381.	0.7	131
61	Maternal use of bupropion and risk for congenital heart defects. American Journal of Obstetrics and Gynecology, 2010, 203, 52.e1-52.e6.	0.7	78
62	Epidemiology of Maternal Injuries During Pregnancy in a Population-Based Study, 1997-2005. Journal of Women's Health, 2010, 19, 2211-2218.	1.5	34
63	Epidemiology of Fertility Treatment Use Among U.S. Women with Liveborn Infants, 1997-2004. Journal of Women's Health, 2010, 19, 407-416.	1.5	26
64	Characteristics of pregnant illicit drug users and associations between cannabis use and perinatal outcome in a population-based study. Drug and Alcohol Dependence, 2010, 109, 243-247.	1.6	122
65	Control Selection and Participation in an Ongoing, Population-based, Case-Control Study of Birth Defects. American Journal of Epidemiology, 2009, 170, 975-985.	1.6	137
66	Antibacterial Medication Use During Pregnancy and Risk of Birth Defects. JAMA Pediatrics, 2009, 163, 978-85.	3.6	202
67	Assisted reproductive technology and major structural birth defects in the United States. Human Reproduction, 2009, 24, 360-366.	0.4	251
68	Maternal Periconceptional Illicit Drug Use and the Risk of Congenital Malformations. Epidemiology, 2009, 20, 60-66.	1.2	100
69	Maternal exposure to tobacco smoke, alcohol and caffeine, and risk of anorectal atresia: National Birth Defects Prevention Study 1997-2003. Paediatric and Perinatal Epidemiology, 2009, 23, 9-17.	0.8	46
70	Reply: ART and major structural birth defects in the USA. Human Reproduction, 2009, 24, 1766-1766.	0.4	2
71	Periconceptional use of weight loss products including ephedra and the association with birth defects. Birth Defects Research Part A: Clinical and Molecular Teratology, 2008, 82, 553-562.	1.6	20
72	Maternal periconceptional exposure to cigarette smoking and alcohol and esophageal atresia ± tracheo-esophageal fistula. Birth Defects Research Part A: Clinical and Molecular Teratology, 2008, 82, 776-784.	1.6	30

#	ARTICLE	IF	CITATIONS
73	Case-control study of self reported genitourinary infections and risk of gastroschisis: findings from the national birth defects prevention study, 1997-2003. <i>BMJ: British Medical Journal</i> , 2008, 336, 1420-1423.	2.4	67
74	Maternal reports of family history from the National Birth Defects Prevention Study, 1997-2001. <i>Genetics in Medicine</i> , 2008, 10, 37-45.	1.1	3
75	Maternal Periconceptional Alcohol Consumption and Risk of Orofacial Clefts. <i>American Journal of Epidemiology</i> , 2007, 166, 775-785.	1.6	113
76	Maternal Smoking and Environmental Tobacco Smoke Exposure and the Risk of Orofacial Clefts. <i>Epidemiology</i> , 2007, 18, 226-233.	1.2	249
77	Use of Selective Serotonin-Reuptake Inhibitors in Pregnancy and the Risk of Birth Defects. <i>Obstetrical and Gynecological Survey</i> , 2007, 62, 702-703.	0.2	1
78	Hearing loss diagnosis followed by meningitis in Danish children, 1995-2004. <i>Otolaryngology - Head and Neck Surgery</i> , 2007, 136, 428-433.	1.1	23
79	Use of Selective Serotonin-Reuptake Inhibitors in Pregnancy and the Risk of Birth Defects. <i>New England Journal of Medicine</i> , 2007, 356, 2684-2692.	13.9	455
80	Periconceptional consumption of vitamins containing folic acid and risk for multiple congenital anomalies. <i>American Journal of Medical Genetics, Part A</i> , 2007, 143A, 2397-2405.	0.7	6
81	Selective Serotonin-Reuptake Inhibitors and Persistent Pulmonary Hypertension of the Newborn. <i>New England Journal of Medicine</i> , 2006, 354, 2188-2190.	13.9	54
82	Racial and Ethnic Disparity in Participation in DNA Collection at the Atlanta Site of the National Birth Defects Prevention Study. <i>American Journal of Epidemiology</i> , 2006, 164, 805-812.	1.6	32
83	Bacterial Meningitis Among Children With Cochlear Implants Beyond 24 Months After Implantation. <i>Pediatrics</i> , 2006, 117, 284-289.	1.0	117
84	Risk of birth defects among children conceived with assisted reproductive technology: providing an epidemiologic context to the data. <i>Fertility and Sterility</i> , 2005, 84, 1320-1324.	0.5	50
85	Maternal age and non-chromosomal birth defects, Atlanta?1968-2000: Teenager or thirty-something, who is at risk?. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2004, 70, 572-579.	1.6	204
86	Risk of Bacterial Meningitis in Children with Cochlear Implants. <i>New England Journal of Medicine</i> , 2003, 349, 435-445.	13.9	309
87	Fertility treatments and craniosynostosis: California, Georgia, and Iowa, 1993-1997. <i>Pediatrics</i> , 2003, 111, 1163-6.	1.0	29
88	The Use of Birth Defect Registries for Etiological Research: A Review. <i>Public Health Genomics</i> , 2002, 5, 13-32.	1.0	15
89	Epidemiologic Investigations of Bioterrorism-Related Anthrax, New Jersey, 2001. <i>Emerging Infectious Diseases</i> , 2002, 8, 1048-1055.	2.0	50
90	Investigation of Bioterrorism-Related Anthrax, United States, 2001: Epidemiologic Findings. <i>Emerging Infectious Diseases</i> , 2002, 8, 1019-1028.	2.0	607

#	ARTICLE	IF	CITATIONS
91	Referral for genetic counseling after the birth of a child with a congenital anomaly in the Northern Netherlands. <i>American Journal of Medical Genetics Part A</i> , 2002, 112, 133-137.	2.4	16
92	Is There an Association between Maternal Carbamazepine Use during Pregnancy and Eye Malformations in the Child?. <i>Epilepsia</i> , 2002, 43, 929-931.	2.6	21
93	Letter to the Editor: Folic acid prevents more than neural tube defects: A registry-based study in the northern Netherlands. <i>European Journal of Epidemiology</i> , 2002, 18, 279-280.	2.5	7
94	Accuracy of family history of cancer: clinical genetic implications. <i>European Journal of Human Genetics</i> , 2000, 8, 181-186.	1.4	91
95	Additional information from parental questionnaires and pharmacy records for registration of birth defects. EuroMAP-group. <i>European Journal of Epidemiology</i> , 2000, 16, 329-336.	2.5	8
96	Artefactual increasing frequency of omphaloceles in the Northern Netherlands: lessons for systematic analysis of apparent epidemics. <i>International Journal of Epidemiology</i> , 1999, 28, 258-262.	0.9	4
97	Work with video display terminals and the risk of reduced birthweight and preterm birth. , 1997, 32, 681-688.		26