

Wen-Ge Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4669172/publications.pdf>

Version: 2024-02-01

61
papers

751
citations

567281

15
h-index

610901

24
g-index

65
all docs

65
docs citations

65
times ranked

1031
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of renal biopsies in type 2 diabetic patients with kidney disease: a clinicopathological study of 216 cases. <i>International Urology and Nephrology</i> , 2013, 45, 173-179.	1.4	65
2	Prevalence of diabetic nephropathy complicating non-diabetic renal disease among Chinese patients with type 2 diabetes mellitus. <i>European Journal of Medical Research</i> , 2013, 18, 4.	2.2	57
3	US-guided Microwave Ablation of Hyperplastic Parathyroid Glands: Safety and Efficacy in Patients with End-Stage Renal Disease—A Pilot Study. <i>Radiology</i> , 2017, 282, 576-584.	7.3	48
4	The Spectrum of Biopsy-Proven Glomerular Disease in China. <i>Chinese Medical Journal</i> , 2018, 131, 731-735.	2.3	48
5	Comparative Analyses of Subgingival Microbiome in Chronic Periodontitis Patients with and Without IgA Nephropathy by High Throughput 16S rRNA Sequencing. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 774-783.	1.6	42
6	Safety and efficiency of microwave ablation for recurrent and persistent secondary hyperparathyroidism after parathyroidectomy: A retrospective pilot study. <i>International Journal of Hyperthermia</i> , 2016, 32, 180-186.	2.5	31
7	Novel Model Predicts Diabetic Nephropathy in Type 2 Diabetes. <i>American Journal of Nephrology</i> , 2020, 51, 130-138.	3.1	30
8	Microwave ablation of hyperplastic parathyroid glands is a treatment option for end-stage renal disease patients ineligible for surgical resection. <i>International Journal of Hyperthermia</i> , 2019, 36, 29-35.	2.5	25
9	The landscape and diagnostic potential of T and B cell repertoire in Immunoglobulin A Nephropathy. <i>Journal of Autoimmunity</i> , 2019, 97, 100-107.	6.5	25
10	A Meta-Analysis of Antiviral Therapy for Hepatitis B Virus-Associated Membranous Nephropathy. <i>PLoS ONE</i> , 2016, 11, e0160437.	2.5	25
11	Accuracy of hematuria for predicting non-diabetic renal disease in patients with diabetes and kidney disease: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2018, 143, 288-300.	2.8	24
12	Efficacy and safety of <i>Abelmoschus manihot</i> for IgA nephropathy: A multicenter randomized clinical trial. <i>Phytomedicine</i> , 2020, 76, 153231.	5.3	24
13	<i>Abelmoschus manihot</i> — a traditional Chinese medicine versus losartan potassium for treating IgA nephropathy: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 170.	1.6	21
14	Efficacy and Safety of Niaoduqing Particles for Delaying Moderate-to-severe Renal Dysfunction. <i>Chinese Medical Journal</i> , 2017, 130, 2402-2409.	2.3	19
15	Alternative renal biopsies: past and present. <i>International Urology and Nephrology</i> , 2018, 50, 475-479.	1.4	17
16	Risk Factor Analysis for AKI Including Laboratory Indicators: a Nationwide Multicenter Study of Hospitalized Patients. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 761-773.	2.0	16
17	Diagnostic Performance of Retinopathy in the Detection of Diabetic Nephropathy in Type 2 Diabetes: A Systematic Review and Meta-Analysis of 45 Studies. <i>Ophthalmic Research</i> , 2019, 62, 68-79.	1.9	14
18	Activation of complement C1q and C3 in glomeruli might accelerate the progression of diabetic nephropathy: Evidence from transcriptomic data and renal histopathology. <i>Journal of Diabetes Investigation</i> , 2022, 13, 839-849.	2.4	13

#	ARTICLE	IF	CITATIONS
19	<i>PTPN22</i> R620W Polymorphism and ANCA Disease Risk in White Populations: A Metaanalysis. <i>Journal of Rheumatology</i> , 2015, 42, 292-299.	2.0	12
20	Prognostic nomogram and score to predict renal survival of patients with biopsy-proven diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2019, 155, 107809.	2.8	12
21	Characteristics and clinical outcome of nonsteroidal anti-inflammatory drug-induced acute hepato-nephrotoxicity among Chinese patients. <i>World Journal of Gastroenterology</i> , 2014, 20, 13956.	3.3	12
22	Efficacy of Leflunomide, Telmisartan, and Clopidogrel for Immunoglobulin A Nephropathy. <i>Chinese Medical Journal</i> , 2016, 129, 1894-1903.	2.3	11
23	Clinical characteristics and outcomes of biopsy-proven diabetic nephropathy. <i>Frontiers of Medicine</i> , 2017, 11, 386-392.	3.4	11
24	Telmisartan combined with probucol effectively reduces urinary protein in patients with type 2 diabetes: A randomized double-blind placebo-controlled multicenter clinical study. <i>Journal of Diabetes</i> , 2016, 8, 677-685.	1.8	10
25	Membranous nephropathy classification using microscopic hyperspectral imaging and tensor patch-based discriminative linear regression. <i>Biomedical Optics Express</i> , 2021, 12, 2968.	2.9	10
26	Clinical significance of different carnitine levels for improving the prognosis of patients undergoing hemodialysis. <i>Renal Failure</i> , 2016, 38, 1654-1658.	2.1	9
27	Efficacy and safety of immunosuppressive treatment in IgA nephropathy: a meta-analysis of randomized controlled trials. <i>BMC Nephrology</i> , 2019, 20, 333.	1.8	9
28	Expression of the intrarenal angiotensin receptor and the role of renin-angiotensin system inhibitors in IgA nephropathy. <i>Molecular and Cellular Biochemistry</i> , 2019, 453, 103-110.	3.1	9
29	Long-term clinical spectrum and circulating RAS evaluation of anephric patients undergoing hemodialysis: A report of four cases and literature review. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2018, 19, 147032031879990.	1.7	6
30	Effects of adding tripterygium glycosides to angiotensin-converting enzyme inhibitors or angiotensin receptor blockers on albuminuria in patients with diabetic nephropathy. <i>Chronic Diseases and Translational Medicine</i> , 2020, 6, 18-26.	1.2	6
31	Effectiveness of Chinese herbal medicine combined with Western medicine on deferring dialysis initiation for nondialysis chronic kidney disease stage 5 patients: a multicenter prospective nonrandomized controlled study. <i>Annals of Translational Medicine</i> , 2021, 9, 490-490.	1.7	6
32	Effects of adding <i>Rheum officinale</i> to angiotensin-converting enzyme inhibitors or angiotensin receptor blockers on renal function in patients with chronic renal failure: A meta-analysis of randomized controlled trials. <i>Clinical Nephrology</i> , 2018, 89, 445-454.	0.7	6
33	Integration of a multichannel surface plasmon resonance sensor chip and refractive index matching film array for protein detection in human urine. <i>Talanta</i> , 2022, 246, 123533.	5.5	6
34	Effects of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers on left ventricular mass index and ejection fraction in hemodialysis patients: A meta-analysis with trial sequential analysis of randomized controlled trials. <i>International Journal of Cardiology</i> , 2016, 219, 350-357.	1.7	5
35	Hepatitis B reactivation in HBsAg-negative/HBcAb-positive patients receiving immunosuppressive therapy for glomerulonephritis: a retrospective analysis. <i>International Urology and Nephrology</i> , 2017, 49, 475-482.	1.4	5
36	Effect of different hepatitis B infection status on the prognosis of active lupus nephritis treated with immunosuppression: a retrospective analysis of 177 patients. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1060-1067.	1.9	5

#	ARTICLE	IF	CITATIONS
37	Benzbromarone as a possible cause of acute kidney injury in patients with urolithiasis. <i>Medicine (United States)</i> , 2019, 98, e15214.	1.0	5
38	Darbepoetin alfa injection versus epoetin alfa injection for treating anemia of Chinese hemodialysis patients with chronic kidney failure: A randomized, open-label, parallel-group, non-inferiority Phase III trial. <i>Chronic Diseases and Translational Medicine</i> , 2022, 8, 59-70.	1.2	5
39	Effects of Niaoduqing Particles (α ₂ β ₂ γ ₂) on Delaying Progression of Renal Dysfunction: A Post-trial, Open-Label, Follow-up Study. <i>Chinese Journal of Integrative Medicine</i> , 2019, 25, 168-174.	1.6	4
40	The Treatment Effectiveness Evaluation for Slowing the Progression of Diabetic Nephropathy During Stage 4 Chronic Kidney Disease. <i>Diabetes Therapy</i> , 2021, 12, 301-312.	2.5	4
41	High-throughput sequencing analysis of genes encoding the B-lymphocyte receptor heavy-chain CDR3 in renal and peripheral blood of IgA nephropathy. <i>Bioscience Reports</i> , 2019, 39, .	2.4	4
42	Baseline proteinuria, urinary osmotic pressure, and renal function as positive predictors of corticosteroids plus cyclophosphamide treatment efficacy in IgA nephropathy. <i>Chinese Medical Journal</i> , 2014, 127, 1710-4.	2.3	4
43	Diabetes influences the performance of creatinine-based equations for estimating glomerular filtration rate in the elderly population. <i>European Journal of Internal Medicine</i> , 2022, 100, 146-148.	2.2	4
44	Complement Deposition Predicts Worsening Kidney Function and Underlines the Clinical Significance of the 2010 Renal Pathology Society Classification of Diabetic Nephropathy. <i>Frontiers in Immunology</i> , 2022, 13, .	4.8	4
45	In vivo and in vitro performance of a China-made hemodialysis machine: a multi-center prospective controlled study. <i>BioMedical Engineering OnLine</i> , 2017, 16, 96.	2.7	3
46	Angiotensin II type 1 receptor blockers favorably affect renal angiotensin II and MAS receptor expression in patients with diabetic nephropathy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2020, 21, 147032032091960.	1.7	3
47	Activation of Complement Pathways in Kidney Tissue May Mediate Tubulointerstitial Injury in Diabetic Nephropathy. <i>Frontiers in Medicine</i> , 2022, 9, 845679.	2.6	3
48	Resistant and undertreated hypertension in patients with chronic kidney disease: data from the PATRIOTIC survey. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 784-791.	1.3	2
49	Outcomes of normotensive IgA nephropathy patients with mild proteinuria who have impaired renal function. <i>Renal Failure</i> , 2019, 41, 875-882.	2.1	2
50	Anti-glomerular basement membrane disease mediated by IgG and IgA: a case report. <i>Renal Failure</i> , 2021, 43, 774-778.	2.1	2
51	Protein restriction for diabetic kidney disease. <i>The Cochrane Library</i> , 2021, 2021, .	2.8	2
52	Angiotensin-converting enzyme inhibitors versus angiotensin II receptor blockers for renal outcomes and mortality in diabetic kidney disease. <i>European Journal of Internal Medicine</i> , 2021, 85, 127-129.	2.2	1
53	Deep learning-based framework for the distinction of membranous nephropathy: a new approach through hyperspectral imagery. <i>BMC Nephrology</i> , 2021, 22, 231.	1.8	1
54	Expert consensus on the establishment and maintenance of native arteriovenous fistula. <i>Chronic Diseases and Translational Medicine</i> , 2021, 7, 235-253.	1.2	1

#	ARTICLE	IF	CITATIONS
55	Acute kidney injuries induced by thrombotic microangiopathy following severe hemorrhage in puerperants: a case series and literature review. <i>American Journal of Translational Research (discontinued)</i> , 2021, 13, 6182-6190.	0.0	1
56	Efficacy and safety of darbepoetin alfa injection replacing epoetin alfa injection for the treatment of renal anemia in Chinese hemodialysis patients: A randomized, open-label, parallel-group, noninferiority phase III trial. <i>Chronic Diseases and Translational Medicine</i> , 2022, 8, 134-144.	1.2	1
57	Discontinuation of antiviral prophylaxis increased the risk of hepatitis B virus reactivation in glomerulonephritis patients under immunotherapy: a real-life observation. <i>International Urology and Nephrology</i> , 2018, 50, 1653-1660.	1.4	0
58	A novel method to rapidly calculate the urea clearance index and urea reduction rate based on parameters obtained during hemodialysis. <i>Chronic Diseases and Translational Medicine</i> , 2021, 7, 41-46.	1.2	0
59	Establishment and maintenance of autogenous arteriovenous fistula in hemodialysis patients: A new beacon. <i>Chronic Diseases and Translational Medicine</i> , 2021, 7, 217-219.	1.2	0
60	HBV serum and renal biopsy markers are associated with the clinicopathological characteristics of HBV-associated nephropathy. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 8150-4.	0.5	0
61	Anti-neutrophil cytoplasmic antibody seropositivity in young adults aged up to 35 years: kidney histopathological findings and patient outcomes. <i>Journal of International Medical Research</i> , 2022, 50, 030006052210780.	1.0	0