

# Wen-Ge Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4669172/publications.pdf>

Version: 2024-02-01

61  
papers

751  
citations

643344

15  
h-index

685536

24  
g-index

65  
all docs

65  
docs citations

65  
times ranked

1057  
citing authors

#	ARTICLE	IF	CITATIONS
1	Activation of complement C1q and C3 in glomeruli might accelerate the progression of diabetic nephropathy: Evidence from transcriptomic data and renal histopathology. <i>Journal of Diabetes Investigation</i> , 2022, 13, 839-849.	1.1	13
2	Diabetes influences the performance of creatinine-based equations for estimating glomerular filtration rate in the elderly population. <i>European Journal of Internal Medicine</i> , 2022, 100, 146-148.	1.0	4
3	Anti-neutrophil cytoplasmic antibody seropositivity in young adults aged up to 35 years: kidney histopathological findings and patient outcomes. <i>Journal of International Medical Research</i> , 2022, 50, 030006052210780.	0.4	0
4	Darbepoetin alfa injection versus epoetin alfa injection for treating anemia of Chinese hemodialysis patients with chronic kidney failure: A randomized, open-label, parallel-group, non-inferiority Phase III trial. <i>Chronic Diseases and Translational Medicine</i> , 2022, 8, 59-70.	0.9	5
5	Activation of Complement Pathways in Kidney Tissue May Mediate Tubulointerstitial Injury in Diabetic Nephropathy. <i>Frontiers in Medicine</i> , 2022, 9, 845679.	1.2	3
6	Efficacy and safety of darbepoetin alfa injection replacing epoetin alfa injection for the treatment of renal anemia in Chinese hemodialysis patients: A randomized, open-label, parallel-group, noninferiority phase III trial. <i>Chronic Diseases and Translational Medicine</i> , 2022, 8, 134-144.	0.9	1
7	Integration of a multichannel surface plasmon resonance sensor chip and refractive index matching film array for protein detection in human urine. <i>Talanta</i> , 2022, 246, 123533.	2.9	6
8	Complement Deposition Predicts Worsening Kidney Function and Underlines the Clinical Significance of the 2010 Renal Pathology Society Classification of Diabetic Nephropathy. <i>Frontiers in Immunology</i> , 2022, 13, .	2.2	4
9	The Treatment Effectiveness Evaluation for Slowing the Progression of Diabetic Nephropathy During Stage 4 Chronic Kidney Disease. <i>Diabetes Therapy</i> , 2021, 12, 301-312.	1.2	4
10	Angiotensin-converting enzyme inhibitors versus angiotensin II receptor blockers for renal outcomes and mortality in diabetic kidney disease. <i>European Journal of Internal Medicine</i> , 2021, 85, 127-129.	1.0	1
11	Anti-glomerular basement membrane disease mediated by IgG and IgA: a case report. <i>Renal Failure</i> , 2021, 43, 774-778.	0.8	2
12	Effectiveness of Chinese herbal medicine combined with Western medicine on deferring dialysis initiation for nondialysis chronic kidney disease stage 5 patients: a multicenter prospective nonrandomized controlled study. <i>Annals of Translational Medicine</i> , 2021, 9, 490-490.	0.7	6
13	A novel method to rapidly calculate the urea clearance index and urea reduction rate based on parameters obtained during hemodialysis. <i>Chronic Diseases and Translational Medicine</i> , 2021, 7, 41-46.	0.9	0
14	Membranous nephropathy classification using microscopic hyperspectral imaging and tensor patch-based discriminative linear regression. <i>Biomedical Optics Express</i> , 2021, 12, 2968.	1.5	10
15	Deep learning-based framework for the distinction of membranous nephropathy: a new approach through hyperspectral imagery. <i>BMC Nephrology</i> , 2021, 22, 231.	0.8	1
16	Expert consensus on the establishment and maintenance of native arteriovenous fistula. <i>Chronic Diseases and Translational Medicine</i> , 2021, 7, 235-253.	0.9	1
17	Protein restriction for diabetic kidney disease. <i>The Cochrane Library</i> , 2021, 2021, .	1.5	2
18	Establishment and maintenance of autogenous arteriovenous fistula in hemodialysis patients: A new beacon. <i>Chronic Diseases and Translational Medicine</i> , 2021, 7, 217-219.	0.9	0

#	ARTICLE	IF	CITATIONS
19	Acute kidney injuries induced by thrombotic microangiopathy following severe hemorrhage in puerperants: a case series and literature review. <i>American Journal of Translational Research (discontinued)</i> , 2021, 13, 6182-6190.	0.0	1
20	Novel Model Predicts Diabetic Nephropathy in Type 2 Diabetes. <i>American Journal of Nephrology</i> , 2020, 51, 130-138.	1.4	30
21	Efficacy and safety of <i>Abelmoschus manihot</i> for IgA nephropathy: A multicenter randomized clinical trial. <i>Phytomedicine</i> , 2020, 76, 153231.	2.3	24
22	Angiotensin II type 1 receptor blockers favorably affect renal angiotensin II and MAS receptor expression in patients with diabetic nephropathy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2020, 21, 147032032091960.	1.0	3
23	Effects of adding tripterygium glycosides to angiotensin-converting enzyme inhibitors or angiotensin receptor blockers on albuminuria in patients with diabetic nephropathy. <i>Chronic Diseases and Translational Medicine</i> , 2020, 6, 18-26.	0.9	6
24	Prognostic nomogram and score to predict renal survival of patients with biopsy-proven diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2019, 155, 107809.	1.1	12
25	Diagnostic Performance of Retinopathy in the Detection of Diabetic Nephropathy in Type 2 Diabetes: A Systematic Review and Meta-Analysis of 45 Studies. <i>Ophthalmic Research</i> , 2019, 62, 68-79.	1.0	14
26	Efficacy and safety of immunosuppressive treatment in IgA nephropathy: a meta-analysis of randomized controlled trials. <i>BMC Nephrology</i> , 2019, 20, 333.	0.8	9
27	Outcomes of normotensive IgA nephropathy patients with mild proteinuria who have impaired renal function. <i>Renal Failure</i> , 2019, 41, 875-882.	0.8	2
28	Microwave ablation of hyperplastic parathyroid glands is a treatment option for end-stage renal disease patients ineligible for surgical resection. <i>International Journal of Hyperthermia</i> , 2019, 36, 29-35.	1.1	25
29	Benzbromarone as a possible cause of acute kidney injury in patients with urolithiasis. <i>Medicine (United States)</i> , 2019, 98, e15214.	0.4	5
30	Expression of the intrarenal angiotensin receptor and the role of renin-angiotensin system inhibitors in IgA nephropathy. <i>Molecular and Cellular Biochemistry</i> , 2019, 453, 103-110.	1.4	9
31	The landscape and diagnostic potential of T and B cell repertoire in Immunoglobulin A Nephropathy. <i>Journal of Autoimmunity</i> , 2019, 97, 100-107.	3.0	25
32	Effects of Niaoduqing Particles (藜芦总黄酮) on Delaying Progression of Renal Dysfunction: A Post-trial, Open-Label, Follow-up Study. <i>Chinese Journal of Integrative Medicine</i> , 2019, 25, 168-174.	0.7	4
33	High-throughput sequencing analysis of genes encoding the B-lymphocyte receptor heavy-chain CDR3 in renal and peripheral blood of IgA nephropathy. <i>Bioscience Reports</i> , 2019, 39, .	1.1	4
34	Resistant and undertreated hypertension in patients with chronic kidney disease: data from the PATRIOTIC survey. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 784-791.	0.5	2
35	Discontinuation of antiviral prophylaxis increased the risk of hepatitis B virus reactivation in glomerulonephritis patients under immunotherapy: a real-life observation. <i>International Urology and Nephrology</i> , 2018, 50, 1653-1660.	0.6	0
36	Alternative renal biopsies: past and present. <i>International Urology and Nephrology</i> , 2018, 50, 475-479.	0.6	17

#	ARTICLE	IF	CITATIONS
37	The Spectrum of Biopsy-Proven Glomerular Disease in China. Chinese Medical Journal, 2018, 131, 731-735.	0.9	48
38	Long-term clinical spectrum and circulating RAS evaluation of anephric patients undergoing hemodialysis: A report of four cases and literature review. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2018, 19, 147032031879990.	1.0	6
39	Comparative Analyses of Subgingival Microbiome in Chronic Periodontitis Patients with and Without IgA Nephropathy by High Throughput 16S rRNA Sequencing. Cellular Physiology and Biochemistry, 2018, 47, 774-783.	1.1	42
40	Accuracy of hematuria for predicting non-diabetic renal disease in patients with diabetes and kidney disease: A systematic review and meta-analysis. Diabetes Research and Clinical Practice, 2018, 143, 288-300.	1.1	24
41	Effect of different hepatitis B infection status on the prognosis of active lupus nephritis treated with immunosuppression: a retrospective analysis of 177 patients. International Journal of Rheumatic Diseases, 2018, 21, 1060-1067.	0.9	5
42	Effects of adding Rheum officinale to angiotensin-converting enzyme inhibitors or angiotensin receptor blockers on renal function in patients with chronic renal failure: A meta-analysis of randomized controlled trials. Clinical Nephrology, 2018, 89, 445-454.	0.4	6
43	Hepatitis B reactivation in HBsAg-negative/HBcAb-positive patients receiving immunosuppressive therapy for glomerulonephritis: a retrospective analysis. International Urology and Nephrology, 2017, 49, 475-482.	0.6	5
44	Clinical characteristics and outcomes of biopsy-proven diabetic nephropathy. Frontiers of Medicine, 2017, 11, 386-392.	1.5	11
45	Risk Factor Analysis for AKI Including Laboratory Indicators: a Nationwide Multicenter Study of Hospitalized Patients. Kidney and Blood Pressure Research, 2017, 42, 761-773.	0.9	16
46	Abelmoschus manihot "a traditional Chinese medicine versus losartan potassium for treating IgA nephropathy: study protocol for a randomized controlled trial. Trials, 2017, 18, 170.	0.7	21
47	US-guided Microwave Ablation of Hyperplastic Parathyroid Glands: Safety and Efficacy in Patients with End-Stage Renal Disease" A Pilot Study. Radiology, 2017, 282, 576-584.	3.6	48
48	In vivo and in vitro performance of a China-made hemodialysis machine: a multi-center prospective controlled study. BioMedical Engineering OnLine, 2017, 16, 96.	1.3	3
49	Efficacy and Safety of Niaoduqing Particles for Delaying Moderate-to-severe Renal Dysfunction. Chinese Medical Journal, 2017, 130, 2402-2409.	0.9	19
50	Efficacy of Leflunomide, Telmisartan, and Clopidogrel for Immunoglobulin A Nephropathy. Chinese Medical Journal, 2016, 129, 1894-1903.	0.9	11
51	Telmisartan combined with probucol effectively reduces urinary protein in patients with type 2 diabetes: A randomized double-blind placebo-controlled multicenter clinical study. Journal of Diabetes, 2016, 8, 677-685.	0.8	10
52	Clinical significance of different carnitine levels for improving the prognosis of patients undergoing hemodialysis. Renal Failure, 2016, 38, 1654-1658.	0.8	9
53	Effects of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers on left ventricular mass index and ejection fraction in hemodialysis patients: A meta-analysis with trial sequential analysis of randomized controlled trials. International Journal of Cardiology, 2016, 219, 350-357.	0.8	5
54	Safety and efficiency of microwave ablation for recurrent and persistent secondary hyperparathyroidism after parathyroidectomy: A retrospective pilot study. International Journal of Hyperthermia, 2016, 32, 180-186.	1.1	31

#	ARTICLE	IF	CITATIONS
55	A Meta-Analysis of Antiviral Therapy for Hepatitis B Virus-Associated Membranous Nephropathy. PLoS ONE, 2016, 11, e0160437.	1.1	25
56	<i>PTPN22</i> R620W Polymorphism and ANCA Disease Risk in White Populations: A Metaanalysis. Journal of Rheumatology, 2015, 42, 292-299.	1.0	12
57	Characteristics and clinical outcome of nonsteroidal anti-inflammatory drug-induced acute hepato-nephrotoxicity among Chinese patients. World Journal of Gastroenterology, 2014, 20, 13956.	1.4	12
58	HBV serum and renal biopsy markers are associated with the clinicopathological characteristics of HBV-associated nephropathy. International Journal of Clinical and Experimental Pathology, 2014, 7, 8150-4.	0.5	0
59	Baseline proteinuria, urinary osmotic pressure, and renal function as positive predictors of corticosteroids plus cyclophosphamide treatment efficacy in IgA nephropathy. Chinese Medical Journal, 2014, 127, 1710-4.	0.9	4
60	Prevalence of diabetic nephropathy complicating non-diabetic renal disease among Chinese patients with type 2 diabetes mellitus. European Journal of Medical Research, 2013, 18, 4.	0.9	57
61	Evaluation of renal biopsies in type 2 diabetic patients with kidney disease: a clinicopathological study of 216 cases. International Urology and Nephrology, 2013, 45, 173-179.	0.6	65