

Hanne Braathen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4669635/publications.pdf>

Version: 2024-02-01

10
papers

178
citations

1307594

7
h-index

1474206

9
g-index

10
all docs

10
docs citations

10
times ranked

126
citing authors

#	ARTICLE	IF	CITATIONS
1	A Pilot Trial of Platelets Stored Cold <i>versus</i> at Room Temperature for Complex Cardiothoracic Surgery. <i>Anesthesiology</i> , 2020, 133, 1173-1183.	2.5	54
2	In vitro quality and platelet function of cold and delayed cold storage of apheresis platelet concentrates in platelet additive solution for 21 days. <i>Transfusion</i> , 2019, 59, 2652-2661.	1.6	32
3	Cold stored leukoreduced CPDA whole blood: in vitro quality and hemostatic properties. <i>Transfusion</i> , 2020, 60, 1042-1049.	1.6	23
4	Cold stored whole blood in a Norwegian emergency helicopter service: an observational study on storage conditions and product quality. <i>Transfusion</i> , 2020, 60, 1544-1551.	1.6	19
5	Preparation of leukoreduced whole blood for transfusion in austere environments; effects of forced filtration, storage agitation, and high temperatures on hemostatic function. <i>Journal of Trauma and Acute Care Surgery</i> , 2018, 84, S93-S103.	2.1	17
6	How do I implement a whole blood based blood preparedness program in a small rural hospital?. <i>Transfusion</i> , 2020, 60, 2793-2800.	1.6	13
7	A whole blood based resuscitation strategy in civilian medical services: Experience from a Norwegian hospital in the period 2017-2020. <i>Transfusion</i> , 2021, 61, S22-S31.	1.6	9
8	Implementation of a dual platelet inventory in a tertiary hospital during the COVID-19 pandemic enabling cold stored apheresis platelets for treatment of actively bleeding patients. <i>Transfusion</i> , 2022, 62, .	1.6	6
9	Effect of leukoreduction and temperature on risk of bacterial growth in CPDA whole blood: A study of <i>Escherichia coli</i> . <i>Transfusion</i> , 2021, 61, S80-S89.	1.6	3
10	In vitro quality and hemostatic function of cold stored CPDA whole blood after repeated transient exposure to 28°C storage temperature. <i>Transfusion</i> , 0, , .	1.6	2