

Tsutomu Nakazato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4671119/publications.pdf>

Version: 2024-02-01

38
papers

232
citations

1163117

8
h-index

1125743

13
g-index

39
all docs

39
docs citations

39
times ranked

204
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Reaction analysis and global kinetics of partial oxidation of methane using Ni-hydroxyapatite composite catalysts. <i>Chemical Engineering Journal Advances</i> , 2022, 9, 100210. | 5.2 | 1 |
| 2 | Analysis of Transient Defluidization Due to Gas Adsorption on Fluidized Particles. <i>Journal of Chemical Engineering of Japan</i> , 2020, 53, 10-16. | 0.6 | 3 |
| 3 | Range of Particle Properties Inducing Defluidization after Gas Switching in a Fluidized Bed. <i>Kagaku Kogaku Ronbunshu</i> , 2018, 44, 229-235. | 0.3 | 1 |
| 4 | Effect of Dimeric Methyl Ester Concentration on Kinematic Viscosity of Biodiesel Fuel. <i>Journal of Chemical Engineering of Japan</i> , 2016, 49, 379-384. | 0.6 | 0 |
| 5 | Multilayer adhering model for holdup and separation behavior of fine particles in a powder-particle fluidized bed. <i>Powder Technology</i> , 2015, 274, 289-295. | 4.2 | 3 |
| 6 | Pressure Fluctuation Analysis of the Defluidization Caused by a Reaction Involving Gas-Volume Reduction in a Fluidized Catalyst Bed. <i>Journal of Chemical Engineering of Japan</i> , 2015, 48, 436-443. | 0.6 | 4 |
| 7 | Production of biodiesel fuel from canola oil with dimethyl carbonate using an active sodium methoxide catalyst prepared by crystallization. <i>Bioresource Technology</i> , 2014, 163, 360-363. | 9.6 | 35 |
| 8 | Mechanism of the Initial Phenomena of Defluidization Caused by Switching Fluidizing Gases. <i>Journal of Chemical Engineering of Japan</i> , 2014, 47, 241-247. | 0.6 | 6 |
| 9 | Visualization of defluidization phenomena caused by gas switching in a two-dimensional fluidized bed. <i>Powder Technology</i> , 2013, 237, 153-159. | 4.2 | 9 |
| 10 | Decrease in the fluidization quality of fluidized beds containing binary mixtures of different catalyst particles. <i>Chemical Engineering Science</i> , 2013, 96, 98-105. | 3.8 | 4 |
| 11 | Preparation of Hematite by Drip Thermal Oxidation Using a Fluidized Bed for Conversion to Electromagnetic-Wave-Absorptive Magnetite. <i>Materials Science Forum</i> , 2013, 761, 49-54. | 0.3 | 1 |
| 12 | Preface to the Special Issue for Multiscale Multiphase Process Engineering (MMPE) 2011. <i>Journal of Chemical Engineering of Japan</i> , 2012, 45, 631. | 0.6 | 0 |
| 13 | Continuous production of hydroxyapatite powder by drip pyrolysis in a fluidized bed. <i>Advanced Powder Technology</i> , 2012, 23, 632-639. | 4.1 | 11 |
| 14 | Continuous Production of F-Codoped Titanium Oxide Photocatalyst Powders via Drip Pyrolysis in a Fluidized Bed under Reduction Conditions. <i>Journal of Chemical Engineering of Japan</i> , 2012, 45, 749-756. | 0.6 | 2 |
| 15 | Prevention of Defluidization by Recycling Unreacted Gas for Reactions Involving Gas Volume Reduction in a Fluidized Bed. <i>Kagaku Kogaku Ronbunshu</i> , 2012, 38, 272-277. | 0.3 | 2 |
| 16 | Analysis of fluidization quality of a fluidized bed with staged gas feed for reactions involving gas-volume reduction. <i>AIChE Journal</i> , 2010, 56, 2297-2303. | 3.6 | 4 |
| 17 | Optimization of Reaction Conditions of Two-Step Batch Operation for Biodiesel Fuel Production Using KOH Catalyst. <i>Journal of Chemical Engineering of Japan</i> , 2010, 43, 90-94. | 0.6 | 10 |
| 18 | Moisture Absorptivity of Calcium Oxide Powders Produced by Powder-Particle Fluidized Bed. <i>Kagaku Kogaku Ronbunshu</i> , 2010, 36, 80-85. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Effects of Increase in Gas Volume on the Fluidization Properties in Fluidized Bed Reactors. Journal of Chemical Engineering of Japan, 2009, 42, S137-S141. | 0.6 | 6 |
| 20 | Elimination of Defluidization Caused by Reactions Involving a Volume Reduction in a Fluidized Catalyst Bed and Improvement of Fluidization by Two-Stage Feeding. Journal of Chemical Engineering of Japan, 2009, 42, 733-738. | 0.6 | 6 |
| 21 | Entrainment Rates and Elutriation Rate Constants of Bed Particles and Group C Fine Powder in a Fluidized Bed and in a Circulating Fluidized Bed. Journal of Chemical Engineering of Japan, 2008, 41, 678-685. | 0.6 | 6 |
| 22 | Moisture Absorption Characteristics of Porous Calcium Oxide Powders Produced by Calcination of Pulverized Limestone with Inorganic Salts Using a Powder-Particle Fluidized Bed. Journal of the Ceramic Society of Japan, 2007, 115, 443-446. | 1.3 | 3 |
| 23 | Methanol Diffusion through a Porous Plate in Anode Backing of a Passive Direct Methanol Fuel Cell under Closed Circuit Conditions. Journal of Chemical Engineering of Japan, 2007, 40, 1108-1112. | 0.6 | 1 |
| 24 | Dynamic Evaluation of Membrane-Electrode Assembly in Operation of a Direct Methanol Fuel Cell by Simultaneous Measurements of Crossovers of Methanol and CO ₂ . Journal of Chemical Engineering of Japan, 2007, 40, 348-355. | 0.6 | 3 |
| 25 | Solid circulation rate in a circulating fluidized bed in the presence of fine powders. Chemical Engineering Science, 2006, 61, 766-774. | 3.8 | 8 |
| 26 | Penetration of fine cohesive powders through a powder-particle fluidized bed. Advanced Powder Technology, 2006, 17, 433-451. | 4.1 | 7 |
| 27 | Comparison of i-V Performances in a Direct Methanol Fuel Cell at Different Flow Phases of Methanol. Kagaku Kogaku Ronbunshu, 2005, 31, 62-67. | 0.3 | 1 |
| 28 | Evaluation of the turnover times of the bed particles and of the fine powders in a circulating powder-particle fluidized bed (CPPFB). Powder Technology, 2005, 153, 81-89. | 4.2 | 7 |
| 29 | Reduction of Methanol Crossover by a Pt Film Directly Sputtered on Nafion Membrane. Electrochemistry, 2005, 73, 67-70. | 1.4 | 6 |
| 30 | Separation rate of fine powders from a circulating powder-particle fluidized bed (CPPFB). Powder Technology, 2004, 146, 46-55. | 4.2 | 9 |
| 31 | Effect of cohesive powders on the elutriation of particles from a fluid bed. Chemical Engineering Science, 2004, 59, 2777-2782. | 3.8 | 28 |
| 32 | Removal of SO ₂ in Semi-dry Flue Gas Desulfurization Process with a Powder-Particle Spouted Bed. Canadian Journal of Chemical Engineering, 2004, 82, 110-115. | 1.7 | 16 |
| 33 | Hydrodynamic Performance of a Circulating Powder-Particle Fluidized Bed. Hosokawa Powder Technology Foundation ANNUAL REPORT, 2004, 12, 153-154. | 0.0 | 0 |
| 34 | H ₂ S Removal by Fine Limestone Particles in a Powder-Particle Fluidized Bed. Industrial & Engineering Chemistry Research, 2003, 42, 3413-3419. | 3.7 | 12 |
| 35 | Total Solid Entrainment Rate in a Circulating Powder-Particle Fluidized Bed. Journal of Chemical Engineering of Japan, 2003, 36, 1405-1409. | 0.6 | 7 |
| 36 | Semi-dry Process for Production of Very Fine Calcium Carbonate Powder by a Powder-Particle Spouted Bed. Journal of Chemical Engineering of Japan, 2002, 35, 409-414. | 0.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Preparation of the Catalyst for Methanol Steam Reforming from Cr-Zr Amorphous Alloys. Materials Science Forum, 0, 761, 7-10. | 0.3 | 0 |
| 38 | Time-Series Analysis for Kinetic Interpretation of Catalytic Cracking of 1-Octene with a Model Involving Dominant Reactions. Applied Mechanics and Materials, 0, 625, 315-319. | 0.2 | 0 |