

Paul Foster

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4672050/paul-foster-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

298
papers

17,655
citations

73
h-index

123
g-index

320
ext. papers

20,761
ext. citations

6.4
avg, IF

6.44
L-index

#	Paper	IF	Citations
298	Associations of Alcohol Consumption and Smoking With Disease Risk and Neurodegeneration in Individuals With Multiple Sclerosis in the United Kingdom. <i>JAMA Network Open</i> , 2022 , 5, e220902	10.4	0
297	Ocular Biometric Risk Factors for Progression of Primary Angle Closure Disease: The Zhongshan Angle Closure Prevention Trial. <i>Ophthalmology</i> , 2021 ,	7.3	2
296	P111 SMILE: Sustaining Medical Education In a Lockdown Environment. Student perceptions of a free online access medical education platform as an adjunct to the traditional undergraduate curriculum during lockdown. <i>BJS Open</i> , 2021 , 5,	3.9	78
295	P110 SMILE: Sustaining Medical Education In a Lockdown Environment. Facilitator perceptions of a free online access medical education platform as an adjunct to the traditional undergraduate curriculum during lockdown. <i>BJS Open</i> , 2021 , 5,	3.9	78
294	Genetic variation affects morphological retinal phenotypes extracted from UK Biobank optical coherence tomography images. <i>PLoS Genetics</i> , 2021 , 17, e1009497	6	5
293	Retinal imaging in Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 , 92, 983-994	9.4	7
292	Population-Based Utility of van Herick Grading for Angle-Closure Detection. <i>Ophthalmology</i> , 2021 , 128, 1779-1782	7.3	0
291	Large-scale machine-learning-based phenotyping significantly improves genomic discovery for optic nerve head morphology. <i>American Journal of Human Genetics</i> , 2021 , 108, 1217-1230	11	6
290	Long-term effect of YAG laser iridotomy on corneal endothelium in primary angle closure suspects: a 72-month randomised controlled study. <i>British Journal of Ophthalmology</i> , 2021 , 105, 348-353	5.5	3
289	Retinal asymmetry in multiple sclerosis. <i>Brain</i> , 2021 , 144, 224-235	11.2	4
288	Acute Angle Closure in Knobloch Syndrome. <i>Journal of Glaucoma</i> , 2021 , 30, e265-e268	2.1	1
287	Relationships between retinal layer thickness and brain volumes in the UK Biobank cohort. <i>European Journal of Neurology</i> , 2021 , 28, 1490-1498	6	5
286	Association of ambient air pollution with age-related macular degeneration and retinal thickness in UK Biobank. <i>British Journal of Ophthalmology</i> , 2021 ,	5.5	14
285	Genome-wide meta-analysis identifies 127 open-angle glaucoma loci with consistent effect across ancestries. <i>Nature Communications</i> , 2021 , 12, 1258	17.4	47
284	Socioeconomic risk factors and age-related macular degeneration in the UK Biobank study. <i>BMJ Open Ophthalmology</i> , 2021 , 6, e000585	3.2	2
283	Investigation of associations between retinal microvascular parameters and albuminuria in UK Biobank: a cross-sectional case-control study. <i>BMC Nephrology</i> , 2021 , 22, 72	2.7	3
282	The Singapore Asymptomatic Narrow Angles Laser Iridotomy Study: Five-Year Results of a Randomized Controlled Trial. <i>Ophthalmology</i> , 2021 ,	7.3	3

281	Anatomic Changes and Predictors of Angle Widening after Laser Peripheral Iridotomy: The Zhongshan Angle Closure Prevention Trial. <i>Ophthalmology</i> , 2021 , 128, 1161-1168	7.3	9
280	Detecting retinal neurodegeneration in people with diabetes: Findings from the UK Biobank. <i>PLoS ONE</i> , 2021 , 16, e0257836	3.7	1
279	Characteristics of p.Gln368Ter Myocilin Variant and Influence of Polygenic Risk on Glaucoma Penetrance in the UK Biobank. <i>Ophthalmology</i> , 2021 , 128, 1300-1311	7.3	5
278	The Association of Ambient Air Pollution With Cataract Surgery in UK Biobank Participants: Prospective Cohort Study 2021 , 62, 7		1
277	Visual impairment and dementia risk in two population-based prospective cohorts. <i>Alzheimer's and Dementia</i> , 2020 , 16, e041039	1.2	
276	Ambient Air Pollution Associations with Retinal Morphology in the UK Biobank 2020 , 61, 32		15
275	The potential application of artificial intelligence for diagnosis and management of glaucoma in adults. <i>British Medical Bulletin</i> , 2020 , 134, 21-33	5.4	3
274	Genome-wide association meta-analysis of corneal curvature identifies novel loci and shared genetic influences across axial length and refractive error. <i>Communications Biology</i> , 2020 , 3, 133	6.7	9
273	Meta-analysis of 542,934 subjects of European ancestry identifies new genes and mechanisms predisposing to refractive error and myopia. <i>Nature Genetics</i> , 2020 , 52, 401-407	36.3	68
272	Multitrait analysis of glaucoma identifies new risk loci and enables polygenic prediction of disease susceptibility and progression. <i>Nature Genetics</i> , 2020 , 52, 160-166	36.3	78
271	Mutations in SPATA13/ASEF2 cause primary angle closure glaucoma. <i>PLoS Genetics</i> , 2020 , 16, e1008721	6	7
270	Visual field progression 8 years after trabeculectomy in Asian eyes: results from The Singapore 5-Fluorouracil Study. <i>British Journal of Ophthalmology</i> , 2020 , 104, 1690-1696	5.5	
269	Comparison of Associations with Different Macular Inner Retinal Thickness Parameters in a Large Cohort: The UK Biobank. <i>Ophthalmology</i> , 2020 , 127, 62-71	7.3	20
268	Has the EAGLE landed for the use of clear lens extraction in angle-closure glaucoma? And how should primary angle-closure suspects be treated?. <i>Eye</i> , 2020 , 34, 40-50	4.4	8
267	Retinal vasculometric characteristics and their associations with polymyalgia rheumatica and giant cell arteritis in a prospective cohort: EPIC-Norfolk Eye Study. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 547-549	2.4	
266	Heavy metal toxicity and the aetiology of glaucoma. <i>Eye</i> , 2020 , 34, 129-137	4.4	5
265	Retinal Vascular Tortuosity and Diameter Associations with Adiposity and Components of Body Composition. <i>Obesity</i> , 2020 , 28, 1750-1760	8	4
264	Retinal Vasculometry Associations With Glaucoma: Findings From the European Prospective Investigation of Cancer-Norfolk Eye Study. <i>American Journal of Ophthalmology</i> , 2020 , 220, 140-151	4.9	2

263	A new paradigm for delivering personalised care: integrating genetics with surgical interventions in BEST1 mutations. <i>Eye</i> , 2020 , 34, 577-583	4.4	4
262	Genome-wide association analysis of 95 549 individuals identifies novel loci and genes influencing optic disc morphology. <i>Human Molecular Genetics</i> , 2019 , 28, 3680-3690	5.6	11
261	Associations with Corneal Hysteresis in a Population Cohort: Results from 96 010 UK Biobank Participants. <i>Ophthalmology</i> , 2019 , 126, 1500-1510	7.3	14
260	Frequency and distribution of corneal astigmatism and keratometry features in adult life: Methodology and findings of the UK Biobank study. <i>PLoS ONE</i> , 2019 , 14, e0218144	3.7	3
259	Quantile regression analysis reveals widespread evidence for gene-environment or gene-gene interactions in myopia development. <i>Communications Biology</i> , 2019 , 2, 167	6.7	18
258	Darkroom prone provocative testing in primary angle closure suspects and those with open angles. <i>British Journal of Ophthalmology</i> , 2019 , 103, 1834-1839	5.5	2
257	Cohort profile: design and methods in the eye and vision consortium of UK Biobank. <i>BMJ Open</i> , 2019 , 9, e025077	3	31
256	Laser peripheral iridotomy for the prevention of angle closure: a single-centre, randomised controlled trial. <i>Lancet, The</i> , 2019 , 393, 1609-1618	4.0	79
255	Ten-year incidence of primary angle closure in elderly Chinese: the Liwan Eye Study. <i>British Journal of Ophthalmology</i> , 2019 , 103, 355-360	5.5	18
254	Genetic Variants Associated With Corneal Biomechanical Properties and Potentially Conferring Susceptibility to Keratoconus in a Genome-Wide Association Study. <i>JAMA Ophthalmology</i> , 2019 , 137, 1005-1012	3.9	25
253	Associations of Retinal Microvascular Diameters and Tortuosity With Blood Pressure and Arterial Stiffness: United Kingdom Biobank. <i>Hypertension</i> , 2019 , 74, 1383-1390	8.5	19
252	Associations with photoreceptor thickness measures in the UK Biobank. <i>Scientific Reports</i> , 2019 , 9, 19444	4.9	4
251	The Relationship Between Ambient Atmospheric Fine Particulate Matter (PM2.5) and Glaucoma in a Large Community Cohort 2019 , 60, 4915-4923		27
250	Multi-trait genome-wide association study identifies new loci associated with optic disc parameters. <i>Communications Biology</i> , 2019 , 2, 435	6.7	10
249	Retinal Vasculometry Associations with Cardiometabolic Risk Factors in the European Prospective Investigation of Cancer-Norfolk Study. <i>Ophthalmology</i> , 2019 , 126, 96-106	7.3	20
248	Ascorbic acid metabolites are involved in intraocular pressure control in the general population. <i>Redox Biology</i> , 2019 , 20, 349-353	11.3	14
247	Increased High-Density Lipoprotein Levels Associated with Age-Related Macular Degeneration: Evidence from the EYE-RISK and European Eye Epidemiology Consortia. <i>Ophthalmology</i> , 2019 , 126, 393-406	7.3	49
246	The European Eye Epidemiology spectral-domain optical coherence tomography classification of macular diseases for epidemiological studies. <i>Acta Ophthalmologica</i> , 2019 , 97, 364-371	3.7	14

245	Systemic and Ocular Determinants of Peripapillary Retinal Nerve Fiber Layer Thickness Measurements in the European Eye Epidemiology (E3) Population. <i>Ophthalmology</i> , 2018 , 125, 1526-1536	7.3	41
244	Analysing barriers to service improvement using a multi-level theory of innovation: the case of glaucoma outpatient clinics. <i>Sociology of Health and Illness</i> , 2018 , 40, 654-669	3	5
243	The Decreasing Prevalence of Nonrefractive Visual Impairment in Older Europeans: A Meta-analysis of Published and Unpublished Data. <i>Ophthalmology</i> , 2018 , 125, 1149-1159	7.3	9
242	Clear lens extraction for the management of primary angle closure glaucoma: surgical technique and refractive outcomes in the EAGLE cohort. <i>British Journal of Ophthalmology</i> , 2018 , 102, 1658-1662	5.5	6
241	Treating the Eyes to Help the Brain: The Association Between Visual and Cognitive Function. <i>JAMA Ophthalmology</i> , 2018 , 136, 996-997	3.9	1
240	Trends of Visual Impairment and Blindness in the Singapore Chinese Population over a Decade. <i>Scientific Reports</i> , 2018 , 8, 12224	4.9	15
239	Developing standards for the development of glaucoma virtual clinics using a modified Delphi approach. <i>British Journal of Ophthalmology</i> , 2018 , 102, 531-534	5.5	10
238	The incidence of acute angle closure in Scotland: a prospective surveillance study. <i>British Journal of Ophthalmology</i> , 2018 , 102, 539-543	5.5	4
237	A Common Glaucoma-risk Variant of SIX6 Alters Retinal Nerve Fiber Layer and Optic Disc Measures in a European Population: The EPIC-Norfolk Eye Study. <i>Journal of Glaucoma</i> , 2018 , 27, 743-749	2.1	10
236	Genome-wide association meta-analysis highlights light-induced signaling as a driver for refractive error. <i>Nature Genetics</i> , 2018 , 50, 834-848	36.3	135
235	Genome-wide analyses identify 68 new loci associated with intraocular pressure and improve risk prediction for primary open-angle glaucoma. <i>Nature Genetics</i> , 2018 , 50, 778-782	36.3	122
234	Cross-ancestry genome-wide association analysis of corneal thickness strengthens link between complex and Mendelian eye diseases. <i>Nature Communications</i> , 2018 , 9, 1864	17.4	37
233	Association of Retinal Nerve Fiber Layer Thinning With Current and Future Cognitive Decline: A Study Using Optical Coherence Tomography. <i>JAMA Neurology</i> , 2018 , 75, 1198-1205	17.2	79
232	The Association of Systemic Medication and Disease With Intraocular Pressure. <i>JAMA Ophthalmology</i> , 2017 , 135, 203-204	3.9	3
231	New insights into the genetics of primary open-angle glaucoma based on meta-analyses of intraocular pressure and optic disc characteristics. <i>Human Molecular Genetics</i> , 2017 , 26, 438-453	5.6	80
230	A technician-delivered 'virtual clinic' for triaging low-risk glaucoma referrals. <i>Eye</i> , 2017 , 31, 899-905	4.4	23
229	Haplotype reference consortium panel: Practical implications of imputations with large reference panels. <i>Human Mutation</i> , 2017 , 38, 1025-1032	4.7	20
228	Automated arteriole and venule classification using deep learning for retinal images from the UK Biobank cohort. <i>Computers in Biology and Medicine</i> , 2017 , 90, 23-32	7	59

227	Residual Angle Closure One Year After Laser Peripheral Iridotomy in Primary Angle Closure Suspects. <i>American Journal of Ophthalmology</i> , 2017 , 183, 111-117	4.9	16
226	Prevalence of Age-Related Macular Degeneration in Europe: The Past and the Future. <i>Ophthalmology</i> , 2017 , 124, 1753-1763	7.3	220
225	Virtual clinics in glaucoma care: face-to-face versus remote decision-making. <i>British Journal of Ophthalmology</i> , 2017 , 101, 892-895	5.5	31
224	Associations with Retinal Pigment Epithelium Thickness Measures in a Large Cohort: Results from the UK Biobank. <i>Ophthalmology</i> , 2017 , 124, 105-117	7.3	29
223	Glaucoma and intraocular pressure in EPIC-Norfolk Eye Study: cross sectional study. <i>BMJ, The</i> , 2017 , 358, j3889	5.9	47
222	Meta-analysis of gene-environment-wide association scans accounting for education level identifies additional loci for refractive error. <i>Nature Communications</i> , 2016 , 7, 11008	17.4	79
221	Childhood gene-environment interactions and age-dependent effects of genetic variants associated with refractive error and myopia: The CREAM Consortium. <i>Scientific Reports</i> , 2016 , 6, 25853	4.9	57
220	Ophthalmic epidemiology in Europe: the "European Eye Epidemiology" (E3) consortium. <i>European Journal of Epidemiology</i> , 2016 , 31, 197-210	12.1	21
219	Automated retinal image quality assessment on the UK Biobank dataset for epidemiological studies. <i>Computers in Biology and Medicine</i> , 2016 , 71, 67-76	7	39
218	Associations with Intraocular Pressure in a Large Cohort: Results from the UK Biobank. <i>Ophthalmology</i> , 2016 , 123, 771-82	7.3	63
217	Spectral-Domain Optical Coherence Tomography Imaging in 67 321 Adults: Associations with Macular Thickness in the UK Biobank Study. <i>Ophthalmology</i> , 2016 , 123, 829-40	7.3	49
216	Genome-wide association analysis identifies TXNRD2, ATXN2 and FOXC1 as susceptibility loci for primary open-angle glaucoma. <i>Nature Genetics</i> , 2016 , 48, 189-94	36.3	159
215	Global variations and time trends in the prevalence of primary open angle glaucoma (POAG): a systematic review and meta-analysis. <i>British Journal of Ophthalmology</i> , 2016 , 100, 86-93	5.5	235
214	Optical Coherence Tomography in the UK Biobank Study - Rapid Automated Analysis of Retinal Thickness for Large Population-Based Studies. <i>PLoS ONE</i> , 2016 , 11, e0164095	3.7	19
213	The Accuracy and Reliability of Crowdsourced Annotations of Digital Retinal Images. <i>Translational Vision Science and Technology</i> , 2016 , 5, 6	3.3	20
212	Reconstruction of the medial patellofemoral ligament reconstruction for patients with recurrent patellar dislocation: review of surgical techniques and tips to achieve successful reconstruction. <i>Annals of Translational Medicine</i> , 2016 , 4, 540	3.2	1
211	Retinal Nerve Fiber Layer Measures and Cognitive Function in the EPIC-Norfolk Cohort Study 2016 , 57, 1921-6		17
210	Associations with intraocular pressure across Europe: The European Eye Epidemiology (E) Consortium. <i>European Journal of Epidemiology</i> , 2016 , 31, 1101-1111	12.1	16

209	O3-12-03: Retinal Nerve Fiber Layer Thinning Associated with Poor Cognitive Function among a Large Cohort, the UK Biobank 2016 , 12, P317-P318		2
208	Genome-wide association study identifies five new susceptibility loci for primary angle closure glaucoma. <i>Nature Genetics</i> , 2016 , 48, 556-62	36.3	109
207	Right iliac fossa lymphoma in an HIV positive patient: A diagnostic dilemma. <i>International Journal of Surgery Case Reports</i> , 2016 , 21, 115-7	0.8	
206	When do myopia genes have their effect? Comparison of genetic risks between children and adults. <i>Genetic Epidemiology</i> , 2016 , 40, 756-766	2.6	26
205	Effectiveness of early lens extraction for the treatment of primary angle-closure glaucoma (EAGLE): a randomised controlled trial. <i>Lancet, The</i> , 2016 , 388, 1389-1397	40	247
204	Topical Beta-Blockers and Cardiovascular Mortality: Systematic Review and Meta-Analysis with Data from the EPIC-Norfolk Cohort Study. <i>Ophthalmic Epidemiology</i> , 2016 , 23, 277-84	1.9	3
203	Area deprivation and age related macular degeneration in the EPIC-Norfolk Eye Study. <i>Public Health</i> , 2015 , 129, 103-9	4	9
202	Increasing Prevalence of Myopia in Europe and the Impact of Education. <i>Ophthalmology</i> , 2015 , 122, 1489-97	22.0	
201	Prevalence of refractive error in Europe: the European Eye Epidemiology (E(3)) Consortium. <i>European Journal of Epidemiology</i> , 2015 , 30, 305-15	12.1	193
200	Measures of socioeconomic status and self-reported glaucoma in the U.K. Biobank cohort. <i>Eye</i> , 2015 , 29, 1360-7	4.4	23
199	Understanding visual impairment in UK Biobank. <i>Ophthalmic and Physiological Optics</i> , 2015 , 35, 106	4.1	0
198	Primary Angle-Closure Glaucoma 2015 , 346-356		
197	Qualitative investigation of patients' experience of a glaucoma virtual clinic in a specialist ophthalmic hospital in London, UK. <i>BMJ Open</i> , 2015 , 5, e009463	3	26
196	Experiences with developing and implementing a virtual clinic for glaucoma care in an NHS setting. <i>Clinical Ophthalmology</i> , 2015 , 9, 1915-23	2.5	40
195	Suitability of UK Biobank Retinal Images for Automatic Analysis of Morphometric Properties of the Vasculature. <i>PLoS ONE</i> , 2015 , 10, e0127914	3.7	38
194	Frequency and Distribution of Refractive Error in Adult Life: Methodology and Findings of the UK Biobank Study. <i>PLoS ONE</i> , 2015 , 10, e0139780	3.7	28
193	The Prevalence and Types of Glaucoma in an Urban Chinese Population: The Singapore Chinese Eye Study. <i>JAMA Ophthalmology</i> , 2015 , 133, 874-80	3.9	71
192	Automated retinal vessel recognition and measurements on large datasets. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 5239-42	0.9	6

191	Crowdsourcing as a screening tool to detect clinical features of glaucomatous optic neuropathy from digital photography. <i>PLoS ONE</i> , 2015 , 10, e0117401	3.7	23
190	Cross Sectional and Longitudinal Associations between Cardiovascular Risk Factors and Age Related Macular Degeneration in the EPIC-Norfolk Eye Study. <i>PLoS ONE</i> , 2015 , 10, e0132565	3.7	23
189	Epidemiology of myopia. <i>Eye</i> , 2014 , 28, 202-8	4.4	210
188	Visual acuity, self-reported vision and falls in the EPIC-Norfolk Eye study. <i>British Journal of Ophthalmology</i> , 2014 , 98, 377-82	5.5	49
187	Common variants near ABCA1, AFAP1 and GMDS confer risk of primary open-angle glaucoma. <i>Nature Genetics</i> , 2014 , 46, 1120-1125	36.3	141
186	Longitudinal changes of angle configuration in primary angle-closure suspects: the Zhongshan Angle-Closure Prevention Trial. <i>Ophthalmology</i> , 2014 , 121, 1699-1705	7.3	61
185	Systemic medication and intraocular pressure in a British population: the EPIC-Norfolk Eye Study. <i>Ophthalmology</i> , 2014 , 121, 1501-7	7.3	45
184	Longitudinal study of iris concavity, corneal biomechanics, and correlations to ocular biometry in a cohort of 10- to 12-year-old UK schoolboys: 2-year follow-up data 2014 , 55, 4645-50		4
183	Cohort profile: A prospective cohort study of objective physical and cognitive capability and visual health in an ageing population of men and women in Norfolk (EPIC-Norfolk 3). <i>International Journal of Epidemiology</i> , 2014 , 43, 1063-72	7.8	60
182	ABCC5, a gene that influences the anterior chamber depth, is associated with primary angle closure glaucoma. <i>PLoS Genetics</i> , 2014 , 10, e1004089	6	50
181	Area deprivation, individual socioeconomic status and low vision in the EPIC-Norfolk Eye Study. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 204-10	5.1	23
180	Iris concavity, corneal biomechanics, and their correlations with ocular biometry in a cohort of 10- to 12-year-old UK school boys: baseline data 2014 , 55, 3303-10		10
179	Associations between narrow angle and adult anthropometry: the Liwan Eye Study. <i>Ophthalmic Epidemiology</i> , 2014 , 21, 184-9	1.9	2
178	Corneal biomechanical properties and glaucoma-related quantitative traits in the EPIC-Norfolk Eye Study 2014 , 55, 117-24		22
177	Reply: Cataract surgery and microphthalmic eyes. <i>Journal of Cataract and Refractive Surgery</i> , 2013 , 39, 818-9	2.3	4
176	Meta-analysis of genome-wide association studies in five cohorts reveals common variants in RBFox1, a regulator of tissue-specific splicing, associated with refractive error. <i>Human Molecular Genetics</i> , 2013 , 22, 2754-64	5.6	52
175	Nine loci for ocular axial length identified through genome-wide association studies, including shared loci with refractive error. <i>American Journal of Human Genetics</i> , 2013 , 93, 264-77	11	116
174	Quality assessment of cataract surgery in regions with low follow-up rates. <i>The Lancet Global Health</i> , 2013 , 1, e9-e10	13.6	4

173	The Singapore 5-fluorouracil trial: intraocular pressure outcomes at 8 years. <i>Ophthalmology</i> , 2013 , 120, 1127-34	7.3	21
172	Outcomes of phacoemulsification and intraocular lens implantation in microphthalmos and nanophthalmos. <i>Journal of Cataract and Refractive Surgery</i> , 2013 , 39, 87-96	2.3	47
171	The small eye phenotype in the EPIC-Norfolk eye study: prevalence and visual impairment in microphthalmos and nanophthalmos. <i>BMJ Open</i> , 2013 , 3,	3	6
170	Genome-wide association study of intraocular pressure identifies the GLCCI1/ICA1 region as a glaucoma susceptibility locus. <i>Human Molecular Genetics</i> , 2013 , 22, 4653-60	5.6	24
169	Coronary wave energy: a novel predictor of functional recovery after myocardial infarction. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 166-75	6	24
168	Effect of prophylactic laser iridotomy on corneal endothelial cell density over 3 years in primary angle closure suspects. <i>British Journal of Ophthalmology</i> , 2013 , 97, 258-61	5.5	23
167	Longitudinal changes in anterior chamber depth and axial length in Asian subjects after trabeculectomy surgery. <i>British Journal of Ophthalmology</i> , 2013 , 97, 852-6	5.5	28
166	Laser scanning tomography in the EPIC-Norfolk Eye Study: principal components and associations 2013 , 54, 6638-45		11
165	Genotype-phenotype analysis of SNPs associated with primary angle closure glaucoma (rs1015213, rs3753841 and rs11024102) and ocular biometry in the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2013 , 97, 704-7	5.5	20
164	Spectral domain optical coherence tomography imaging of the aqueous outflow structures in normal participants of the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2013 , 97, 189-95	5.5	20
163	The EPIC-Norfolk Eye Study: rationale, methods and a cross-sectional analysis of visual impairment in a population-based cohort. <i>BMJ Open</i> , 2013 , 3,	3	33
162	Associations with retinal nerve fiber layer measures in the EPIC-Norfolk Eye Study 2013 , 54, 5028-34		40
161	Crowdsourcing as a novel technique for retinal fundus photography classification: analysis of images in the EPIC Norfolk cohort on behalf of the UK Biobank Eye and Vision Consortium. <i>PLoS ONE</i> , 2013 , 8, e71154	3.7	30
160	Highs and lows of peripheral anterior synechiae. <i>Clinical and Experimental Ophthalmology</i> , 2012 , 40, 211-24		
159	Angle closure and angle-closure glaucoma: what we are doing now and what we will be doing in the future. <i>Clinical and Experimental Ophthalmology</i> , 2012 , 40, 381-7	2.4	43
158	Accuracy of intraocular lens power calculations in eyes with axial length. <i>Clinical and Experimental Ophthalmology</i> , 2012 , 40, 855-62	2.4	26
157	Epidemiology of glaucoma: what's new?. <i>Canadian Journal of Ophthalmology</i> , 2012 , 47, 223-6	1.4	173
156	Genome-wide association analyses identify three new susceptibility loci for primary angle closure glaucoma. <i>Nature Genetics</i> , 2012 , 44, 1142-1146	36.3	160

155	Immediate changes in intraocular pressure after laser peripheral iridotomy in primary angle-closure suspects. <i>Ophthalmology</i> , 2012 , 119, 283-8	7.3	31
154	Risk of acute angle closure and changes in intraocular pressure after pupillary dilation in Asian subjects with narrow angles. <i>Ophthalmology</i> , 2012 , 119, 474-80	7.3	19
153	Visual symptoms and retinal straylight after laser peripheral iridotomy: the Zhongshan Angle-Closure Prevention Trial. <i>Ophthalmology</i> , 2012 , 119, 1375-82	7.3	29
152	Changes in anterior segment morphology after laser peripheral iridotomy: an anterior segment optical coherence tomography study. <i>Ophthalmology</i> , 2012 , 119, 1383-7	7.3	66
151	The association between time spent outdoors and myopia in children and adolescents: a systematic review and meta-analysis. <i>Ophthalmology</i> , 2012 , 119, 2141-51	7.3	263
150	Common genetic determinants of intraocular pressure and primary open-angle glaucoma. <i>PLoS Genetics</i> , 2012 , 8, e1002611	6	131
149	Uncorrected refractive error in older British adults: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2012 , 96, 991-6	5.5	21
148	Cataract surgery after trabeculectomy: the effect on trabeculectomy function. <i>JAMA Ophthalmology</i> , 2012 , 130, 165-70		57
147	The prevalence of primary angle closure glaucoma in European derived populations: a systematic review. <i>British Journal of Ophthalmology</i> , 2012 , 96, 1162-7	5.5	112
146	Cyclodiode laser in the treatment of acute angle closure. <i>Eye</i> , 2012 , 26, 742-5	4.4	23
145	Randomised trial of sequential pretreatment for Nd:YAG laser iridotomy in dark irides. <i>British Journal of Ophthalmology</i> , 2012 , 96, 263-6	5.5	12
144	Comparing approaches to screening for angle closure in older Chinese adults. <i>Eye</i> , 2012 , 26, 96-100	4.4	7
143	Clinical outcomes after lens extraction for visually significant cataract in eyes with primary angle closure. <i>Journal of Glaucoma</i> , 2012 , 21, 545-50	2.1	52
142	Pilocarpine induced acute angle closure. <i>BMJ Case Reports</i> , 2012 , 2012,	0.9	12
141	Intraocular pressure, central corneal thickness, and glaucoma in chinese adults: the liwan eye study. <i>American Journal of Ophthalmology</i> , 2011 , 152, 454-462.e1	4.9	59
140	The heritability and sibling risk of angle closure in Asians. <i>Ophthalmology</i> , 2011 , 118, 480-5	7.3	56
139	Central corneal thickness and glaucoma in East Asian people 2011 , 52, 8407-12		27
138	Intraocular pressure and corneal biomechanics in an adult British population: the EPIC-Norfolk eye study 2011 , 52, 8179-85		45

137	Physical activity and ocular perfusion pressure: the EPIC-Norfolk eye study 2011 , 52, 8186-92		31
136	Reply to Athanasiadis et al. <i>Eye</i> , 2011 , 25, 255-256	4.4	78
135	The effectiveness of early lens extraction with intraocular lens implantation for the treatment of primary angle-closure glaucoma (EAGLE): study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 133	2.8	43
134	Uveal effusion syndrome as a complication of cyclodiode therapy in nanophthalmos glaucoma. <i>Eye</i> , 2011 , 25, 963-4	4.4	3
133	Response to: Idiopathic uveal effusion syndrome causing unilateral acute angle closure in a pseudophakic patient. <i>Eye</i> , 2011 , 25, 1660; author reply 1660-1	4.4	1
132	Primary angle closure glaucoma in East Asia: educational attainment as a protective factor. <i>Ophthalmic Epidemiology</i> , 2011 , 18, 217-25	1.9	8
131	Appositional closure identified by ultrasound biomicroscopy in population-based primary angle-closure glaucoma suspects: the Liwan eye study 2011 , 52, 3970-5		14
130	Outcomes of cataract surgery in urban southern China: the Liwan Eye Study 2011 , 52, 16-20		29
129	How large should an iridotomy be?. <i>British Journal of Ophthalmology</i> , 2011 , 95, 747-8	5.5	3
128	Increases in rates of both laser peripheral iridotomy and phacoemulsification have accompanied a fall in acute angle closure rates in the UK. <i>British Journal of Ophthalmology</i> , 2011 , 95, 1339-40	5.5	6
127	Autosomal dominant Best disease with an unusual electrooculographic light rise and risk of angle-closure glaucoma: a clinical and molecular genetic study. <i>Molecular Vision</i> , 2011 , 17, 2272-82	2.3	15
126	Prophylactic laser peripheral iridotomy and cataract progression. <i>Eye</i> , 2010 , 24, 1127-34; quiz 1135	4.4	11
125	Randomised controlled trial of screening and prophylactic treatment to prevent primary angle closure glaucoma. <i>British Journal of Ophthalmology</i> , 2010 , 94, 1472-7	5.5	23
124	Qualitative assessment of ultrasound biomicroscopic images using standard photographs: the liwan eye study 2010 , 51, 2035-42		28
123	Refractive error, axial length and anterior chamber depth of the eye in British adults: the EPIC-Norfolk Eye Study. <i>British Journal of Ophthalmology</i> , 2010 , 94, 827-30	5.5	70
122	Pharmacological and environmental factors in primary angle-closure glaucoma. <i>British Medical Bulletin</i> , 2010 , 93, 125-43	5.4	21
121	Diagnostic performance of anterior chamber angle measurements for detecting eyes with narrow angles: an anterior segment OCT study. <i>JAMA Ophthalmology</i> , 2010 , 128, 1321-7		112
120	Refractive error, axial dimensions, and primary open-angle glaucoma: the Singapore Malay Eye Study. <i>JAMA Ophthalmology</i> , 2010 , 128, 900-5		102

119	Design and methodology of a randomized controlled trial of laser iridotomy for the prevention of angle closure in southern China: the Zhongshan angle Closure Prevention trial. <i>Ophthalmic Epidemiology</i> , 2010 , 17, 321-32	1.9	31
118	Retinal vein occlusion and angle closure: a retrospective case series. <i>Journal of Glaucoma</i> , 2010 , 19, 643-9.1		12
117	Iris vascular tuft causing recurrent hyphema and raised IOP: a new indication for laser photocoagulation, angiographic follow-up, and review of laser outcomes. <i>Journal of Glaucoma</i> , 2010 , 19, 336-8	2.1	12
116	The relationship of intraocular pressure with age, systolic blood pressure, and central corneal thickness in an asian population 2009 , 50, 4097-102		75
115	Argon laser iridotomy-induced bullous keratopathy. <i>British Journal of Ophthalmology</i> , 2009 , 93, 842; author reply 842-3	5.5	1
114	Population prevalence of tilted and torted optic discs among an adult Chinese population in Singapore: the Tanjong Pagar Study. <i>JAMA Ophthalmology</i> , 2009 , 127, 894-9		103
113	Refractive error and biometry in older Chinese adults: the Liwan eye study 2009 , 50, 5130-6		93
112	Is measurement of adult height useful in screening for primary angle closure?. <i>Eye</i> , 2009 , 23, 1775-80	4.4	9
111	The singapore 5-Fluorouracil trabeculectomy study: effects on intraocular pressure control and disease progression at 3 years. <i>Ophthalmology</i> , 2009 , 116, 175-84	7.3	70
110	Central corneal thickness and its associations with ocular and systemic factors: the Singapore Malay Eye Study. <i>American Journal of Ophthalmology</i> , 2009 , 147, 709-716.e1	4.9	65
109	Methodology of the Singapore Indian Chinese Cohort (SICC) eye study: quantifying ethnic variations in the epidemiology of eye diseases in Asians. <i>Ophthalmic Epidemiology</i> , 2009 , 16, 325-36	1.9	269
108	The Classification of Primary Angle-Closure Glaucoma. <i>Essentials in Ophthalmology</i> , 2009 , 41-48	0.2	
107	Prevalence and causes of visual impairment in Chinese adults in urban southern China. <i>JAMA Ophthalmology</i> , 2009 , 127, 1362-7		72
106	Peripheral artery disease and glaucoma: the singapore malay eye study. <i>JAMA Ophthalmology</i> , 2009 , 127, 888-93		11
105	The eye: window to the soul or a mirror of systemic health?. <i>Heart</i> , 2009 , 95, 348-9	5.1	3
104	Variation of angle parameters in asians: an anterior segment optical coherence tomography study in a population of singapore malays 2009 , 50, 2626-31		27
103	Modified Bahasa Malaysia version of VF-14 questionnaire: assessing the impact of glaucoma in rural area of Malaysia. <i>Clinical and Experimental Ophthalmology</i> , 2008 , 36, 222-31	2.4	8
102	Visual acuity and mortality in a chinese population. The Tanjong Pagar Study. <i>Ophthalmology</i> , 2008 , 115, 802-7	7.3	39

101	Comparison of gonioscopy and anterior segment ocular coherence tomography in detecting angle closure in different quadrants of the anterior chamber angle. <i>Ophthalmology</i> , 2008 , 115, 769-74	7.3	182
100	Diabetes, hyperglycemia, and central corneal thickness: the Singapore Malay Eye Study. <i>Ophthalmology</i> , 2008 , 115, 964-968.e1	7.3	138
99	Anterior chamber depth in elderly Chinese: the Liwan eye study. <i>Ophthalmology</i> , 2008 , 115, 1286-90, 1290.e1-2	7.3	47
98	Screening for narrow angles in the singapore population: evaluation of new noncontact screening methods. <i>Ophthalmology</i> , 2008 , 115, 1720-7, 1727.e1-2	7.3	80
97	Angle-closure. <i>Ophthalmology</i> , 2008 , 115, 1434-5, 1435.e1	7.3	1
96	The utility of symptoms in identification of primary angle-closure in a high-risk population. <i>Ophthalmology</i> , 2008 , 115, 2024-9	7.3	10
95	The prevalence and types of glaucoma in malay people: the Singapore Malay eye study 2008 , 49, 3846-51		194
94	Determinants of angle closure in older Singaporeans. <i>JAMA Ophthalmology</i> , 2008 , 126, 686-91		113
93	Assessment of the scleral spur in anterior segment optical coherence tomography images. <i>JAMA Ophthalmology</i> , 2008 , 126, 181-5		179
92	The morphology of the optic nerve head in the Singaporean Chinese population (the Tanjong Pagar study): part 1--Optic nerve head morphology. <i>British Journal of Ophthalmology</i> , 2008 , 92, 303-9	5.5	21
91	Incidence of occludable angles in a high-risk Mongolian population. <i>British Journal of Ophthalmology</i> , 2008 , 92, 30-3	5.5	24
90	The morphology of the optic nerve head in the Singaporean Chinese population (the Tanjong Pagar study): part 2--Biometric and systemic associations. <i>British Journal of Ophthalmology</i> , 2008 , 92, 310-4	5.5	10
89	Degree of angle closure and extent of peripheral anterior synechiae: an anterior segment OCT study. <i>British Journal of Ophthalmology</i> , 2008 , 92, 103-7	5.5	21
88	Determinants of the optic cup to disc ratio in an Asian population: the Singapore Malay Eye Study (SiMES). <i>JAMA Ophthalmology</i> , 2008 , 126, 1101-8		31
87	Changes in angle configuration after phacoemulsification measured by anterior segment optical coherence tomography. <i>Journal of Glaucoma</i> , 2008 , 17, 455-9	2.1	56
86	Histologic changes of the iris in the development of angle closure in Chinese eyes. <i>Journal of Glaucoma</i> , 2008 , 17, 386-92	2.1	40
85	Age and sex variation in angle findings among normal Chinese subjects: a comparison of UBM, Scheimpflug, and gonioscopic assessment of the anterior chamber angle. <i>Journal of Glaucoma</i> , 2008 , 17, 5-10	2.1	44
84	Estimating the rate of progressive visual field damage in those with open-angle glaucoma, from cross-sectional data. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 66-76		95

83	Heritability of anterior chamber depth as an intermediate phenotype of angle-closure in Chinese: the Guangzhou Twin Eye Study. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 81-6		40
82	Heritability of the iridotrabecular angle width measured by optical coherence tomography in Chinese children: the Guangzhou twin eye study. <i>Investigative Ophthalmology and Visual Science</i> , 2008 , 49, 1356-61		20
81	Heritable features of the optic disc: a novel twin method for determining genetic significance. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 2469-75		22
80	Slit lamp-simulated oblique flashlight test in the detection of narrow angles in Chinese eyes: the Liwan eye study. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 5459-63		22
79	Reply to Dr Spaeth. <i>Eye</i> , 2007 , 21, 100-100		4-4
78	Changes in anterior segment morphology in response to illumination and after laser iridotomy in Asian eyes: an anterior segment OCT study. <i>British Journal of Ophthalmology</i> , 2007 , 91, 1485-9	5.5	64
77	Laser iridotomy in dark irides. <i>British Journal of Ophthalmology</i> , 2007 , 91, 222-5	5.5	17
76	Socioeconomic status, systolic blood pressure and intraocular pressure: the Tanjong Pagar Study. <i>British Journal of Ophthalmology</i> , 2007 , 91, 56-61	5.5	23
75	Urrets-Zavalía syndrome as a complication of argon laser peripheral iridoplasty. <i>British Journal of Ophthalmology</i> , 2007 , 91, 427-9	5.5	42
74	Bilateral symptomatic angle closure associated with a regular dose of citalopram, an SSRI antidepressant. <i>British Journal of Ophthalmology</i> , 2007 , 91, 1086-7	5.5	14
73	Comparison of anterior chamber depth measurements using the IOLMaster, scanning peripheral anterior chamber depth analyser, and anterior segment optical coherence tomography. <i>British Journal of Ophthalmology</i> , 2007 , 91, 1023-6	5.5	48
72	Socioeconomic status and overweight/obesity in an adult Chinese population in Singapore. <i>Journal of Epidemiology</i> , 2007 , 17, 161-8	3.4	40
71	Detection of primary angle closure using anterior segment optical coherence tomography in Asian eyes. <i>Ophthalmology</i> , 2007 , 114, 33-9	7.3	233
70	Imaging of trabeculectomy blebs using anterior segment optical coherence tomography. <i>Ophthalmology</i> , 2007 , 114, 47-53	7.3	137
69	Laser peripheral iridotomy in primary angle-closure suspects: biometric and gonioscopic outcomes: the Liwan Eye Study. <i>Ophthalmology</i> , 2007 , 114, 494-500	7.3	136
68	Comparison of the scanning peripheral anterior chamber depth analyzer and the modified van Herick grading system in the assessment of angle closure. <i>Ophthalmology</i> , 2007 , 114, 501-6	7.3	31
67	Laser peripheral iridotomy in eyes with narrow drainage angles: ultrasound biomicroscopy outcomes. The Liwan Eye Study. <i>Ophthalmology</i> , 2007 , 114, 1513-9	7.3	112
66	Anterior segment optical coherence tomography imaging of trabeculectomy blebs before and after laser suture lysis. <i>American Journal of Ophthalmology</i> , 2007 , 143, 873-5	4.9	36

65	The relationship between anterior chamber depth and the presence of diabetes in the Tanjong Pagar Survey. <i>American Journal of Ophthalmology</i> , 2007 , 144, 325-6	4.9	37
64	Effect of trabeculectomy on lens opacities in an East Asian population. <i>JAMA Ophthalmology</i> , 2006 , 124, 787-92		18
63	Gonioscopy in adult Chinese: the Liwan Eye Study. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 4772-9		66
62	Prevalence and clinical characteristics of glaucoma in adult Chinese: a population-based study in Liwan District, Guangzhou. <i>Investigative Ophthalmology and Visual Science</i> , 2006 , 47, 2782-8		245
61	Detection of narrow angles and established angle closure in Chinese residents of Singapore: potential screening tests. <i>American Journal of Ophthalmology</i> , 2006 , 141, 896-901	4.9	55
60	Hypermetropia, axial length, and hypertension: the Tanjong Pagar survey. <i>American Journal of Ophthalmology</i> , 2006 , 141, 1142-4	4.9	3
59	Peripapillary retinal nerve fiber layer thickness variations with myopia. <i>Ophthalmology</i> , 2006 , 113, 773-7	7.3	91
58	Cataract after laser iridotomy. <i>Ophthalmology</i> , 2006 , 113, 1467; author reply 1467-8	7.3	4
57	Angle-closure glaucoma in East Asian and European people. Different diseases?. <i>Eye</i> , 2006 , 20, 3-12	4.4	140
56	How to manage a patient with glaucoma in Asia. <i>Community Eye Health Journal</i> , 2006 , 19, 40-1	0.4	
55	Pattern of trabecular surface pigment deposition in primary angle closure. <i>JAMA Ophthalmology</i> , 2006 , 124, 1062		3
54	Optic disk ovality as an index of tilt and its relationship to myopia and perimetry. <i>American Journal of Ophthalmology</i> , 2005 , 139, 247-52	4.9	181
53	Managing patients with an overactive bladder and glaucoma: a questionnaire survey of Japanese urologists on the use of anticholinergics. <i>BJU International</i> , 2005 , 96, 192-3	5.6	1
52	Can we prevent angle-closure glaucoma?. <i>Eye</i> , 2005 , 19, 1119-24	4.4	31
51	A population based survey of the prevalence and types of glaucoma in rural West Bengal: the West Bengal Glaucoma Study. <i>British Journal of Ophthalmology</i> , 2005 , 89, 1559-64	5.5	67
50	Use of optical coherence tomography to assess variations in macular retinal thickness in myopia. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 974-8		148
49	Anterior chamber depth and the risk of primary angle closure in 2 East Asian populations. <i>JAMA Ophthalmology</i> , 2005 , 123, 527-32		146
48	Molecular analysis of the myocilin gene in Chinese subjects with chronic primary-angle closure glaucoma. <i>Investigative Ophthalmology and Visual Science</i> , 2005 , 46, 1303-6		20

47	The prevalence of pseudoexfoliation syndrome in Chinese people: the Tanjong Pagar Survey. <i>British Journal of Ophthalmology</i> , 2005 , 89, 239-40	5.5	38
46	Ocular biometry and refraction in Mongolian adults. <i>Investigative Ophthalmology and Visual Science</i> , 2004 , 45, 776-83		135
45	Defining "occludable" angles in population surveys: drainage angle width, peripheral anterior synechiae, and glaucomatous optic neuropathy in east Asian people. <i>British Journal of Ophthalmology</i> , 2004 , 88, 486-90	5.5	80
44	The prevalence of glaucoma in Bangladesh: a population based survey in Dhaka division. <i>British Journal of Ophthalmology</i> , 2004 , 88, 1493-7	5.5	61
43	Myopia in Asia. <i>British Journal of Ophthalmology</i> , 2004 , 88, 443-4	5.5	3
42	Effect of cataract extraction and intraocular lens implantation on nerve fibre layer thickness measurements by scanning laser polarimeter (GDx) in glaucoma patients. <i>Eye</i> , 2004 , 18, 163-8	4.4	11
41	Interocular asymmetry of visual field defects in primary open angle glaucoma and primary angle-closure glaucoma. <i>Eye</i> , 2004 , 18, 365-8	4.4	18
40	Systemic autonomic function in subjects with primary angle-closure glaucoma: a comparative study of symptomatic and asymptomatic disease presentation. <i>Clinical and Experimental Ophthalmology</i> , 2004 , 32, 137-41	2.4	6
39	Causes of blindness, low vision, and questionnaire-assessed poor visual function in Singaporean Chinese adults: The Tanjong Pagar Survey. <i>Ophthalmology</i> , 2004 , 111, 1161-8	7.3	71
38	Undercorrected refractive error in Singaporean Chinese adults: the Tanjong Pagar survey. <i>Ophthalmology</i> , 2004 , 111, 2168-74	7.3	37
37	Intraocular pressure and visual field loss in primary angle closure and primary open angle glaucomas. <i>British Journal of Ophthalmology</i> , 2003 , 87, 720-5	5.5	51
36	Ultrasonographic biomicroscopy, Scheimpflug photography, and novel provocative tests in contralateral eyes of Chinese patients initially seen with acute angle closure. <i>JAMA Ophthalmology</i> , 2003 , 121, 633-42		111
35	Risk factors for nuclear, cortical and posterior subcapsular cataracts in the Chinese population of Singapore: the Tanjong Pagar Survey. <i>British Journal of Ophthalmology</i> , 2003 , 87, 1112-20	5.5	101
34	Optic disc hemorrhage in Asian glaucoma patients. <i>Journal of Glaucoma</i> , 2003 , 12, 226-31	2.1	16
33	Visual perception during phacoemulsification cataract surgery under topical and regional anaesthesia. <i>Acta Ophthalmologica</i> , 2003 , 81, 118-22		40
32	Refractive errors, axial ocular dimensions, and age-related cataracts: the Tanjong Pagar survey. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 1479-85		84
31	Determinants of intraocular pressure and its association with glaucomatous optic neuropathy in Chinese Singaporeans: the Tanjong Pagar Study. <i>Investigative Ophthalmology and Visual Science</i> , 2003 , 44, 3885-91		100
30	Prevalence of glaucoma in Thailand: a population based survey in Rom Klao District, Bangkok. <i>British Journal of Ophthalmology</i> , 2003 , 87, 1069-74	5.5	107

29	Awareness of glaucoma, and health beliefs of patients suffering primary acute angle closure. <i>British Journal of Ophthalmology</i> , 2003 , 87, 446-9	5.5	45
28	Bilateral serous retinal detachment as a complication of HELLP syndrome. <i>Eye</i> , 2002 , 16, 491-2	4.4	20
27	Biometric gonioscopy and the effects of age, race, and sex on the anterior chamber angle. <i>British Journal of Ophthalmology</i> , 2002 , 86, 18-22	5.5	29
26	Education, socioeconomic status, and ocular dimensions in Chinese adults: the Tanjong Pagar Survey. <i>British Journal of Ophthalmology</i> , 2002 , 86, 963-8	5.5	78
25	The severity and spatial distribution of visual field defects in primary glaucoma: a comparison of primary open-angle glaucoma and primary angle-closure glaucoma. <i>JAMA Ophthalmology</i> , 2002 , 120, 1636-43		54
24	The epidemiology of primary angle closure and associated glaucomatous optic neuropathy. <i>Seminars in Ophthalmology</i> , 2002 , 17, 50-8	2.4	119
23	The definition and classification of glaucoma in prevalence surveys. <i>British Journal of Ophthalmology</i> , 2002 , 86, 238-42	5.5	1334
22	Prevalence of lens opacity in Chinese residents of Singapore: the tanjong pagar survey. <i>Ophthalmology</i> , 2002 , 109, 2058-64	7.3	70
21	Glaucoma in East Greenlandic Inuit--a population survey in Iltoqqortoormiit (Scoresbysund). <i>Acta Ophthalmologica</i> , 2001 , 79, 462-7		23
20	Glaucoma in China: how big is the problem?. <i>British Journal of Ophthalmology</i> , 2001 , 85, 1277-82	5.5	373
19	The prevalence and risk factors for pterygium in an adult Chinese population in Singapore: the Tanjong Pagar survey. <i>American Journal of Ophthalmology</i> , 2001 , 131, 176-83	4.9	104
18	Automated static perimetry: the influence of myopia and its method of correction. <i>Ophthalmology</i> , 2001 , 108, 290-5	7.3	57
17	Advances in the understanding of primary angle-closure as a cause of glaucomatous optic neuropathy. <i>Community Eye Health Journal</i> , 2001 , 14, 37-9	0.4	4
16	Variations in ocular biometry in an adult Chinese population in Singapore: the Tanjong Pagar Survey. <i>Investigative Ophthalmology and Visual Science</i> , 2001 , 42, 73-80		129
15	The relationship between ocular dimensions and refraction with adult stature: the Tanjong Pagar Survey. <i>Investigative Ophthalmology and Visual Science</i> , 2001 , 42, 1237-42		77
14	Anterior chamber depth measurement as a screening tool for primary angle-closure glaucoma in an East Asian population. <i>JAMA Ophthalmology</i> , 2000 , 118, 257-63		145
13	YAG laser iridotomy treatment for primary angle closure in east Asian eyes. <i>British Journal of Ophthalmology</i> , 2000 , 84, 1255-9	5.5	171
12	Rates of hospital admissions for primary angle closure glaucoma among Chinese, Malays, and Indians in Singapore. <i>British Journal of Ophthalmology</i> , 2000 , 84, 990-2	5.5	48

11	The prevalence of glaucoma in Chinese residents of Singapore: a cross-sectional population survey of the Tanjong Pagar district. <i>JAMA Ophthalmology</i> , 2000 , 118, 1105-11		509
10	Detection of gonioscopically occludable angles and primary angle closure glaucoma by estimation of limbal chamber depth in Asians: modified grading scheme. <i>British Journal of Ophthalmology</i> , 2000 , 84, 186-92	5.5	159
9	Accuracy of clinical estimates of intraocular pressure in Chinese eyes. <i>Ophthalmology</i> , 2000 , 107, 1816-21.	7.3	52
8	Prevalence and risk factors for refractive errors in adult Chinese in Singapore. <i>Investigative Ophthalmology and Visual Science</i> , 2000 , 41, 2486-94		411
7	Central corneal thickness and intraocular pressure in a Mongolian population. <i>Ophthalmology</i> , 1998 , 105, 969-73	7.3	203
6	Measurement of optic disc size: equivalence of methods to correct for ocular magnification. <i>British Journal of Ophthalmology</i> , 1998 , 82, 643-9	5.5	107
5	Incidence of acute primary angle-closure glaucoma in Singapore. An island-wide survey. <i>JAMA Ophthalmology</i> , 1997 , 115, 1436-40		209
4	Anterior chamber depth in Mongolians: variation with age, sex, and method of measurement. <i>American Journal of Ophthalmology</i> , 1997 , 124, 53-60	4.9	110
3	Glaucoma in Mongolia. A population-based survey in Hovsgol province, northern Mongolia. <i>JAMA Ophthalmology</i> , 1996 , 114, 1235-41		383
2	Glaucoma Care in Developing Countries of Asia		109-122
1	A large cross-ancestry meta-analysis of genome-wide association studies identifies 69 novel risk loci for primary open-angle glaucoma and includes a genetic link with Alzheimer's disease		4