Annarosa Mangone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4673000/publications.pdf

Version: 2024-02-01

60 papers 1,580 citations

331670 21 h-index 315739 38 g-index

62 all docs 62 docs citations

62 times ranked 1856 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Exploring the raw materials and technological practice to obtain red and black surfaces of Apulian red figure pottery by Raman and SEMâ€EDS investigations. Journal of Raman Spectroscopy, 2022, 53, 810-819. | 2.5 | 4 |
| 2 | Blue coloured haüyne from Mt. Vulture (Italy) volcanic rocks: SEMâ€EDS and Raman investigation of natural and heated crystals. Journal of Raman Spectroscopy, 2022, 53, 956-968. | 2.5 | 5 |
| 3 | Electrochemical methods to discriminate technology and provenance of Apulian redâ€figured pottery. II: EIS. Archaeometry, 2022, 64, 1124-1137. | 1.3 | 1 |
| 4 | Electrochemical methods to discriminate technology and provenance of Apulian redâ€figured pottery. I. VIMP and SECM. Archaeometry, 2022, 64, 1325-1339. | 1.3 | 1 |
| 5 | Raman and SEMâ€EDS insights into technological aspects of Medieval and Renaissance ceramics from Southern Italy. Journal of Raman Spectroscopy, 2021, 52, 186-198. | 2.5 | 11 |
| 6 | The Distinctive Role of Chemical Composition in Archaeometry. The Case of Apulian Red Figure Pottery. Applied Sciences (Switzerland), 2021, 11, 3073. | 2.5 | 7 |
| 7 | Building a step by step result in archaeometry. Raw materials, provenance and production technology of Apulian Red Figure pottery. Journal of Cultural Heritage, 2020, 43, 242-248. | 3.3 | 10 |
| 8 | Nanoparticle enhanced laser ablation inductively coupled plasma mass spectrometry. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2020, 163, 105731. | 2.9 | 8 |
| 9 | 14. Archaeometry of ceramic materials. , 2020, , 331-356. | | 2 |
| 10 | Bridging repair of the abdominal wall in a rat experimental model. Comparison between uncoated and polyethylene oxide-coated equine pericardium meshes. Scientific Reports, 2020, 10, 6959. | 3.3 | 2 |
| 11 | Inter-comparison of carbon content in PM10 and PM2.5 measured with two thermo-optical protocols on samples collected in a Mediterranean site. Environmental Science and Pollution Research, 2019, 26, 29334-29350. | 5.3 | 22 |
| 12 | Contribution of mineralogical and analytical techniques to investigate provenance and technologies of Hellenistic pottery from Arpi (Southern Italy). Journal of Archaeological Science: Reports, 2019, 24, 729-737. | 0.5 | 5 |
| 13 | Archaeometry of ceramic materials. Physical Sciences Reviews, 2019, 4, . | 0.8 | 9 |
| 14 | An archaeometric approach to gain knowledge on technology and provenance of Apulian red-figured pottery from Taranto. Archaeological and Anthropological Sciences, 2017, 9, 1125-1135. | 1.8 | 13 |
| 15 | Towards highly stable aqueous dispersions of multi-walled carbon nanotubes: the effect of oxygen plasma functionalization. Journal of Colloid and Interface Science, 2017, 491, 255-264. | 9.4 | 66 |
| 16 | Combined Approach for the Development of Efficient and Safe Nanoantimicrobials: The Case of Nanosilver-Modified Polyurethane Foams. ACS Biomaterials Science and Engineering, 2017, 3, 1417-1425. | 5.2 | 18 |
| 17 | The Tetris game of scientific investigation. Increase the score embedding analytical techniques. Raw materials and production technology of Roman glasses from Pompeii. Microchemical Journal, 2017, 131, 21-30. | 4.5 | 5 |
| 18 | An analytical techniques pool to hit the target. A comprehensive examination on an Apulian red figured pottery collection. Microchemical Journal, 2017, 134, 354-361. | 4.5 | 4 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Mitochondrial ATP-Mg/phosphate carriers transport divalent inorganic cations in complex with ATP. Journal of Bioenergetics and Biomembranes, 2017, 49, 369-380. | 2.3 | 13 |
| 20 | Synergic analytical strategy to follow the technological evolution of Campanian medieval glazed pottery. Archaeological and Anthropological Sciences, 2017, 9, 1137-1151. | 1.8 | 4 |
| 21 | Spectroscopic Characterization and Nanosafety of Ag-Modified Antibacterial Leather and Leatherette. Nanomaterials, 2017, 7, 203. | 4.1 | 19 |
| 22 | A nonlinear principal component analysis to study archeometric data. Journal of Chemometrics, 2016, 30, 405-415. | 1.3 | 11 |
| 23 | Pigments Checker version 3.0, a handy set for conservation scientists: A free online Raman spectra database. Microchemical Journal, 2016, 129, 123-132. | 4.5 | 116 |
| 24 | A pottery jigsaw puzzle: distinguish true and false pieces in two Apulian red figured vases by a poli-technique action plan. Applied Physics A: Materials Science and Processing, 2016, 122, 1. | 2.3 | 7 |
| 25 | Combined analysis of enamelled and gilded glassware from Frederick II Castle at Melfi (Italy) to identify technology and raw materials. X-Ray Spectrometry, 2015, 44, 191-200. | 1.4 | 10 |
| 26 | Integrated investigations for the characterisation of Roman lead-glazed pottery from Pompeii and Herculaneum (Italy). Chemical Papers, $2015, 69, \ldots$ | 2.2 | 5 |
| 27 | Fourier Transform Raman and Statistical Analysis of Thermally Altered Samples of Amber. Applied Spectroscopy, 2015, 69, 1457-1463. | 2.2 | 14 |
| 28 | Synthesis of zeolites at low temperatures in fly ash-kaolinite mixtures. Microporous and Mesoporous Materials, 2015, 212, 35-47. | 4.4 | 52 |
| 29 | A multi-analytical approach to amber characterisation. Chemical Papers, 2014, 68, . | 2.2 | 12 |
| 30 | Tunable Epoxidation of Singleâ€Walled Carbon Nanotubes by Isolated Methyl(trifluoromethyl)dioxirane. European Journal of Organic Chemistry, 2014, 2014, 1666-1671. | 2.4 | 23 |
| 31 | The source of blue colour of archaeological glass and glazes: the Raman spectroscopy/SEMâ€EDS answers. Journal of Raman Spectroscopy, 2014, 45, 1251-1259. | 2.5 | 27 |
| 32 | Application of Laser Induced Breakdown Spectroscopy to the identification of emeralds from different synthetic processes. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2014, 102, 48-51. | 2.9 | 29 |
| 33 | Methodology of a combined approach: analytical techniques to identify the technology and raw materials used in thin-walled pottery from Herculaneum and Pompeii. Analytical Methods, 2014, 6, 3490-3499. | 2.7 | 18 |
| 34 | Applications of a synergic analytical strategy to figure out technologies in medieval glazed pottery with "negative decoration―from Italy. Applied Physics A: Materials Science and Processing, 2014, 116, 1541-1552. | 2.3 | 7 |
| 35 | Laser-induced breakdown spectroscopy of archaeological findings with calibration-free inverse method: Comparison with classical laser-induced breakdown spectroscopy and conventional techniques. Analytica Chimica Acta, 2014, 813, 15-24. | 5.4 | 59 |

Oil Lamps from the Catacombs of <scp>C</scp>anosa (<scp>A</scp>pulia, Fourth to Sixth Centuries) Tj ETQq0 0 Q rgBT /Overlock 10 Tilder 10

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Mobile Raman spectroscopy analysis of ancient enamelled glass masterpieces. Analytical Methods, 2013, 5, 4345. | 2.7 | 49 |
| 38 | Diversified production of red figured pottery in Apulia (Southern Italy) in the late period. Journal of Cultural Heritage, 2013, 14, 82-88. | 3.3 | 20 |
| 39 | A systematic characterization of fibulae from Italy: from chemical composition to microstructure and corrosion processes. New Journal of Chemistry, 2013, 37, 1238. | 2.8 | 6 |
| 40 | A multianalytical study of archaeological faience from the Vesuvian area as a valid tool to investigate provenance and technological features. New Journal of Chemistry, 2011, 35, 2860. | 2.8 | 23 |
| 41 | Synthesis and analytical characterisation of copper-based nanocoatings for bioactive stone artworks treatment. Analytical and Bioanalytical Chemistry, 2011, 399, 473-481. | 3.7 | 38 |
| 42 | An integrated spectroscopic approach to investigate pigments and engobes on preâ€Roman pottery. Journal of Raman Spectroscopy, 2011, 42, 1317-1323. | 2.5 | 27 |
| 43 | Polybrominated diphenyl ethers (PBDEs) in Mediterranean mussels (<i>Mytilus galloprovincialis</i>) from selected Apulia coastal sites evaluated by GC–HRMS. Journal of Mass Spectrometry, 2010, 45, 1046-1055. | 1.6 | 19 |
| 44 | Palladium/Zirconium Oxide Nanocomposite as a Highly Recyclable Catalyst for C-C Coupling Reactions in Water. Molecules, 2010, 15, 4511-4525. | 3.8 | 56 |
| 45 | Technological features of â€~ <i>gnathia</i> ' pottery. X-Ray Spectrometry, 2009, 38, 386-393. | 1.4 | 3 |
| 46 | Investigations by various analytical techniques to the correct classification of archaeological finds and delineation of technological features. Microchemical Journal, 2009, 91, 214-221. | 4.5 | 22 |
| 47 | Use of various spectroscopy techniques to investigate raw materials and define processes in the overpainting of Apulian red figured pottery (4th century BC) from southern Italy. Microchemical Journal, 2009, 92, 97-102. | 4.5 | 29 |
| 48 | Manufacturing expedients in medieval ceramics in Apulia. Journal of Cultural Heritage, 2009, 10, 134-143. | 3.3 | 24 |
| 49 | Archaeometric investigation of Roman tesserae from Herculaneum (Italy) by the combined use of complementary micro-destructive analytical techniques. Journal of Archaeological Science, 2009, 36, 2625-2634. | 2.4 | 41 |
| 50 | The reason of the collapse of an ancient kiln in Egnazia from mineralogical and thermal analysis of ceramic finds. Journal of Thermal Analysis and Calorimetry, 2008, 92, 337-344. | 3.6 | 9 |
| 51 | An archaeometric approach about the study of medieval glass from Siponto (Foggia, Italy). Microchemical Journal, 2008, 90, 56-62. | 4.5 | 19 |
| 52 | Characterization of surface layers formed under natural environmental conditions on medieval glass from Siponto (Southern Italy). Materials Chemistry and Physics, 2008, 111, 480-485. | 4.0 | 14 |
| 53 | Technological features of Apulian red figured pottery. Journal of Archaeological Science, 2008, 35, 1533-1541. | 2.4 | 37 |
| 54 | Lapis lazuli usage for blue decoration of polychrome painted glazed pottery: a recurrent technology during the Middle Ages in Apulia (Southern Italy). Journal of Archaeological Science, 2007, 34, 503-511. | 2.4 | 29 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Medieval Islamic-type pottery from Siponto (Italy): an integrated physical–chemical and mineralogical investigation. X-Ray Spectrometry, 2006, 35, 338-346. | 1.4 | 9 |
| 56 | Application of Multiple Linear Regression and Extended Principal-Component Analysis to Determination of the Acid Dissociation Constant of 7-Hydroxycoumarin in Water/AOT/Isooctane Reverse Micelles. Journal of Colloid and Interface Science, 2000, 221, 173-180. | 9.4 | 6 |
| 57 | Characterisation of mineral waters by pattern recognition methods. Journal of the Science of Food and Agriculture, 1998, 76, 533-536. | 3.5 | 13 |
| 58 | XPS, ICP and DPASV analysis of medieval pottery? Statistical multivariate treatment of data. Fresenius' Journal of Analytical Chemistry, 1994, 350, 168-177. | 1.5 | 30 |
| 59 | Autopoietic Self-Reproduction of Fatty Acid Vesicles. Journal of the American Chemical Society, 1994, 116, 11649-11654. | 13.7 | 421 |
| 60 | Hematite, an electrocatalytic marker for the study of archaeological ceramic clay bodies. A VIMP and SECM study. ChemElectroChem, $0, , .$ | 3.4 | 1 |