

Surat Laphookhieo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4673077/publications.pdf>

Version: 2024-02-01

130
papers

1,995
citations

236925

25
h-index

345221

36
g-index

141
all docs

141
docs citations

141
times ranked

2055
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Bioactive Carbazole Alkaloids from <i>Clausena wallichii</i> Roots. Journal of Natural Products, 2012, 75, 741-746. | 3.0 | 134 |
| 2 | Cytotoxic and Antimalarial Prenylated Xanthenes from <i>Cratoxylum cochinchinense</i> . Chemical and Pharmaceutical Bulletin, 2006, 54, 745-747. | 1.3 | 71 |
| 3 | Bioactive prenylated xanthenes and anthraquinones from <i>Cratoxylum formosum</i> ssp. <i>pruniflorum</i> . Tetrahedron, 2006, 62, 8850-8859. | 1.9 | 60 |
| 4 | Cytotoxic cardenolide glycoside from the seeds of <i>Cerbera odollam</i> . Phytochemistry, 2004, 65, 507-510. | 2.9 | 57 |
| 5 | Reversal of P-Glycoprotein-Mediated Multidrug Resistance by Sipholane Triterpenoids. Journal of Natural Products, 2007, 70, 928-931. | 3.0 | 55 |
| 6 | Antimalarial, antimycobacterial and cytotoxic limonoids from <i>Chisocheton siamensis</i> . Phytomedicine, 2008, 15, 1130-1134. | 5.3 | 51 |
| 7 | Antibacterial carbazole alkaloids from <i>Clausena harmandiana</i> twigs. <i>FĀ-toterapĀ-Āċ</i> , 2012, 83, 1110-1114. | 2.2 | 46 |
| 8 | Bioactive Prenylated Xanthenes from the Young Fruits and Flowers of <i>Garcinia cowa</i> . Journal of Natural Products, 2015, 78, 265-271. | 3.0 | 46 |
| 9 | Antimalarial and Cytotoxic Phenolic Compounds from <i>Cratoxylum maingayi</i> and <i>Cratoxylum cochinchinense</i> . Molecules, 2009, 14, 1389-1395. | 3.8 | 41 |
| 10 | Antitumoral Alkaloids from <i>Clausena lansium</i> . Heterocycles, 2010, 81, 1261. | 0.7 | 38 |
| 11 | Carbazole alkaloids and coumarins from <i>Clausena lansium</i> roots. Phytochemistry Letters, 2012, 5, 26-28. | 1.2 | 37 |
| 12 | Rearranged Benzophenones and Prenylated Xanthenes from <i>Garcinia propinqua</i> Twigs. Journal of Natural Products, 2012, 75, 1660-1664. | 3.0 | 36 |
| 13 | New Benzophenones and Xanthenes from <i>Cratoxylum sumatranum</i> ssp. <i>neriifolium</i> and Their Antibacterial and Antioxidant Activities. Journal of Agricultural and Food Chemistry, 2016, 64, 8755-8762. | 5.2 | 36 |
| 14 | In Vitro Anti-Inflammatory, Anti-Oxidant, and Cytotoxic Activities of Four <i>Curcuma</i> Species and the Isolation of Compounds from <i>Curcuma aromatica</i> Rhizome. Biomolecules, 2020, 10, 799. | 4.0 | 35 |
| 15 | Alstoniaphyllines ¹³ C, Unusual Nitrogenous Derivatives from the Bark of <i>Alstonia macrophylla</i> . Journal of Natural Products, 2013, 76, 723-726. | 3.0 | 34 |
| 16 | Antibacterial dihydrobenzopyran and xanthone derivatives from <i>Garcinia cowa</i> stem barks. <i>FĀ-toterapĀ-Āċ</i> , 2012, 83, 1430-1434. | 2.2 | 33 |
| 17 | Semisynthetic and Biotransformation Studies of (1 <i>S</i> ,2 <i>E</i> ,4 <i>S</i> ,6 <i>R</i> ,7 <i>E</i> ,11 <i>E</i>)-2,7,11-Cembratriene-4,6-diol. Journal of Natural Products, 2008, 71, 117-122. | 3.0 | 31 |
| 18 | Carbazole alkaloids from the stems of <i>Clausena excavata</i> . Journal of Asian Natural Products Research, 2010, 12, 614-617. | 1.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | New coumarins from <i>Clausena lansium</i> twigs. <i>Journal of the Brazilian Chemical Society</i> , 2010, 21, 665-668. | 0.6 | 29 |
| 20 | Antibacterial compounds from <i>Zanthoxylum rhetsa</i> . <i>Archives of Pharmacal Research</i> , 2012, 35, 1139-1142. | 6.3 | 28 |
| 21 | Antibacterial Prenylated Isoflavonoids from the Stems of <i>Milletia extensa</i> . <i>Journal of Natural Products</i> , 2018, 81, 1835-1840. | 3.0 | 28 |
| 22 | New Sesquiterpenoid and Triterpenoids from the Fruits of <i>Rhizophora mucronata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 883-885. | 1.3 | 27 |
| 23 | Cassane-Type Diterpenes from the Seeds of <i>Caesalpinia crista</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 1062-1066. | 1.6 | 27 |
| 24 | Biocatalytic and semisynthetic optimization of the anti-invasive tobacco (1S,2E,4R,6R,7E,11E)-2,7,11-cembratriene-4,6-diol. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 2886-2893. | 3.0 | 27 |
| 25 | Acetylcholinesterase inhibitory activity and molecular docking study of steroidal alkaloids from <i>Holarrhena pubescens</i> barks. <i>Steroids</i> , 2016, 108, 92-98. | 1.8 | 26 |
| 26 | Bioassay-guided isolation and identification of antidiabetic compounds from <i>Garcinia cowa</i> leaf extract. <i>Heliyon</i> , 2020, 6, e03625. | 3.2 | 26 |
| 27 | Alkaloids and amides from <i>Glycosmis macrophylla</i> . <i>Phytochemistry Letters</i> , 2011, 4, 187-189. | 1.2 | 25 |
| 28 | Glycopentaphyllone: The first isolation of hydroperoxyquinolone from the fruits of <i>Glycosmis pentaphylla</i> . <i>Phytochemistry Letters</i> , 2012, 5, 379-381. | 1.2 | 25 |
| 29 | Scalemic Caged Xanthenes Isolated from the Stem Bark Extract of <i>Garcinia propinqua</i> . <i>Journal of Natural Products</i> , 2017, 80, 1658-1667. | 3.0 | 25 |
| 30 | Î±-Glucosidase Inhibitory Flavonoids and Oxepinones from the Leaf and Twig Extracts of <i>Desmos cochinchinensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 741-747. | 3.0 | 25 |
| 31 | Pentacyclic Triterpenoid Esters from the Fruits of <i>Bruguiera cylindrica</i> . <i>Journal of Natural Products</i> , 2004, 67, 886-888. | 3.0 | 22 |
| 32 | Carbazole alkaloids and coumarins from the roots of <i>Clausena guillauminii</i> . <i>Phytochemistry Letters</i> , 2014, 9, 113-116. | 1.2 | 22 |
| 33 | Antimalarial Oxoprotoberberine Alkaloids from the Leaves of <i>Milusa cuneata</i> . <i>Journal of Natural Products</i> , 2016, 79, 978-983. | 3.0 | 22 |
| 34 | Tandem oxidation processes for the regioselective preparation of 5-substituted and 6-substituted 1,2,4-triazines. <i>Tetrahedron Letters</i> , 2006, 47, 3865-3870. | 1.4 | 21 |
| 35 | Clausenawallines A and B, two new dimeric carbazole alkaloids from the roots of <i>Clausena wallichii</i> . <i>Tetrahedron Letters</i> , 2011, 52, 3303-3305. | 1.4 | 20 |
| 36 | Biphenyl and xanthone derivatives from the twigs of a <i>Garcinia</i> sp. (Clusiaceae). <i>Phytochemistry Letters</i> , 2014, 8, 77-80. | 1.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Phloroglucinol Benzophenones and Xanthenes from the Leaves of <i>Garcinia cowa</i> and Their Nitric Oxide Production and \pm -Glucosidase Inhibitory Activities. <i>Journal of Natural Products</i> , 2020, 83, 164-168. | 3.0 | 20 |
| 38 | Clausenawallines K, carbazole alkaloids from <i>Clausena wallichii</i> twigs. <i>Phytochemistry</i> , 2013, 88, 74-78. | 2.9 | 19 |
| 39 | Polyoxygenated Cyclohexenes and Their Chlorinated Derivatives from the Leaves of <i>Uvaria cherreensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 101-110. | 3.0 | 19 |
| 40 | New xanthenes from <i>Cratoxylum cochinchinense</i> . <i>Canadian Journal of Chemistry</i> , 2008, 86, 757-760. | 1.1 | 17 |
| 41 | A novel limonoid from the seeds of <i>Chisocheton siamensis</i> . <i>Canadian Journal of Chemistry</i> , 2008, 86, 205-208. | 1.1 | 17 |
| 42 | Cowabenzophenones A and B, two new tetracyclo[7.3.3.3.3,11.03,7]tetradecane-2,12,14-trione derivatives, from ripe fruits of <i>Garcinia cowa</i> . <i>FITOTERAPIA</i> , 2014, 92, 285-289. | 2.2 | 17 |
| 43 | Antibacterial and Inhibitory Activities against Nitric Oxide Production of Coumaronochromones and Prenylated Isoflavones from <i>Millettia extensa</i> . <i>Journal of Natural Products</i> , 2019, 82, 2343-2348. | 3.0 | 17 |
| 44 | Amides and Flavonoids from the Fruit and Leaf Extracts of <i>Melodorum siamensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 283-292. | 3.0 | 17 |
| 45 | Anti-inflammatory triterpenes from the apical bud of <i>Gardenia sootepensis</i> . <i>FITOTERAPIA</i> , 2016, 114, 92-97. | 2.2 | 16 |
| 46 | Dasymaschalolactams E, Aristolactams from a Twig Extract of <i>Dasymaschalon dasymaschalum</i> . <i>Journal of Natural Products</i> , 2019, 82, 3176-3180. | 3.0 | 16 |
| 47 | Alkaloids and styryllactones from <i>Goniothalamus cheliensis</i> . <i>Phytochemistry</i> , 2019, 157, 8-20. | 2.9 | 16 |
| 48 | Antimalarial and cytotoxic activities of pregnene-type steroidal alkaloids from <i>Holarrhena pubescens</i> roots. <i>Natural Product Research</i> , 2019, 33, 782-788. | 1.8 | 16 |
| 49 | Phenolic compounds from <i>Mammea siamensis</i> seeds. <i>Canadian Journal of Chemistry</i> , 2006, 84, 1546-1549. | 1.1 | 15 |
| 50 | A New Depsidone from the Twigs of <i>Garcinia cowa</i> . <i>Heterocycles</i> , 2011, 83, 1139. | 0.7 | 15 |
| 51 | Antimalarial polyoxygenated and prenylated xanthenes from the leaves and branches of <i>Garcinia mckeaniana</i> . <i>Tetrahedron</i> , 2016, 72, 6837-6842. | 1.9 | 15 |
| 52 | Chemical Composition of Essential Oils from Different Parts of <i>Zingiber kerrii</i> Craib and Their Antibacterial, Antioxidant, and Tyrosinase Inhibitory Activities. <i>Biomolecules</i> , 2020, 10, 228. | 4.0 | 15 |
| 53 | Coumarins and xanthenes from the seeds of <i>Mammea siamensis</i> . <i>Journal of the Brazilian Chemical Society</i> , 2007, 18, 1077-1080. | 0.6 | 14 |
| 54 | Phenylpropanoid derivatives from <i>Clausena harmandiana</i> fruits. <i>Phytochemistry Letters</i> , 2013, 6, 18-20. | 1.2 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Alkaloids from <i>Glycosmis cochinchinensis</i> twigs. <i>Phytochemistry Letters</i> , 2013, 6, 337-339. | 1.2 | 14 |
| 56 | Î±-Glucosidase inhibitory and nitric oxide production inhibitory activities of alkaloids isolated from a twig extract of <i>Polyalthia cinnamomea</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115462. | 3.0 | 14 |
| 57 | Biotransformation of Î²-Mangostin by an Endophytic Fungus of <i>Garcinia mangostana</i> to Furnish Xanthenes with an Unprecedented Heterocyclic Skeleton. <i>Journal of Natural Products</i> , 2018, 81, 2244-2250. | 3.0 | 13 |
| 58 | A tocotrienol quinone dimer and xanthenes from the leaf extract of <i>Garcinia nigrolineata</i> . <i>FÅ-toterapÅ-Åç</i> , 2019, 136, 104175. | 2.2 | 13 |
| 59 | Bioactive polyprenylated benzophenone derivatives from the fruits extracts of <i>Garcinia xanthochymus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3760-3765. | 2.2 | 12 |
| 60 | Cytotoxicity and Nitric Oxide Production Inhibitory Activities of Compounds Isolated from the Plant Pathogenic Fungus <i>Curvularia</i> sp.. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 408. | 3.5 | 12 |
| 61 | Macluracochinones A-E, antimicrobial flavonoids from <i>Maclura cochinchinensis</i> (Lour.) Corner. <i>Phytochemistry</i> , 2021, 187, 112773. | 2.9 | 12 |
| 62 | Antidiabetic and antimicrobial flavonoids from the twigs and roots of <i>Erythrina subumbrans</i> (Hassk.) Merr.. <i>Heliyon</i> , 2021, 7, e06904. | 3.2 | 11 |
| 63 | Coumarins and carbazole alkaloids from the roots of <i>Micromilum glanduliferum</i> . <i>Biochemical Systematics and Ecology</i> , 2012, 40, 69-70. | 1.3 | 10 |
| 64 | Acetylcholinesterase inhibitory activity of chemical constituents isolated from <i>Miliusa thorelii</i> . <i>Phytochemistry Letters</i> , 2018, 23, 33-37. | 1.2 | 10 |
| 65 | Uvarialuridols A-C, three new polyoxygenated cyclohexenes from the twig and leaf extracts of <i>Uvaria lurida</i> . <i>FÅ-toterapÅ-Åç</i> , 2019, 138, 104340. | 2.2 | 10 |
| 66 | A New Coumarin from <i>Clausena excavata</i> . <i>Heterocycles</i> , 2009, 78, 2115. | 0.7 | 10 |
| 67 | Chemical constituents from <i>Aegle marmelos</i> . <i>Journal of the Brazilian Chemical Society</i> , 2012, , . | 0.6 | 9 |
| 68 | Inhibition of nitric oxide production by clerodane diterpenoids from leaves and stems of <i>Croton poomae</i> Esser. <i>Natural Product Research</i> , 2019, 35, 1-8. | 1.8 | 9 |
| 69 | Chemical constituents from the roots of <i>Feroniella lucida</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 556-560. | 1.4 | 8 |
| 70 | Isopimarane diterpenes and flavan derivatives from the twigs of <i>Caesalpinia furfuracea</i> . <i>Phytochemistry Letters</i> , 2014, 7, 186-189. | 1.2 | 8 |
| 71 | Hybrid flavanâ€œflavanones from <i>Friesodielsia desmoides</i> and their inhibitory activities against nitric oxide production. <i>RSC Advances</i> , 2017, 7, 17545-17550. | 3.6 | 8 |
| 72 | Resolution and identification of scalemic caged xanthenes from the leaf extract of <i>Garcinia propinqua</i> having potent cytotoxicities against colon cancer cells. <i>FÅ-toterapÅ-Åç</i> , 2018, 124, 34-41. | 2.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | p38 inhibitor inhibits the apoptosis of cowanin-treated human colorectal adenocarcinoma cells. <i>International Journal of Oncology</i> , 2018, 52, 2031-2040. | 3.3 | 8 |
| 74 | Malloopenins A-E, Antibacterial Phenolic Derivatives from the Fruits of <i>Mallotus philippensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 2174-2180. | 3.0 | 8 |
| 75 | Potent β -glucosidase inhibitory activity of compounds isolated from the leaf extracts of <i>Uvaria hamiltonii</i> . <i>Natural Product Research</i> , 2020, 34, 2495-2499. | 1.8 | 8 |
| 76 | Styryllactones from <i>Goniiothalamus tamirensis</i> . <i>Phytochemistry</i> , 2020, 171, 112248. | 2.9 | 8 |
| 77 | Monoterpene indole alkaloids from the twigs of <i>Kopsia arborea</i> . <i>Natural Product Communications</i> , 2014, 9, 1441-3. | 0.5 | 8 |
| 78 | New Xanthenes from the Barks and Fruits of <i>Cratogeomys cochinchinense</i> . <i>Heterocycles</i> , 2009, 78, 1299. | 0.7 | 7 |
| 79 | Cytotoxic and Antimalarial Alkaloids from the Twigs of <i>Dasymaschalon obtusipetalum</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000. | 0.5 | 7 |
| 80 | Antioxidant neolignans from the twigs and leaves of <i>Mitrephora wangii</i> HU. <i>FITOTERAPIA</i> , 2018, 130, 219-224. | 2.2 | 7 |
| 81 | Four new C-benzyl flavonoids from the fruit of <i>Uvaria cherrevensis</i> . <i>FITOTERAPIA</i> , 2018, 130, 198-202. | 2.2 | 7 |
| 82 | Spirosteroids and β -glucosidase inhibitory norlignans from <i>Asparagus racemosus</i> Willd. roots. <i>Phytochemistry</i> , 2020, 177, 112439. | 2.9 | 7 |
| 83 | <i>Kaempferia parviflora</i> Rhizome Extract as Potential Anti-Acne Ingredient. <i>Molecules</i> , 2022, 27, 4401. | 3.8 | 7 |
| 84 | Triterpenoid Esters from <i>Bruguiera cylindrica</i> . <i>Australian Journal of Chemistry</i> , 2005, 58, 556. | 0.9 | 6 |
| 85 | Cytotoxic Carbazole Alkaloids from the Stems of <i>Murraya koenigii</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 186-188. | 0.8 | 6 |
| 86 | Naturally occurring prenylated coumarins from <i>Micromelum integerrimum</i> twigs. <i>Phytochemistry Letters</i> , 2014, 7, 165-168. | 1.2 | 6 |
| 87 | Candenatenins G-K, phenolic compounds from <i>Dalbergia candenatensis</i> heartwood. <i>Phytochemistry Letters</i> , 2012, 5, 708-712. | 1.2 | 5 |
| 88 | Lucidafuranocoumarins B and C from the twigs of <i>Feroniella lucida</i> : Absolute configurations of lucidafuranocoumarin C. <i>Phytochemistry Letters</i> , 2012, 5, 309-312. | 1.2 | 5 |
| 89 | Synthesis, Crystal Structure, Antioxidant, and β -Glucosidase Inhibitory Activities of Methoxy-substituted Benzohydrazide Derivatives. <i>Crystallography Reports</i> , 2018, 63, 405-411. | 0.6 | 5 |
| 90 | Coumarins and flavones from the fruit and root extracts of <i>Micromelum integerrimum</i> . <i>Natural Product Research</i> , 2019, 33, 2945-2950. | 1.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The First Hydroperoxydihydrochalcone in the Etlingera Genus: Etlingittoralin from the Rhizomes of <i>Etlingera littoralis</i> . <i>Heterocycles</i> , 2011, 83, 849. | 0.7 | 4 |
| 92 | Monoterpene Indole Alkaloids from the Twigs of <i>Kopsia arborea</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901. | 0.5 | 4 |
| 93 | Nitric oxide production inhibitory activity of clerodane diterpenes from <i>Monoon membranifolium</i> . <i>Natural Product Research</i> , 2021, , 1-5. | 1.8 | 4 |
| 94 | Atomic charges of cerbinal. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 1352-1353. | 0.4 | 3 |
| 95 | 2-Hydroxy-7-methoxy-9H-carbazole-3-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2418-o2419. | 0.2 | 3 |
| 96 | Glycozolidal. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o1811-o1812. | 0.2 | 3 |
| 97 | Absolute configuration of micromelin. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o1706-o1707. | 0.2 | 3 |
| 98 | (1R,3R,4R,6S)-4-(7-Methoxy-2-oxo-2H-chromen-6-yl)-1-methyl-3,6-dioxabicyclo[3.1.0]hexan-2-yl acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o3421-o3422. | 0.2 | 3 |
| 99 | Chemical constituents from <i>Feronia limonia</i> roots. <i>Chemistry of Natural Compounds</i> , 2012, 48, 308-309. | 0.8 | 3 |
| 100 | Antibacterial Compounds from <i>Glycosmis puberula</i> Twigs. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901. | 0.5 | 3 |
| 101 | Daldiniaeschone A, a Rare Tricyclic Polyketide Having a Chromone Unit Fused to a $\hat{\text{T}}$ -Lactone and Its Symmetrical Biphenyl Dimer, Daldiniaeschone B, from an Endophytic Fungus <i>Daldinia eschscholtzii</i> SDBR-CMUNKC745. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021, 7, 358. | 3.5 | 3 |
| 102 | Indizoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2497-o2498. | 0.2 | 3 |
| 103 | Antidiabetic and Cytotoxic Activities of Rotenoids and Isoflavonoids Isolated from <i>Millettia pachycarpa</i> Benth. <i>ACS Omega</i> , 2022, 7, 24511-24521. | 3.5 | 3 |
| 104 | 2,8-Dihydroxy-1-(3-methylbut-2-enyl)-9H-carbazole-3-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3964-o3965. | 0.2 | 2 |
| 105 | Antibacterial Compounds from the Roots of <i>Cratoxylum formosum</i> spp. <i>pruniflorum</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901. | 0.5 | 2 |
| 106 | $\hat{\text{T}}$ -Glucosidase inhibitory activity of compounds isolated from the twig and leaf extracts of <i>Desmos dumosus</i> . <i>Heliyon</i> , 2021, 7, e06180. | 3.2 | 2 |
| 107 | Desmoschinensisflavones A and B, two rare flavones having a hybrid benzyl benzoate ester-flavone structural framework from <i>Desmos chinensis</i> Lour. <i>RSC Advances</i> , 2020, 10, 45076-45080. | 3.6 | 2 |
| 108 | Polyoxygenated seco-cyclohexenes derivatives from flower and leaf extracts of <i>Desmos cochinchinensis</i> and their $\hat{\text{T}}$ -glucosidase inhibitory activity. <i>Heliyon</i> , 2020, 6, e05791. | 3.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | <i>α</i> -Glucosidase inhibitory and <i>α</i> -amylase inhibitory activities of compounds isolated from <i>Uvaria rufa</i> Blume. <i>Natural Product Research</i> , 2022, 36, 6039-6043. | 1.8 | 2 |
| 110 | Derrisrobustones A–D, isoflavones from the twig extract of <i>Derris robusta</i> (DC.) Benth. and their <i>α</i> -glucosidase inhibitory activity. <i>Phytochemistry</i> , 2022, 198, 113168. | 2.9 | 2 |
| 111 | Isoprenylated chromones from the stems of <i>Harrisonia perforata</i> . <i>Phytochemistry Letters</i> , 2022, 49, 192-196. | 1.2 | 2 |
| 112 | Antidiabetic properties of garciniacowone L, a new xanthone with an unusual 5,5,8a-trimethyloctahydro-2H-1-benzopyran moiety, and other xanthones from the twig extract of <i>Garcinia cowa</i> Roxb. ex Choisy. <i>Journal of King Saud University - Science</i> , 2022, 34, 102201. | 3.5 | 2 |
| 113 | Absolute configuration of 3-feruloyltaraxerol dichloromethane solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o1864-o1866. | 0.2 | 1 |
| 114 | 5-Hydroxy-3,7-dimethoxy-2-phenyl-4H-1-benzopyran-4-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3086-o3088. | 0.2 | 1 |
| 115 | 6-Acetoxyepoxyazadiradione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3583-o3584. | 0.2 | 1 |
| 116 | 5-Hydroxy-8,8-dimethyl-10-(2-methylbut-3-en-2-yl)-2H,6H-7,8-dihydropyrano[3,2-g]chromene-2,6-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o422-o423. | 0.2 | 1 |
| 117 | Absolute configuration of xerophenone A. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o1451-o1452. | 0.2 | 1 |
| 118 | Corrigendum to “Antitumoral Alkaloids from <i>Clausena lansium</i> ”: HETEROCYCLES, 2010, 81, 1261. <i>Heterocycles</i> , 2012, 85, 2071. | 0.7 | 1 |
| 119 | Dammarane Terpenoids from the Fruits of <i>Dysoxylum mollissimum</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901. | 0.5 | 1 |
| 120 | Xanthones from <i>Garcinia Propinqua</i> Roots. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100. | 0.5 | 1 |
| 121 | A New Cytotoxic Clerodane Diterpene from <i>Casearia Graveolens</i> Twigs. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100. | 0.5 | 1 |
| 122 | Xanthones from <i>Garcinia propinqua</i> Roots. <i>Natural Product Communications</i> , 2016, 11, 87-90. | 0.5 | 1 |
| 123 | Bioactive compounds from the fruit extract of <i>Clausena excavata</i> Burm. f. (Rutaceae). <i>South African Journal of Botany</i> , 2022, 151, 538-548. | 2.5 | 1 |
| 124 | Xanthones from the latex and twig extracts of <i>Garcinia nigrolineata</i> Planch. ex T. Anderson (Clusiaceae) and their antidiabetic and cytotoxic activities. <i>Natural Product Research</i> , 0, , 1-11. | 1.8 | 1 |
| 125 | Bis[14-hydroxy-3-O-(L-thevetosyl)-5-card-20(22)-enolide] methanol solvate monohydrate and 3-O-(L-2-acetylthevetosyl)-14-hydroxy-5-card-20(22)-enolide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o68-o70. | 0.4 | 0 |
| 126 | 1-(2,6-Dihydroxy-4-methoxyphenyl)-3-phenylpropan-1-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1120-o1121. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Coumarin Precursor from <i>Micromelum integerrimum</i> Leaves. Natural Product Communications, 2013, 8, 1934578X1300800. | 0.5 | 0 |
| 128 | Antioxidant, Cytotoxic and β -Glucosidase Inhibitory Activities of Compounds isolated from the Twig Extracts of <i>Maclura fruticosa</i> . Natural Product Communications, 2017, 12, 1934578X1701200. | 0.5 | 0 |
| 129 | Isolation and crystal structure of lawinal. Acta Crystallographica Section E: Crystallographic Communications, 2021, 77, 75-78. | 0.5 | 0 |
| 130 | Synthesis and crystal structure of (\pm)-Goniotamirenone C. Acta Crystallographica Section E: Crystallographic Communications, 2020, 76, 1728-1731. | 0.5 | 0 |