

# Surat Laphookhieo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4673077/publications.pdf>

Version: 2024-02-01

130  
papers

1,995  
citations

236925  
h-index

345221  
g-index

141  
all docs

141  
docs citations

141  
times ranked

2055  
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Î±</i>-Glucosidase inhibitory and <i>Î±</i>-amylase inhibitory activities of compounds isolated from <i>Uvaria rufa</i> Blume. Natural Product Research, 2022, 36, 6039-6043.	1.8	2
2	Derrisrobustones Aâ€“D, isoflavones from the twig extract of Derris robusta (DC.) Benth. and their Î±-glucosidase inhibitory activity. Phytochemistry, 2022, 198, 113168.	2.9	2
3	Isoprenylated chromones from the stems of Harrisonia perforata. Phytochemistry Letters, 2022, 49, 192-196.	1.2	2
4	Bioactive compounds from the fruit extract of Clausena excavata Burm. f. (Rutaceae). South African Journal of Botany, 2022, 151, 538-548.	2.5	1
5	Antidiabetic properties of garciniacowone L, a new xanthone with an unusual 5,5,8a-trimethyloctahydro-2H-1-benzopyran moiety, and other xanthones from the twig extract of Garcinia cowa Roxb. ex Choisy. Journal of King Saud University - Science, 2022, 34, 102201.	3.5	2
6	Kaempferia parviflora Rhizome Extract as Potential Anti-Acne Ingredient. Molecules, 2022, 27, 4401.	3.8	7
7	Antidiabetic and Cytotoxic Activities of Rotenoids and Isoflavonoids Isolated from <i>Millettia pachycarpa</i> Benth. ACS Omega, 2022, 7, 24511-24521.	3.5	3
8	Isolation and crystal structure of lawinal. Acta Crystallographica Section E: Crystallographic Communications, 2021, 77, 75-78.	0.5	0
9	Î±-Glucosidase inhibitory activity of compounds isolated from the twig and leaf extracts of Desmos dumosus. Heliyon, 2021, 7, e06180.	3.2	2
10	Nitric oxide production inhibitory activity of clerodane diterpenes from Monoon membranifolium. Natural Product Research, 2021, , 1-5.	1.8	4
11	Antidiabetic and antimicrobial flavonoids from the twigs and roots of Erythrina subumbrans (Hassk.) Merr.. Heliyon, 2021, 7, e06904.	3.2	11
12	Cytotoxicity and Nitric Oxide Production Inhibitory Activities of Compounds Isolated from the Plant Pathogenic Fungus Curvularia sp.. Journal of Fungi (Basel, Switzerland), 2021, 7, 408.	3.5	12
13	Daldiniaeschsone A, a Rare Tricyclic Polyketide Having a Chromone Unit Fused to a Î²-Lactone and Its Symmetrical Biphenyl Dimer, Daldiniaeschsone B, from an Endophytic Fungus Daldinia eschscholtzii SDBR-CMUNK745. Journal of Fungi (Basel, Switzerland), 2021, 7, 358.	3.5	3
14	Macluracochinones A-E, antimicrobial flavonoids from Maclura cochinchinensis (Lour.) Corner. Phytochemistry, 2021, 187, 112773.	2.9	12
15	Potent Î±-glucosidase inhibitory activity of compounds isolated from the leaf extracts of <i>Uvaria hamiltonii</i>. Natural Product Research, 2020, 34, 2495-2499.	1.8	8
16	Styryllactones from Goniothalamus tamirensis. Phytochemistry, 2020, 171, 112248.	2.9	8
17	Phloroglucinol Benzophenones and Xanthones from the Leaves of <i>Garcinia cowa</i> and Their Nitric Oxide Production and Î±-Glucosidase Inhibitory Activities. Journal of Natural Products, 2020, 83, 164-168.	3.0	20
18	Bioassay-guided isolation and identification of antidiabetic compounds from Garcinia cowa leaf extract. Heliyon, 2020, 6, e03625.	3.2	26

#	ARTICLE	IF	CITATIONS
19	In Vitro Anti-Inflammatory, Anti-Oxidant, and Cytotoxic Activities of Four Curcuma Species and the Isolation of Compounds from Curcuma aromatica Rhizome. <i>Biomolecules</i> , 2020, 10, 799.	4.0	35
20	Spirosteroids and $\beta$ -glucosidase inhibitory norlignans from <i>Asparagus racemosus</i> Willd. roots. <i>Phytochemistry</i> , 2020, 177, 112439.	2.9	7
21	$\beta$ -Glucosidase inhibitory and nitric oxide production inhibitory activities of alkaloids isolated from a twig extract of <i>Polyalthia cinnamomea</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115462.	3.0	14
22	Chemical Composition of Essential Oils from Different Parts of <i>Zingiber kerrii</i> Craib and Their Antibacterial, Antioxidant, and Tyrosinase Inhibitory Activities. <i>Biomolecules</i> , 2020, 10, 228.	4.0	15
23	Desmoschinensisflavones A and B, two rare flavones having a hybrid benzyl benzoate ester-flavone structural framework from <i>Desmos chinensis</i> Lour. <i>RSC Advances</i> , 2020, 10, 45076-45080.	3.6	2
24	Polyoxygenated seco-cyclohexenes derivatives from flower and leaf extracts of <i>Desmos cochinchinensis</i> and their $\beta$ -glucosidase inhibitory activity. <i>Heliyon</i> , 2020, 6, e05791.	3.2	2
25	Synthesis and crystal structure of ( $\pm$ )-Goniotamirenone C. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2020, 76, 1728-1731.	0.5	0
26	Antibacterial and Inhibitory Activities against Nitric Oxide Production of Coumaronochromones and Prenylated Isoflavones from <i>Millettia extensa</i> . <i>Journal of Natural Products</i> , 2019, 82, 2343-2348.	3.0	17
27	Mallopenins A-E, Antibacterial Phenolic Derivatives from the Fruits of <i>Mallotus philippensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 2174-2180.	3.0	8
28	Uvarialuridols A-C, three new polyoxygenated cyclohexenes from the twig and leaf extracts of <i>Uvaria lurida</i> . <i>FÄ toterapÄ Ä</i> , 2019, 138, 104340.	2.2	10
29	Dasymaschalolactams A-E, Aristolactams from a Twig Extract of <i>Dasymaschalona dasymaschalum</i> . <i>Journal of Natural Products</i> , 2019, 82, 3176-3180.	3.0	16
30	Inhibition of nitric oxide production by clerodane diterpenoids from leaves and stems of <i>Croton poomae</i> Esser. <i>Natural Product Research</i> , 2019, 35, 1-8.	1.8	9
31	Amides and Flavonoids from the Fruit and Leaf Extracts of <i>Melodorum siamensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 283-292.	3.0	17
32	A tocotrienol quinone dimer and xanthones from the leaf extract of <i>Garcinia nigrolineata</i> . <i>FÄ toterapÄ Ä</i> , 2019, 136, 104175.	2.2	13
33	$\beta$ -Glucosidase Inhibitory Flavonoids and Oxepinones from the Leaf and Twig Extracts of <i>Desmos cochinchinensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 741-747.	3.0	25
34	Polyoxygenated Cyclohexenes and Their Chlorinated Derivatives from the Leaves of <i>Uvaria cherrevensis</i> . <i>Journal of Natural Products</i> , 2019, 82, 101-110.	3.0	19
35	Coumarins and flavones from the fruit and root extracts of <i>Micromelum integerrimum</i> . <i>Natural Product Research</i> , 2019, 33, 2945-2950.	1.8	5
36	Alkaloids and styryllactones from <i>Goniothalamus cheliensis</i> . <i>Phytochemistry</i> , 2019, 157, 8-20.	2.9	16

#	ARTICLE	IF	CITATIONS
37	Antimalarial and cytotoxic activities of pregnene-type steroid alkaloids from <i>Holarrhena pubescens</i> roots. <i>Natural Product Research</i> , 2019, 33, 782-788.	1.8	16
38	Resolution and identification of scalemic caged xanthones from the leaf extract of <i>Garcinia propinqua</i> having potent cytotoxicities against colon cancer cells. <i>FÃ¬toterapÃ¬</i> , 2018, 124, 34-41.	2.2	8
39	Acetylcholinesterase inhibitory activity of chemical constituents isolated from <i>Miliusa thorelli</i> . <i>Phytochemistry Letters</i> , 2018, 23, 33-37.	1.2	10
40	Biotransformation of $\hat{\gamma}^2$ -Mangostin by an Endophytic Fungus of <i>&lt; i&gt;Garcinia mangostana&lt;/i&gt;</i> to Furnish Xanthenes with an Unprecedented Heterocyclic Skeleton. <i>Journal of Natural Products</i> , 2018, 81, 2244-2250.	3.0	13
41	Antioxidant neolignans from the twigs and leaves of <i>Mitrophora wangii</i> HU. <i>FÃ¬toterapÃ¬</i> , 2018, 130, 219-224.	2.2	7
42	Four new C-benzyl flavonoids from the fruit of <i>Uvaria cherreensis</i> . <i>FÃ¬toterapÃ¬</i> , 2018, 130, 198-202.	2.2	7
43	Synthesis, Crystal Structure, Antioxidant, and $\hat{\gamma}\pm$ -Glucosidase Inhibitory Activities of Methoxy-substituted Benzohydrazide Derivatives. <i>Crystallography Reports</i> , 2018, 63, 405-411.	0.6	5
44	p38 inhibitor inhibits the apoptosis of cowanin-treated human colorectal adenocarcinoma cells. <i>International Journal of Oncology</i> , 2018, 52, 2031-2040.	3.3	8
45	Antibacterial Prenylated Isoflavonoids from the Stems of <i>&lt; i&gt;Millettia extensa&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2018, 81, 1835-1840.	3.0	28
46	Scalemic Caged Xanthones Isolated from the Stem Bark Extract of <i>&lt; i&gt;Garcinia propinqua&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2017, 80, 1658-1667.	3.0	25
47	Hybrid flavanâ€“flavanones from <i>Friesodielsia desmoides</i> and their inhibitory activities against nitric oxide production. <i>RSC Advances</i> , 2017, 7, 17545-17550.	3.6	8
48	Bioactive polyprenylated benzophenone derivatives from the fruits extracts of <i>Garcinia xanthochymus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3760-3765.	2.2	12
49	Antioxidant, Cytotoxic and $\hat{\gamma}\pm$ -Glucosidase Inhibitory Activities of Compounds isolated from the Twig Extracts of <i>Maclura fruticosa</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.5	0
50	Xanthones from <i>Garcinia Propinqua Roots</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	1
51	A New Cytotoxic Clerodane Diterpene from <i>&lt; i&gt;Casearia Graveolens&lt;/i&gt;</i> Twigs. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	1
52	Anti-inflammatory triterpenes from the apical bud of <i>Gardenia sootepensis</i> . <i>FÃ¬toterapÃ¬</i> , 2016, 114, 92-97.	2.2	16
53	Antimalarial polyoxygenated and prenylated xanthones from the leaves and branches of <i>Garcinia mckeaniana</i> . <i>Tetrahedron</i> , 2016, 72, 6837-6842.	1.9	15
54	New Benzophenones and Xanthones from <i>&lt; i&gt;Cratoxylum sumatranum&lt;/i&gt;</i> ssp. <i>&lt; i&gt;nerifolium&lt;/i&gt;</i> and Their Antibacterial and Antioxidant Activities. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 8755-8762.	5.2	36

#	ARTICLE	IF	CITATIONS
55	Acetylcholinesterase inhibitory activity and molecular docking study of steroidal alkaloids from <i>Holarrhena pubescens</i> barks. <i>Steroids</i> , 2016, 108, 92-98.	1.8	26
56	Antimalarial Oxoprotuberberine Alkaloids from the Leaves of <i>&lt; i&gt;Miliusa cuneata&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2016, 79, 978-983.	3.0	22
57	Xanthones from <i>Garcinia propinqua</i> Roots. <i>Natural Product Communications</i> , 2016, 11, 87-90.	0.5	1
58	Cytotoxic and Antimalarial Alkaloids from the Twigs of <i>&lt; i&gt;Dasymaschalon obtusipetalum&lt;/i&gt;</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.5	7
59	Bioactive Prenylated Xanthones from the Young Fruits and Flowers of <i>&lt; i&gt;Garcinia cowae&lt;/i&gt;</i> . <i>Journal of Natural Products</i> , 2015, 78, 265-271.	3.0	46
60	Monoterpene Indole Alkaloids from the Twigs of <i>Kopsia arborea</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901.	0.5	4
61	Dammarane Terpenoids from the Fruits of <i>&lt; i&gt;Dysoxylum mollissimum&lt;/i&gt;</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901.	0.5	1
62	Antibacterial Compounds from the Roots of <i>&lt; i&gt;Cratoxylum formosum&lt;/i&gt;</i> spp. <i>&lt; i&gt;pruniflorum&lt;/i&gt;</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901.	0.5	2
63	Antibacterial Compounds from <i>&lt; i&gt;Glycosmis puberula&lt;/i&gt;</i> Twigs. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400901.	0.5	3
64	Isopimarane diterpenes and flavan derivatives from the twigs of <i>Caesalpinia furfuracea</i> . <i>Phytochemistry Letters</i> , 2014, 7, 186-189.	1.2	8
65	Biphenyl and xanthone derivatives from the twigs of a <i>Garcinia</i> sp. (Clusiaceae). <i>Phytochemistry Letters</i> , 2014, 8, 77-80.	1.2	20
66	Cytotoxic Carbazole Alkaloids from the Stems of <i>Murraya koenigii</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 186-188.	0.8	6
67	Carbazole alkaloids and coumarins from the roots of <i>Clausena guillauminii</i> . <i>Phytochemistry Letters</i> , 2014, 9, 113-116.	1.2	22
68	Naturally occurring prenylated coumarins from <i>Micromelum integrerrimum</i> twigs. <i>Phytochemistry Letters</i> , 2014, 7, 165-168.	1.2	6
69	Cowabenzophenones A and B, two new tetracyclo[7.3.3.33,11.03,7]tetradecane-2,12,14-trione derivatives, from ripe fruits of <i>Garcinia cowae</i> . <i>FÃ©toterapÃ¢, 2014, 92, 285-289.</i>	2.2	17
70	Monoterpene indole alkaloids from the twigs of <i>Kopsia arborea</i> . <i>Natural Product Communications</i> , 2014, 9, 1441-3.	0.5	8
71	Phenylpropanoid derivatives from <i>Clausena harmandiana</i> fruits. <i>Phytochemistry Letters</i> , 2013, 6, 18-20.	1.2	14
72	Clausenawallines K, carbazole alkaloids from <i>Clausena wallichii</i> twigs. <i>Phytochemistry</i> , 2013, 88, 74-78.	2.9	19

#	ARTICLE	IF	CITATIONS
73	Alstoniaphyllines A-C, Unusual Nitrogenous Derivatives from the Bark of <i>Alstonia macrophylla</i> . <i>Journal of Natural Products</i> , 2013, 76, 723-726.	3.0	34
74	Alkaloids from <i>Glycosmis cochinchinensis</i> twigs. <i>Phytochemistry Letters</i> , 2013, 6, 337-339.	1.2	14
75	Coumarin Precursor from <i>Micromelum integerrimum</i> Leaves. <i>Natural Product Communications</i> , 2013, 8, 1934578X1300800.	0.5	0
76	Absolute configuration of xerophenone A. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o1451-o1452.	0.2	1
77	(1R,3R,4R,6S)-4-(7-Methoxy-2-oxo-2H-chromen-6-yl)-1-methyl-3,6-dioxabicyclo[3.1.0]hexan-2-yl acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o3421-o3422.	0.2	3
78	Chemical constituents from <i>Aegle marmelos</i> . <i>Journal of the Brazilian Chemical Society</i> , 2012, , .	0.6	9
79	Antibacterial dihydrobenzopyran and xanthone derivatives from <i>Garcinia cowa</i> stem barks. <i>FÄ»toterapÄ»-Ä¢</i> , 2012, 83, 1430-1434.	2.2	33
80	Rearranged Benzophenones and Prenylated Xanthones from <i>Garcinia propinqua</i> Twigs. <i>Journal of Natural Products</i> , 2012, 75, 1660-1664.	3.0	36
81	Antibacterial carbazole alkaloids from <i>Clausena harmandiana</i> twigs. <i>FÄ»toterapÄ»-Ä¢</i> , 2012, 83, 1110-1114.	2.2	46
82	Candenatenins G-K, phenolic compounds from <i>Dalbergia candenatensis</i> heartwood. <i>Phytochemistry Letters</i> , 2012, 5, 708-712.	1.2	5
83	Corrigendum to "Antitumoral Alkaloids from <i>Clausena lansium</i> ": HETEROCYCLES, 2010, 81, 1261. <i>Heterocycles</i> , 2012, 85, 2071.	0.7	1
84	Antibacterial compounds from <i>Zanthoxylum rhetsa</i> . <i>Archives of Pharmacal Research</i> , 2012, 35, 1139-1142.	6.3	28
85	Bioactive Carbazole Alkaloids from <i>Clausena wallichii</i> Roots. <i>Journal of Natural Products</i> , 2012, 75, 741-746.	3.0	134
86	Chemical constituents from <i>Feronia limonia</i> roots. <i>Chemistry of Natural Compounds</i> , 2012, 48, 308-309.	0.8	3
87	Coumarins and carbazole alkaloids from the roots of <i>Micromilum glanduliferum</i> . <i>Biochemical Systematics and Ecology</i> , 2012, 40, 69-70.	1.3	10
88	Carbazole alkaloids and coumarins from <i>Clausena lansium</i> roots. <i>Phytochemistry Letters</i> , 2012, 5, 26-28.	1.2	37
89	Lucidafuranocoumarins B and C from the twigs of <i>Feroniella lucida</i> : Absolute configurations of lucidafuranocoumarin C. <i>Phytochemistry Letters</i> , 2012, 5, 309-312.	1.2	5
90	Glycopentaphyllone: The first isolation of hydroperoxyquinolone from the fruits of <i>Glycosmis pentaphylla</i> . <i>Phytochemistry Letters</i> , 2012, 5, 379-381.	1.2	25

#	ARTICLE	IF	CITATIONS
91	Chemical constituents from the roots of <i>Feroniella lucida</i>. Journal of Asian Natural Products Research, 2011, 13, 556-560.	1.4	8
92	The First Hydroperoxydihydrochalcone in the Etlingera Genus: Etlinglittoralin from the Rhizomes of Etlingera littoralis. Heterocycles, 2011, 83, 849.	0.7	4
93	Alkaloids and amides from Glycosmis macrophylla. Phytochemistry Letters, 2011, 4, 187-189.	1.2	25
94	Clausenawallines A and B, two new dimeric carbazole alkaloids from the roots of Clausena wallichii. Tetrahedron Letters, 2011, 52, 3303-3305.	1.4	20
95	Glycozolidal. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o1811-o1812.	0.2	3
96	5-Hydroxy-8,8-dimethyl-10-(2-methylbut-3-en-2-yl)-2H,6H-7,8-dihdropyrano[3,2-g]chromene-2,6-dione. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o422-o423.	0.2	1
97	Absolute configuration of micromelin. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o1706-o1707.	0.2	3
98	A New Depsidone from the Twigs of Garcinia cowa. Heterocycles, 2011, 83, 1139.	0.7	15
99	New coumarins from Clausena lansium twigs. Journal of the Brazilian Chemical Society, 2010, 21, 665-668.	0.6	29
100	1-(2,6-Dihydroxy-4-methoxyphenyl)-3-phenylpropan-1-one. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1120-o1121.	0.2	0
101	2-Hydroxy-7-methoxy-9H-carbazole-3-carbaldehyde. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o2418-o2419.	0.2	3
102	Antitumoral Alkaloids from Clausena lansium. Heterocycles, 2010, 81, 1261.	0.7	38
103	Carbazole alkaloids from the stems of <i>Clausena excavata</i>. Journal of Asian Natural Products Research, 2010, 12, 614-617.	1.4	30
104	New Xanthones from the Barks and Fruits of Cratoxylum cochinchinense. Heterocycles, 2009, 78, 1299.	0.7	7
105	Antimalarial and Cytotoxic Phenolic Compounds from Cratoxylum maingayi and Cratoxylum cochinchinense. Molecules, 2009, 14, 1389-1395.	3.8	41
106	Indizoline. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2497-o2498.	0.2	3
107	A New Coumarin from Clausena excavata. Heterocycles, 2009, 78, 2115.	0.7	10
108	Biocatalytic and semisynthetic optimization of the anti-invasive tobacco (1S,2E,4R,6R,7E,11E)-2,7,11-cembratriene-4,6-diol. Bioorganic and Medicinal Chemistry, 2008, 16, 2886-2893.	3.0	27

#	ARTICLE	IF	CITATIONS
109	Antimalarial, antimycobacterial and cytotoxic limonoids from <i>Chisocheton siamensis</i> . <i>Phytomedicine</i> , 2008, 15, 1130-1134.	5.3	51
110	New xanthones from <i>Cratoxylum cochinchinense</i> . <i>Canadian Journal of Chemistry</i> , 2008, 86, 757-760.	1.1	17
111	Semisynthetic and Biotransformation Studies of (1 <i>S</i> ,2 <i>i</i> ,4 <i>S</i> ,6 <i>R</i> ,7 <i>E</i> ,11 <i>E</i> -2,7,11-Cembratriene-4,6-diol. <i>Journal of Natural Products</i> , 2008, 71, 117-122.	3.0	31
112	A novel limonoid from the seeds of <i>Chisocheton siamensis</i> . <i>Canadian Journal of Chemistry</i> , 2008, 86, 205-208.	1.1	17
113	Reversal of P-Glycoprotein-Mediated Multidrug Resistance by Sipholane Triterpenoids. <i>Journal of Natural Products</i> , 2007, 70, 928-931.	3.0	55
114	Coumarins and xanthones from the seeds of <i>Mammea siamensis</i> . <i>Journal of the Brazilian Chemical Society</i> , 2007, 18, 1077-1080.	0.6	14
115	6 <i>±</i> -Acetoxyepoxyazadiradione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3583-o3584.	0.2	1
116	2,8-Dihydroxy-1-(3-methylbut-2-enyl)-9H-carbazole-3-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3964-o3965.	0.2	2
117	Phenolic compounds from <i>Mammea siamensis</i> seeds. <i>Canadian Journal of Chemistry</i> , 2006, 84, 1546-1549.	1.1	15
118	Cytotoxic and Antimalarial Prenylated Xanthones from <i>Cratoxylum cochinchinense</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 745-747.	1.3	71
119	Bioactive prenylated xanthones and anthraquinones from <i>Cratoxylum formosum</i> ssp. <i>pruniflorum</i> . <i>Tetrahedron</i> , 2006, 62, 8850-8859.	1.9	60
120	Tandem oxidation processes for the regioselective preparation of 5-substituted and 6-substituted 1,2,4-triazines. <i>Tetrahedron Letters</i> , 2006, 47, 3865-3870.	1.4	21
121	Cassane-Type Diterpenes from the Seeds of <i>Caesalpinia crista</i> . <i>Helvetica Chimica Acta</i> , 2006, 89, 1062-1066.	1.6	27
122	Triterpenoid Esters from <i>Bruguiera cylindrica</i> . <i>Australian Journal of Chemistry</i> , 2005, 58, 556.	0.9	6
123	5-Hydroxy-3,7-dimethoxy-2-phenyl-4H-1-benzopyran-4-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3086-o3088.	0.2	1
124	Cytotoxic cardenolide glycoside from the seeds of <i>Cerbera odollam</i> . <i>Phytochemistry</i> , 2004, 65, 507-510.	2.9	57
125	Pentacyclic Triterpenoid Esters from the Fruits of <i>Bruguiera cylindrica</i> . <i>Journal of Natural Products</i> , 2004, 67, 886-888.	3.0	22
126	New Sesquiterpenoid and Triterpenoids from the Fruits of <i>Rhizophora mucronata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 883-885.	1.3	27

#	ARTICLE	IF	CITATIONS
127	Bis[14 $\beta$ -hydroxy-3 $\beta$ -O-(L-thevetosyl)-5 $\beta$ -card-20(22)-enolide] methanol solvate monohydrate and 3 $\beta$ -O-(L-2 $\alpha$ -acetylthevetosyl)-14 $\beta$ -hydroxy-5 $\beta$ -card-20(22)-enolide. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o68-o70.	0.4	0
128	Absolute configuration of 3 $\beta$ -feruloyltaraxerol dichloromethane solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o1864-o1866.	0.2	1
129	Atomic charges of cerbinal. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 1352-1353.	0.4	3
130	Xanthones from the latex and twig extracts of <i>Garcinia nigrolineata</i> Planch. ex T. Anderson (Clusiaceae) and their antidiabetic and cytotoxic activities. <i>Natural Product Research</i> , 0, , 1-11.	1.8	1