
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4673377/publications.pdf Version: 2024-02-01



KVIIENC-MHAN MIN

#	Article	IF	CITATIONS
1	<scp>CDK</scp> 12 drives breast tumor initiation and trastuzumab resistance via <scp>WNT</scp> and <scp>IRS</scp> 1â€ErbB― <scp>PI</scp> 3K signaling. EMBO Reports, 2019, 20, e48058.	2.0	76
2	Exercise-Induced Myokines can Explain the Importance of Physical Activity in the Elderly: An Overview. Healthcare (Switzerland), 2020, 8, 378.	1.0	51
3	Role of RBP2-Induced ER and IGF1R-ErbB Signaling in Tamoxifen Resistance in Breast Cancer. Journal of the National Cancer Institute, 2018, 110, 400-410.	3.0	49
4	NSD3-Induced Methylation of H3K36 Activates NOTCH Signaling to Drive Breast Tumor Initiation and Metastatic Progression. Cancer Research, 2021, 81, 77-90.	0.4	41
5	Persistent elevation of postoperative neutrophil-to-lymphocyte ratio: A better predictor of survival in gastric cancer than elevated preoperative neutrophil-to-lymphocyte ratio. Scientific Reports, 2017, 7, 13967.	1.6	36
6	Clear Cell Carcinomas of the Ovary. International Journal of Gynecological Pathology, 2013, 32, 3-14.	0.9	35
7	Clinical implications of TERT promoter mutation on IDH mutation and MGMT promoter methylation in diffuse gliomas. Pathology Research and Practice, 2018, 214, 881-888.	1.0	33
8	Primary Synovial Sarcoma of the Thyroid Gland. Journal of Korean Medical Science, 2007, 22, S154.	1.1	27
9	Diagnostic and Prognostic Relevance of MMP-11 Expression in the Stromal Fibroblast-Like Cells Adjacent to Invasive Ductal Carcinoma of the Breast. Annals of Surgical Oncology, 2013, 20, 433-442.	0.7	27
10	High TNFRSF12A level associated with MMP-9 overexpression is linked to poor prognosis in breast cancer: Gene set enrichment analysis and validation in large-scale cohorts. PLoS ONE, 2018, 13, e0202113.	1.1	27
11	Histopathological spectrum of cutaneous tuberculosis and nonâ€ŧuberculous mycobacterial infections. Journal of Cutaneous Pathology, 2012, 39, 582-595.	0.7	26
12	Targeted next-generation sequencing of well-differentiated rectal, gastric, and appendiceal neuroendocrine tumors to identify potential targets. Human Pathology, 2019, 87, 83-94.	1.1	24
13	Clinical implication of programmed cell death-1 ligand-1 expression in tonsillar squamous cell carcinoma in association with intratumoral heterogeneity, human papillomavirus, and epithelial-to-mesenchymal transition. Human Pathology, 2018, 80, 28-39.	1.1	22
14	High SLC2A1 expression associated with suppressing CD8 T cells and B cells promoted cancer survival in gastric cancer. PLoS ONE, 2021, 16, e0245075.	1.1	21
15	Imaging Mass Spectrometry in Papillary Thyroid Carcinoma for the Identification and Validation of Biomarker Proteins. Journal of Korean Medical Science, 2014, 29, 934.	1.1	20
16	Cancer-associated fibroblasts are associated with poor prognosis in solid type of lung adenocarcinoma in a machine learning analysis. Scientific Reports, 2021, 11, 16779.	1.6	20
17	Invasion Depth Measured in Millimeters is a Predictor of Survival in Patients with Distal Bile Duct Cancer: Decision Tree Approach. World Journal of Surgery, 2017, 41, 232-240.	0.8	19
18	Programmed death ligand-1 and MET co-expression is a poor prognostic factor in gastric cancers after resection. Oncotarget, 2017, 8, 82399-82414.	0.8	19

#	Article	IF	CITATIONS
19	Overexpression of Id1 in transgenic mice promotes mammary basal stem cell activity and breast tumorigenesis. Oncotarget, 2015, 6, 17276-17290.	0.8	18
20	A High Ki67/BCL2 Index Could Predict Lower Disease-Free and Overall Survival in Intestinal-Type Gastric Cancer. European Surgical Research, 2017, 58, 158-168.	0.6	16
21	Association between Statin Use and Gastric Cancer: A Nested Case-Control Study Using a National Health Screening Cohort in Korea. Pharmaceuticals, 2021, 14, 1283.	1.7	15
22	Expression of mucins (MUC1, MUC2, MUC5AC and MUC6) in ALK-positive lung cancer: Comparison with EGFR-mutated lung cancer. Pathology Research and Practice, 2019, 215, 459-465.	1.0	14
23	High MMP-11 expression associated with low CD8+ T cells decreases the survival rate in patients with breast cancer. PLoS ONE, 2021, 16, e0252052.	1.1	13
24	Suppression of ARID1A associated with decreased CD8 T cells improves cell survival of ovarian clear cell carcinoma. Journal of Gynecologic Oncology, 2021, 32, e3.	1.0	13
25	Diagnostic and prognostic relevance of Cullin1 expression in invasive ductal carcinoma of the breast. Journal of Clinical Pathology, 2012, 65, 896-901.	1.0	12
26	Significance of druggable targets (PD-L1, KRAS, BRAF, PIK3CA, MSI, and HPV) on curatively resected esophageal squamous cell carcinoma. Diagnostic Pathology, 2020, 15, 126.	0.9	12
27	Thyroid Fine-Needle Aspiration Cytology Practice in Korea. Journal of Pathology and Translational Medicine, 2017, 51, 521-527.	0.4	11
28	Association between histological severity of Helicobacter pylori infection and cardiovascular risk scores in the Korean population. Atherosclerosis, 2021, 333, 124-130.	0.4	10
29	The Smad4/PTEN Expression Pattern Predicts Clinical Outcomes in Colorectal Adenocarcinoma. Journal of Pathology and Translational Medicine, 2018, 52, 37-44.	0.4	10
30	Microscopic Polyangiitis Following mRNA COVID-19 Vaccination: A Case Report. Journal of Korean Medical Science, 2022, 37, e154.	1.1	10
31	MassARRAY, pyrosequencing, and PNA clamping for EGFR mutation detection in lung cancer tissue and cytological samples: a multicenter study. Journal of Cancer Research and Clinical Oncology, 2016, 142, 2209-2216.	1.2	9
32	Expression Pattern of Smad4/GATA3 as a Predictor of Survival in Invasive Ductal Carcinoma of the Breast. Pathobiology, 2017, 84, 130-138.	1.9	9
33	Possible Association between the Use of Proton Pump Inhibitors and H2 Receptor Antagonists, and Esophageal Cancer: A Nested Case–Control Study Using a Korean National Health Screening Cohort. Pharmaceuticals, 2022, 15, 517.	1.7	9
34	High DKK3 expression related to immunosuppression was associated with poor prognosis in glioblastoma: machine learning approach. Cancer Immunology, Immunotherapy, 2022, 71, 3013-3027.	2.0	9
35	High Ki67/BCL2 index is associated with worse outcome in early stage breast cancer. Postgraduate Medical Journal, 2016, 92, 707-714.	0.9	8
36	Concurrent MET copy number gain and KRAS mutation is a poor prognostic factor in pancreatobiliary subtype ampullary cancers. Pathology Research and Practice, 2017, 213, 381-388.	1.0	8

#	Article	IF	CITATIONS
37	Smad4/Fascin index is highly prognostic in patients with diffuse type EBV-associated gastric cancer. Pathology Research and Practice, 2018, 214, 475-481.	1.0	8
38	BRAF and NRAS mutations and antitumor immunity in Korean malignant melanomas and their prognostic relevance: Gene set enrichment analysis and CIBERSORT analysis. Pathology Research and Practice, 2019, 215, 152671.	1.0	8
39	Chronic Gastritis Is Associated with a Decreased High-Density Lipid Level: Histological Features of Gastritis Based on the Updated Sydney System. Journal of Clinical Medicine, 2020, 9, 1856.	1.0	8
40	An Unusual Case of Bronchogenic Cyst Mimicking Thyroid Cystic Tumor. Otolaryngology - Head and Neck Surgery, 2007, 137, 520-521.	1.1	7
41	Increased VEGF-A in solid type of lung adenocarcinoma reduces the patients' survival. Scientific Reports, 2021, 11, 1321.	1.6	7
42	Changes in the Incidence Rates of Gastrointestinal Diseases Due to the COVID-19 Pandemic in South Korea: A Long-Term Perspective. Journal of Personalized Medicine, 2022, 12, 1144.	1.1	7
43	Penile actinomycosis clinically diagnosed as an epidermal cyst: a case report. Annals of the Royal College of Surgeons of England, 2012, 94, e22-e23.	0.3	6
44	Wnt7a Deficiency Could Predict Worse Disease-Free and Overall Survival in Estrogen Receptor-Positive Breast Cancer. Journal of Breast Cancer, 2017, 20, 361.	0.8	6
45	High WHSC1L1 Expression Reduces Survival Rates in Operated Breast Cancer Patients with Decreased CD8+ T Cells: Machine Learning Approach. Journal of Personalized Medicine, 2021, 11, 636.	1.1	6
46	Hepatobiliary and Pancreatic: Hepatic actinomycosis. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 844-844.	1.4	5
47	Negative Prognostic Implication of TERT Promoter Mutations in Human Papillomavirus–Negative Tonsillar Squamous Cell Carcinoma Under the New 8th AJCC Staging System. Indian Journal of Surgical Oncology, 2021, 12, 134-143.	0.3	5
48	Morsicatio Labiorum/Linguarum - Three Cases Report and a Review of the Literature Korean Journal of Pathology, 2009, 43, 174.	1.2	5
49	A Case of Gastric Carcinosarcoma with Neuroendocrine and Smooth Muscle Differentiation. Korean Journal of Pathology, 2010, 44, 87.	1.2	5
50	LGR5 and Downstream Intracellular Signaling Proteins Play Critical Roles in the Cell Proliferation of Neuroblastoma, Meningioma and Pituitary Adenoma. Experimental Neurobiology, 2019, 28, 628-641.	0.7	5
51	Prognostic associations of clinical and histopathological features in renal amyloidosis. Postgraduate Medical Journal, 2011, 87, 529-534.	0.9	4
52	Loss of p27 kip1 expression is associated with poor prognosis in patients with taxane-treated breast cancer. Pathology Research and Practice, 2018, 214, 565-571.	1.0	4
53	Higher Acid-Base Imbalance Associated with Respiratory Failure Could Decrease the Survival of Patients with Scrub Typhus during Intensive Care Unit Stay: A Gene Set Enrichment Analysis. Journal of Clinical Medicine, 2019, 8, 1580.	1.0	4
54	High polymerase ε expression associated with increased CD8+T cells improves survival in patients with non-small cell lung cancer. PLoS ONE, 2020, 15, e0233066.	1.1	4

#	Article	IF	CITATIONS
55	Potential Cancer Risk in Patients with Rheumatoid Arthritis: A Longitudinal Korean Population-Based Analysis. Journal of Personalized Medicine, 2022, 12, 965.	1.1	4
56	Expression of UTX Indicates Poor Prognosis in Patients With Luminal Breast Cancer and is Associated With MMP-11 Expression. Applied Immunohistochemistry and Molecular Morphology, 2020, 28, 544-550.	0.6	3
57	High KDM1A Expression Associated with Decreased CD8+T Cells Reduces the Breast Cancer Survival Rate in Patients with Breast Cancer. Journal of Clinical Medicine, 2021, 10, 1112.	1.0	3
58	Dual-organ invasion is associated with a lower survival rate than single-organ invasion in distal bile duct cancer: A multicenter study. Scientific Reports, 2018, 8, 10826.	1.6	2
59	High BMI1 Expression with Low CD8+ and CD4+ T Cell Activity Could Promote Breast Cancer Cell Survival: A Machine Learning Approach. Journal of Personalized Medicine, 2021, 11, 739.	1.1	1
60	Coexistence of metastatic thyroid cancer and tuberculosis in a single neck lymph node: a rare association. Korean Journal of Internal Medicine, 2018, 33, 1036-1037.	0.7	1
61	Prognostic impact of high p16/cyclin D1 index in breast cancer. International Journal of Clinical and Experimental Pathology, 2019, 12, 2224-2232.	0.5	1
62	A case report of allergic bronchopulmonary mycosis caused by Alternaria alternata in colonization of Aspergillus. Asian Pacific Journal of Allergy and Immunology, 2021, , .	0.2	0
63	CD44s and CD44v6 Are Predominantly Expressed in the Non-germinal Center B-Cell-like Type of Diffuse Large B-Cell Lymphomas. Korean Journal of Pathology, 2011, 45, 589.	1.2	0
64	A Case of Fungal Infection of Paratracheal Cyst that caused Airway Obstruction. Journal of Clinical Otolaryngology, 2021, 32, 322-326.	0.1	0
65	A Case of Human Papillomavirus–Related Multiphenotypic Sinonasal Carcinoma. Ear, Nose and Throat Journal, 0, , 014556132211123.	0.4	О