

Kyueng-Whan Min

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4673377/kyueng-whan-min-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

503
citations

14
h-index

19
g-index

71
ext. papers

699
ext. citations

3.7
avg, IF

3.7
L-index

#	Paper	IF	Citations
58	Role of RBP2-Induced ER and IGF1R-ErbB Signaling in Tamoxifen Resistance in Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2018 , 110,	9.7	35
57	CDK12 drives breast tumor initiation and trastuzumab resistance via WNT and IRS1-ErbB-PI3K signaling. <i>EMBO Reports</i> , 2019 , 20, e48058	6.5	34
56	Persistent elevation of postoperative neutrophil-to-lymphocyte ratio: A better predictor of survival in gastric cancer than elevated preoperative neutrophil-to-lymphocyte ratio. <i>Scientific Reports</i> , 2017 , 7, 13967	4.9	27
55	Clear cell carcinomas of the ovary: a multi-institutional study of 129 cases in Korea with prognostic significance of Emi1 and Galectin-3. <i>International Journal of Gynecological Pathology</i> , 2013 , 32, 3-14	3.2	24
54	Primary synovial sarcoma of the thyroid gland. <i>Journal of Korean Medical Science</i> , 2007 , 22 Suppl, S154-84.7	4.7	23
53	Clinical implications of TERT promoter mutation on IDH mutation and MGMT promoter methylation in diffuse gliomas. <i>Pathology Research and Practice</i> , 2018 , 214, 881-888	3.4	20
52	Diagnostic and prognostic relevance of MMP-11 expression in the stromal fibroblast-like cells adjacent to invasive ductal carcinoma of the breast. <i>Annals of Surgical Oncology</i> , 2013 , 20 Suppl 3, S433-42 ^{2.1}	3.1	20
51	Histopathological spectrum of cutaneous tuberculosis and non-tuberculous mycobacterial infections. <i>Journal of Cutaneous Pathology</i> , 2012 , 39, 582-95	1.7	19
50	Imaging mass spectrometry in papillary thyroid carcinoma for the identification and validation of biomarker proteins. <i>Journal of Korean Medical Science</i> , 2014 , 29, 934-40	4.7	19
49	NSD3-Induced Methylation of H3K36 Activates NOTCH Signaling to Drive Breast Tumor Initiation and Metastatic Progression. <i>Cancer Research</i> , 2021 , 81, 77-90	10.1	18
48	High TNFRSF12A level associated with MMP-9 overexpression is linked to poor prognosis in breast cancer: Gene set enrichment analysis and validation in large-scale cohorts. <i>PLoS ONE</i> , 2018 , 13, e0202113 ^{3.7}	3.7	17
47	Targeted next-generation sequencing of well-differentiated rectal, gastric, and appendiceal neuroendocrine tumors to identify potential targets. <i>Human Pathology</i> , 2019 , 87, 83-94	3.7	16
46	Invasion Depth Measured in Millimeters is a Predictor of Survival in Patients with Distal Bile Duct Cancer: Decision Tree Approach. <i>World Journal of Surgery</i> , 2017 , 41, 232-240	3.3	15
45	Programmed death ligand-1 and MET co-expression is a poor prognostic factor in gastric cancers after resection. <i>Oncotarget</i> , 2017 , 8, 82399-82414	3.3	15
44	Clinical implication of programmed cell death-1 ligand-1 expression in tonsillar squamous cell carcinoma in association with intratumoral heterogeneity, human papillomavirus, and epithelial-to-mesenchymal transition. <i>Human Pathology</i> , 2018 , 80, 28-39	3.7	14
43	Overexpression of Id1 in transgenic mice promotes mammary basal stem cell activity and breast tumorigenesis. <i>Oncotarget</i> , 2015 , 6, 17276-90	3.3	14
42	Exercise-Induced Myokines can Explain the Importance of Physical Activity in the Elderly: An Overview. <i>Healthcare (Switzerland)</i> , 2020 , 8,	3.4	14

41	A High Ki67/BCL2 Index Could Predict Lower Disease-Free and Overall Survival in Intestinal-Type Gastric Cancer. <i>European Surgical Research</i> , 2017 , 58, 158-168	1.1	10
40	Expression of mucins (MUC1, MUC2, MUC5AC and MUC6) in ALK-positive lung cancer: Comparison with EGFR-mutated lung cancer. <i>Pathology Research and Practice</i> , 2019 , 215, 459-465	3.4	10
39	Diagnostic and prognostic relevance of Cullin1 expression in invasive ductal carcinoma of the breast. <i>Journal of Clinical Pathology</i> , 2012 , 65, 896-901	3.9	9
38	The Smad4/PTEN Expression Pattern Predicts Clinical Outcomes in Colorectal Adenocarcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2018 , 52, 37-44	2.9	9
37	MassARRAY, pyrosequencing, and PNA clamping for EGFR mutation detection in lung cancer tissue and cytological samples: a multicenter study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 2209-16	4.9	8
36	Thyroid Fine-Needle Aspiration Cytology Practice in Korea. <i>Journal of Pathology and Translational Medicine</i> , 2017 , 51, 521-527	2.9	8
35	High SLC2A1 expression associated with suppressing CD8 T cells and B cells promoted cancer survival in gastric cancer. <i>PLoS ONE</i> , 2021 , 16, e0245075	3.7	8
34	High Ki67/BCL2 index is associated with worse outcome in early stage breast cancer. <i>Postgraduate Medical Journal</i> , 2016 , 92, 707-714	2	8
33	Concurrent MET copy number gain and KRAS mutation is a poor prognostic factor in pancreatobiliary subtype ampullary cancers. <i>Pathology Research and Practice</i> , 2017 , 213, 381-388	3.4	6
32	Expression Pattern of Smad4/GATA3 as a Predictor of Survival in Invasive Ductal Carcinoma of the Breast. <i>Pathobiology</i> , 2017 , 84, 130-138	3.6	5
31	Wnt7a Deficiency Could Predict Worse Disease-Free and Overall Survival in Estrogen Receptor-Positive Breast Cancer. <i>Journal of Breast Cancer</i> , 2017 , 20, 361-367	3	5
30	Penile actinomycosis clinically diagnosed as an epidermal cyst: a case report. <i>Annals of the Royal College of Surgeons of England</i> , 2012 , 94, e22-3	1.4	5
29	An unusual case of bronchogenic cyst mimicking thyroid cystic tumor. <i>Otolaryngology - Head and Neck Surgery</i> , 2007 , 137, 520-1	5.5	5
28	Suppression of ARID1A associated with decreased CD8 T cells improves cell survival of ovarian clear cell carcinoma. <i>Journal of Gynecologic Oncology</i> , 2021 , 32, e3	4	5
27	BRAF and NRAS mutations and antitumor immunity in Korean malignant melanomas and their prognostic relevance: Gene set enrichment analysis and CIBERSORT analysis. <i>Pathology Research and Practice</i> , 2019 , 215, 152671	3.4	4
26	Loss of p27 expression is associated with poor prognosis in patients with taxane-treated breast cancer. <i>Pathology Research and Practice</i> , 2018 , 214, 565-571	3.4	4
25	Smad4/Fascin index is highly prognostic in patients with diffuse type EBV-associated gastric cancer. <i>Pathology Research and Practice</i> , 2018 , 214, 475-481	3.4	4
24	Education and Imaging. Hepatobiliary and pancreatic: Hepatic actinomycosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 844	4	4

23	Prognostic associations of clinical and histopathological features in renal amyloidosis. <i>Postgraduate Medical Journal</i> , 2011 , 87, 529-34	2	4
22	Association between Statin Use and Gastric Cancer: A Nested Case-Control Study Using a National Health Screening Cohort in Korea.. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	4
21	Morsicatio Labiorum/Linguarum - Three Cases Report and a Review of the Literature -. <i>Korean Journal of Pathology</i> , 2009 , 43, 174		4
20	A Case of Gastric Carcinosarcoma with Neuroendocrine and Smooth Muscle Differentiation. <i>Korean Journal of Pathology</i> , 2010 , 44, 87		4
19	Significance of druggable targets (PD-L1, KRAS, BRAF, PIK3CA, MSI, and HPV) on curatively resected esophageal squamous cell carcinoma. <i>Diagnostic Pathology</i> , 2020 , 15, 126	3	4
18	Chronic Gastritis Is Associated with a Decreased High-Density Lipid Level: Histological Features of Gastritis Based on the Updated Sydney System. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
17	Negative Prognostic Implication of Promoter Mutations in Human Papillomavirus-Negative Tonsillar Squamous Cell Carcinoma Under the New 8th AJCC Staging System. <i>Indian Journal of Surgical Oncology</i> , 2021 , 12, 134-143	0.7	3
16	Higher Acid-Base Imbalance Associated with Respiratory Failure Could Decrease the Survival of Patients with Scrub Typhus during Intensive Care Unit Stay: A Gene Set Enrichment Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
15	LGR5 and Downstream Intracellular Signaling Proteins Play Critical Roles in the Cell Proliferation of Neuroblastoma, Meningioma and Pituitary Adenoma. <i>Experimental Neurobiology</i> , 2019 , 28, 628-641	4	2
14	High MMP-11 expression associated with low CD8+ T cells decreases the survival rate in patients with breast cancer. <i>PLoS ONE</i> , 2021 , 16, e0252052	3.7	2
13	High WHSC1L1 Expression Reduces Survival Rates in Operated Breast Cancer Patients with Decreased CD8+ T Cells: Machine Learning Approach. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	2
12	Dual-organ invasion is associated with a lower survival rate than single-organ invasion distal bile duct cancer: A multicenter study. <i>Scientific Reports</i> , 2018 , 8, 10826	4.9	1
11	Prognostic impact of high p16/cyclin D1 index in breast cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2019 , 12, 2224-2232	1.4	1
10	Coexistence of metastatic thyroid cancer and tuberculosis in a single neck lymph node: a rare association. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 1036-1037	2.5	1
9	Expression of UTX Indicates Poor Prognosis in Patients With Luminal Breast Cancer and is Associated With MMP-11 Expression. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2020 , 28, 544-550	1.9	1
8	Increased VEGF-A in solid type of lung adenocarcinoma reduces the patients survival. <i>Scientific Reports</i> , 2021 , 11, 1321	4.9	1
7	Association between histological severity of Helicobacter pylori infection and cardiovascular risk scores in the Korean population. <i>Atherosclerosis</i> , 2021 , 333, 124-130	3.1	1
6	Possible Association between the Use of Proton Pump Inhibitors and H2 Receptor Antagonists, and Esophageal Cancer: A Nested Case-Control Study Using a Korean National Health Screening Cohort. <i>Pharmaceuticals</i> , 2022 , 15, 517	5.2	1

- 5 High polymerase β expression associated with increased CD8+T cells improves survival in patients with non-small cell lung cancer. *PLoS ONE*, **2020**, 15, e0233066 3.7 ○
- 4 Cancer-associated fibroblasts are associated with poor prognosis in solid type of lung adenocarcinoma in a machine learning analysis. *Scientific Reports*, **2021**, 11, 16779 4.9 ○
- 3 Microscopic Polyangiitis Following mRNA COVID-19 Vaccination: A Case Report.. *Journal of Korean Medical Science*, **2022**, 37, e154 4.7 ○
- 2 CD44s and CD44v6 Are Predominantly Expressed in the Non-germinal Center B-Cell-like Type of Diffuse Large B-Cell Lymphomas. *Korean Journal of Pathology*, **2011**, 45, 589
- 1 A Case of Fungal Infection of Paratracheal Cyst that caused Airway Obstruction. *Journal of Clinical Otolaryngology*, **2021**, 32, 322-326 ○