

Bjarne Nrgaard

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4673746/bjarne-norgaard-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

6,043
citations

38
h-index

76
g-index

131
ext. papers

7,821
ext. citations

4.8
avg, IF

5.25
L-index

#	Paper	IF	Citations
120	Long-term outcomes in a randomized controlled trial of multimodality imaging-guided left ventricular lead placement in cardiac resynchronization therapy.. <i>Europace</i> , 2022 ,	3.9	1
119	Cardiac computed tomography-verified right ventricular lead position and outcomes in cardiac resynchronization therapy.. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022 , 1	2.4	
118	Worldwide Disparities in Recovery of Cardiac Testing 1 Year Into COVID-19.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 2001-2017	15.1	1
117	Prognostic value of coronary computed tomography angiographic derived fractional flow reserve: a systematic review and meta-analysis. <i>Heart</i> , 2021 ,	5.1	3
116	Computed Tomography-Derived Fractional Flow Reserve in Patients With Chronic Coronary Syndrome: A Real-World Cohort Study. <i>Journal of Computer Assisted Tomography</i> , 2021 , 45, 408-414	2.2	0
115	Interplay of Risk Factors and Coronary Artery Calcium for CHD Risk in Young Patients. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 2387-2396	8.4	0
114	Heterogenous Distribution of Risk for Cardiovascular Disease Events in Patients With Stable Ischemic Heart Disease. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 442-450	8.4	3
113	The clinical utility of FFR stratified by age. <i>Journal of Cardiovascular Computed Tomography</i> , 2021 , 15, 121-128	2.8	2
112	Peridevice Leak Following Amplatzer Left Atrial Appendage Occlusion: Cardiac Computed Tomography Classification and Clinical Outcomes. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 83-93	5	10
111	International Impact of COVID-19 on the Diagnosis of Heart Disease. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 173-185	15.1	55
110	Impact of COVID-19 on Cardiovascular Testing in the United States Versus the Rest of the World. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1787-1799	8.4	8
109	CAD Severity on Cardiac CTA Identifies Patients With Most Benefit of Treating LDL-Cholesterol to ACC/AHA and ESC/EAS Targets. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 1961-1972	8.4	7
108	Coronary flow impairment in asymptomatic patients with early stage type-2 diabetes: Detection by FFR. <i>Diabetes and Vascular Disease Research</i> , 2020 , 17, 1479164120958422	3.3	1
107	Left Atrial Function Determined by Cardiac Computed Tomography Predicts Device-Detected Atrial High-Rate Episodes in Patients Treated With Cardiac Resynchronization Therapy. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 784-789	2.2	1
106	Impact of Plaque Burden Versus Stenosis on Ischemic Events in Patients With Coronary Atherosclerosis. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2803-2813	15.1	39
105	Coronary Access After TAVR-in-TAVR as Evaluated by Multidetector Computed Tomography. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 2528-2538	5	21
104	1-Year Impact on Medical Practice and Clinical Outcomes of FFR: The ADVANCE Registry. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 97-105	8.4	88

103	Detection of Device-Related Thrombosis Following Left Atrial Appendage Occlusion: A Comparison Between Cardiac Computed Tomography and Transesophageal Echocardiography. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e008112	6	18
102	The AuthorsTReply. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 940-941	8.4	
101	Prognostic Value and Risk Continuum of Noninvasive Fractional Flow Reserve Derived from Coronary CT Angiography. <i>Radiology</i> , 2019 , 292, 343-351	20.5	41
100	The AuthorsTReply. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 943-944	8.4	
99	Prognosis of CT-derived Fractional Flow Reserve in the Prediction of Clinical Outcomes. <i>Radiology: Cardiothoracic Imaging</i> , 2019 , 1, e190021	8.3	3
98	Determinants of Rejection Rate for Coronary CT Angiography Fractional Flow Reserve Analysis. <i>Radiology</i> , 2019 , 292, 597-605	20.5	24
97	Electrically vs. imaging-guided left ventricular lead placement in cardiac resynchronization therapy: a randomized controlled trial. <i>Europace</i> , 2019 , 21, 1369-1377	3.9	15
96	Pressure Recovery in the Left Main Stenosis. <i>Journal of Clinical Imaging Science</i> , 2019 , 9, 39	1.1	0
95	Coronary CT Angiography-derived Fractional Flow Reserve Testing in Patients with Stable Coronary Artery Disease: Recommendations on Interpretation and Reporting. <i>Radiology: Cardiothoracic Imaging</i> , 2019 , 1, e190050	8.3	24
94	Transcatheter Aortic Heart Valves: Histological Analysis Providing Insight to Leaflet Thickening and Structural Valve Degeneration. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 135-145	8.4	56
93	Computed Tomography Imaging in the Context of Transcatheter Aortic Valve Implantation (TAVI)/Transcatheter Aortic Valve Replacement (TAVR): An Expert Consensus Document of the Society of Cardiovascular Computed Tomography. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 1-24	8.4	137
92	Bicuspid Aortic Valve Anatomy and Relationship With Devices: The BAVARD Multicenter Registry. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e007107	6	63
91	General practice preventive health care in non-obstructive coronary artery disease determined by coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2019 , 278, 14-21	3.2	2
90	Aortic valve and left ventricular outflow tract calcium volume and distribution in transcatheter aortic valve replacement: Influence on the risk of significant paravalvular regurgitation. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 290-297	2.8	18
89	Longer inter-lead electrical delay is associated with response to cardiac resynchronization therapy in patients with presumed optimal left ventricular lead position. <i>Europace</i> , 2018 , 20, 1630-1637	3.9	8
88	Lesion-Specific and Vessel-Related Determinants of Fractional Flow Reserve Beyond Coronary Artery Stenosis. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 521-530	8.4	55
87	The Authors Reply. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 285-286	8.4	0
86	Incidence and predictors of lesion-specific ischemia by FFR: Learnings from the international ADVANCE registry. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 95-100	2.8	21

85	Integrated prediction of lesion-specific ischaemia from quantitative coronary CT angiography using machine learning: a multicentre study. <i>European Radiology</i> , 2018 , 28, 2655-2664	8	85
84	Impact of statin therapy on coronary plaque burden and composition assessed by coronary computed tomographic angiography: a systematic review and meta-analysis. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 850-858	4.1	33
83	Applicability and accuracy of pretest probability calculations implemented in the NICE clinical guideline for decision making about imaging in patients with chest pain of recent onset. <i>European Radiology</i> , 2018 , 28, 4006-4017	8	1
82	Computed tomography derived fractional flow reserve testing in stable patients with typical angina pectoris: influence on downstream rate of invasive coronary angiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 405-414	4.1	35
81	CT-based total vessel plaque analyses improves prediction of hemodynamic significance lesions as assessed by fractional flow reserve in patients with stable angina pectoris. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 344-349	2.8	13
80	Coronary CT Angiographic and Flow Reserve-Guided Management of Patients With Stable Ischemic Heart Disease. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2123-2134	15.1	75
79	Real-world clinical utility and impact on clinical decision-making of coronary computed tomography angiography-derived fractional flow reserve: lessons from the ADVANCE Registry. <i>European Heart Journal</i> , 2018 , 39, 3701-3711	9.5	118
78	Prospective Comparison of FFR Derived From Coronary CT Angiography With SPECT Perfusion Imaging in Stable Coronary Artery Disease: The ReASSESS Study. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 1640-1650	8.4	62
77	Recent controversy regarding the accuracy of CT-FFR. The truth is out there. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, e1	2.8	4
76	Clinical Use of Coronary CTA-Derived FFR for Decision-Making in Stable CAD. <i>JACC: Cardiovascular Imaging</i> , 2017 , 10, 541-550	8.4	85
75	Comparison of Durable-Polymer Zotarolimus-Eluting and Biodegradable-Polymer Biolimus-Eluting Coronary Stents in Patients With Coronary Artery Disease: 3-Year Clinical Outcomes in the Randomized SORT OUT VI Trial. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 255-264	5	33
74	Left ventricular access point determination for a coaxial approach to the mitral annular landing zone in transcatheter mitral valve replacement. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 281-287	2.8	19
73	Left atrial size and function as assessed by computed tomography in cardiac resynchronization therapy: Association to echocardiographic and clinical outcome. <i>International Journal of Cardiovascular Imaging</i> , 2017 , 33, 917-925	2.5	4
72	Fractional flow reserve derived from coronary computed tomography angiography: diagnostic performance in hypertensive and diabetic patients. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 1351-1360	4.1	10
71	Rationale, design and goals of the HeartFlow assessing diagnostic value of non-invasive FFR in Coronary Care (ADVANCE) registry. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 62-67	2.8	29
70	Fractional flow reserve derived from coronary computed tomography angiography reclassification rate using value distal to lesion compared to lowest value. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 462-467	2.8	34
69	Coronary CT Angiography Derived Fractional Flow Reserve: The Game Changer in Noninvasive Testing. <i>Current Cardiology Reports</i> , 2017 , 19, 112	4.2	6
68	Coronary lumen volume to myocardial mass ratio in primary microvascular angina. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 423-428	2.8	18

67	Myocardial Perfusion Imaging Versus Computed Tomography Angiography-Derived Fractional Flow Reserve Testing in Stable Patients With Intermediate-Range Coronary Lesions: Influence on Downstream Diagnostic Workflows and Invasive Angiography Findings. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	18
66	Effect of the ratio of coronary arterial lumen volume to left ventricle myocardial mass derived from coronary CT angiography on fractional flow reserve. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 429-436	2.8	41
65	Interpreting results of coronary computed tomography angiography-derived fractional flow reserve in clinical practice. <i>Journal of Cardiovascular Computed Tomography</i> , 2017 , 11, 383-388	2.8	31
64	High burden of coronary atherosclerosis in patients with cirrhosis. <i>European Journal of Clinical Investigation</i> , 2017 , 47, 565-573	4.6	10
63	FFR Derived From Coronary CT Angiography in Nonculprit Lesions of Patients With Recent STEMI. <i>JACC: Cardiovascular Imaging</i> , 2017 , 10, 424-433	8.4	44
62	Late Obstructive Transcatheter Heart Valve Thrombosis Resolved by Rivaroxaban. <i>American Journal of Case Reports</i> , 2017 , 18, 573-575	1.3	4
61	High-pressure balloon fracturing of small dysfunctional Mitroflow bioprostheses facilitates transcatheter aortic valve-in-valve implantation. <i>EuroIntervention</i> , 2017 , 13, e1020-e1025	3.1	31
60	Outcomes in patients with contained ruptures of the aortic annulus after transcatheter aortic valve implantation with balloon-expandable devices. <i>EuroIntervention</i> , 2017 , 13, 1300-1302	3.1	5
59	SCCT guidelines for the performance and acquisition of coronary computed tomographic angiography: A report of the society of Cardiovascular Computed Tomography Guidelines Committee: Endorsed by the North American Society for Cardiovascular Imaging (NASCI). <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 435-449	2.8	386
58	Coronary Computed Tomography Angiography Derived Fractional Flow Reserve and Plaque Stress. <i>Current Cardiovascular Imaging Reports</i> , 2016 , 9, 2	0.7	25
57	Transcatheter aortic valve implantation in a young heart transplant recipient crossing the traditional boundaries. <i>Journal of Thoracic Disease</i> , 2016 , 8, E711-4	2.6	4
56	Prosthetic valve endocarditis after transcatheter aortic valve implantation-diagnostic and surgical considerations. <i>Journal of Thoracic Disease</i> , 2016 , 8, E1213-E1218	2.6	6
55	Multimodality imaging-guided left ventricular lead placement in cardiac resynchronization therapy: a randomized controlled trial. <i>European Journal of Heart Failure</i> , 2016 , 18, 1365-1374	12.3	70
54	White Matter Lesions, Carotid and Coronary Atherosclerosis in Late-Onset Depression and Healthy Controls. <i>Psychosomatics</i> , 2016 , 57, 369-77	2.6	10
53	Reproducibility of semi-automatic coronary plaque quantification in coronary CT angiography with sub-mSv radiation dose. <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 114-20	2.8	24
52	Coronary plaque quantification and fractional flow reserve by coronary computed tomography angiography identify ischaemia-causing lesions. <i>European Heart Journal</i> , 2016 , 37, 1220-7	9.5	184
51	Association of Coronary Stenosis and Plaque Morphology With Fractional Flow Reserve and Outcomes. <i>JAMA Cardiology</i> , 2016 , 1, 350-7	16.2	69
50	Transcatheter Aortic Valve Thrombosis: Incidence, Predisposing Factors, and Clinical Implications. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2059-2069	15.1	236

49	Potential impact of clinical use of noninvasive FFRCT on radiation dose exposure and downstream clinical event rate. <i>Clinical Imaging</i> , 2016 , 40, 1055-60	2.7	7
48	Computed tomography assessment for transcatheter aortic valve in valve implantation: The vancouver approach to predict anatomical risk for coronary obstruction and other considerations. <i>Journal of Cardiovascular Computed Tomography</i> , 2016 , 10, 491-499	2.8	54
47	Visualization of Coronary Artery Calcification: Influence on Risk Modification. <i>American Journal of Medicine</i> , 2015 , 128, 1023.e23-31	2.4	9
46	The paced electrocardiogram cannot be used to identify left and right ventricular pacing sites in cardiac resynchronization therapy: validation by cardiac computed tomography. <i>Europace</i> , 2015 , 17, 432-39	3.9	5
45	Incidence and severity of paravalvular aortic regurgitation with multidetector computed tomography nominal area oversizing or undersizing after transcatheter heart valve replacement with the Sapien 3: a comparison with the Sapien XT. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 462-471	5	97
44	Rationale and design of the Prospective Longitudinal Trial of FFRCT: Outcome and Resource Impacts study. <i>American Heart Journal</i> , 2015 , 170, 438-46.e44	4.9	13
43	Influence of Coronary Calcification on the Diagnostic Performance of CT Angiography Derived FFR in Coronary Artery Disease: A Substudy of the NXT Trial. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 1045-1055	8.4	102
42	A Strategy of Underexpansion and Ad Hoc Post-Dilation of Balloon-Expandable Transcatheter Aortic Valves in Patients at Risk of Annular Injury: Favorable Mid-Term Outcomes. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1727-32	5	15
41	Fracturing the Ring of Small Mitroflow Bioprostheses by High-Pressure Balloon Predilatation in Transcatheter Aortic Valve-in-Valve Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e002667	6.67	38
40	Fractional flow reserve modeled from resting coronary CT angiography: state of the science. <i>American Journal of Roentgenology</i> , 2015 , 204, W243-8	5.4	9
39	The impact of calcium volume and distribution in aortic root injury related to balloon-expandable transcatheter aortic valve replacement. <i>Journal of Cardiovascular Computed Tomography</i> , 2015 , 9, 382-92	2.8	62
38	Noninvasive Fractional Flow Reserve for the Diagnosis of Lesion-specific Ischemia: A Case Example. <i>Journal of Clinical Imaging Science</i> , 2015 , 5, 3	1.1	1
37	A "normal" invasive coronary angiogram may not be normal. <i>Journal of Cardiovascular Computed Tomography</i> , 2015 , 9, 264-6	2.8	4
36	Diagnostic accuracy and discrimination of ischemia by fractional flow reserve CT using a clinical use rule: results from the Determination of Fractional Flow Reserve by Anatomic Computed Tomographic Angiography study. <i>Journal of Cardiovascular Computed Tomography</i> , 2015 , 9, 120-8	2.8	17
35	Fractional flow reserve derived from coronary CT angiography in stable coronary disease: a new standard in non-invasive testing?. <i>European Radiology</i> , 2015 , 25, 2282-90	8	19
34	The Western Denmark Cardiac Computed Tomography Registry: a review and validation study. <i>Clinical Epidemiology</i> , 2015 , 7, 53-64	5.9	31
33	Diagnostic performance of noninvasive fractional flow reserve derived from coronary computed tomography angiography in suspected coronary artery disease: the NXT trial (Analysis of Coronary Blood Flow Using CT Angiography: Next Steps). <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1145-1155	15.1	871
32	Which exercise test to use for chest pain from an anomalous coronary artery. <i>Congenital Heart Disease</i> , 2014 , 9, E6-E10	3.1	6

31	Fractional flow reserve derived from coronary CT angiography: variation of repeated analyses. <i>Journal of Cardiovascular Computed Tomography</i> , 2014 , 8, 307-14	2.8	39
30	Left and right ventricular lead positions are imprecisely determined by fluoroscopy in cardiac resynchronization therapy: a comparison with cardiac computed tomography. <i>Europace</i> , 2014 , 16, 1334-41	2.9	30
29	Underexpansion and ad hoc post-dilation in selected patients undergoing balloon-expandable transcatheter aortic valve replacement. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 976-81	15.1	46
28	Coronary plaque volume and composition assessed by computed tomography angiography in patients with late-onset major depression. <i>Psychosomatics</i> , 2014 , 55, 243-51	2.6	4
27	The impact of integration of a multidetector computed tomography annulus area sizing algorithm on outcomes of transcatheter aortic valve replacement: a prospective, multicenter, controlled trial. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 431-8	15.1	274
26	Rationale and design of the HeartFlowNXT (HeartFlow analysis of coronary blood flow using CT angiography: NeXt sSteps) study. <i>Journal of Cardiovascular Computed Tomography</i> , 2013 , 7, 279-88	2.8	47
25	Multidetector CT predictors of prosthesis-patient mismatch in transcatheter aortic valve replacement. <i>Journal of Cardiovascular Computed Tomography</i> , 2013 , 7, 248-55	2.8	12
24	Entrapment of the left anterior descending coronary artery by localized calcific pericarditis: from dynamic to fixed coronary stenosis. <i>Circulation</i> , 2013 , 128, e30-1	16.7	2
23	Anatomical and procedural features associated with aortic root rupture during balloon-expandable transcatheter aortic valve replacement. <i>Circulation</i> , 2013 , 128, 244-53	16.7	354
22	Hypereosinophilic Syndrome Leading to Severe Right-Sided Heart Failure in a Patient with Ebstein's Anomaly. <i>Case Reports in Cardiology</i> , 2013 , 2013, 659832	0.6	1
21	Three-dimensional multidetector computed tomography versus conventional 2-dimensional transesophageal echocardiography for annular sizing in transcatheter aortic valve replacement: Influence on postprocedural paravalvular aortic regurgitation. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 82, 977-86	2.7	34
20	Social factors and coping status in asymptomatic middle-aged Danes: association to coronary artery calcification. <i>Scandinavian Journal of Public Health</i> , 2013 , 41, 737-43	3	5
19	Coronary artery calcification and ECG pattern of left ventricular hypertrophy or strain identify different healthy individuals at risk. <i>Journal of Hypertension</i> , 2013 , 31, 595-600; discussion 600	1.9	5
18	Cardiac arrest in a teenager due to anomalous left coronary artery: diagnosis, management and short-term follow-up. <i>International Journal of Cardiology</i> , 2012 , 156, e22-3	3.2	2
17	3-dimensional aortic annular assessment by multidetector computed tomography predicts moderate or severe paravalvular regurgitation after transcatheter aortic valve replacement: a multicenter retrospective analysis. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 1287-94	15.1	338
16	Reproducibility of coronary plaque detection and characterization using low radiation dose coronary computed tomographic angiography in patients with intermediate likelihood of coronary artery disease (ReSCAN study). <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 889-99	2.5	17
15	Discrepancy between coronary artery calcium score and HeartScore in middle-aged Danes: the DanRisk study. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 558-64	3.9	52
14	Frontline diagnostic evaluation of patients suspected of angina by coronary computed tomography reduces downstream resource utilization when compared to conventional ischemia testing. <i>International Journal of Cardiovascular Imaging</i> , 2011 , 27, 813-23	2.5	10

13	Urban and rural implementation of pre-hospital diagnosis and direct referral for primary percutaneous coronary intervention in patients with acute ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2011 , 32, 430-6	9.5	132
12	ST changes before and during primary percutaneous coronary intervention predict final infarct size in patients with ST elevation myocardial infarction. <i>Journal of Electrocardiology</i> , 2009 , 42, 64-72	1.4	22
11	Heart failure after aortic valve substitution due to severe hypothyroidism. <i>International Journal of Cardiology</i> , 2008 , 127, e164-6	3.2	1
10	Does postsystolic motion or shortening predict recovery of myocardial function after primary percutaneous coronary intervention?. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 505-11 ⁸	5.8	19
9	Potential significance of spontaneous and interventional ST-changes in patients transferred for primary percutaneous coronary intervention: observations from the ST-MONitoring in Acute Myocardial Infarction study (The MONAMI study). <i>European Heart Journal</i> , 2006 , 27, 267-75	9.5	57
8	A phase of increased ST elevation during coronary occlusion following ischemic preconditioning. <i>Basic Research in Cardiology</i> , 2006 , 101, 140-8	11.8	4
7	Mortality rates in patients with ST-elevation vs. non-ST-elevation acute myocardial infarction: observations from an unselected cohort. <i>European Heart Journal</i> , 2005 , 26, 18-26	9.5	213
6	Prehospital evaluation in ST-elevation myocardial infarction patients treated with primary percutaneous coronary intervention. <i>Journal of Electrocardiology</i> , 2005 , 38, 187-92	1.4	34
5	Reduction of treatment delay in patients with ST-elevation myocardial infarction: impact of pre-hospital diagnosis and direct referral to primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2005 , 26, 770-7	9.5	195
4	Computerized vectorcardiography telemetry: a new device for continuous multilead ST-segment monitoring of ambulatory patients. A preliminary report. <i>Annals of Noninvasive Electrocardiology</i> , 2002 , 7, 204-10	1.5	3
3	A technical approach for optimizing surveillance of patients with unstable coronary syndromes: continuous vectorcardiography ischemic monitoring. <i>Cardiology</i> , 2000 , 94, 131-8	1.6	4
2	Admission risk assessment by cardiac troponin T in unstable coronary artery disease: additional prognostic information from continuous ST segment monitoring. TRIM study group. Thrombin Inhibition in Myocardial Ischemia. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1519-27	15.1	40
1	Efficacy and safety of intravenously administered dofetilide in acute termination of atrial fibrillation and flutter: a multicenter, randomized, double-blind, placebo-controlled trial. Danish Dofetilide in Atrial Fibrillation and Flutter Study Group. <i>American Heart Journal</i> , 1999 , 137, 1062-9	4.9	87