

Sui-Dong Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4674989/sui-dong-wang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

4,778
citations

36
h-index

64
g-index

137
ext. papers

5,223
ext. citations

6.1
avg, IF

5.54
L-index

#	Paper	IF	Citations
132	UV-Enabled Multibit Organic Transistor Memory With High Controllability and Stability. <i>IEEE Electron Device Letters</i> , 2022 , 43, 124-127	4.4	0
131	Soft memtransistor with ion transfer interface. <i>Flexible and Printed Electronics</i> , 2022 , 7, 014015	3.1	
130	ZnO nanowire optoelectronic synapse for neuromorphic computing. <i>Nanotechnology</i> , 2021 , 33,	3.4	4
129	Conducting polymer-inorganic nanocomposite-based gas sensors: a review. <i>Science and Technology of Advanced Materials</i> , 2021 , 21, 768-786	7.1	31
128	Enhanced carrier injection hotspot effect by direct and simple ITO surface engineering. <i>Applied Physics Letters</i> , 2021 , 118, 223301	3.4	0
127	Egg-White-Based Polymer Memristors With Competing Electronic-Ionic Effect and Timescale-Dependent Current Modulation. <i>IEEE Electron Device Letters</i> , 2021 , 42, 228-231	4.4	3
126	Amine-Assisted Delaminated 2D TiCT MXenes for High Specific Capacitance in Neutral Aqueous Electrolytes. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 35878-35888	9.5	2
125	Small-Area Perovskite Photodiodes With High Detectivity and Stability. <i>IEEE Electron Device Letters</i> , 2021 , 42, 1200-1203	4.4	1
124	Polymer Thin Film Memtransistors Based on Ion-Carrier Exchange Heterojunction. <i>IEEE Electron Device Letters</i> , 2021 , 42, 1528-1531	4.4	3
123	Ultraviolet to Near-Infrared Broadband Phototransistors Based on Hybrid InGaZnO/C8-BTBT Heterojunction Structure. <i>IEEE Electron Device Letters</i> , 2021 , 1-1	4.4	1
122	High Visible-Light-Stimulated Plasticity in Optoelectronic Synaptic Transistors for Irradiation History-Dependent Learning. <i>Advanced Electronic Materials</i> , 2020 , 6, 1901255	6.4	9
121	Selective UV-Gating Organic Memtransistors with Modulable Levels of Synaptic Plasticity. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900955	6.4	18
120	Ultrasensitive ZnO Nanowire Photodetectors with a Polymer Electret Interlayer for Minimizing Dark Current. <i>Advanced Optical Materials</i> , 2020 , 8, 1901289	8.1	17
119	Visible-blind UV monitoring with a photochromic charge trapping layer in organic field-effect transistors. <i>Applied Physics Letters</i> , 2019 , 115, 113302	3.4	10
118	Solution-Processed Polymer Thin-Film Memristors with an Electrochromic Feature and Frequency-Dependent Synaptic Plasticity. <i>Advanced Intelligent Systems</i> , 2019 , 1, 1900022	6	5
117	High-Performance Organic Field-Effect Transistor with Matching Energy-Band Alignment between Organic Semiconductor and the Charge-Trapping Dielectric. <i>Advanced Electronic Materials</i> , 2019 , 5, 1800865	6.4	7
116	Organic thin film memcapacitors. <i>Applied Physics Letters</i> , 2019 , 114, 043302	3.4	6

115	Filter-Free Selective Light Monitoring by Organic Field-Effect Transistor Memories with a Tunable Blend Charge-Trapping Layer. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 40366-40371	9.5	18
114	Toward Broadband Imaging: Surface-Engineered PbS Quantum Dot/Perovskite Composite Integrated Ultrasensitive Photodetectors. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 44430-44437	9.5	25
113	Toward wearable electronics: A lightweight all-solid-state supercapacitor with outstanding transparency, foldability and breathability. <i>Energy Storage Materials</i> , 2019 , 22, 402-409	19.4	25
112	Synapse-Like Organic Thin Film Memristors. <i>Advanced Functional Materials</i> , 2018 , 28, 1800854	15.6	114
111	Carrier injection in organic electronics: Injection hotspot effect beyond barrier reduction effect. <i>Applied Physics Letters</i> , 2018 , 113, 043302	3.4	4
110	Solution-Processed High-Performance Hybrid Photodetectors Enhanced by Perovskite/MoS ₂ Bulk Heterojunction. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800505	4.6	35
109	Ionic-liquid-assisted one-pot synthesis of CuO nanoparticles/multi-walled carbon nanotube nanocomposite for high-performance asymmetric supercapacitors.. <i>RSC Advances</i> , 2018 , 8, 20182-20189	3.7	6
108	Selective Solar-Blind UV Monitoring Based on Organic Field-Effect Transistor Nonvolatile Memories. <i>Advanced Electronic Materials</i> , 2017 , 3, 1700052	6.4	27
107	High-performance, ultra-flexible and transparent embedded metallic mesh electrodes by selective electrodeposition for all-solid-state supercapacitor applications. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 9032-9041	13	70
106	Controlled surface doping for operating stability enhancement in organic field-effect transistors. <i>Organic Electronics</i> , 2017 , 42, 367-371	3.5	12
105	Correlation between active layer thickness and ambient gas stability in IGZO thin-film transistors. <i>Journal Physics D: Applied Physics</i> , 2017 , 50, 025102	3	3
104	Freestanding transparent metallic network based ultrathin, foldable and designable supercapacitors. <i>Energy and Environmental Science</i> , 2017 , 10, 2534-2543	35.4	107
103	Revealing the Synergy of Mono/Bimetallic PdPt/TiO ₂ Heterostructure for Enhanced Photoresponse Performance. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 24861-24870	3.8	12
102	Embedded Ag Grid Electrodes as Current Collector for Ultraflexible Transparent Solid-State Supercapacitor. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 27649-27656	9.5	53
101	Synergistic Effects in CNTs-PdAu/Pt Trimetallic Nanoparticles with High Electrocatalytic Activity and Stability. <i>Nano-Micro Letters</i> , 2017 , 9, 48	19.5	31
100	Flexible Low-Power Organic Complementary Inverter Based on Low- ϵ_{k} Polymer Dielectric. <i>IEEE Electron Device Letters</i> , 2017 , 38, 1461-1464	4.4	5
99	Fingerprint Feature of Atomic Intermixing in Supported AuPd Nanocatalysts Probed by X-ray Absorption Fine Structure. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 28385-28394	3.8	6
98	In situ study of the electronic structure of atomic layer deposited oxide ultrathin films upon oxygen adsorption using ambient pressure XPS. <i>Catalysis Science and Technology</i> , 2016 , 6, 6778-6783	5.5	11

97	Self-Decoration of PtNi Alloy Nanoparticles on Multiwalled Carbon Nanotubes for Highly Efficient Methanol Electro-Oxidation. <i>Nano-Micro Letters</i> , 2016 , 8, 371-380	19.5	43
96	One-step synthesis of AuPd alloy nanoparticles on graphene as a stable catalyst for ethanol electro-oxidation. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 13476-13484	6.7	43
95	Unraveling the Origin of Visible Light Capture by Core-Shell TiO ₂ Nanotubes. <i>Chemistry of Materials</i> , 2016 , 28, 4467-4475	9.6	39
94	Low-power organic field-effect transistors and complementary inverter based on low-temperature processed Al ₂ O ₃ dielectric. <i>Organic Electronics</i> , 2016 , 34, 118-123	3.5	13
93	Bias-Stress-Stable Low-Voltage Organic Field-Effect Transistors with Ultrathin Polymer Dielectric on C Nanoparticles. <i>Advanced Electronic Materials</i> , 2016 , 2, 1500349	6.4	11
92	Small-sized Al nanoparticles as electron injection hotspots in inverted organic light-emitting diodes. <i>Organic Electronics</i> , 2016 , 28, 88-93	3.5	16
91	Physical implication of transition voltage in organic nano-floating-gate nonvolatile memories. <i>Applied Physics Letters</i> , 2016 , 109, 023301	3.4	9
90	Heterojunction effect on contact resistance minimization in staggered pentacene thin-film transistors. <i>Applied Physics Express</i> , 2016 , 9, 111601	2.4	4
89	A novel one-step synthesis method for cuprous nanoparticles on multi-walled carbon nanotubes with high catalytic activity. <i>Ceramics International</i> , 2016 , 42, 17916-17919	5.1	10
88	Controlled synthesis and synergistic effects of graphene-supported PdAu bimetallic nanoparticles with tunable catalytic properties. <i>Nanoscale</i> , 2015 , 7, 6356-62	7.7	86
87	Small and uniform Pd monometallic/bimetallic nanoparticles decorated on multi-walled carbon nanotubes for efficient reduction of 4-nitrophenol. <i>Carbon</i> , 2015 , 94, 295-300	10.4	36
86	Synergistic effect in organic field-effect transistor nonvolatile memory utilizing bimetal nanoparticles as nano-floating-gate. <i>Organic Electronics</i> , 2015 , 25, 324-328	3.5	18
85	Controllable molecular configuration for significant improvement of blue OLEDs based on novel twisted anthracene derivatives. <i>Dyes and Pigments</i> , 2015 , 118, 137-144	4.6	18
84	Direct probing of electron and hole trapping into nano-floating-gate in organic field-effect transistor nonvolatile memories. <i>Applied Physics Letters</i> , 2015 , 106, 123303	3.4	10
83	Green-chemistry Compatible Approach to TiO ₂ -supported PdAu Bimetallic Nanoparticles for Solvent-free 1-Phenylethanol Oxidation under Mild Conditions. <i>Nano-Micro Letters</i> , 2015 , 7, 307-315	19.5	23
82	Encapsulated Silver Nanoparticles Can Be Directly Converted to Silver Nanoshell in the Gas Phase. <i>Nano Letters</i> , 2015 , 15, 8397-401	11.5	35
81	Large Modulation of Charge Transport Anisotropy by Controlling the Alignment of π -Stacks in Diketopyrrolopyrrole-Based Polymers. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1500153	4.6	8
80	Transfer-free synthesis of doped and patterned graphene films. <i>ACS Nano</i> , 2015 , 9, 594-601	16.7	68

79	Efficient tuning of electroluminescence from sky-blue to deep-blue by changing the constitution of spirobenzofluorene derivatives. <i>Dyes and Pigments</i> , 2014 , 108, 57-63	4.6	19
78	A cost-effective commercial soluble oxide cluster for highly efficient and stable organic solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 1436-1442	13	72
77	A facile solution-processed alumina film as an efficient electron-injection layer for inverted organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 864-869	7.1	12
76	Room temperature solution processed tungsten carbide as an efficient hole extraction layer for organic photovoltaics. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 3734-3740	13	5
75	Human hair-derived carbon flakes for electrochemical supercapacitors. <i>Energy and Environmental Science</i> , 2014 , 7, 379-386	35.4	783
74	Threshold Voltage Extraction in the Saturation Regime Insensitive to the Contact Properties for Organic Thin-Film Transistors. <i>Journal of Display Technology</i> , 2014 , 10, 615-618		3
73	Memristive learning and memory functions in polyvinyl alcohol polymer memristors. <i>AIP Advances</i> , 2014 , 4, 077105	1.5	18
72	Saturated deep-blue emitter based on a spiro[benzoanthracenefluorene]-linked phenanthrene derivative for non-doped organic light-emitting diodes. <i>New Journal of Chemistry</i> , 2014 , 38, 4696-4701	3.6	20
71	Photon-energy-dependent light effects in organic nano-floating-gate nonvolatile memories. <i>Organic Electronics</i> , 2014 , 15, 2486-2491	3.5	35
70	Intrinsic Ge nanowire nonvolatile memory based on a simple core-shell structure. <i>Nanotechnology</i> , 2014 , 25, 075201	3.4	7
69	Interface optimization using diindenoperylene for C 60 thin film transistors with high electron mobility and stability. <i>Organic Electronics</i> , 2014 , 15, 2749-2755	3.5	20
68	Phototransistor based on single InSe nanosheets. <i>Nanoscale</i> , 2014 , 6, 14538-42	7.7	16
67	Solution-processed 2D niobium diselenide nanosheets as efficient hole-transport layers in organic solar cells. <i>ChemSusChem</i> , 2014 , 7, 416-20	8.3	30
66	Organic field-effect transistor nonvolatile memories utilizing sputtered C nanoparticles as nano-floating-gate. <i>Applied Physics Letters</i> , 2014 , 105, 163302	3.4	19
65	A near ambient pressure XPS study of subnanometer silver clusters on Al ₂ O ₃ and TiO ₂ ultrathin film supports. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 26645-52	3.6	22
64	Synthesis of carbonPtAu nanoparticle hybrids originating from triethoxysilane-derivatized ionic liquids for methanol electrooxidation and the catalytic reduction of 4-nitrophenol. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 9257	13	31
63	PPyNT-Im-PtAu alloy nanoparticle hybrids with tunable electroactivity and enhanced durability for methanol electrooxidation and oxygen reduction reaction. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 2752-60	9.5	21
62	In situ characterization of catalytic activity of graphene stabilized small-sized Pd nanoparticles for CO oxidation. <i>Applied Surface Science</i> , 2013 , 283, 1076-1079	6.7	14

61	Direct work function measurement by gas phase photoelectron spectroscopy and its application on PbS nanoparticles. <i>Nano Letters</i> , 2013 , 13, 6176-82	11.5	108
60	Probing bias stress effect and contact resistance in bilayer ambipolar organic field-effect transistors. <i>Applied Physics Letters</i> , 2013 , 103, 073303	3.4	14
59	Electronic Structure of Graphdiyne Probed by X-ray Absorption Spectroscopy and Scanning Transmission X-ray Microscopy. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 5931-5936	3.8	50
58	One-pot environmentally friendly approach toward highly catalytically active bimetal-nanoparticle-graphene hybrids. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 5072-9	9.5	59
57	Low temperature, solution-processed alumina for organic solar cells. <i>Nanotechnology</i> , 2013 , 24, 484010	3.4	25
56	Understanding temperature dependence of threshold voltage in pentacene thin film transistors. <i>Journal of Applied Physics</i> , 2013 , 113, 194506	2.5	12
55	Oxidation and reduction of size-selected subnanometer Pd clusters on Al ₂ O ₃ surface. <i>Journal of Chemical Physics</i> , 2013 , 138, 214304	3.9	33
54	Organic field-effect transistor nonvolatile memories based on hybrid nano-floating-gate. <i>Applied Physics Letters</i> , 2013 , 102, 023303	3.4	35
53	Low-temperature solution-processed alumina as gate dielectric for reducing the operating-voltage of organic field-effect transistors. <i>Applied Physics Letters</i> , 2013 , 103, 061603	3.4	30
52	Operational stability enhancement of low-voltage organic field-effect transistors based on bilayer polymer dielectrics. <i>Applied Physics Letters</i> , 2013 , 103, 133303	3.4	28
51	Elucidation of ambient gas effects in organic nano-floating-gate nonvolatile memory. <i>Applied Physics Letters</i> , 2013 , 102, 053303	3.4	15
50	THE KINK EFFECTS IN NANO-GaAs DEVICES DUE TO MULTI-VALLEY ELECTRON TRANSPORT. <i>International Journal of Modern Physics B</i> , 2013 , 27, 1350172	1.1	
49	Spatial profile of charge storage in organic field-effect transistor nonvolatile memory using polymer electret. <i>Applied Physics Letters</i> , 2013 , 103, 143302	3.4	21
48	Impact of compound doping on hole and electron balance in p-i-n organic light-emitting diodes. <i>AIP Advances</i> , 2013 , 3, 102124	1.5	3
47	Naphthoylene(trifluoromethylbenzimidazole)-dicarboxylic acid imides for high-performance n-type organic field-effect transistors. <i>Chemical Communications</i> , 2012 , 48, 2591-3	5.8	31
46	Morphology control of tunneling dielectric towards high-performance organic field-effect transistor nonvolatile memory. <i>Organic Electronics</i> , 2012 , 13, 1908-1915	3.5	43
45	Novel bipolar host materials based on 1,3,5-triazine derivatives for highly efficient phosphorescent OLEDs with extremely low efficiency roll-off. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 14255-61	3.6	48
44	Flexible nanogenerators based on graphene oxide films for acoustic energy harvesting. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 5418-22	16.4	58

43	In-situ photoelectron spectroscopy with online activity measurement for catalysis research. <i>Current Applied Physics</i> , 2012 , 12, 1292-1296	2.6	17
42	Probing solid state N-doping in graphene by X-ray absorption near-edge structure spectroscopy. <i>Carbon</i> , 2012 , 50, 335-338	10.4	99
41	Size-controllable self-assembly of metal nanoparticles on carbon nanostructures in room-temperature ionic liquids by simple sputtering deposition. <i>Carbon</i> , 2012 , 50, 3008-3014	10.4	41
40	Efficiency enhancement utilizing hybrid charge generation layer in tandem organic light-emitting diodes. <i>Applied Physics Letters</i> , 2012 , 101, 013301	3.4	28
39	Space charge induced electroluminescence spectra shift in organic light-emitting diodes. <i>Journal of Applied Physics</i> , 2012 , 112, 014513	2.5	12
38	Silicon nanowires with permanent electrostatic charges for nanogenerators. <i>Nano Letters</i> , 2011 , 11, 4870-4875	4.3	43
37	Forming mechanism of nitrogen doped graphene prepared by thermal solid-state reaction of graphite oxide and urea. <i>Applied Surface Science</i> , 2011 , 258, 1704-1710	6.7	112
36	Highly Reproducible Surface-Enhanced Raman Scattering on a Capillarity-Assisted Gold Nanoparticle Assembly. <i>Advanced Functional Materials</i> , 2011 , 21, 3337-3343	15.6	121
35	Strong red emission of pure Y2O3 nanoparticles from oxygen related defects. <i>Dalton Transactions</i> , 2011 , 40, 11362-6	4.3	16
34	Stability of Hydrogen-Terminated Surfaces of Silicon Nanowires in Aqueous Solutions. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 3866-3871	3.8	20
33	Eosin Y functionalized graphene for photocatalytic hydrogen production from water. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 8885-8893	6.7	98
32	Origin of bias stress induced instability of contact resistance in organic thin film transistors. <i>Organic Electronics</i> , 2011 , 12, 823-826	3.5	21
31	Diamond nanoparticles with more surface functional groups obtained using carbon nanotubes as sources. <i>Journal of Applied Physics</i> , 2011 , 110, 054321	2.5	3
30	High performance single In2Se3 nanowire photodetector. <i>Applied Physics Letters</i> , 2011 , 99, 243105	3.4	53
29	Surface roughening evolution in pentacene thin film growth. <i>Applied Physics Letters</i> , 2011 , 98, 243304	3.4	19
28	Pulsed Bias Stress in Pentacene Thin Film Transistors and Effect of Contact Material. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 01AB03	1.4	2
27	Charge accumulation dynamics in organic thin film transistors. <i>Applied Physics Letters</i> , 2010 , 97, 243301	3.4	8
26	High-performance photoelectrochemical cells from ionic liquid electrolyte in methyl-terminated silicon nanowire arrays. <i>ACS Nano</i> , 2010 , 4, 5869-76	16.7	88

25	Understanding contact behavior in organic thin film transistors. <i>Applied Physics Letters</i> , 2010 , 97, 063307	3.4	68
24	Transition-Voltage Method for Estimating Contact Resistance in Organic Thin-Film Transistors. <i>IEEE Electron Device Letters</i> , 2010 , 31, 509-511	4.4	28
23	Fabrication of a composite vascular scaffold using electrospinning technology. <i>Materials Science and Engineering C</i> , 2010 , 30, 670-676	8.3	28
22	Contact resistance instability in pentacene thin film transistors induced by ambient gases. <i>Applied Physics Letters</i> , 2009 , 94, 083309	3.4	17
21	Electronegativity equalization model for interface barrier formation at reactive metal/organic contacts. <i>Applied Physics Letters</i> , 2009 , 95, 173303	3.4	3
20	Surface selective deposition of molecular semiconductors for solution-based integration of organic field-effect transistors. <i>Applied Physics Letters</i> , 2009 , 94, 093307	3.4	86
19	Bias stress instability in pentacene thin film transistors: Contact resistance change and channel threshold voltage shift. <i>Applied Physics Letters</i> , 2008 , 92, 063305	3.4	81
18	Charge trapping induced current instability in pentacene thin film transistors: Trapping barrier and effect of surface treatment. <i>Applied Physics Letters</i> , 2008 , 93, 033304	3.4	71
17	Dynamic bias stress current instability caused by charge trapping and detrapping in pentacene thin film transistors. <i>Applied Physics Letters</i> , 2008 , 93, 213302	3.4	12
16	Selective organization of solution-processed organic field-effect transistors. <i>Applied Physics Letters</i> , 2008 , 92, 173301	3.4	72
15	Correlation between grain size and device parameters in pentacene thin film transistors. <i>Applied Physics Letters</i> , 2008 , 93, 043311	3.4	87
14	Contact-metal dependent current injection in pentacene thin-film transistors. <i>Applied Physics Letters</i> , 2007 , 91, 203508	3.4	125
13	Current Characteristics of Pristine and Tetrathianaphthacene-Doped Tris(8-Hydroxyquinoline) Aluminum (ALQ3) Thin Films. <i>Molecular Crystals and Liquid Crystals</i> , 2006 , 455, 339-346	0.5	1
12	Enhanced electron injection into tris(8-hydroxyquinoline) aluminum (Alq3) thin films by tetrathianaphthacene (TTN) doping revealed by current-voltage characteristics. <i>Chemical Physics Letters</i> , 2006 , 423, 170-173	2.5	14
11	Bottom contact ambipolar organic thin film transistor and organic inverter based on C60/pentacene heterostructure. <i>Organic Electronics</i> , 2006 , 7, 457-464	3.5	68
10	Molecular orientation and film morphology of pentacene on native silicon oxide surface. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 9892-6	3.4	32
9	Etching behavior of silicon nanowires with HF and NH4F and surface characterization by attenuated total reflection Fourier transform infrared spectroscopy: similarities and differences between one-dimensional and two-dimensional silicon surfaces. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 10871-9	3.4	22
8	Orderly Growth of Copper Phthalocyanine on Highly Oriented Pyrolytic Graphite (HOPG) at High Substrate Temperatures. <i>Journal of Physical Chemistry B</i> , 2004 , 108, 1529-1532	3.4	49

7	Photoemission and vibrational studies of metal/organic interfaces modified by plasma-polymerized fluorocarbon films. <i>Applied Surface Science</i> , 2004 , 239, 117-124	6.7	5
6	Vibrational analysis of oxygen-plasma treated indium tin oxide. <i>Chemical Physics Letters</i> , 2003 , 370, 795-798	17	
5	HREELS study on the interaction of MgF ₂ with tris(8-hydroxy-quinoline) aluminum. <i>Chemical Physics Letters</i> , 2003 , 374, 119-124	2.5	1
4	FTIR spectroscopic studies of the stabilities and reactivities of hydrogen-terminated surfaces of silicon nanowires. <i>Inorganic Chemistry</i> , 2003 , 42, 2398-404	5.1	92
3	Experimental study of a chemical reaction between LiF and Al. <i>Journal of Applied Physics</i> , 2003 , 94, 169-173	29	
2	Vibrational study of tris-(8-hydroxyquinoline) aluminum/LiF/Al interfaces. <i>Applied Physics Letters</i> , 2003 , 82, 3218-3220	3.4	15
1	Vibrational and photoemission study of the interface between phenyl diamine and indium tin oxide. <i>Applied Physics Letters</i> , 2001 , 79, 1561-1563	3.4	21