

Ronghong Jin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4675286/ronghong-jin-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166 papers	1,654 citations	22 h-index	34 g-index
225 ext. papers	2,353 ext. citations	3.2 avg, IF	5.08 L-index

#	Paper	IF	Citations
166	Single-Channel Anti-Jamming Receiver with Harmonic-based Space-Time Adaptive Processing. <i>IEEE Wireless Communications Letters</i> , 2022 , 1-1	5.9	
165	Design mm Wave Antenna by Binary Coding Optimization Method 2022 , 85-100		
164	A Novel Low-Profile Phased Antenna with Dual-Port and Its Application in 1-D Linear Array to 2-D Scanning. <i>IEEE Transactions on Antennas and Propagation</i> , 2022 , 1-1	4.9	1
163	A Compensation Method of Nonideal Modulation Pulse for Direction Finding With Time-modulated Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2022 , 1-1	3.8	
162	Two-Dimensional Scanning Phased Array With Large Element Spacing Using Pattern Reconfigurable Stacked Patch Antenna at Ka-Band. <i>IEEE Transactions on Antennas and Propagation</i> , 2022 , 1-1	4.9	1
161	A Magnetic Yagi-Uda Antenna With Vertically Polarized Endfire Radiation in Millimeter-Wave Band Applying Higher-Order Mode. <i>IEEE Transactions on Antennas and Propagation</i> , 2022 , 1-1	4.9	1
160	Beam Scanning Transmitarray Employing Reconfigurable Dual-Layer Huygens Element. <i>IEEE Transactions on Antennas and Propagation</i> , 2022 , 1-1	4.9	3
159	Design and Analysis of Tri-Band Conformal Monopolar Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2022 , 1-1	4.9	0
158	m-Shaped SSPPs Structure to Low Profile Vertically Polarized Antenna with High Gain to be Conformal with Vehicle Shell. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	
157	1-Thru Deembedding Method for One-Port Microwave Device Characterization. <i>IEEE Microwave and Wireless Components Letters</i> , 2021 , 1-4	2.6	1
156	An Improved Modulation Module in Time-Modulated Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 1-1	3.8	1
155	High-Efficiency Modulation and Harmonic Beam Scanning in Time Modulated Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	1
154	Elevation and Azimuth Direction Finding by Two-Element Pattern Reconfigurable Antenna Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	2
153	A Design Approach for Compact Wideband Transformer With Frequency-Dependent Complex Loads and Its Application to Wilkinson Power Divider. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 1611-1624	4.1	2
152	An approach to achieve directional low-profile antenna of quintuple stable pattern band by utilising dipole with compound concave corrugated reflector. <i>IET Microwaves, Antennas and Propagation</i> , 2021 , 15, 629-643	1.6	1
151	High-Efficiency Harmonic Beamforming with Multi-Branch Time-Modulated Array 2021 ,		3
150	On the Harmonic Selection and Performance Verification in Time-Modulated Array-Based Space Division Multiple Access. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 3244-3256	4.9	1

149	Low RCS Transmitarray Employing Phase Controllable Absorptive Frequency-Selective Transmission Elements. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 2398-2403	4.9	9
148	Periodic Phase Modulation Method for Fast Diagnosis of Phased Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 1184-1187	4.9	
147	Dual-Port Phase Antenna and Its Application in 1-D Arrays to 2-D Scanning. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	5
146	Core-Shell Nano-Antenna Configurations for Array Formation with More Stability Having Conventional and Non-Conventional Directivity and Propagation Behavior. <i>Nanomaterials</i> , 2021 , 11,	5.4	1
145	Compact Wideband Bandstop Filter With Directly Controlled Rejection. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 1-1	3.5	2
144	Grating Lobe Suppression Of Sparse Phased Array By Null Scanning Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	3
143	Gain-Equalized Multibeam Antenna Fed by a Compact Dual-Layer Rotman Lens at Ka Band. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	1
142	Three-Dimensional Manipulation of Dual-helical Electromagnetic Wavefronts with a Non-interleaved Metasurface. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	5
141	Direction Finding and Performance Analysis With 1 bit Time Modulated Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	1
140	Polarization-Assisted Visual Secret Sharing Encryption in Metasurface Hologram. <i>Advanced Photonics Research</i> , 2021 , 2, 2100175	1.9	4
139	Study on the Rotated SSPPs Structure and Its Applications in Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 4475-4487	4.9	1
138	A K-Band Broadband Circularly Polarized Slot Antenna Based on L-Shaped Waveguide Cavity. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 1606-1610	3.8	3
137	The Ultra-Compact ELF Magneto-Mechanical Transmission Antenna With the Speed Modulated EM Signal Based on Three-Phase Induction Motor. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 5286-5296	4.9	6
136	Interface-Induced Near-Infrared Response of Gold-Silica Hybrid Nanoparticles Antennas. <i>Nanomaterials</i> , 2020 , 10,	5.4	1
135	High-Efficiency Transmissive Programmable Metasurface for Multimode OAM Generation. <i>Advanced Optical Materials</i> , 2020 , 8, 2000570	8.1	59
134	Single-Channel LCMV-Based Adaptive Beamforming With Time-Modulated Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 1881-1885	3.8	2
133	Low Sideband Radiation Beam Scanning at Carrier Frequency for Time-Modulated Array by Non-Uniform Period Modulation. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 3695-3704	4.9	13
132	Subwavelength plasmonic nanoantenna as a Plasmonic Induced Polarization Rotator (PI-PR). <i>Scientific Reports</i> , 2020 , 10, 2809	4.9	3

131	Wideband Dual-Polarized Binary Coding Antenna With Wide Beamwidth and Its Array for Millimeter-Wave Applications. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 636-640	3.8	15
130	Direction Finding Based on Time-Modulated Array With Multiharmonic Analysis. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 5753-5758	4.9	4
129	Optical Transparent Antenna Array Integrated With Solar Cell. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 457-461	3.8	19
128	. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 383-387	3.8	9
127	Circularly-Polarized Shaped Pattern Planar Antenna for Aerial Platforms. <i>IEEE Access</i> , 2020 , 8, 7466-7472	3.5	3
126	Double-arrow metasurface for dual-band and dual-mode polarization conversion. <i>Optics Express</i> , 2020 , 28, 11797-11805	3.3	22
125	Corrections to Multiuser Communication by Electromagnetic Vortex Based on Time-Modulated Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 1047-1047	3.8	
124	A compact and high-selectivity tri-band bandpass filter based on symmetrical stub-loaded square ring resonator. <i>Microwave and Optical Technology Letters</i> , 2020 , 62, 630-636	1.2	3
123	Multiuser Communication by Electromagnetic Vortex Based on Time-Modulated Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 282-286	3.8	11
122	Dynamic Scattering Steering with Graphene-Based Coding Metamirror. <i>Advanced Optical Materials</i> , 2020 , 8, 2000683	8.1	46
121	Direction-Finding Based on Time-Modulated Array Without Sampling Synchronization. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2020 , 19, 2149-2153	3.8	0
120	Direction Finding of Linear Frequency Modulation Signal in Time Modulated Array With Pulse Compression. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 509-520	4.9	7
119	. <i>IEEE Access</i> , 2019 , 7, 15444-15451	3.5	34
118	Truly All-Dielectric Ultrabroadband Metamaterial Absorber: Water-Based and Ground-Free. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 536-540	3.8	38
117	Experiments of Orbital Angular Momentum Phase Properties for Long-Distance Transmission. <i>IEEE Access</i> , 2019 , 7, 62689-62694	3.5	16
116	Rectangular Grating Waveguide Slot Array Antenna for SATCOM Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 3869-3880	4.9	13
115	Photon Spin Hall Effect-Based Ultra-Thin Transmissive Metasurface for Efficient Generation of OAM Waves. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 4650-4658	4.9	74
114	Wideband Circularly Polarized Antenna With Dual-Mode Operation. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 767-770	3.8	12

113	High Efficiency Ultrathin Transmissive Metasurfaces. <i>Advanced Optical Materials</i> , 2019 , 7, 1801628	8.1	99
112	Grating ridged waveguide V-shaped slot array antenna for SATCOM applications. <i>Electronics Letters</i> , 2019 , 55, 170-172	1.1	0
111	Direction Finding of Linear Frequency Modulation Signal With Time-Modulated Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 2841-2846	4.9	14
110	A Generalized Approach for Multifrequency Transmission Line Transformer With Frequency-Dependent Complex Source and Load. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 3603-3616	4.1	7
109	Varactor Loaded Pattern Reconfigurable Patch Antenna With Shorting Pins. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 6267-6277	4.9	18
108	Dual CP Polarization Diversity and Space Diversity Antennas Enabled by a Compact T-Shaped Feed Structure. <i>IEEE Access</i> , 2019 , 7, 96284-96296	3.5	5
107	Photoluminescence Revealed Higher Order Plasmonic Resonance Modes and Their Unexpected Frequency Blue Shifts in Silver-Coated Silica Nanoparticle Antennas. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3000	2.6	2
106	Rotman Lens-Fed Fabry-Perot Resonator Antennas for Generating Converged Multi-Mode OAM Beams. <i>IEEE Access</i> , 2019 , 7, 105768-105775	3.5	10
105	Polarization-Insensitive Metasurface Lens for Efficient Generation of Convergent OAM Beams. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 2696-2700	3.8	12
104	Multi-user Communication by Electromagnetic Vortex Based on Time Modulated Array 2019 ,		1
103	Design of a Broadband Metasurface Luneburg Lens for Full-Angle Operation. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 2442-2451	4.9	30
102	A Novel Radar Based on Two-Element Time-Modulated Array. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2019 , 16, 524-528	4.1	0
101	. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 283-286	3.8	8
100	Time-Modulated Arrays: A Four-Dimensional Antenna Array Controlled by Switches. <i>Journal of Communications and Information Networks</i> , 2018 , 3, 1-14		5
99	Ruggedized Planar Monopole Antenna With a Null-Filled Shaped Beam. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 933-936	3.8	7
98	A Dual-Wideband Dual-Polarized Aperture-Shared Patch Antenna With High Isolation. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 735-738	3.8	25
97	High-Accuracy DOA Estimation Based on Time-Modulated Array With Long and Short Baselines. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 1391-1395	3.8	10
96	Theory Analysis and Realization of Single-/Dual-Port Excitation in Beam-Forming Network. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 4912-4917	4.9	4

95	Spoof Surface Plasmon Polaritons Pattern Reconfigurable Antenna for Wide-Angle Coverage 2018 ,		2
94	A Compact Reconfigurable coaxial slot antenna 2018 ,		1
93	Novel Beam Scanning Antenna System Fed by Reconfigurable Beamforming Network 2018 ,		1
92	Polarization-insensitive metasurfaces for generating converging vortex beams carrying orbital angular momentum 2018 ,		2
91	Direction Finding by Time-Modulated Linear Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 3642-3652	4.9	30
90	Metal-Loaded Seawater Antenna With High Radiation Efficiency and Wideband Characteristics. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 16, 1671-1674	3.8	10
89	A t-shaped feed structure to enhance the performance of a polarization diversity antenna 2017 ,		2
88	Topological Design of Planar Circularly Polarized Directional Antenna with Low Profile Using Particle Swarm Optimization. <i>International Journal of Antennas and Propagation</i> , 2017 , 2017, 1-12	1.2	3
87	Multifrequency Transformer With Arbitrary Frequency and Real Impedance Transform Ratio. <i>IEEE Microwave and Wireless Components Letters</i> , 2017 , 27, 785-787	2.6	9
86	De-Embedding Based on EM Simulation and Measurement: A Hybrid Method. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 5019-5034	4.1	6
85	High-sensitivity OAM phase gradient detection based on time-modulated harmonic characteristic analysis. <i>Electronics Letters</i> , 2017 , 53, 812-814	1.1	5
84	Efficiency Improvement of Time Modulated Array With Reconfigurable Power Divider/Combiner. <i>IEEE Transactions on Antennas and Propagation</i> , 2017 , 65, 4027-4037	4.9	19
83	Direction finding by time modulated linear array 2017 ,		3
82	Realizing orbital angular momentum (OAM) beam with small divergence angle by luneberg lens 2017 ,		4
81	Wideband wide-slot antenna array with protrusion for wide-angle scanning 2017 ,		1
80	A circular truncated cone slot antenna with circular polarized conical beam 2017 ,		3
79	Synthesizing orbital angular momentum beam with small divergence angle 2017 ,		1
78	A Multifixture Full-Wave De-Embedding Method for Characterizing One-Port Devices. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2016 , 64, 3894-3910	4.1	6

77	A Cylindrically Conformal Array With Enhanced Axial Radiation. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2016 , 15, 1653-1656	3.8	13
76	Broadband Dual Circularly Polarized Magnetoelectric Dipole Antenna Fed by a Miniaturized Six-Branch Hybrid Coupler. <i>International Journal of Antennas and Propagation</i> , 2016 , 2016, 1-10	1.2	2
75	MoS ₂ Broadband Coherent Perfect Absorber for Terahertz Waves. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-7	1.8	22
74	Switched Multibeam Circular Array With a Reconfigurable Network. <i>IEEE Transactions on Antennas and Propagation</i> , 2016 , 64, 3228-3233	4.9	16
73	A Novel Analytical Method for Multi-Frequency Transmission Line Transformer. <i>IEEE Microwave and Wireless Components Letters</i> , 2016 , 26, 556-558	2.6	9
72	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2015 , 63, 986-998	4.1	29
71	Dual-Circularly Polarized Conical-Beam Microstrip Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 482-485	3.8	36
70	Reconfigurable Unequal Power Divider With a High Dividing Ratio. <i>IEEE Microwave and Wireless Components Letters</i> , 2015 , 25, 514-516	2.6	16
69	Multiple Antenna Selection Schemes with a RF Reconfigurable Power Combiner. <i>Wireless Personal Communications</i> , 2015 , 85, 1071-1080	1.9	3
68	Direction Finding by Time-Modulated Array With Harmonic Characteristic Analysis. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 642-645	3.8	51
67	An UHF Tree-Like Biconical Antenna With Both Conical and Horizontal Omnidirectional Radiations. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 187-189	3.8	1
66	A compact omnidirectional CP coaxial slots antenna 2015 ,		5
65	A method of accurate co-simulation by considering lumped port setting in EM simulator 2015 ,		5
64	Recent Advances in Theory and Applications of Electromagnetic Metamaterials. <i>International Journal of Antennas and Propagation</i> , 2015 , 2015, 1-2	1.2	
63	Designs and Performance Characteristics of Coated Nanotoroid Antennas. <i>International Journal of Antennas and Propagation</i> , 2015 , 2015, 1-11	1.2	
62	Dual Circularly Polarized Omnidirectional Antenna with Slot Array on Coaxial Cylinder. <i>International Journal of Antennas and Propagation</i> , 2015 , 2015, 1-7	1.2	6
61	Generation of OAM Radio Waves with Three Polarizations Using Circular Horn Antenna Array. <i>International Journal of Antennas and Propagation</i> , 2015 , 2015, 1-11	1.2	19
60	Space-Division Multiple Access Based on Time-Modulated Array. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 610-613	3.8	32

59	A low profile CP antenna based on novel hexagon grids optimization model 2015 ,		2
58	Sideband Radiation Level Suppression in Time-Modulated Array by Nonuniform Period Modulation. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 606-609	3.8	41
57	Perforated dielectric antenna reflectarray for OAM generation 2015 ,		7
56	Design of a horn lens antenna for OAM generation 2015 ,		6
55	An ultra-wideband cross-dipole antenna with wide beam for dual-polarization applications 2015 ,		2
54	A UHF Broadband Spider-Shaped Monopole Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2014 , 13, 782-785	3.8	2
53	A compact ultra-wideband power divider with high isolation 2014 ,		1
52	Parallel Calibration Method for Phased Array With Harmonic Characteristic Analysis. <i>IEEE Transactions on Antennas and Propagation</i> , 2014 , 62, 5029-5036	4.9	24
51	Compact Design of Triple-Band Circularly Polarized Quadrifilar Helix Antennas. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2014 , 13, 380-383	3.8	26
50	Study on low profile cp antenna by combining discrete grid model and parameter optimization 2014 ,		1
49	A novel SIW horn antenna with high gain and high efficiency 2014 ,		1
48	A Broadband Dual Circularly Polarized Patch Antenna With Wide Beamwidth. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2014 , 13, 1457-1460	3.8	52
47	A rotated elliptical slot antenna with ultra-wide bandwidth. <i>Microwave and Optical Technology Letters</i> , 2013 , 55, 308-310	1.2	
46	A General Method for Modeling Packaged Diode Spanning Multiple Cells in FDTD. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2013 , 12, 392-395	3.8	
45	Beamforming method with periodical amplitude modulation array 2013 ,		4
44	Active cylindrical coated nano-particle antennas: polarization-dependent scattering properties. <i>Journal of Electromagnetic Waves and Applications</i> , 2013 , 27, 1392-1406	1.3	6
43	Design of Arbitrarily Shaped Planar Microstrip Antenna Arrays with Improved Efficiency. <i>International Journal of Antennas and Propagation</i> , 2013 , 2013, 1-10	1.2	1
42	Design of a Quadrifilar helical antenna with high phase center stability 2012 ,		2

41	A novel dual-band circularly-polarized wide-beam quadrifilar helix antenna 2012 ,		2
40	Wide bandwidth dual-frequency dual-polarized microstrip array antenna for Ku-band applications 2012 ,		2
39	A Modified Lumped-Network Finite-Difference Time-Domain Method. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2012 , 11, 326-329	3.8	1
38	Detailed performance characteristics of vertically polarized, cylindrical, active coated nano-particle antennas. <i>Radio Science</i> , 2012 , 47, n/a-n/a	1.4	7
37	A 60-GHz wideband dielectric resonator antenna with inclined radiation 2012 ,		1
36	An Area Efficient Real-Time PFFT Architecture Using Parallel Distributed Arithmetic. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2012 , E95-A, 600-603 ⁴		0.4
35	Numerical Study of the Near-Field and Far-Field Properties of Active Open Cylindrical Coated Nanoparticle Antennas. <i>IEEE Photonics Journal</i> , 2011 , 3, 1093-1110	1.8	20
34	Improved Mid-Field calibration technology for linear array 2011 ,		1
33	Studies of nanometer antennas incorporating gain material using CST 2011 ,		2
32	A Single-Layer Ultrawideband Microstrip Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2010 , 58, 211-214	4.9	28
31	Compact DVB-T printed monopole antenna 2010 ,		1
30	Novel Multilayer Dipoles for Wireless Inter-/Intraconnects. <i>IEEE Transactions on Electron Devices</i> , 2010 , 57, 305-311	2.9	2
29	An Immunity-Based RBF Network and Its Application in Equalization of Nonlinear Time-Varying Channels. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2009 , E92-A, 1390-1394	0.4	
28	A high-gain dual-band directional/omnidirectional reconfigurable antenna for WLAN systems. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2008 , 18, 225-232	1.5	5
27	Dual band RFID transponder antenna designed for a specific chip without additional impedance matching network. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 58-60	1.2	5
26	Planar broadband millimeter-wave antenna based on open loop ring resonators. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 324-328	1.2	3
25	An ultra-wideband microstrip elliptical slot antenna excited by a circular patch. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 845-846	1.2	22
24	Modified circular monopole antenna with improved transmission performance for UWB communications. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 1285-1289	1.2	2

23	Printed Omni-Directional UWB Monopole Antenna With Very Compact Size. <i>IEEE Transactions on Antennas and Propagation</i> , 2008 , 56, 896-899	4.9	93
22	Pulse Preserving Capabilities of Printed Circular Disk Monopole Antennas With Different Grounds for the Specified Input Signal Forms. <i>IEEE Transactions on Antennas and Propagation</i> , 2007 , 55, 2866-2873	4.9	31
21	Design of a CPW-fed ultrawideband fractal antenna. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 173-176	1.2	45
20	Compact CPW-fed stacked-circle monopole antenna with very wide bandwidth. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 1192-1194	1.2	7
19	2 D Array with UC-EBG ground for low RCS and high gain. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 1418-1422	1.2	11
18	Design of ultra-wide band (UWB) bandpass filter based on defected ground structure. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 1374-1377	1.2	6
17	Multiband antenna system with polarization conversion for WLAN applications. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 1772-1777	1.2	3
16	Multiband dual patch antennas with polarization compensation for WLAN applications. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 1907-1911	1.2	3
15	Spiral patch with wideband and circular polarization for millimeter-wave communication. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 2068-2071	1.2	
14	A novel broadband antenna for passive UHF RFID transponders offering global functionality. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 2795-2798	1.2	9
13	Optimal design of ultra wideband antennas using a mixed model of 2-D genetic algorithm and finite-difference time-domain. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 3177-3180	1.2	16
12	Capacity analysis of MIMO MRC systems in correlated rayleigh fading environments. <i>Wireless Personal Communications</i> , 2007 , 43, 1569-1576	1.9	1
11	Pattern synthesis of antennas based on a modified particle swarm optimization algorithm. <i>Frontiers of Electrical and Electronic Engineering in China: Selected Publications From Chinese Universities</i> , 2007 , 2, 454-458		
10	Performance Analysis of MIMO MRC Systems in the Presence of Self-Interference and Co-Channel Interferences. <i>IEEE Signal Processing Letters</i> , 2007 , 14, 801-803	3.2	15
9	Hot spot relief with embedded beam for CDMA systems in haps. <i>Journal of Electronics</i> , 2006 , 23, 172-175		1
8	Design of a CPW-fed Ultra Wideband Crown Circular Fractal Antenna 2006 ,		2
7	Time-Frequency Distribution Based on Bi-directional Gaussian kernel and its application in instantaneous frequency estimation 2006 ,		1
6	FPGA implementation of downlink DBF calibration 2005 ,		1

5	A fast synthesis algorithm of adaptive beams for smart antennas. <i>Microwave and Optical Technology Letters</i> , 2003 , 36, 503-507	1.2	5
4	A feeding circuit with CPW for CA-RLSA. <i>IEEE Transactions on Antennas and Propagation</i> , 2001 , 49, 1862-1867	4.9	6
3	Fast parameter extraction for multiconductor interconnects in multilayered dielectric media using mixture method of equivalent source and measured equation of invariance. <i>IEEE Transactions on Advanced Packaging</i> , 1997 , 20, 235-240		13
2	Full-wave analysis for antennas with mixture structure of planar elements and waveguides. <i>IEEE Transactions on Antennas and Propagation</i> , 1997 , 45, 216-220	4.9	1
1	Shaping Electromagnetic Fields with Irregular Metasurface. <i>Advanced Materials Technologies</i> , 2200035	6.8	3