

Nadine T Gaisa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4675439/publications.pdf>

Version: 2024-02-01

72
papers

1,809
citations

270111

25
h-index

355658

38
g-index

79
all docs

79
docs citations

79
times ranked

2735
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatobiliary phenotypes of adults with alpha-1 antitrypsin deficiency. <i>Gut</i> , 2022, 71, 415-423.	6.1	28
2	Artificial Intelligence-based Detection of FGFR3 Mutational Status Directly from Routine Histology in Bladder Cancer: A Possible Preselection for Molecular Testing?. <i>European Urology Focus</i> , 2022, 8, 472-479.	1.6	47
3	Genetic Variant of CXCR1 (rs2234671) Associates with Clinical Outcome in Perihilar Cholangiocarcinoma. <i>Liver Cancer</i> , 2022, 11, 162-173.	4.2	9
4	PD-1+ T-Cells Correlate with Nerve Fiber Density as a Prognostic Biomarker in Patients with Resected Perihilar Cholangiocarcinoma. <i>Cancers</i> , 2022, 14, 2190.	1.7	4
5	LINC00152 Drives a Competing Endogenous RNA Network in Human Hepatocellular Carcinoma. <i>Cells</i> , 2022, 11, 1528.	1.8	6
6	Benchmarking weakly-supervised deep learning pipelines for whole slide classification in computational pathology. <i>Medical Image Analysis</i> , 2022, 79, 102474.	7.0	64
7	Heterogenous NECTIN4 expression in urothelial high-risk non-muscle-invasive bladder cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 83-92.	1.4	3
8	Effective Radiosensitization of Bladder Cancer Cells by Pharmacological Inhibition of DNA-PK and ATR. <i>Biomedicines</i> , 2022, 10, 1277.	1.4	3
9	Intraoperative Transfusion of Fresh Frozen Plasma Predicts Morbidity Following Partial Liver Resection for Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 1212-1223.	0.9	11
10	Nerve fibers in the tumor microenvironment in neurotropic cancer pancreatic cancer and cholangiocarcinoma. <i>Oncogene</i> , 2021, 40, 899-908.	2.6	53
11	The detection of isochromosome i(12p) in malignant germ cell tumours and tumours with somatic malignant transformation by the use of quantitative real-time polymerase chain reaction. <i>Histopathology</i> , 2021, 78, 593-606.	1.6	31
12	JNK signaling prevents biliary cyst formation through a CASPASE-8-dependent function of RIPK1 during aging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	8
13	The ECM Modulator ITIH5 Affects Cell Adhesion, Motility and Chemotherapeutic Response of Basal/Squamous-Like (BASQ) Bladder Cancer Cells. <i>Cells</i> , 2021, 10, 1038.	1.8	11
14	Molecular Characterization of Muellierian Tumors of the Urinary Tract. <i>Genes</i> , 2021, 12, 880.	1.0	5
15	The Presence of Small Nerve Fibers in the Tumor Microenvironment as Predictive Biomarker of Oncological Outcome Following Partial Hepatectomy for Intrahepatic Cholangiocarcinoma. <i>Cancers</i> , 2021, 13, 3661.	1.7	10
16	Development and validation of deep learning classifiers to detect Epstein-Barr virus and microsatellite instability status in gastric cancer: a retrospective multicentre cohort study. <i>The Lancet Digital Health</i> , 2021, 3, e654-e664.	5.9	69
17	Nerve Fibers in the Tumor Microenvironment Are Co-Localized with Lymphoid Aggregates in Pancreatic Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 490.	1.0	12
18	Prolonged Survival of a Patient with Advanced-Stage Combined Hepatocellular-Cholangiocarcinoma. <i>Case Reports in Gastroenterology</i> , 2021, 14, 658-667.	0.3	6

#	ARTICLE	IF	CITATIONS
19	Risk of penile tumor development in Caucasian individuals is independent of the coding variant rs7208422 in the TMC8 (EVER2) gene. <i>Molecular and Clinical Oncology</i> , 2021, 15, 267.	0.4	1
20	Evaluation of Therapeutic Targets in Histological Subtypes of Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11547.	1.8	16
21	Predicting Mutational Status of Driver and Suppressor Genes Directly from Histopathology With Deep Learning: A Systematic Study Across 23 Solid Tumor Types. <i>Frontiers in Genetics</i> , 2021, 12, 806386.	1.1	14
22	Next-Generation Sequencing Reveals Potential Predictive Biomarkers and Targets of Therapy for Urothelial Carcinoma in Situ of the Urinary Bladder. <i>American Journal of Pathology</i> , 2020, 190, 323-332.	1.9	20
23	Left- versus right-sided hepatectomy with hilar en-bloc resection in perihilar cholangiocarcinoma. <i>Hpb</i> , 2020, 22, 437-444.	0.1	33
24	EGFR activity addiction facilitates anti-ERBB based combination treatment of squamous bladder cancer. <i>Oncogene</i> , 2020, 39, 6856-6870.	2.6	31
25	Accurate Measurement of Copper Overload in an Experimental Model of Wilson Disease by Laser Ablation Inductively Coupled Plasma Mass Spectrometry. <i>Biomedicines</i> , 2020, 8, 356.	1.4	8
26	SWI/SNF Alterations in Squamous Bladder Cancers. <i>Genes</i> , 2020, 11, 1368.	1.0	3
27	Prevalence of APC and PTEN Alterations in Urachal Cancer. <i>Pathology and Oncology Research</i> , 2020, 26, 2773-2781.	0.9	10
28	Impact of Angiogenesis- and Hypoxia-Associated Polymorphisms on Tumor Recurrence in Patients with Hepatocellular Carcinoma Undergoing Surgical Resection. <i>Cancers</i> , 2020, 12, 3826.	1.7	11
29	Liver Phenotypes of European Adults Heterozygous or Homozygous for Pi ¹ -Z Variant of AAT (Pi ¹ -MZ vs) Tj ETQq1.1 0.784314 rgB / 0.6 63	0.6	63
30	Clinical-Grade Detection of Microsatellite Instability in Colorectal Tumors by Deep Learning. <i>Gastroenterology</i> , 2020, 159, 1406-1416.e11.	0.6	209
31	Therapeutic implications of PD-L1 expression in bladder cancer with squamous differentiation. <i>BMC Cancer</i> , 2020, 20, 230.	1.1	24
32	TERT promoter mutation analysis as a surrogate to morphology and immunohistochemistry in problematic spindle cell lesions of the urinary bladder. <i>Histopathology</i> , 2020, 77, 949-962.	1.6	8
33	Variant morphology and random chromosomal integration of BK polyomavirus in posttransplant urothelial carcinomas. <i>Modern Pathology</i> , 2020, 33, 1433-1442.	2.9	9
34	Pure Large Nested Variant of Urothelial Carcinoma (LNUC) Is the Prototype of an FGFR3 Mutated Aggressive Urothelial Carcinoma with Luminal-Papillary Phenotype. <i>Cancers</i> , 2020, 12, 763.	1.7	22
35	Comparative genomic profiling of glandular bladder tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 445-454.	1.4	22
36	Pure high-grade papillary urothelial bladder cancer: a luminal-like subgroup with potential for targeted therapy. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 807-819.	2.1	12

#	ARTICLE	IF	CITATIONS
37	ITIH5 and ECRG4 DNA Methylation Biomarker Test (EI-BLA) for Urine-Based Non-Invasive Detection of Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1117.	1.8	18
38	Upregulation of the long non-coding RNA CASC9 as a biomarker for squamous cell carcinoma. <i>BMC Cancer</i> , 2019, 19, 806.	1.1	23
39	Distinct genetic alterations and luminal molecular subtype in nested variant of urothelial carcinoma. <i>Histopathology</i> , 2019, 75, 865-875.	1.6	35
40	The prognostic role of lymphovascular invasion and lymph node metastasis in perihilar and intrahepatic cholangiocarcinoma. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1468-1478.	0.5	50
41	Multiregion human bladder cancer sequencing reveals tumour evolution, bladder cancer phenotypes and implications for targeted therapy. <i>Journal of Pathology</i> , 2019, 248, 230-242.	2.1	32
42	No Evidence of Microsatellite Instability and Loss of Mismatch-Repair-Protein Expression in Squamous Cell Carcinoma of the Penis. <i>Pathobiology</i> , 2019, 86, 145-151.	1.9	19
43	Progression of urothelial carcinoma in situ of the urinary bladder: a switch from luminal to basal phenotype and related therapeutic implications. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 749-758.	1.4	43
44	<sc>P</sc>athogenic and targetable genetic alterations in 70 urachal adenocarcinomas. <i>International Journal of Cancer</i> , 2018, 143, 1764-1773.	2.3	44
45	Effects of inhaled nitric oxide on outcome after prolonged cardiac arrest in mild therapeutic hypothermia treated rats. <i>Scientific Reports</i> , 2018, 8, 6743.	1.6	12
46	Immunohistochemical Analysis of Urothelial Carcinoma Tissues for Proliferation and Differentiation Markers. <i>Methods in Molecular Biology</i> , 2018, 1655, 43-52.	0.4	3
47	<i>P53</i> Codon 72 Polymorphism and Risk for Squamous Cell Carcinoma of the Penis: A Caucasian Case-Control Study. <i>Journal of Cancer</i> , 2018, 9, 4234-4241.	1.2	8
48	Diagnostic and Prognostic Implications of FGFR3 ^{high} /Ki67 ^{high} Papillary Bladder Cancers. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2548.	1.8	14
49	Not all false positive diagnoses are equal: On the prognostic implications of false-positive diagnoses made in breast MRI versus in mammography / digital tomosynthesis screening. <i>Breast Cancer Research</i> , 2018, 20, 13.	2.2	40
50	Promoter methylation of DNA damage repair (DDR) genes in human tumor entities: RBBP8/CtIP is almost exclusively methylated in bladder cancer. <i>Clinical Epigenetics</i> , 2018, 10, 15.	1.8	32
51	ARID1A-deficiency in urothelial bladder cancer: No predictive biomarker for EZH2-inhibitor treatment response?. <i>PLoS ONE</i> , 2018, 13, e0202965.	1.1	25
52	Micropapillary urothelial carcinoma: evaluation of HER2 status and immunohistochemical characterization of the molecular subtype. <i>Human Pathology</i> , 2018, 80, 55-64.	1.1	36
53	Telomerase reverse transcriptase (TERT) promoter mutations are rare in urachal cancer. <i>Pathology International</i> , 2017, 67, 597-601.	0.6	17
54	A liver nodule in a patient transplanted for primary sclerosing cholangitis: an interdisciplinary diagnostic approach. <i>Zeitschrift Fur Gastroenterologie</i> , 2017, 55, 56-62.	0.2	3

#	ARTICLE	IF	CITATIONS
55	Differential diagnosis of bladder versus colorectal adenocarcinoma: keratin 7 and GATA3 positivity in nuclear β -catenin-negative glandular tumours defines adenocarcinoma of the bladder. <i>Journal of Clinical Pathology</i> , 2016, 69, 307-312.	1.0	19
56	Fibroblast growth factor receptor (FGFR) alterations in squamous differentiated bladder cancer: a putative therapeutic target for a small subgroup. <i>Oncotarget</i> , 2016, 7, 71429-71439.	0.8	23
57	Brief inhalation of nitric oxide increases resuscitation success and improves 7-day-survival after cardiac arrest in rats: a randomized controlled animal study. <i>Critical Care</i> , 2015, 19, 408.	2.5	31
58	Fibroblast growth factor receptor (FGFR) gene amplifications are rare events in bladder cancer. <i>Histopathology</i> , 2015, 66, 639-649.	1.6	38
59	Identification and Validation of Potential New Biomarkers for Prostate Cancer Diagnosis and Prognosis Using 2D-DIGE and MS. <i>BioMed Research International</i> , 2015, 2015, 1-23.	0.9	44
60	Frequency of <i>TERT</i> Promoter Mutations in Prostate Cancer. <i>Pathobiology</i> , 2015, 82, 53-57.	1.9	38
61	In cystectomy specimens with bladder cancer whole organ embedding increases the detection rate of histopathological parameters, but not of those with prognostic significance. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 466, 423-432.	1.4	7
62	CK19 is a sensitive marker for yolk sac tumours of the testis. <i>Diagnostic Pathology</i> , 2015, 10, 7.	0.9	10
63	Response letter to "What can be more prognostic than the pTNM category assessed in radical cystectomy samples?" by Sksd F, Ivanyi B and Pajor L. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 483-484.	1.4	0
64	Comparison of structural genetics of non-schistosoma-associated squamous cell carcinoma of the urinary bladder. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 8143-58.	0.5	9
65	Epigenetic inactivation of <i>ITIH5</i> promotes bladder cancer progression and predicts early relapse of pT1 high-grade urothelial tumours. <i>Carcinogenesis</i> , 2014, 35, 727-736.	1.3	38
66	Frequency of activating mutations in <i>FGFR2</i> exon 7 in bladder tumors from patients with early-onset and regular-onset disease. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 1708-13.	0.5	9
67	Levels of acyl-coenzyme A synthetase 5 in urothelial cells and corresponding neoplasias reflect cellular differentiation. <i>Histology and Histopathology</i> , 2013, 28, 353-64.	0.5	11
68	Different immunohistochemical and ultrastructural phenotypes of squamous differentiation in bladder cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 301-312.	1.4	55
69	The human urothelium consists of multiple clonal units, each maintained by a stem cell. <i>Journal of Pathology</i> , 2011, 225, 163-171.	2.1	59
70	Clonal architecture of human prostatic epithelium in benign and malignant conditions. <i>Journal of Pathology</i> , 2011, 225, 172-180.	2.1	52
71	Tumour node metastasis staging of bladder cancer: prognosis versus pitfalls. <i>Current Opinion in Urology</i> , 2010, 20, 398-403.	0.9	1
72	Insights from a whole cystectomy specimen "association of primary small cell carcinoma of the bladder with transitional cell carcinoma in situ. <i>Human Pathology</i> , 2008, 39, 1258-1262.	1.1	8