

Nadine T Gaisa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4675439/publications.pdf>

Version: 2024-02-01

72
papers

1,809
citations

236925
25
h-index

315739
38
g-index

79
all docs

79
docs citations

79
times ranked

2581
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatobiliary phenotypes of adults with alpha-1 antitrypsin deficiency. <i>Cut</i> , 2022, 71, 415-423.	12.1	28
2	Artificial Intelligence-based Detection of FGFR3 Mutational Status Directly from Routine Histology in Bladder Cancer: A Possible Preselection for Molecular Testing?. <i>European Urology Focus</i> , 2022, 8, 472-479.	3.1	47
3	Genetic Variant of CXCR1 (rs2234671) Associates with Clinical Outcome in Perihilar Cholangiocarcinoma. <i>Liver Cancer</i> , 2022, 11, 162-173.	7.7	9
4	PD-1+ T-Cells Correlate with Nerve Fiber Density as a Prognostic Biomarker in Patients with Resected Perihilar Cholangiocarcinoma. <i>Cancers</i> , 2022, 14, 2190.	3.7	4
5	LINC00152 Drives a Competing Endogenous RNA Network in Human Hepatocellular Carcinoma. <i>Cells</i> , 2022, 11, 1528.	4.1	6
6	Benchmarking weakly-supervised deep learning pipelines for whole slide classification in computational pathology. <i>Medical Image Analysis</i> , 2022, 79, 102474.	11.6	64
7	Heterogenous NECTIN4 expression in urothelial high-risk non-muscle-invasive bladder cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 83-92.	2.8	3
8	Effective Radiosensitization of Bladder Cancer Cells by Pharmacological Inhibition of DNA-PK and ATR. <i>Biomedicines</i> , 2022, 10, 1277.	3.2	3
9	Intraoperative Transfusion of Fresh Frozen Plasma Predicts Morbidity Following Partial Liver Resection for Hepatocellular Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 1212-1223.	1.7	11
10	Nerve fibers in the tumor microenvironment in neurotropic cancer—pancreatic cancer and cholangiocarcinoma. <i>Oncogene</i> , 2021, 40, 899-908.	5.9	53
11	The detection of isochromosome i(12p) in malignant germ cell tumours and tumours with somatic malignant transformation by the use of quantitative real-time polymerase chain reaction. <i>Histopathology</i> , 2021, 78, 593-606.	2.9	31
12	JNK signaling prevents biliary cyst formation through a CASPASE-8-dependent function of RIPK1 during aging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	8
13	The ECM Modulator ITIH5 Affects Cell Adhesion, Motility and Chemotherapeutic Response of Basal/Squamous-Like (BASQ) Bladder Cancer Cells. <i>Cells</i> , 2021, 10, 1038.	4.1	11
14	Molecular Characterization of Muellierian Tumors of the Urinary Tract. <i>Genes</i> , 2021, 12, 880.	2.4	5
15	The Presence of Small Nerve Fibers in the Tumor Microenvironment as Predictive Biomarker of Oncological Outcome Following Partial Hepatectomy for Intrahepatic Cholangiocarcinoma. <i>Cancers</i> , 2021, 13, 3661.	3.7	10
16	Development and validation of deep learning classifiers to detect Epstein-Barr virus and microsatellite instability status in gastric cancer: a retrospective multicentre cohort study. <i>The Lancet Digital Health</i> , 2021, 3, e654-e664.	12.3	69
17	Nerve Fibers in the Tumor Microenvironment Are Co-Localized with Lymphoid Aggregates in Pancreatic Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 490.	2.4	12
18	Prolonged Survival of a Patient with Advanced-Stage Combined Hepatocellular-Cholangiocarcinoma. <i>Case Reports in Gastroenterology</i> , 2021, 14, 658-667.	0.6	6

#	ARTICLE	IF	CITATIONS
19	Risk of penile tumor development in Caucasian individuals is independent of the coding variant rs7208422 in the TMC8 (EVER2) gene. <i>Molecular and Clinical Oncology</i> , 2021, 15, 267.	1.0	1
20	Evaluation of Therapeutic Targets in Histological Subtypes of Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11547.	4.1	16
21	Predicting Mutational Status of Driver and Suppressor Genes Directly from Histopathology With Deep Learning: A Systematic Study Across 23 Solid Tumor Types. <i>Frontiers in Genetics</i> , 2021, 12, 806386.	2.3	14
22	Next-Generation Sequencing Reveals Potential Predictive Biomarkers and Targets of Therapy for Urothelial Carcinoma in Situ of the Urinary Bladder. <i>American Journal of Pathology</i> , 2020, 190, 323-332.	3.8	20
23	Left- versus right-sided hepatectomy with hilar en-bloc resection in perihilar cholangiocarcinoma. <i>Hpb</i> , 2020, 22, 437-444.	0.3	33
24	EGFR activity addiction facilitates anti-ERBB based combination treatment of squamous bladder cancer. <i>Oncogene</i> , 2020, 39, 6856-6870.	5.9	31
25	Accurate Measurement of Copper Overload in an Experimental Model of Wilson Disease by Laser Ablation Inductively Coupled Plasma Mass Spectrometry. <i>Biomedicines</i> , 2020, 8, 356.	3.2	8
26	SWI/SNF Alterations in Squamous Bladder Cancers. <i>Genes</i> , 2020, 11, 1368.	2.4	3
27	Prevalence of APC and PTEN Alterations in Urachal Cancer. <i>Pathology and Oncology Research</i> , 2020, 26, 2773-2781.	1.9	10
28	Impact of Angiogenesis- and Hypoxia-Associated Polymorphisms on Tumor Recurrence in Patients with Hepatocellular Carcinoma Undergoing Surgical Resection. <i>Cancers</i> , 2020, 12, 3826.	3.7	11
29	Liver Phenotypes of European Adults Heterozygous or Homozygous for Piâ€—Z Variant of AAT (Piâ€—MZ vs) Tj ETQq1.1 0.784314 rgB / 1.3 63	1.3	63
30	Clinical-Grade Detection of Microsatellite Instability in Colorectal Tumors by Deep Learning. <i>Gastroenterology</i> , 2020, 159, 1406-1416.e11.	1.3	209
31	Therapeutic implications of PD-L1 expression in bladder cancer with squamous differentiation. <i>BMC Cancer</i> , 2020, 20, 230.	2.6	24
32	TERTpromoter mutation analysis as a surrogate to morphology and immunohistochemistry in problematic spindle cell lesions of the urinary bladder. <i>Histopathology</i> , 2020, 77, 949-962.	2.9	8
33	Variant morphology and random chromosomal integration of BK polyomavirus in posttransplant urothelial carcinomas. <i>Modern Pathology</i> , 2020, 33, 1433-1442.	5.5	9
34	Pure Large Nested Variant of Urothelial Carcinoma (LNUC) Is the Prototype of an FGFR3 Mutated Aggressive Urothelial Carcinoma with Luminal-Papillary Phenotype. <i>Cancers</i> , 2020, 12, 763.	3.7	22
35	Comparative genomic profiling of glandular bladder tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 445-454.	2.8	22
36	Pure high-grade papillary urothelial bladder cancer: a luminal-like subgroup with potential for targeted therapy. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 807-819.	4.4	12

#	ARTICLE	IF	CITATIONS
37	ITIH5 and ECRG4 DNA Methylation Biomarker Test (EI-BLA) for Urine-Based Non-Invasive Detection of Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1117.	4.1	18
38	Upregulation of the long non-coding RNA CASC9 as a biomarker for squamous cell carcinoma. <i>BMC Cancer</i> , 2019, 19, 806.	2.6	23
39	Distinct genetic alterations and luminal molecular subtype in nested variant of urothelial carcinoma. <i>Histopathology</i> , 2019, 75, 865-875.	2.9	35
40	The prognostic role of lymphovascular invasion and lymph node metastasis in perihilar and intrahepatic cholangiocarcinoma. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1468-1478.	1.0	50
41	Multiregion human bladder cancer sequencing reveals tumour evolution, bladder cancer phenotypes and implications for targeted therapy. <i>Journal of Pathology</i> , 2019, 248, 230-242.	4.5	32
42	No Evidence of Microsatellite Instability and Loss of Mismatch-Repair-Protein Expression in Squamous Cell Carcinoma of the Penis. <i>Pathobiology</i> , 2019, 86, 145-151.	3.8	19
43	Progression of urothelial carcinoma in situ of the urinary bladder: a switch from luminal to basal phenotype and related therapeutic implications. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 749-758.	2.8	43
44	<scp>P</scp>athogenic and targetable genetic alterations in 70 urachal adenocarcinomas. <i>International Journal of Cancer</i> , 2018, 143, 1764-1773.	5.1	44
45	Effects of inhaled nitric oxide on outcome after prolonged cardiac arrest in mild therapeutic hypothermia treated rats. <i>Scientific Reports</i> , 2018, 8, 6743.	3.3	12
46	Immunohistochemical Analysis of Urothelial Carcinoma Tissues for Proliferation and Differentiation Markers. <i>Methods in Molecular Biology</i> , 2018, 1655, 43-52.	0.9	3
47	<i>P53</i> Codon 72 Polymorphism and Risk for Squamous Cell Carcinoma of the Penis: A Caucasian Case-Control Study. <i>Journal of Cancer</i> , 2018, 9, 4234-4241.	2.5	8
48	Diagnostic and Prognostic Implications of FGFR3 ^{high} /Ki67 ^{high} Papillary Bladder Cancers. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2548.	4.1	14
49	Not all false positive diagnoses are equal: On the prognostic implications of false-positive diagnoses made in breast MRI versus in mammography / digital tomosynthesis screening. <i>Breast Cancer Research</i> , 2018, 20, 13.	5.0	40
50	Promoter methylation of DNA damage repair (DDR) genes in human tumor entities: RBBP8/CtIP is almost exclusively methylated in bladder cancer. <i>Clinical Epigenetics</i> , 2018, 10, 15.	4.1	32
51	ARID1A-deficiency in urothelial bladder cancer: No predictive biomarker for EZH2-inhibitor treatment response?. <i>PLoS ONE</i> , 2018, 13, e0202965.	2.5	25
52	Micropapillary urothelial carcinoma: evaluation of HER2 status and immunohistochemical characterization of the molecular subtype. <i>Human Pathology</i> , 2018, 80, 55-64.	2.0	36
53	Telomerase reverse transcriptase (TERT) promoter mutations are rare in urachal cancer. <i>Pathology International</i> , 2017, 67, 597-601.	1.3	17
54	A liver nodule in a patient transplanted for primary sclerosing cholangitis: an interdisciplinary diagnostic approach. <i>Zeitschrift Fur Gastroenterologie</i> , 2017, 55, 56-62.	0.5	3

#	ARTICLE	IF	CITATIONS
55	Differential diagnosis of bladder versus colorectal adenocarcinoma: keratin 7 and GATA3 positivity in nuclear Æ-catenin-negative glandular tumours defines adenocarcinoma of the bladder. Journal of Clinical Pathology, 2016, 69, 307-312.	2.0	19
56	Fibroblast growth factor receptor (FGFR) alterations in squamous differentiated bladder cancer: a putative therapeutic target for a small subgroup. Oncotarget, 2016, 7, 71429-71439.	1.8	23
57	Brief inhalation of nitric oxide increases resuscitation success and improves 7-day-survival after cardiac arrest in rats: a randomized controlled animal study. Critical Care, 2015, 19, 408.	5.8	31
58	Fibroblast growth factor receptor (FGFR) gene amplifications are rare events in bladder cancer. Histopathology, 2015, 66, 639-649.	2.9	38
59	Identification and Validation of Potential New Biomarkers for Prostate Cancer Diagnosis and Prognosis Using 2D-DIGE and MS. BioMed Research International, 2015, 2015, 1-23.	1.9	44
60	Frequency of TERT Promoter Mutations in Prostate Cancer. Pathobiology, 2015, 82, 53-57.	3.8	38
61	In cystectomy specimens with bladder cancer whole organ embedding increases the detection rate of histopathological parameters, but not of those with prognostic significance. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 466, 423-432.	2.8	7
62	CK19 is a sensitive marker for yolk sac tumours of the testis. Diagnostic Pathology, 2015, 10, 7.	2.0	10
63	Response letter to "What can be more prognostic than the pTNM category assessed in radical cystectomy samples?" by S4sd F, Ivanyi B and Pajor L. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 467, 483-484.	2.8	0
64	Comparison of structural genetics of non-schistosoma-associated squamous cell carcinoma of the urinary bladder. International Journal of Clinical and Experimental Pathology, 2015, 8, 8143-58.	0.5	9
65	Epigenetic inactivation of ITIH5 promotes bladder cancer progression and predicts early relapse of pT1 high-grade urothelial tumours. Carcinogenesis, 2014, 35, 727-736.	2.8	38
66	Frequency of activating mutations in FGFR2 exon 7 in bladder tumors from patients with early-onset and regular-onset disease. International Journal of Clinical and Experimental Pathology, 2014, 7, 1708-13.	0.5	9
67	Levels of acyl-coenzyme A synthetase 5 in urothelial cells and corresponding neoplasias reflect cellular differentiation. Histology and Histopathology, 2013, 28, 353-64.	0.7	11
68	Different immunohistochemical and ultrastructural phenotypes of squamous differentiation in bladder cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 458, 301-312.	2.8	55
69	The human urothelium consists of multiple clonal units, each maintained by a stem cell. Journal of Pathology, 2011, 225, 163-171.	4.5	59
70	Clonal architecture of human prostatic epithelium in benign and malignant conditions. Journal of Pathology, 2011, 225, 172-180.	4.5	52
71	Tumour node metastasis staging of bladder cancer: prognosis versus pitfalls. Current Opinion in Urology, 2010, 20, 398-403.	1.8	1
72	Insights from a whole cystectomy specimen" association of primary small cell carcinoma of the bladder with transitional cell carcinoma in situ. Human Pathology, 2008, 39, 1258-1262.	2.0	8