Lauren A Beaupre

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4679657/publications.pdf

Version: 2024-02-01

101543 74163 6,055 112 36 75 citations g-index h-index papers 113 113 113 6497 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Liberal or Restrictive Transfusion in High-Risk Patients after Hip Surgery. New England Journal of Medicine, 2011, 365, 2453-2462.	27.0	1,164
2	A critical review of the long-term disability outcomes following hip fracture. BMC Geriatrics, 2016 , 16 , 158 .	2.7	538
3	Total Joint Arthroplasties: Current Concepts of Patient Outcomes after Surgery. Rheumatic Disease Clinics of North America, 2007, 33, 71-86.	1.9	221
4	The Effect of Time to Definitive Treatment on the Rate of Nonunion and Infection in Open Fractures. Journal of Orthopaedic Trauma, 2002, 16 , $484-490$.	1.4	218
5	Accelerated surgery versus standard care in hip fracture (HIP ATTACK): an international, randomised, controlled trial. Lancet, The, 2020, 395, 698-708.	13.7	199
6	Best practices for elderly hip fracture patients. Journal of General Internal Medicine, 2005, 20, 1019-1025.	2.6	198
7	Comparative Effectiveness of Pain Management Interventions for Hip Fracture: A Systematic Review. Annals of Internal Medicine, 2011, 155, 234.	3.9	180
8	Liberal versus restrictive blood transfusion strategy: 3-year survival and cause of death results from the FOCUS randomised controlled trial. Lancet, The, 2015, 385, 1183-1189.	13.7	179
9	Preoperative opioid use is associated with worse patient outcomes after Total joint arthroplasty: a systematic review and meta-analysis. BMC Musculoskeletal Disorders, 2019, 20, 234.	1.9	145
10	Use of a Case Manager to Improve Osteoporosis Treatment After Hip Fracture. Archives of Internal Medicine, 2007, 167, 2110.	3.8	129
11	The effect of a preoperative exercise and education program on functional recovery, health related quality of life, and health service utilization following primary total knee arthroplasty. Journal of Rheumatology, 2004, 31, 1166-73.	2.0	120
12	Maximising functional recovery following hip fracture in frail seniors. Best Practice and Research in Clinical Rheumatology, 2013, 27, 771-788.	3.3	105
13	Time to Initial Operative Treatment Following Open Fracture Does Not Impact Development of Deep Infection. Journal of Orthopaedic Trauma, 2014, 28, 613-619.	1.4	104
14	Functional Outcome and Health-Related Quality of Life after Surgical Repair of Full-Thickness Rotator Cuff Tear Using a Mini-Open Technique. American Journal of Sports Medicine, 2005, 33, 1346-1355.	4.2	93
15	Biomechanical analysis of proximal humeral fixation using locking plate fixation with an intramedullary fibular allograft. Clinical Biomechanics, 2010, 25, 642-646.	1.2	93
16	Factors Associated With Development of Nonunion or Delayed Healing After an Open Long Bone Fracture. Journal of Orthopaedic Trauma, 2016, 30, 149-155.	1.4	86
17	Does Functional Recovery in Elderly Hip Fracture Patients Differ Between Patients Admitted From Long-Term Care and the Community?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 1127-1133.	3.6	83
18	Rehabilitation Interventions for Older Individuals With Cognitive Impairment Post-Hip Fracture: A Systematic Review. Journal of the American Medical Directors Association, 2016, 17, 200-205.	2.5	80

#	Article	IF	CITATIONS
19	Total Joint Arthroplasties: Current Concepts of Patient Outcomes after Surgery. Clinics in Geriatric Medicine, 2005, 21, 527-541.	2.6	79
20	Recovery of Function Following a Hip Fracture in Geriatric Ambulatory Persons Living in Nursing Homes: Prospective Cohort Study. Journal of the American Geriatrics Society, 2012, 60, 1268-1273.	2.6	79
21	Osteoporosis Case Manager for Patients With Hip Fractures. Archives of Internal Medicine, 2009, 169, 25.	3.8	78
22	Imaging methods for quantifying glenoid and Hill-Sachs bone loss in traumatic instability of the shoulder: a scoping review. BMC Musculoskeletal Disorders, 2015, 16, 164.	1.9	78
23	Augmented external fixation versus percutaneous pinning and casting for unstable fractures of the distal radius—a prospective randomized trial. Journal of Hand Surgery, 2004, 29, 815-824.	1.6	71
24	Rehabilitation in Patients with Dementia Following Hip Fracture: A Systematic Review. Physiotherapy Canada Physiotherapie Canada, 2012, 64, 190-201.	0.6	71
25	Factors Associated With Calf Muscle Endurance Recovery 1 Year After Achilles Tendon Rupture Repair. Journal of Orthopaedic and Sports Physical Therapy, 2010, 40, 345-351.	3.5	70
26	Proximal humeral fracture fixation: locking plate construct $\hat{A}\pm$ intramedullary fibular allograft. Journal of Shoulder and Elbow Surgery, 2012, 21, 894-901.	2.6	68
27	A comprehensive approach to reablement in dementia. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 450-458.	3.7	68
28	Efficacité d'un bloc nerveux périphérique supplémentaire pour les chirurgies de fracture de la hanche: Comparaison de plusieurs traitements. Canadian Journal of Anaesthesia, 2013, 60, 230-243.	1.6	66
29	Early Active Motion Versus Sling Immobilization After Arthroscopic Rotator Cuff Repair: A Randomized Controlled Trial. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 749-760.e2.	2.7	62
30	Does Standardized Rehabilitation and Discharge Planning Improve Functional Recovery in Elderly Patients With Hip Fracture?. Archives of Physical Medicine and Rehabilitation, 2005, 86, 2231-2239.	0.9	55
31	Prognostic impact of pre-operative albumin on short-term mortality and complications in patients with hip fracture. Archives of Gerontology and Geriatrics, 2011, 53, 90-94.	3.0	53
32	Evaluating change in clinical status: reliability and measures of agreement for the assessment of glenohumeral range of motion. North American Journal of Sports Physical Therapy: NAJSPT, 2010, 5, 98-110.	0.1	48
33	The impact of time to surgery after hip fracture on mortality at 30- and 90-days: Does a single benchmark apply to all?. Injury, 2019, 50, 950-955.	1.7	45
34	Mortality effects of timing alternatives for hip fracture surgery. Cmaj, 2018, 190, E923-E932.	2.0	40
35	Treatment of an infected total hip replacement with the PROSTALAC system. Part 1: Infection resolution. Canadian Journal of Surgery, 2007, 50, 24-8.	1.2	39
36	Facilitated bone mineral density testing versus hospitalâ€based case management to improve osteoporosis treatment for hip fracture patients: Additional results from a randomized trial. Arthritis and Rheumatism, 2009, 61, 209-215.	6.7	38

#	Article	IF	CITATIONS
37	The effect of epsilon aminocaproic acid on blood loss in patients who undergo primary total hip replacement: a pilot study. Canadian Journal of Surgery, 2002, 45, 185-90.	1.2	36
38	Effect of adjunctive range-of-motion therapy after primary total knee arthroplasty on the use of health services after hospital discharge. Canadian Journal of Surgery, 2003, 46, 30-6.	1.2	34
39	Primary Wound Closure After Open Fracture: A Prospective Cohort Study Examining Nonunion and Deep Infection. Journal of Orthopaedic Trauma, 2017, 31, 121-126.	1.4	33
40	Impact of a Preemptive Multimodal Analgesia plus Femoral Nerve Blockade Protocol on Rehabilitation, Hospital Length of Stay, and Postoperative Analgesia after Primary Total Knee Arthroplasty: A Controlled Clinical Pilot Study. Scientific World Journal, The, 2012, 2012, 1-6.	2.1	32
41	Female soccer knee injury: Observed knowledge gaps in injury prevention among players/parents/coaches and current evidence (the <scp>KNOW</scp> study). Scandinavian Journal of Medicine and Science in Sports, 2013, 23, 271-280.	2.9	31
42	The Alberta hip and knee replacement project: A model for health technology assessment based on comparative effectiveness of clinical pathways. International Journal of Technology Assessment in Health Care, 2009, 25, 113-123.	0.5	30
43	In-hospital mortality after hip fracture by treatment setting. Cmaj, 2016, 188, 1219-1225.	2.0	29
44	Time trends in hospital stay after hip fracture in Canada, 2004–2012: database study. Archives of Osteoporosis, 2016, 11, 13.	2.4	28
45	A critical review of weight loss recommendations before total knee arthroplasty. Joint Bone Spine, 2021, 88, 105114.	1.6	26
46	Functional Outcomes and Health-Related Quality of Life After Surgical Repair of Full-Thickness Rotator Cuff Tears Using a Mini-Open Technique. American Journal of Sports Medicine, 2015, 43, 2794-2799.	4.2	24
47	Economic evaluation of a population-based osteoporosis intervention for outpatients with non-traumatic non-hip fractures: the "Catch a Break―1i [type C] FLS. Osteoporosis International, 2017, 28, 1965-1977.	3.1	24
48	Biomechanical evaluation of the Nice knot. International Journal of Shoulder Surgery, 2016, 10, 15.	1.5	24
49	A Randomized Clinical Trial Comparing Posterior Cruciate-Stabilizing vs Posterior Cruciate-Retaining Prostheses in Primary Total Knee Arthroplasty: 10-Year Follow-Up. Journal of Arthroplasty, 2017, 32, 818-823.	3.1	23
50	Comparing Strategies Targeting Osteoporosis to Prevent Fractures After an Upper Extremity Fracture (C-STOP Trial): A Randomized Controlled Trial. Journal of Bone and Mineral Research, 2018, 33, 2114-2121.	2.8	23
51	Treatment of an infected total hip replacement with the PROSTALAC system. Part 2: Health-related quality of life and function with the PROSTALAC implant in situ. Canadian Journal of Surgery, 2007, 50, 29-33.	1.2	23
52	Locking plate fixation of proximal humeral fractures withÂimpaction of the fracture site to restore medial column support: a biomechanical study. Journal of Shoulder and Elbow Surgery, 2013, 22, 1552-1557.	2.6	22
53	A Randomized Trial Comparing Ceramic-on-Ceramic Bearing vs Ceramic-on-Crossfire-Polyethylene Bearing Surfaces in Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 1240-1245.	3.1	22
54	Rehabilitation for Long-term Care Residents Following Hip Fracture. Journal of Geriatric Physical Therapy, 2013, 36, 39-46.	1.1	21

#	Article	IF	CITATIONS
55	Understanding fragility fracture patients' decision-making process regarding bisphosphonate treatment. Osteoporosis International, 2017, 28, 219-229.	3.1	21
56	A Randomized Trial Of Ceramic-On-Ceramic Bearing Versus Ceramic-On-Crossfire-Polyethylene Bearing In Total Hip Arthroplasty: Five-Year Outcomes. Journal of Arthroplasty, 2013, 28, 485-489.	3.1	20
57	Recovery of Walking Ability and Return to Community Living within 60 Days of Hip Fracture Does Not Differ Between Male and Female Survivors. Journal of the American Geriatrics Society, 2015, 63, 1640-1644.	2.6	20
58	An Exploration of Canadian Physiotherapists' Decisions about Whether to Supervise Physiotherapy Students: Results from a National Survey. Physiotherapy Canada Physiotherapie Canada, 2016, 68, 141-148.	0.6	20
59	Cognitive Status at Hospital Admission: Postoperative Trajectory of Functional Recovery for Hip Fracture. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 61-67.	3.6	20
60	Diabetes that impacts on routine activities predicts slower recovery after total knee arthroplasty: an observational study. Journal of Physiotherapy, 2014, 60, 217-223.	1.7	19
61	A randomized pilot study of a comprehensive postoperative exercise program compared with usual care following primary total hip arthroplasty in subjects less than 65Âyears of age: feasibility, selection of outcome measures and timing of assessment. BMC Musculoskeletal Disorders, 2014, 15, 192.	1.9	18
62	Effectiveness of a Posterior Shoulder Stretching Program on University-Level Overhead Athletes: Randomized Controlled Trial. Clinical Journal of Sport Medicine, 2018, 28, 146-152.	1.8	18
63	To Supervise or Not to Supervise a Physical Therapist Student: A National Survey of Canadian Physical Therapists. Journal, Physical Therapy Education, 2015, 29, 58-67.	0.7	17
64	In vitro biomechanical testing of anterior cruciate ligament reconstruction: Traditional versus physiologically relevant load analysis. Knee, 2011, 18, 193-201.	1.6	16
65	Hospital mortality after hip fracture surgery in relation to length of stay by care delivery factors. Medicine (United States), 2017, 96, e6683.	1.0	15
66	Time to surgery after hip fracture across Canada by timing of admission. Osteoporosis International, 2018, 29, 653-663.	3.1	15
67	Radiographic assessment of uncemented total hip arthroplasty: reliability of the Engh Grading Scale. Canadian Journal of Surgery, 2011, 54, 185-188.	1.2	13
68	Functional Outcomes for 2 Years Comparing Hip Resurfacing and Total Hip Arthroplasty. Journal of Arthroplasty, 2012, 27, 750-757.e2.	3.1	13
69	Cost-Effectiveness of Osteoporosis Interventions to Improve Quality of Care After Upper Extremity Fracture: Results From a Randomized Trial (C-STOP Trial). Journal of Bone and Mineral Research, 2019, 34, 1220-1228.	2.8	13
70	Rehabilitation After Hip Fracture for Nursing Home Residents: A Controlled Feasibility Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1518-1525.	3.6	13
71	Suprascapular nerve injury during arthroscopic superior labral repair: a prospective evaluation. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 517-522.	4.2	12
72	Identifying research priorities around psycho-cognitive and social factors for recovery from hip fractures: An international decision-making process. Injury, 2018, 49, 1466-1472.	1.7	12

#	Article	IF	CITATIONS
73	Conceptual Framework for an Episode of Rehabilitative Care After Surgical Repair of Hip Fracture. Physical Therapy, 2019, 99, 276-285.	2.4	12
74	Diagnosis and treatment of osteoporosis before and after admission to long-term care institutions. Osteoporosis International, 2012, 23, 573-580.	3.1	11
75	Bone Mineral Density Changes in the Hip and Spine of Men and Women 1-Year After Primary Cemented Total Knee Arthroplasty: Prospective Cohort Study. Journal of Arthroplasty, 2015, 30, 2185-2189.	3.1	11
76	Total joint arthroplasty: practice variation of physiotherapy across the continuum of care in Alberta. BMC Health Services Research, 2016, 16, 627.	2.2	11
77	Feasibility of administrative data for studying complications after hip fracture surgery. BMJ Open, 2017, 7, e015368.	1.9	11
78	Discharge destination following hip fracture in Canada among previously community-dwelling older adults, 2004–2012: database study. Osteoporosis International, 2019, 30, 1383-1394.	3.1	11
79	A comparison of outcomes between Canada and the United States in patients recovering from hip fracture repair: secondary analysis of the FOCUS trial. International Journal for Quality in Health Care, 2018, 30, 97-103.	1.8	10
80	Scoping review of potential quality indicators for hip fracture patient care. BMJ Open, 2017, 7, e014769.	1.9	9
81	The intra- and inter-rater reliability of plain radiographs for Hill-Sachs and bony glenoid lesions: evaluation of the radiographic portion of the instability severity index score. Shoulder and Elbow, 2013, 5, 33-38.	1.5	8
82	The use of early immobilization in the management of acute soft-tissue injuries of the knee: results of a survey of emergency physicians, sports medicine physicians and orthopedic surgeons. Canadian Journal of Surgery, 2015, 58, 48-53.	1.2	7
83	Successful implementation of a Fracture Liaison Service through effective change management: a qualitative study. Archives of Osteoporosis, 2020, 15, 44.	2.4	7
84	An Outreach Rehabilitation Program for Nursing Home Residents After Hip Fracture May Be Cost-Saving. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, e159-e165.	3.6	7
85	Surgeons' perception of fluoroscopic radiation hazards to vision. American Journal of Orthopedics, 2013, 42, 505-10.	0.7	7
86	Quality indicators for hip fracture patients: a scoping review protocol. BMJ Open, 2014, 4, e006543.	1.9	6
87	Health-related quality of life with long-term retention of the PROSthesis of Antibiotic Loaded Acrylic Cement system following infection resolution in low demand patients. Journal of Orthopaedic Surgery, 2017, 25, 230949901771625.	1.0	6
88	Perioperative pain management and chronic postsurgical pain after elective foot and ankle surgery: a scoping review. Canadian Journal of Anaesthesia, 2019, 66, 953-965.	1.6	6
89	Factors associated with maintaining reduction following locking plate fixation of proximal humerus fractures: a population-based retrospective cohort study. JSES International, 2020, 4, 724-729.	1.6	6
90	Effect of preoperative long-term opioid therapy on patient outcomes after total knee arthroplasty: an analysis of multicentre population-based administrative data. Canadian Journal of Surgery, 2021, 64, E135-E143.	1.2	6

#	Article	IF	Citations
91	Is Immobilization Necessary for Early Return to Work Following Distal Biceps Repair Using a Cortical Button Technique?. Journal of Bone and Joint Surgery - Series A, 2021, 103, 1763-1771.	3.0	6
92	Elective surgery in ankle and foot disordersâ€"best practices for management of pain: a guideline for clinicians. Canadian Journal of Anaesthesia, 2022, 69, 1053-1067.	1.6	6
93	Does Topical Anesthetic Reduce Pain During Intraosseous Pin Removal in Children? A Randomized Controlled Trial. Journal of Pediatric Orthopaedics, 2016, 36, 126-131.	1.2	5
94	Preoperative nerve blocks for hip fracture patients: A pilot randomized trial. Injury, 2021, 52, 548-553.	1.7	4
95	Feasibility and Acceptability of a Peer Mentoring Program for Older Adults Following Hospitalization for Hip Fracture. Journal of the American Medical Directors Association, 2019, 20, 218-220.e2.	2.5	3
96	Can clinical assessment differentiate partial thickness rotator cuff tears from full thickness rotator cuff tears? A secondary analysis. Disability and Rehabilitation, 2020, 42, 2351-2358.	1.8	3
97	Patients' Experiences of Nurse Case-Managed Osteoporosis Care: A Qualitative Study. Journal of Patient Experience, 2020, 7, 251-257.	0.9	3
98	Variation in surgical demand and time to hip fracture repair: a Canadian database study. BMC Health Services Research, 2020, 20, 935.	2.2	3
99	Rehabilitation after arthroscopic Bankart repair: a systematic scoping review identifying important evidence gaps. Physiotherapy, 2022, 114, 68-76.	0.4	3
100	Barriers and facilitators to an outreach rehabilitation program delivered in nursing homes after hip fracture surgical repair. Advances in Aging Research, 2013, 02, 43-50.	0.4	3
101	Opioid prescribing practices prior to elective foot and ankle surgery: a population-based evaluation using health administrative data from a tertiary hospital in Canada. , 2022, 23, 116.		3
102	Radiographic sclerotic contour loss in the identification of glenoid bone loss. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 2167-2173.	4.2	2
103	The Influence of Allowable Refill Gaps on Detecting Long-Term Opioid Therapy: An Analysis of Population-Based Administrative Dispensing Data Among Patients with Knee Arthritis Awaiting Total Knee Arthroplasty. Journal of Managed Care & Specialty Pharmacy, 2019, 25, 1064-1072.	0.9	2
104	Kinetic measurement system use in individuals following anterior cruciate ligament reconstruction: a scoping review of methodological approaches. Journal of Experimental Orthopaedics, 2021, 8, 81.	1.8	2
105	Recovery and Return to Activity 1 Year After Ankle Fracture Managed With Open Reduction and Internal Fixation: A Prospective Longitudinal Cohort Study. Foot & Ankle Orthopaedics, 2022, 7, 24730114221091806.	0.2	2
106	Hardware complications and reoperations following precontoured plate fixation of the olecranon: a population-based study. Journal of Shoulder and Elbow Surgery, 2022, 31, e418-e425.	2.6	2
107	Examining the Need for a New Instrument to Evaluate Canadian Physiotherapy Students during Clinical Education Experiences. Physiotherapy Canada Physiotherapie Canada, 2016, 68, 151-155.	0.6	1
108	Operationalising a conceptual framework for a contiguous hospitalisation episode to study associations between surgical timing and death after first hip fracture: a Canadian observational study. BMJ Open, 2018, 8, e020372.	1.9	1

#	Article	IF	CITATIONS
109	Accounts of health risk assessment survey administration in the Catch a Break Program: the social construction of osteoporosis risk identification and need for intervention. Archives of Osteoporosis, 2021, 16, 136.	2.4	1
110	Domains of Balance Training Delivered in Rehabilitation Programs Following Hip Fracture Surgery in Older Adults. Journal of Geriatric Physical Therapy, 2021, Publish Ahead of Print, .	1.1	1
111	Progressive Resistance Training Program Characteristics in Rehabilitation Programs Following Hip Fracture: A Meta-Analysis and Meta-Regression. Geriatric Orthopaedic Surgery and Rehabilitation, 2022, 13, 215145932210907.	1.4	1
112	Stationary Behavior and the Step-Defined Sedentary Lifestyle Index in Older Adults After Total Knee Arthroplasty. Archives of Physical Medicine and Rehabilitation, 2021, 102, 1926-1931.	0.9	0