# Juana Fernandez-Lopez

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/4680062/juana-fernandez-lopez-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162 8,897 53 91 g-index

171 10,247 4.8 6.24 ext. papers ext. citations avg, IF L-index

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 162 | Functional properties of honey, propolis, and royal jelly. <i>Journal of Food Science</i> , <b>2008</b> , 73, R117-24  | 3.4  | 466       |
| 161 | Thiobarbituric acid test for monitoring lipid oxidation in meat. <i>Food Chemistry</i> , <b>1997</b> , 59, 345-353   | 8.5  | 397       |
| 160 | Pomegranate and its Many Functional Components as Related to Human Health: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2010</b> , 9, 635-654                                       | 16.4 | 383       |
| 159 | Incorporation of citrus fibers in fermented milk containing probiotic bacteria. <i>Food Microbiology</i> , <b>2008</b> , 25, 13-21   | 6    | 347       |
| 158 | Antioxidant and antibacterial activities of natural extracts: application in beef meatballs. <i>Meat Science</i> , <b>2005</b> , 69, 371-80  | 6.4  | 323       |
| 157 | Antifungal activity of lemon (Citrus lemon L.), mandarin (Citrus reticulata L.), grapefruit (Citrus paradisi L.) and orange (Citrus sinensis L.) essential oils. <i>Food Control</i> , <b>2008</b> , 19, 1130-1138 | 6.2  | 259       |
| 156 | Resistant starch as prebiotic: A review. <i>Starch/Staerke</i> , <b>2011</b> , 63, 406-415   | 2.3  | 257       |
| 155 | Antioxidant activity of essential oils of five spice plants widely used in a Mediterranean diet. <i>Flavour and Fragrance Journal</i> , <b>2010</b> , 25, 13-19  | 2.5  | 198       |
| 154 | Meat Products as Functional Foods: A Review. <i>Journal of Food Science</i> , <b>2005</b> , 70, R37-R43  | 3.4  | 194       |
| 153 | In vitro antibacterial and antioxidant properties of chitosan edible films incorporated with Thymus moroderi or Thymus piperella essential oils. <i>Food Control</i> , <b>2013</b> , 30, 386-392                   | 6.2  | 192       |
| 152 | Application of functional citrus by-products to meat products. <i>Trends in Food Science and Technology</i> , <b>2004</b> , 15, 176-185  | 15.3 | 172       |
| 151 | In vitro antioxidant and antibacterial activities of essentials oils obtained from Egyptian aromatic plants. <i>Food Control</i> , <b>2011</b> , 22, 1715-1722   | 6.2  | 161       |
| 150 | Effect of Storage Conditions on Quality Characteristics of Bologna Sausages Made with Citrus Fiber. <i>Journal of Food Science</i> , <b>2003</b> , 68, 710-714   | 3.4  | 158       |
| 149 | Lemon albedo as a new source of dietary fiber: Application to bologna sausages. <i>Meat Science</i> , <b>2004</b> , 67, 7-13   | 6.4  | 151       |
| 148 | Preparation of high dietary fiber powder from lemon juice by-products1. <i>Innovative Food Science and Emerging Technologies</i> , <b>2004</b> , 5, 113-117  | 6.8  | 146       |
| 147 | Assessment of antibacterial and antioxidant properties of chitosan edible films incorporated with maqui berry (Aristotelia chilensis). <i>LWT - Food Science and Technology</i> , <b>2015</b> , 64, 1057-1062      | 5.4  | 139       |
| 146 | Physico-chemical and microbiological profiles of "salchicht" (Spanish dry-fermented sausage) enriched with orange fiber. <i>Meat Science</i> , <b>2008</b> , 80, 410-7   | 6.4  | 138       |

## (2018-2010)

| 145 | Role of Fiber in Cardiovascular Diseases: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2010</b> , 9, 240-258  | 16.4              | 131 |
|-----|--|-------------------|-----|
| 144 | Chemical, physico-chemical, technological, antibacterial and antioxidant properties of dietary fiber powder obtained from yellow passion fruit (Passiflora edulis var. flavicarpa) co-products. <i>Food Research International</i> , <b>2013</b> , 51, 756-763 | 7                 | 124 |
| 143 | Effect of added citrus fibre and spice essential oils on quality characteristics and shelf-life of mortadella. <i>Meat Science</i> , <b>2010</b> , 85, 568-76  | 6.4               | 118 |
| 142 | Spices as functional foods. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2011</b> , 51, 13-28  | 11.5              | 115 |
| 141 | Tiger Nut (Cyperus esculentus) Commercialization: Health Aspects, Composition, Properties, and Food Applications. <i>Comprehensive Reviews in Food Science and Food Safety</i> , <b>2012</b> , 11, 366-377   | 16.4              | 108 |
| 140 | Chemical composition and antioxidant and anti-Listeria activities of essential oils obtained from some Egyptian plants. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 9063-70  | 5.7               | 105 |
| 139 | Physicochemical characteristics of Spanish-type dry-cured sausage. <i>Food Research International</i> , <b>1999</b> , 32, 599-607  | 7                 | 103 |
| 138 | Characteristics of beef burger as influenced by various types of lemon albedo. <i>Innovative Food Science and Emerging Technologies</i> , <b>2005</b> , 6, 247-255   | 6.8               | 100 |
| 137 | Chemical, fatty acid, polyphenolic profile, techno-functional and antioxidant properties of flours obtained from quinoa (Chenopodium quinoa Willd) seeds. <i>Industrial Crops and Products</i> , <b>2018</b> , 111, 38-4                                       | 16 <sup>5.9</sup> | 99  |
| 136 | Chemical composition and in vitro antimicrobial, antifungal and antioxidant properties of essential oils obtained from some herbs widely used in Portugal. <i>Food Control</i> , <b>2013</b> , 32, 371-378   | 6.2               | 99  |
| 135 | Tomato and tomato byproducts. Human health benefits of lycopene and its application to meat products: a review. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2014</b> , 54, 1032-49  | 11.5              | 98  |
| 134 | Effect of tiger nut fibre on quality characteristics of pork burger. <i>Meat Science</i> , <b>2010</b> , 85, 70-6  | 6.4               | 95  |
| 133 | In vitro gastrointestinal digestion of pomegranate peel (Punica granatum) flour obtained from co-products: Changes in the antioxidant potential and bioactive compounds stability. <i>Journal of Functional Foods</i> , <b>2015</b> , 19, 617-628              | 5.1               | 94  |
| 132 | Effect of orange dietary fibre, oregano essential oil and packaging conditions on shelf-life of bologna sausages. <i>Food Control</i> , <b>2010</b> , 21, 436-443  | 6.2               | 94  |
| 131 | Antibacterial activity of different essential oils obtained from spices widely used in Mediterranean diet. <i>International Journal of Food Science and Technology</i> , <b>2008</b> , 43, 526-531   | 3.8               | 90  |
| 130 | Evaluation of the Antioxidant Potential of Hyssop (Hyssopus officinalis L.) and Rosemary (Rosmarinus officinalis L.) Extracts in Cooked Pork Meat. <i>Journal of Food Science</i> , <b>2003</b> , 68, 660-664  | 3.4               | 89  |
| 129 | ANTIFUNGAL ACTIVITIES OF THYME, CLOVE AND OREGANO ESSENTIAL OILS. <i>Journal of Food Safety</i> , <b>2007</b> , 27, 91   | 2                 | 88  |
| 128 | In vitro digestion models suitable for foods: Opportunities for new fields of application and challenges. <i>Food Research International</i> , <b>2018</b> , 107, 423-436  | 7                 | 87  |

| 127 | Viscoelastic properties of orange fiber enriched yogurt as a function of fiber dose, size and thermal treatment. <i>LWT - Food Science and Technology</i> , <b>2010</b> , 43, 708-714  | 5.4            | 80 |
|-----|--|----------------|----|
| 126 | Effect of orange fiber addition on yogurt color during fermentation and cold storage. <i>Color Research and Application</i> , <b>2005</b> , 30, 457-463  | 1.3            | 80 |
| 125 | Orange fibre as potential functional ingredient for dry-cured sausages. <i>European Food Research and Technology</i> , <b>2007</b> , 226, 1-6  | 3.4            | 78 |
| 124 | Assessment of polyphenolic profile stability and changes in the antioxidant potential of maqui berry (Aristotelia chilensis (Molina) Stuntz) during in vitro gastrointestinal digestion. <i>Industrial Crops and Products</i> , <b>2016</b> , 94, 774-782                            | 5.9            | 76 |
| 123 | Storage stability of a high dietary fibre powder from orange by-products. <i>International Journal of Food Science and Technology</i> , <b>2009</b> , 44, 748-756  | 3.8            | 71 |
| 122 | Chemical, physico-chemical and functional properties of pomegranate (Punica granatum L.) bagasses powder co-product. <i>Journal of Food Engineering</i> , <b>2012</b> , 110, 220-224   | 6              | 70 |
| 121 | Determination of polyphenolic profile, antioxidant activity and antibacterial properties of maqui [Aristotelia chilensis (Molina) Stuntz] a Chilean blackberry. <i>Journal of the Science of Food and Agriculture</i> , <b>2016</b> , 96, 4235-42                                    | 4.3            | 70 |
| 120 | Antioxidant properties of pomegranate (Punica granatum L.) bagasses obtained as co-product in the juice extraction. <i>Food Research International</i> , <b>2011</b> , 44, 1217-1223   | 7              | 68 |
| 119 | ANTIBACTERIAL ACTIVITY OF LEMON (CITRUS LEMON L.), MANDARIN (CITRUS RETICULATA L.), GRAPEFRUIT (CITRUS PARADISI L.) AND ORANGE (CITRUS SINENSIS L.) ESSENTIAL OILS. <i>Journal of Food Safety</i> , <b>2008</b> , 28, 567-576  | 2              | 67 |
| 118 | Preparation of dietary fiber powder from tiger nut (Cyperus esculentus) milk ("Horchata") byproducts and its physicochemical properties. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 77  | 1 <b>5</b> :25 | 62 |
| 117 | Changes in bioaccessibility, polyphenol profile and antioxidant potential of flours obtained from persimmon fruit (Diospyros kaki) co-products during in vitro gastrointestinal digestion. <i>Food Chemistry</i> , <b>2018</b> , 256, 252-258  | 8.5            | 61 |
| 116 | Effect of packaging conditions on shelf-life of ostrich steaks. <i>Meat Science</i> , <b>2008</b> , 78, 143-52   | 6.4            | 61 |
| 115 | Chemical composition and in vitro antibacterial properties of essential oils of four Thymus species from organic growth. <i>Industrial Crops and Products</i> , <b>2013</b> , 50, 304-311  | 5.9            | 60 |
| 114 | Lipolysis, proteolysis and sensory characteristics of a Spanish fermented dry-cured meat product (salchichfi) with oregano essential oil used as surface mold inhibitor. <i>Meat Science</i> , <b>2011</b> , 89, 35-44   | 6.4            | 59 |
| 113 | Quality characteristics of pork burger added with albedo-fiber powder obtained from yellow passion fruit (Passiflora edulis var. flavicarpa) co-products. <i>Meat Science</i> , <b>2014</b> , 97, 270-6  | 6.4            | 58 |
| 112 | Identification of Flavonoid Content and Chemical Composition of the Essential Oils of Moroccan Herbs: Myrtle (Myrtus communis L.), Rockrose (Cistus ladanifer L.) and Montpellier cistus (Cistus monspeliensis L.). <i>Journal of Essential Oil Research</i> , <b>2011</b> , 23, 1-9 | 2.3            | 56 |
| 111 | Substitution of saturated fat in processed meat products: a review. <i>Critical Reviews in Food Science and Nutrition</i> , <b>2012</b> , 52, 113-22   | 11.5           | 53 |
| 110 | Functional and Sensory Effects of Fibre-rich Ingredients on Breakfast Fresh Sausages Manufacture. <i>Food Science and Technology International</i> , <b>2005</b> , 11, 89-97   | 2.6            | 53 |

## (2010-2015)

| Properties of Dietary Fibers from Agroindustrial Coproducts as Source for Fiber-Enriched Foods. <i>Food and Bioprocess Technology</i> , <b>2015</b> , 8, 2400-2408   | 5.1  | 52   |  |
|--|--|--|--|
| Quality characteristics of ostrich (Struthio camelus) burgers. <i>Meat Science</i> , <b>2006</b> , 73, 295-303   | 6.4  | 50   |  |
| Technological properties of date paste obtained from date by-products and its effect on the quality of a cooked meat product. <i>Food Research International</i> , <b>2011</b> , 44, 2401-2407   | 7  | 48   |  |
| Effect of adding citrus waste water, thyme and oregano essential oil on the chemical, physical and sensory characteristics of a bologna sausage. <i>Innovative Food Science and Emerging Technologies</i> , <b>2009</b> , 10, 655-660                                | 6.8  | 48   |  |
| Assessment of chemical, physico-chemical, techno-functional and antioxidant properties of fig (Ficus carica L.) powder co-products. <i>Industrial Crops and Products</i> , <b>2015</b> , 69, 472-479   | 5.9  | 47   |  |
| Effect of mincing degree on colour properties in pork meat. <i>Color Research and Application</i> , <b>2000</b> , 25, 376-380  | 1.3  | 47   |  |
| Development of combinations of chemically modified vegetable oils as pork backfat substitutes in sausages formulation. <i>Meat Science</i> , <b>2010</b> , 84, 491-7   | 6.4  | 44   |  |
| Effect of the molecular weight and concentration of chitosan in pork model burgers. <i>Meat Science</i> , <b>2011</b> , 88, 740-9  | 6.4  | 42   |  |
| Chemical Composition of Mandarin (C. reticulata L.), Grapefruit (C. paradisi L.), Lemon (C. limon L.) and Orange (C. sinensis L.) Essential Oils. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , <b>2009</b> , 12, 236-243                                   | 3 <sup>1.7</sup>   | 42   |  |
| Bioaccessibility of polyphenolic compounds of six quinoa seeds during in vitro gastrointestinal digestion. <i>Journal of Functional Foods</i> , <b>2017</b> , 38, 77-88  | 5.1  | 41   |  |
| Bioaccessibility, changes in the antioxidant potential and colonic fermentation of date pits and apple bagasse flours obtained from co-products during simulated in vitro gastrointestinal digestion. <i>Food Research International</i> , <b>2015</b> , 78, 169-176 | 7  | 40   |  |
| Citrus co-products as technological strategy to reduce residual nitrite content in meat products.<br>Journal of Food Science, <b>2009</b> , 74, R93-R100   | 3.4  | 40   |  |
| Chemical characterization and antibacterial activity of Thymus moroderi and Thymus piperella essential oils, two Thymus endemic species from southeast of Spain. <i>Food Control</i> , <b>2012</b> , 27, 294-299   | 6.2  | 39   |  |
| Chia (Salvia hispanica L.) products as ingredients for reformulating frankfurters: Effects on quality properties and shelf-life. <i>Meat Science</i> , <b>2019</b> , 156, 139-145  | 6.4  | 35   |  |
| Effect of chitosan edible films added with Thymus moroderi and Thymus piperella essential oil on shelf-life of cooked cured ham. <i>Journal of Food Science and Technology</i> , <b>2015</b> , 52, 6493-501  | 3.3  | 35   |  |
| Quality characteristics of a non-fermented dry-cured sausage formulated with lemon albedo. <i>Journal of the Science of Food and Agriculture</i> , <b>2004</b> , 84, 2077-2084   | 4.3  | 35   |  |
| Combined use of a probiotic culture and citrus fiber in a traditional sausage âllonganiza de Pascuaâll <i>Food Control</i> , <b>2012</b> , 27, 343-350   | 6.2  | 34   |  |
| Aroma profile and physico-chemical properties of artisanal honey from Tabasco, Mexico.  International Journal of Food Science and Technology, 2010, 45, 1111-1118  | 3.8  | 34   |  |
|  | Quality characteristics of ostrich (Struthio camelus) burgers. Meat Science, 2006, 73, 295-303  Technological properties of date paste obtained from date by-products and its effect on the quality of a cooked meat product. Food Research International, 2011, 44, 2401-2407  Effect of adding citrus waste water, thyme and oregano essential oil on the chemical, physical and sensory characteristics of a bologna sausage. Innovative Food Science and Emerging Technologies, 2009, 10, 655-660  Assessment of chemical, physico-chemical, techno-functional and antioxidant properties of fig (Ficus carica L.) powder co-products. Industrial Crops and Products, 2015, 69, 472-479  Effect of mincing degree on colour properties in pork meat. Calor Research and Application, 2000, 25, 376-380  Development of combinations of chemically modified vegetable oils as pork backfat substitutes in sausages formulation. Meat Science, 2010, 84, 491-7  Effect of the molecular weight and concentration of chitosan in pork model burgers. Meat Science, 2011, 88, 740-9  Chemical Composition of Mandarin (C. reticulata L.), Grapefruit (C. paradisi L.), Lemon (C. limon L.) and Orange (C. sinensis L.) Essential Oils. Journal of Essential Oil-bearing Plants: JEOP, 2009, 12, 236-243.  Bioaccessibility of polyphenolic compounds of six quinoa seeds during in vitro gastrointestinal digestion. Journal of Functional Foods, 2017, 38, 77-88  Bioaccessibility, changes in the antioxidant potential and colonic fermentation of date pits and apple bagasse flours obtained from co-products during simulated in vitro gastrointestinal digestion. Food Research International, 2015, 78, 169-176  Citrus co-products as technological strategy to reduce residual nitrite content in meat products. Journal of Food Science, 2009, 74, 893-8100  Chemical characterization and antibacterial activity of Thymus moroderi and Thymus piperella essential oils, two Thymus endemic species from southeast of Spain. Food Control, 2012, 27, 294-299  Chai (Salvia hispanica L.) products as ingredients f | Quality characteristics of ostrich (Struthio camelus) burgers. Meat Science, 2006, 73, 295-303  6.4  Technological properties of date paste obtained from date by-products and its effect on the quality of a cooked meat product. Food Research International, 2011, 44, 2401-2407  Ffeet of adding citrus waste water, thyme and oregano essential oil on the chemical, physical and sensory characteristics of a bologna sausage. Innovative Food Science and Emerging Technologies, 2009, 10, 655-660  Assessment of chemical, physico-chemical, techno-frunctional and antioxidant properties of fig (Ficus carica L.) powder co-products. Industrial Crops and Products, 2015, 69, 472-479  59  Effect of mincing degree on colour properties in pork meat. Color Research and Application, 2000, 25, 376-380  Development of combinations of chemically modified vegetable oils as pork backfat substitutes in sausages formulation. Meat Science, 2010, 84, 491-7  Effect of the molecular weight and concentration of chitosan in pork model burgers. Meat Science, 2011, 88, 740-9  Chemical Composition of Mandarin (C. reticulata L.), Grapefruit (C. paradisi L.), Lemon (C. limon L.) and Orange (C. sinensis L.) Essential Oils. Journal of Essential Oil-bearing Plants: JEOP, 2009, 12, 236-243  Figure 1-1, 88, 740-9  Bioaccessibility of polyphenolic compounds of six quinoa seeds during in vitro gastrointestinal digestion. Journal of Functional Foods, 2017, 38, 17-88  Bioaccessibility, changes in the antioxidant potential and colonic fermentation of date pits and apple bagasse flours obtained from co-products during simulated in vitro gastrointestinal digestion. Food Research International, 2015, 78, 169-176  Citrus co-products as technological strategy to reduce residual nitrite content in meat products. Journal of Food Science, 2009, 74, R93-R100  Chemical characterization and antibacterial activity of Thymus moroderi and Thymus piperella essential oils, two Thymus endemic species from southeast of Spain. Food Control, 2012, 27, 294-299  6.2  Chia (Salvia his | Quality characteristics of ostrich (Struthio camelus) burgers. Meat Science, 2006, 73, 295-303 6.4 50  Technological properties of date paste obtained from date by-products and its effect on the quality of a cooked meat product. Food Research International, 2011, 44, 2401-2407  Effect of adding citrus waste water, thyme and oregano essential oil on the chemical, physical and sensory characteristics of a bologna sausage. Innovative Food Science and Emerging Technologies, 2009, 10, 655-660  Assessment of chemical, physico-chemical, techno-functional and antioxidant properties of fig (Ficus carica L.) powder co-products. Industrial Crops and Products, 2015, 69, 472-479 5.9 47  Effect of minicing degree on colour properties in pork meat. Color Research and Application, 2000, 25, 376-380  Evelopment of combinations of chemically modified vegetable oils as pork backfat substitutes in sausages formulation. Meat Science, 2010, 84, 491-7  Effect of the molecular weight and concentration of chitosan in pork model burgers. Meat Science, 2010, 84, 491-7  Chemical Composition of Mandarin (C. reticulata L.), Grapefruit (C. paradisi L.), Lemon (C. limon L.) and Orange (C. sinensis L.) Essential Oils. Journal of Essential Oils-bearing Plants: JEOP, 2009, 12, 236-243 1-7 42  Bioaccessibility of polyphenolic compounds of six quinoa seeds during in vitro gastrointestinal digestion. Journal of Functional Foods, 2017, 38, 77-88  Bioaccessibility, changes in the antioxidant potential and colonic fermentation of date pits and apple bagasse flours obtained from co-products during simulated in vitro gastrointestinal digestion. Food Research International, 2015, 78, 169-176  Chrus corpoducts as technological strategy to reduce residual nitrite content in meat products. Journal of Functional 2015, 78, 169-176  Chemical characterization and antibacterial activity of Thymus moroderi and Thymus piperella essential oils, two Thymus endemic species from southeast of Spain. Food Control, 2012, 27, 294-299  Chemical characterization and antibac |

| 91 | Total phenolic content and antioxidant activity of myrtle (Myrtus communis) extracts. <i>Natural Product Communications</i> , <b>2009</b> , 4, 819-24   | 0.9                               | 34 |
|----|---|-----------------------------------|----|
| 90 | Effect of sodium chloride, sodium tripolyphosphate and pH on color properties of pork meat. <i>Color Research and Application</i> , <b>2004</b> , 29, 67-74   | 1.3                               | 33 |
| 89 | Antibacterial Activity of Extracts of Myrtus communis Against Food-Borne Pathogenic and Spoilage Bacteria. <i>International Journal of Food Properties</i> , <b>2010</b> , 13, 1215-1224  | 3                                 | 31 |
| 88 | Role of Oregano (Origanum vulgare) essential oil as a surface fungus inhibitor on fermented sausages: evaluation of its effect on microbial and physicochemical characteristics. <i>Journal of Food Protection</i> , <b>2012</b> , 75, 104-11               | 2.5                               | 30 |
| 87 | Assessment of Antioxidant and Antibacterial Properties on Meat Homogenates of Essential Oils Obtained from Four Thymus Species Achieved from Organic Growth. <i>Foods</i> , <b>2017</b> , 6,  | 4.9                               | 29 |
| 86 | Evaluation of the Effect of Tiger Nut Fibre as a Carrier of Unsaturated Fatty Acids Rich Oil on the Quality of Dry-Cured Sausages. <i>Food and Bioprocess Technology</i> , <b>2013</b> , 6, 1181-1190   | 5.1                               | 29 |
| 85 | Effect of adding citrus fibre washing water and rosemary essential oil on the quality characteristics of a bologna sausage. <i>LWT - Food Science and Technology</i> , <b>2010</b> , 43, 958-963  | 5.4                               | 29 |
| 84 | Quinoa and chia products as ingredients for healthier processed meat products: technological strategies for their application and effects on the final product. <i>Current Opinion in Food Science</i> , <b>2021</b> , 40, 26-32                            | 9.8                               | 29 |
| 83 | Bioaccessibility of Phenolic Compounds and Antioxidant Capacity of Chia (Salvia hispanica L.) Seeds. <i>Plant Foods for Human Nutrition</i> , <b>2018</b> , 73, 47-53   | 3.9                               | 29 |
| 82 | Antioxidant activity and chemical content of methanol and ethanol extracts from leaves of rockrose (Cistus ladaniferus). <i>Plant Foods for Human Nutrition</i> , <b>2010</b> , 65, 170-8   | 3.9                               | 28 |
| 81 | Antioxidant activity and total phenolic compounds of myrtle extracts Actividad antioxidante y contenido de compuestos fenílicos totales en extractos de myrtus. <i>CYTA - Journal of Food</i> , <b>2010</b> , 8, 95-10                                      | ) <del>1</del> .3                 | 27 |
| 80 | Assessment of emulsion gels formulated with chestnut (Castanea sativa M.) flour and chia (Salvia hispanica L) oil as partial fat replacers in pork burger formulation. <i>Journal of the Science of Food and Agriculture</i> , <b>2020</b> , 100, 1265-1273 | 4.3                               | 26 |
| 79 | Chemical, physicochemical, technological, antibacterial and antioxidant properties of rich-fibre powder extract obtained from tamarind (Tamarindus indica L.). <i>Industrial Crops and Products</i> , <b>2014</b> , 55, 155-162                             | 5.9                               | 25 |
| 78 | Effect of tiger nut fibre addition on the quality and safety of a dry-cured pork sausage ("Chorizo") during the dry-curing process. <i>Meat Science</i> , <b>2013</b> , 95, 562-8   | 6.4                               | 22 |
| 77 | In vitro Antioxidant and Antibacterial Activities of Extracts from Annatto (Bixa orellana L.) Leaves and Seeds. <i>Journal of Food Safety</i> , <b>2012</b> , 32, 399-406   | 2                                 | 21 |
| 76 | GELLING AND COLOR PROPERTIES OF OSTRICH (STRUTHIO CAMELUS) EGG WHITE. <i>Journal of Food Quality</i> , <b>2006</b> , 29, 171-183  | 2.7                               | 21 |
| 75 | Evaluation of the antibacterial and antioxidant activities of chitosan edible films incorporated with organic essential oils obtained from four species. <i>Journal of Food Science and Technology</i> , <b>2016</b> , 53, 3374                             | 1 <sup>3</sup> 3 <sup>3</sup> 379 | 21 |
| 74 | Valorization of Pomace Powder Obtained from Native Mexican Apple (Malus domestica var. rayada): Chemical, Techno-functional and Antioxidant Properties. <i>Plant Foods for Human Nutrition</i> , 2015, 70, 310-6  | 3.9                               | 20 |

#### (2012-2018)

| 73 | frect of particle size on phytochemical composition and antioxidant properties of two persimmon flours from Diospyros kaki Thunb. vars. 'Rojo Brillante' and 'Triumph' co-products. <i>Journal of the Science of Food and Agriculture</i> , <b>2018</b> , 98, 504-510      | 4.3 | 20 |  |
|----|--|-----|----|--|
| 72 | Antioxidant Activity of Artisanal Honey From Tabasco, Mexico. <i>International Journal of Food Properties</i> , <b>2011</b> , 14, 459-470  | 3   | 20 |  |
| 71 | Total Phenolic Content and Antioxidant Activity of Myrtle (Myrtus communis) Extracts. <i>Natural Product Communications</i> , <b>2009</b> , 4, 1934578X0900400   | 0.9 | 20 |  |
| 70 | Chemical and technological properties of bologna-type sausages with added black quinoa wet-milling coproducts as binder replacer. <i>Food Chemistry</i> , <b>2020</b> , 310, 125936  | 8.5 | 20 |  |
| 69 | Evaluation of Particle Size Influence on Proximate Composition, Physicochemical, Techno-Functional and Physio-Functional Properties of Flours Obtained from Persimmon (Diospyros kaki Trumb.) Coproducts. <i>Plant Foods for Human Nutrition</i> , <b>2017</b> , 72, 67-73 | 3.9 | 19 |  |
| 68 | Evaluation of protective effect of different dietary fibers on polyphenolic profile stability of maqui berry (Aristotelia chilensis (Molina) Stuntz) during in vitro gastrointestinal digestion. <i>Food and Function</i> , <b>2018</b> , 9, 573-584                       | 6.1 | 18 |  |
| 67 | IN VITRO ANTIOXIDANT PROPERTIES OF POMEGRANATE (PUNICA GRANATUM) PEEL POWDER EXTRACT OBTAINED AS COPRODUCT IN THE JUICE EXTRACTION PROCESS. <i>Journal of Food Processing and Preservation</i> , <b>2013</b> , 37, 772-776   | 2.1 | 18 |  |
| 66 | Effects of tuna pt thickness and background on CIEL*a*b* color parameters and reflectance spectra. <i>Food Control</i> , <b>2011</b> , 22, 1226-1232   | 6.2 | 18 |  |
| 65 | Shelf life of ostrich (Struthio camelus) liver stored under different packaging conditions. <i>Journal of Food Protection</i> , <b>2006</b> , 69, 1920-7   | 2.5 | 18 |  |
| 64 | Quinoa (Chenopodium quinoa Willd) paste as partial fat replacer in the development of reduced fat cooked meat product type ptt Effect on quality and safety. <i>CYTA - Journal of Food</i> , <b>2018</b> , 16, 1079-1088   | 2.3 | 17 |  |
| 63 | Chia Oil Extraction Coproduct as a Potential New Ingredient for the Food Industry: Chemical, Physicochemical, Techno-Functional and Antioxidant Properties. <i>Plant Foods for Human Nutrition</i> , <b>2018</b> , 73, 130-136   | 3.9 | 16 |  |
| 62 | PHYSICOCHEMICAL CHARACTERIZATION OF THE ORANGE JUICE WASTE WATER OF A CITRUS BY-PRODUCT. <i>Journal of Food Processing and Preservation</i> , <b>2011</b> , 35, 264-271  | 2.1 | 16 |  |
| 61 | In vitro evaluation of aflorchataalko-products as carbon source for probiotic bacteria growth. <i>Food and Bioproducts Processing</i> , <b>2013</b> , 91, 279-286  | 4.9 | 15 |  |
| 60 | Assessment of antioxidant and antibacterial potential of borojo fruit (Borojoa patinoi Cuatrecasas) from the rainforests of South America. <i>Industrial Crops and Products</i> , <b>2015</b> , 63, 79-86  | 5.9 | 14 |  |
| 59 | The Effect of Natural Ingredients (Amaranth and Pumpkin Seeds) on the Quality Properties of Chicken Burgers. <i>Food and Bioprocess Technology</i> , <b>2017</b> , 10, 2060-2068   | 5.1 | 14 |  |
| 58 | In vitro antioxidant and antifungal properties of essential oils obtained from aromatic herbs endemic to the southeast of Spain. <i>Journal of Food Protection</i> , <b>2013</b> , 76, 1218-25   | 2.5 | 14 |  |
| 57 | Quality of Chicken Fat by-Products: Lipid Profile and Colour Properties. <i>Foods</i> , <b>2020</b> , 9,   | 4.9 | 14 |  |
| 56 | Reclaim of the By-Products from â⊞orchataâlElaboration Process. <i>Food and Bioprocess Technology</i> , <b>2012</b> , 5, 954-963   | 5.1 | 13 |  |

| 55 | Evaluation of polyphenol bioaccessibility and kinetic of starch digestion of spaghetti with persimmon (Dyospyros kaki) flours coproducts during in vitro gastrointestinal digestion. <i>Food Chemistry</i> , <b>2021</b> , 338, 128142            | 8.5  | 12 |
|----|---|------|----|
| 54 | Valorization of Citrus Co-Products: Recovery of Bioactive Compounds and Application in Meat and Meat Products. <i>Plants</i> , <b>2021</b> , 10,  | 4.5  | 11 |
| 53 | Persimmon (Diospyros kaki Thunb.) coproducts as a new ingredient in pork liver pt influence on quality properties. <i>International Journal of Food Science and Technology</i> , <b>2019</b> , 54, 1232-1239                                      | 3.8  | 10 |
| 52 | Assessment of chemical composition and antioxidant properties of defatted flours obtained from several edible insects. <i>Food Science and Technology International</i> , <b>2021</b> , 27, 383-391   | 2.6  | 10 |
| 51 | Effects of hazelnut skin addition on the cooking, antioxidant and sensory properties of chicken burgers. <i>Journal of Food Science and Technology</i> , <b>2019</b> , 56, 3329-3336  | 3.3  | 9  |
| 50 | Effect of drying processes in the chemical, physico-chemical, techno-functional and antioxidant properties of flours obtained from house cricket (Acheta domesticus). <i>European Food Research and Technology</i> , <b>2019</b> , 245, 1451-1458 | 3.4  | 9  |
| 49 | Development of frankfurter-type sausages with healthy lipid formulation and their nutritional, sensory and stability properties. <i>European Journal of Lipid Science and Technology</i> , <b>2015</b> , 117, 122-131                             | 3    | 9  |
| 48 | Effect of Packaging Conditions on Shelf-Life of Mortadella Made with Citrus Fibre Washing Water and Thyme or Rosemary Essential Oil. <i>Food and Nutrition Sciences (Print)</i> , <b>2011</b> , 02, 1-10  | 0.4  | 9  |
| 47 | Resistant Starch as Functional Ingredient <b>2015</b> , 1911-1931   |      | 9  |
| 46 | Effects of Black Quinoa Wet-Milling Coproducts on the Quality Properties of Bologna-Type Sausages During Cold Storage. <i>Foods</i> , <b>2020</b> , 9,  | 4.9  | 8  |
| 45 | Effects of tiger nut (Cyperus esculentus) milk liquid co-products on the quality of pork burgers. <i>International Journal of Food Science and Technology</i> , <b>2012</b> , 47, 2198-2204   | 3.8  | 8  |
| 44 | Quality Characteristics of Dark Muscle from Yellowfin Tuna Thunnus albacares to Its Potential Application in the Food Industry. <i>Food and Nutrition Sciences (Print)</i> , <b>2011</b> , 02, 22-30  | 0.4  | 8  |
| 43 | Satiety from healthier and functional foods. <i>Trends in Food Science and Technology</i> , <b>2021</b> , 113, 397-410  | 15.3 | 8  |
| 42 | Effects of various fibre-rich extracts on cholesterol binding capacity during in vitro digestion of pork patties. <i>Food and Function</i> , <b>2015</b> , 6, 3473-8  | 6.1  | 7  |
| 41 | Chemical Characterization and Antibacterial Activity of Two Aromatic Herbs (Santolina chamaecyparissus and Sideritis angustifolia) Widely Used in the Folk Medicine. <i>Journal of Food Safety</i> , <b>2012</b> , 32, 426-434                    | 2    | 7  |
| 40 | Ghanaian Cocoa (Theobroma cacao L.) Bean Shells Coproducts: Effect of Particle Size on Chemical Composition, Bioactive Compound Content and Antioxidant Activity. <i>Agronomy</i> , <b>2021</b> , 11, 401   | 3.6  | 7  |
| 39 | DESCRIPTIVE STUDY OF REFLECTANCE SPECTRA OF HAKE (MERLUCCIUS AUSTRALIS), SALMON (SALMO SALAR) AND LIGHT AND DARK MUSCLE FROM TUNA (THUNNUS THYNNUS). <i>Journal of Food Quality</i> , <b>2010</b> , 33, 391-403                                   | 2.7  | 6  |
| 38 | Vegetable Soups and Creams: Raw Materials, Processing, Health Benefits, and Innovation Trends. <i>Plants</i> , <b>2020</b> , 9,   | 4.5  | 5  |

# (2021-2020)

| 37 | Quality Properties of Chicken Emulsion-Type Sausages Formulated with Chicken Fatty Byproducts. <i>Foods</i> , <b>2020</b> , 9,   | 4.9 | 5 |  |
|----|--|-----|---|--|
| 36 | Persimmon flours as functional ingredients in spaghetti: chemical, physico-chemical and cooking quality. <i>Journal of Food Measurement and Characterization</i> , <b>2020</b> , 14, 1634-1644             | 2.8 | 4 |  |
| 35 | Antioxidant potential and quality characteristics of Mediterranean fruit-based extruded snacks. <i>International Journal of Food Science and Technology</i> , <b>2016</b> , 51, 2674-2681                  | 3.8 | 4 |  |
| 34 | Novel Approaches for the Recovery of Natural Pigments with Potential Health Effects <i>Journal of Agricultural and Food Chemistry</i> , <b>2022</b> ,  | 5.7 | 4 |  |
| 33 | Effect of Myrtle (Myrtus communis) Extracts on Storage Stability of Chicken Frankfurters. <i>International Journal of Biotechnology for Wellness Industries</i> , <b>2015</b> , 4, 1-11                    |     | 4 |  |
| 32 | Chia, Quinoa, and Their Coproducts as Potential Antioxidants for the Meat Industry. <i>Plants</i> , <b>2020</b> , 9,   | 4.5 | 4 |  |
| 31 | Assessment of Chemical, Physicochemical, and Lipid Stability Properties of Gelled Emulsions Elaborated with Different Oils Chia (L.) or Hemp (L.) and Pseudocereals. <i>Foods</i> , <b>2021</b> , 10,      | 4.9 | 4 |  |
| 30 | Effect of Food Composition on Probiotic Bacteria Viability <b>2016</b> , 257-269   |     | 3 |  |
| 29 | Royal Jelly: Health Benefits and Uses in Medicine <b>2017</b> , 199-218  |     | 3 |  |
| 28 | Quality Characteristics of Ostrich Liver PET Journal of Food Science, 2006, 69, snq85-snq91  | 3.4 | 3 |  |
| 27 | Pork Liver Pt Enriched with Persimmon Coproducts: Effect of In Vitro Gastrointestinal Digestion on Its Fatty Acid and Polyphenol Profile Stability. <i>Nutrients</i> , <b>2021</b> , 13,                   | 6.7 | 3 |  |
| 26 | Cacao Pod Husk Flour as an Ingredient for Reformulating Frankfurters: Effects on Quality Properties. <i>Foods</i> , <b>2021</b> , 10,  | 4.9 | 3 |  |
| 25 | Biological, Nutritive, Functional and Healthy Potential of Date Palm Fruit (Phoenix dactylifera L.): Current Research and Future Prospects. <i>Agronomy</i> , <b>2022</b> , 12, 876                        | 3.6 | 3 |  |
| 24 | Development of Healthier and Functional Dry Fermented Sausages: Present and Future <i>Foods</i> , <b>2022</b> , 11,  | 4.9 | 3 |  |
| 23 | Coproducts as Source of Bioactive Compounds: Assessment of Chemical, Physico-Chemical, Techno-Functional and Antioxidant Properties. <i>Foods</i> , <b>2020</b> , 9,                                       | 4.9 | 2 |  |
| 22 | Cocoa Coproducts-Based and Walnut Oil Gelled Emulsion as Animal Fat Replacer and Healthy Bioactive Source in Beef Burgers. <i>Foods</i> , <b>2021</b> , 10,  | 4.9 | 2 |  |
| 21 | Bioactive compounds and techno-functional properties of high-fiber co-products of the cacao agro-industrial chain. <i>Heliyon</i> , <b>2021</b> , 7, e06799  | 3.6 | 2 |  |
| 20 | Total and Partial Fat Replacement by Gelled Emulsion (Hemp Oil and Buckwheat Flour) and Its Impact on the Chemical, Technological and Sensory Properties of Frankfurters. <i>Foods</i> , <b>2021</b> , 10, | 4.9 | 2 |  |

| 19               | Chemical and Biochemical Aspects of Color in Muscle-Based Foods <b>2012</b> , 317-330   |     | 1 |
|------------------|---|-----|---|
| 18               | Food Formulation to Increase Probiotic Bacteria Action or Population <b>2010</b> , 335-351  |     | 1 |
| 17               | Biochemical Changes during Onset and Resolution of Rigor Mortis under Ambient Temperature <b>2010</b> , 217-241   |     | 1 |
| 16               | Gelled Emulsions Based on Amaranth Flour with Hemp and Sesame Oils. <i>Proceedings (mdpi)</i> , <b>2021</b> , 70, 98  | 0.3 | 1 |
| 15               | A Preliminary Study on the Incorporation of Quinoa Flour in Organic Pumpkin Creams: Effect on the Physicochemical Properties. <i>Proceedings (mdpi)</i> , <b>2021</b> , 70, 71  | 0.3 | 1 |
| 14               | - Fig Fruit By-Products (Ficus carica) as a Source of Dietary Fiber <b>2012</b> , 440-451   |     | 1 |
| 13               | Persimmon Flour Co-Products as Novel Ingredients in the Reformulation of Pork Liver PET <i>Proceedings (mdpi)</i> , <b>2021</b> , 70, 72  | 0.3 | 1 |
| 12               | Improving the lipid profile of beef burgers added with chia oil (Salvia hispanica L.) or hemp oil (Cannabis sativa L.) gelled emulsions as partial animal fat replacers. <i>LWT - Food Science and Technology</i> , <b>2022</b> , 161, 113416   | 5.4 | 1 |
| 11               | Effect of Different Black Quinoa Fractions (Seed, Flour and Wet-Milling Coproducts) upon Quality of Meat Patties during Freezing Storage <i>Foods</i> , <b>2021</b> , 10,   | 4.9 | 1 |
|                  |   |     |   |
| 10               | Chemical and Biochemical Aspects of Color in Muscle Foods25-44  |     | O |
| 10<br>9          | Chemical and Biochemical Aspects of Color in Muscle Foods25-44  Fig (Ficus carica) Liquid Co-Products as New Potential Functional Ingredient: Physico-Chemical and In Vitro Antioxidant Properties. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000   | 0.9 | O |
|                  | Fig (Ficus carica) Liquid Co-Products as New Potential Functional Ingredient: Physico-Chemical and  | 0.9 | O |
| 9                | Fig (Ficus carica) Liquid Co-Products as New Potential Functional Ingredient: Physico-Chemical and In Vitro Antioxidant Properties. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000   | 0.9 | O |
| 9                | Fig (Ficus carica) Liquid Co-Products as New Potential Functional Ingredient: Physico-Chemical and In Vitro Antioxidant Properties. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000  Chemical and Biochemical Aspects of Color in Muscle Foods <b>2012</b> , 1-24  Chia Oleogel as a Potential New Ingredient for Healthy Cooked Meat Sausages. <i>Proceedings (mdpi)</i> ,   |     | 0 |
| 9 8 7            | Fig (Ficus carica) Liquid Co-Products as New Potential Functional Ingredient: Physico-Chemical and In Vitro Antioxidant Properties. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000  Chemical and Biochemical Aspects of Color in Muscle Foods <b>2012</b> , 1-24  Chia Oleogel as a Potential New Ingredient for Healthy Cooked Meat Sausages. <i>Proceedings (mdpi)</i> , <b>2021</b> , 70, 76  Application of Chia Seed Coproduct in Dry-Cured Sausages: Effect Upon Its Physicochemical   | 0.3 | 0 |
| 9 8 7 6          | Fig (Ficus carica) Liquid Co-Products as New Potential Functional Ingredient: Physico-Chemical and In Vitro Antioxidant Properties. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000  Chemical and Biochemical Aspects of Color in Muscle Foods <b>2012</b> , 1-24  Chia Oleogel as a Potential New Ingredient for Healthy Cooked Meat Sausages. <i>Proceedings (mdpi)</i> , <b>2021</b> , 70, 76  Application of Chia Seed Coproduct in Dry-Cured Sausages: Effect Upon Its Physicochemical Properties. <i>Proceedings (mdpi)</i> , <b>2021</b> , 70, 87                                      | 0.3 | 0 |
| 9<br>8<br>7<br>6 | Fig (Ficus carica) Liquid Co-Products as New Potential Functional Ingredient: Physico-Chemical and In Vitro Antioxidant Properties. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000  Chemical and Biochemical Aspects of Color in Muscle Foods <b>2012</b> , 1-24  Chia Oleogel as a Potential New Ingredient for Healthy Cooked Meat Sausages. <i>Proceedings (mdpi)</i> , <b>2021</b> , 70, 76  Application of Chia Seed Coproduct in Dry-Cured Sausages: Effect Upon Its Physicochemical Properties. <i>Proceedings (mdpi)</i> , <b>2021</b> , 70, 87  Passion fruit <b>2020</b> , 581-594 | 0.3 | 0 |

#### LIST OF PUBLICATIONS

1 Salchich 2022, 37-47