

Petri Krh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4681532/petri-karha-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

831
citations

15
h-index

23
g-index

89
ext. papers

913
ext. citations

2
avg, IF

3.76
L-index

#	Paper	IF	Citations
83	Optical power scale realization using the predictable quantum efficient detector. <i>Journal of Physics: Conference Series</i> , 2022 , 2149, 012006	0.3	
82	Increased detector response in optical overfilled measurements due to gas lens formation by nitrogen flow through the entrance aperture. <i>Metrologia</i> , 2021 , 58, 055008	2.1	1
81	Measurement setup for differential spectral responsivity of solar cells. <i>Optical Review</i> , 2020 , 27, 195-204	0.9	5
80	Flat-field calibration method for hyperspectral frame cameras. <i>Metrologia</i> , 2019 , 56, 055001	2.1	4
79	. <i>IEEE Journal of Photovoltaics</i> , 2019 , 9, 1631-1636	3.7	1
78	Influence of smart lighting control on the lifetime of high power LED luminaires. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 352, 012043	0.3	
77	Out-of-Range Stray Light Characterization of Single-Monochromator Brewer Spectrophotometers. <i>Atmosphere - Ocean</i> , 2018 , 56, 1-11	1.5	5
76	Relationships between junction temperature, electroluminescence spectrum and ageing of light-emitting diodes. <i>Metrologia</i> , 2018 , 55, S86-S95	2.1	18
75	Uncertainty analysis of total ozone derived from direct solar irradiance spectra in the presence of unknown spectral deviations. <i>Atmospheric Measurement Techniques</i> , 2018 , 11, 3595-3610	4	4
74	LED based reference for wavelength and relative intensity. <i>Journal of Physics: Conference Series</i> , 2018 , 972, 012010	0.3	
73	Key comparison CCPR-K1.a as an interlaboratory comparison of correlated color temperature. <i>Journal of Physics: Conference Series</i> , 2018 , 972, 012012	0.3	1
72	Mathematical limitations of the CIE mesopic photometry system. <i>Lighting Research and Technology</i> , 2017 , 49, 111-121	2	6
71	25 years of spectral UV measurements at Sodankylä 2017 ,		3
70	UV exposure in artificial and natural weathering: A comparative study 2017 ,		1
69	Method for estimating effects of unknown correlations in spectral irradiance data on uncertainties of spectrally integrated colorimetric quantities. <i>Metrologia</i> , 2017 , 54, 524-534	2.1	6
68	Monte Carlo analysis of uncertainty of total atmospheric ozone derived from measured spectra 2017 ,		2
67	Nonlinearity characterization of array spectroradiometers for the solar UV measurements. <i>Applied Optics</i> , 2017 , 56, 3077-3086	0.2	8

66	Natural and accelerated ageing of LED lamps. <i>Lighting Research and Technology</i> , 2016 , 48, 930-942	2	10
65	Temperature invariant energy value in LED spectra. <i>Applied Physics Letters</i> , 2016 , 109, 231103	3.4	8
64	Advantages of white LED lamps and new detector technology in photometry. <i>Light: Science and Applications</i> , 2015 , 4, e332-e332	16.7	122
63	High-resolution setup for measuring wavelength sensitivity of photoyellowing of translucent materials. <i>Review of Scientific Instruments</i> , 2015 , 86, 103103	1.7	6
62	Modeling the spectral shape of InGaAlP-based red light-emitting diodes. <i>Journal of Applied Physics</i> , 2015 , 118, 203103	2.5	10
61	Methods for decreasing uncertainties in LED photometry 2015 ,		2
60	A temperature controller for high power light emitting diodes based on resistive heating and liquid cooling. <i>Applied Thermal Engineering</i> , 2014 , 71, 317-323	5.8	11
59	Photoyellowing revisited: Determination of an action spectrum of newspaper. <i>Polymer Degradation and Stability</i> , 2014 , 99, 190-195	4.7	7
58	New source and detector technology for the realization of photometric units. <i>Metrologia</i> , 2014 , 51, S276-S281	2.5	13
57	Luminance meter for photopic and scotopic measurements in the mesopic range. <i>Measurement Science and Technology</i> , 2014 , 25, 095001	2	6
56	Improved diffusers for solar UV spectroradiometers 2013 ,		1
55	Spectrally adjustable quasi-monochromatic radiance source based on LEDs and its application for measuring spectral responsivity of a luminance meter. <i>Measurement Science and Technology</i> , 2013 , 24, 115201	2	7
54	A method for optimizing the cosine response of solar UV diffusers. <i>Journal of Geophysical Research D: Atmospheres</i> , 2013 , 118, 7897-7904	4.4	10
53	Double-coiled tungsten filament lamps as absolute spectral irradiance reference sources. <i>Metrologia</i> , 2012 , 49, S53-S58	2.1	5
52	Luminous efficacy measurement of solid-state lamps. <i>Metrologia</i> , 2012 , 49, S135-S140	2.1	10
51	Uncertainty analysis of photometer directional response index ₂ using Monte Carlo simulation. <i>Metrologia</i> , 2012 , 49, 727-736	2.1	5
50	A novel facility for ageing materials with narrow-band ultraviolet radiation exposure. <i>Review of Scientific Instruments</i> , 2011 , 82, 023107	1.7	4
49	Multifunctional integrating sphere setup for luminous flux measurements of light emitting diodes. <i>Review of Scientific Instruments</i> , 2010 , 81, 023102	1.7	6

48	Spectral irradiance model for tungsten halogen lamps in 340-850 nm wavelength range. <i>Applied Optics</i> , 2010 , 49, 880-6	0.2	13
47	Optical temperature measurements of silicon microbridge emitters. <i>Applied Optics</i> , 2010 , 49, 1489-93	0.2	2
46	Optical Temperature Measurement Method for Glowing Microcomponents. <i>International Journal of Thermophysics</i> , 2010 , 31, 1762-1770	2.1	
45	Comparison of the radiation temperature scales between MIKES and PTB. <i>Measurement: Journal of the International Measurement Confederation</i> , 2010 , 43, 183-189	4.6	2
44	Uncertainty analysis of photometer quality factor f_{1X} <i>Metrologia</i> , 2009 , 46, 75-80	2.1	9
43	Reducing thickness variation of hot rolled steel strip by non-circular back-up roll geometry. <i>Ironmaking and Steelmaking</i> , 2009 , 36, 133-140	1.3	5
42	Uncertainty evaluation for linking a bilateral key comparison with the corresponding CIPM key comparison. <i>Metrologia</i> , 2009 , 46, 397-403	2.1	0
41	Characterizing a UV chamber with mercury lamps for assessment of comparability to natural UV conditions. <i>Polymer Testing</i> , 2009 , 28, 57-65	4.5	16
40	Estimation of the optical receiving plane positions of solar spectroradiometers with spherical diffusers on the basis of spatial responsivity data. <i>Optics Letters</i> , 2009 , 34, 3241-3	3	14
39	Determining the irradiance signal from an asymmetric source with directional detectors: application to calibrations of radiometers with diffusers. <i>Applied Optics</i> , 2008 , 47, 4714-22	0.2	6
38	Simple active method for reducing magnetic interference in a thermoelectrically cooled photomultiplier tube. <i>Review of Scientific Instruments</i> , 2008 , 79, 043102	1.7	2
37	Filter Radiometers as a Tool for Quality Assurance of Temperature Measurements with Linear Pyrometers. <i>International Journal of Thermophysics</i> , 2008 , 29, 1084-1093	2.1	2
36	Adjusting timing of weathering test to account for seasonal variations in UV exposure. <i>Polymer Degradation and Stability</i> , 2007 , 92, 675-683	4.7	3
35	Method for analysing luminous intensity of light-emitting diodes. <i>Measurement Science and Technology</i> , 2007 , 18, 223-229	2	20
34	Characterization of germanium photodiodes and trap detector. <i>Measurement Science and Technology</i> , 2006 , 17, 908-912	2	12
33	Determination of distance offsets of diffusers for accurate radiometric measurements. <i>Metrologia</i> , 2006 , 43, S120-S124	2.1	14
32	Investigation of comparison methods for UVA irradiance responsivity calibration facilities. <i>Metrologia</i> , 2006 , 43, S27-S30	2.1	1
31	Calibration of broadband ultraviolet detectors by measurement of spectral irradiance responsivity. <i>Review of Scientific Instruments</i> , 2006 , 77, 063110	1.7	1

30	Realization of the scale of high fiber optic power at three national standards laboratories. <i>Applied Optics</i> , 2005 , 44, 5013-7	1.7	7
29	Determination of the diffuser reference plane for accurate illuminance responsivity calibrations. <i>Applied Optics</i> , 2005 , 44, 5894-8	1.7	12
28	Characterization of GaAsP trap detector for radiometric measurements in ultraviolet wavelength region. <i>Review of Scientific Instruments</i> , 2005 , 76, 033110	1.7	4
27	Fiber-optic radar calibration. <i>IEEE Aerospace and Electronic Systems Magazine</i> , 2005 , 20, 30-33	2.4	2
26	Effect of correlations in fitting spectral irradiance data. <i>Metrologia</i> , 2004 , 41, 246-250	2.1	4
25	Evaluation of calibration methods of a photometer measuring maritime light-emitting diode buoy lanterns. <i>Optical Engineering</i> , 2004 , 43, 170	1.1	1
24	Measurements of fibre optic power using photodiodes with and without an integrating sphere. <i>Metrologia</i> , 2004 , 41, 353-358	2.1	12
23	Intercomparison of characterization techniques of filter radiometers in the ultraviolet region. <i>Metrologia</i> , 2003 , 40, S50-S54	2.1	5
22	Ageing of DXW-lamps. <i>Metrologia</i> , 2003 , 40, S120-S123	2.1	5
21	A portable field calibrator for solar ultraviolet measurements. <i>Metrologia</i> , 2003 , 40, S17-S20	2.1	1
20	Comparison of spectral irradiance scales between the NIST and the HUT. <i>Metrologia</i> , 2002 , 39, 399-402	2.1	
19	Realization of the unit of luminous intensity at the HUT. <i>Metrologia</i> , 2000 , 37, 131-140	2.1	22
18	Detector-stabilized FEL lamps as transfer standards in an international comparison of spectral irradiance. <i>Metrologia</i> , 2000 , 37, 441-444	2.1	10
17	Realizations of the units of luminance and spectral radiance at the HUT. <i>Metrologia</i> , 2000 , 37, 527-530	2.1	9
16	Interpolation of the spectral responsivity of silicon photodetectors in the near ultraviolet. <i>Applied Optics</i> , 2000 , 39, 9-15	1.7	16
15	Spectral irradiance measurements of tungsten lamps with filter radiometers in the spectral range 290 nm to 900 nm. <i>Metrologia</i> , 2000 , 37, 305-312	2.1	27
14	Portable detector-based primary scale of spectral irradiance. <i>Journal of Geophysical Research</i> , 2000 , 105, 4803-4807		5
13	Intercomparison of lamp and detector-based UV-irradiance scales for solar UV radiometry. <i>Journal of Geophysical Research</i> , 2000 , 105, 4821-4827		13

12	Characterisation of optical detectors using high-accuracy instruments. <i>Analytica Chimica Acta</i> , 1999 , 380, 327-337	6.6	16
11	Measurement of the absolute linearity of photodetectors with a diode laser. <i>Measurement Science and Technology</i> , 1999 , 10, 1075-1078	2	25
10	Method for characterization of filter radiometers. <i>Applied Optics</i> , 1999 , 38, 1709-13	1.7	6
9	Spectral reflectance of silicon photodiodes. <i>Applied Optics</i> , 1998 , 37, 729-32	1.7	35
8	Nonlinearity measurements of silicon photodetectors. <i>Applied Optics</i> , 1998 , 37, 2716-22	1.7	34
7	Filter radiometry based on direct utilization of trap detectors. <i>Metrologia</i> , 1998 , 35, 255-259	2.1	13
6	Characterization of a polarization-independent transmission trap detector. <i>Applied Optics</i> , 1997 , 36, 2807-12	1.7	23
5	Development of a detector-based absolute spectral irradiance scale in the 380-900-nm spectral range. <i>Applied Optics</i> , 1997 , 36, 8909-18	1.7	36
4	Detector-Based Calibration Method for High-Accuracy Solar UV Measurements. <i>Photochemistry and Photobiology</i> , 1996 , 64, 340-343	3.6	9
3	Comparison of luminous-intensity scales based on trap detectors and incandescent lamps. <i>Metrologia</i> , 1995 , 32, 681-684	2.1	3
2	Radiometric realization of the candela with a trap detector. <i>Metrologia</i> , 1995 , 32, 689-692	2.1	21
1	Optical power and transmittance measurements and their use in detector-based realization of the luminous intensity scale. <i>Optical Engineering</i> , 1995 , 34, 2611	1.1	24