

# Matteo Bruschetti

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4682044/matteo-bruschetti-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

1,882  
citations

24  
h-index

39  
g-index

117  
ext. papers

2,247  
ext. citations

4.5  
avg, IF

4.78  
L-index

#	Paper	IF	Citations
101	Cuffed versus uncuffed endotracheal tubes for neonates.. <i>The Cochrane Library</i> , <b>2022</b> , 1, CD013736	5.2	1
100	Interventions for the management of transient tachypnoea of the newborn - an overview of systematic reviews.. <i>The Cochrane Library</i> , <b>2022</b> , 2, CD013563	5.2	1
99	Workplace interventions to reduce the risk of SARS-CoV-2 infection outside of healthcare settings.. <i>The Cochrane Library</i> , <b>2022</b> , 5, CD015112	5.2	0
98	The use and reporting of neonatal pain scales: a systematic review of randomized trials. <i>Pain</i> , <b>2021</b> , 162, 353-360	8	15
97	Opioids for newborn infants receiving mechanical ventilation. <i>The Cochrane Library</i> , <b>2021</b> , 3, CD013732	5.2	5
96	Antileukotrienes for the prevention and treatment of chronic lung disease in very preterm newborns: a systematic review. <i>Respiratory Research</i> , <b>2021</b> , 22, 208	7.3	2
95	Addressing harms of screening - A review of outcomes in Cochrane reviews and suggestions for next steps. <i>Journal of Clinical Epidemiology</i> , <b>2021</b> , 129, 68-73	5.7	1
94	Interventions to minimize blood loss in very preterm infants-A systematic review and meta-analysis. <i>PLoS ONE</i> , <b>2021</b> , 16, e0246353	3.7	3
93	Fluid restriction in the management of transient tachypnea of the newborn. <i>The Cochrane Library</i> , <b>2021</b> , 2, CD011466	5.2	7
92	Salbutamol for transient tachypnea of the newborn. <i>The Cochrane Library</i> , <b>2021</b> , 2, CD011878	5.2	1
91	Workplace interventions to reduce the risk of SARS-CoV-2 infection outside of healthcare settings. <i>The Cochrane Library</i> , <b>2021</b> , 2021,	5.2	1
90	Continuous glucose monitoring for the prevention of morbidity and mortality in preterm infants.. <i>The Cochrane Library</i> , <b>2021</b> , 12, CD013309	5.2	0
89	Sustained versus standard inflations during neonatal resuscitation to prevent mortality and improve respiratory outcomes. <i>The Cochrane Library</i> , <b>2020</b> , 3, CD004953	5.2	8
88	Head midline position for preventing the occurrence or extension of germinal matrix-intraventricular haemorrhage in preterm infants. <i>The Cochrane Library</i> , <b>2020</b> , 7, CD012362	5.2	0
87	Confounding biases in studies on early- versus late-caffeine in preterm infants: a systematic review. <i>Pediatric Research</i> , <b>2020</b> , 88, 357-364	3.2	5
86	Clonidine for pain in non-ventilated infants. <i>The Cochrane Library</i> , <b>2020</b> , 4, CD013104	5.2	4
85	Accuracy of continuous glucose monitoring in preterm infants: a systematic review and meta-analysis. <i>BMJ Open</i> , <b>2020</b> , 10, e045335	3	3

84	Continuous glucose monitoring for the prevention of morbidity and mortality in preterm infants. <i>The Cochrane Library</i> , <b>2020</b> , 12, CD013309	5.2	4
83	Long-term neurological effects of neonatal caffeine treatment in a rabbit model of preterm birth. <i>Pediatric Research</i> , <b>2020</b> , 87, 1011-1018	3.2	3
82	A LC-MS/MS method for the quantification of caffeine, betamethasone, clonidine and furosemide in cerebrospinal fluid of preterm infants. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 179, 112996	3.5	1
81	Pharmacological treatment for continuous spike-wave during slow wave sleep syndrome and Landau-Kleffner Syndrome. <i>The Cochrane Library</i> , <b>2020</b> , 11, CD013132	5.2	1
80	Stem cell-based interventions for the prevention of morbidity and mortality following hypoxic-ischaemic encephalopathy in newborn infants. <i>The Cochrane Library</i> , <b>2020</b> , 8, CD013202	5.2	9
79	Opioids and alpha-2-agonists for analgesia and sedation in newborn infants: protocol of a systematic review. <i>Systematic Reviews</i> , <b>2020</b> , 9, 183	3	4
78	Non-invasive respiratory support for the management of transient tachypnea of the newborn. <i>The Cochrane Library</i> , <b>2020</b> , 4, CD013231	5.2	6
77	Postnatal corticosteroids for transient tachypnoea of the newborn. <i>The Cochrane Library</i> , <b>2020</b> , 3, CD013222	5.2	1
76	Intraventricular Hemorrhage and White Matter Injury in Preclinical and Clinical Studies. <i>NeoReviews</i> , <b>2019</b> , 20, e636-e652	1.1	10
75	Needle aspiration versus intercostal tube drainage for pneumothorax in the newborn. <i>The Cochrane Library</i> , <b>2019</b> , 2, CD011724	5.2	3
74	White Matter Brain Development after Exposure to Circulating Cell-Free Hemoglobin and Hyperoxia in a Rat Pup Model. <i>Developmental Neuroscience</i> , <b>2019</b> , 41, 234-246	2.2	2
73	Continuous glucose monitoring for the prevention of morbidity and mortality in preterm infants. <i>The Cochrane Library</i> , <b>2019</b> ,	5.2	1
72	Stem cell-based interventions for the prevention and treatment of germinal matrix-intraventricular haemorrhage in preterm infants. <i>The Cochrane Library</i> , <b>2019</b> , 9, CD013201	5.2	5
71	High-versus low-dose caffeine in preterm infants: a systematic review and meta-analysis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2019</b> , 108, 401-410	3.1	20
70	High versus low dose caffeine in preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2019</b> , 108, 572	3.1	1
69	Behavioral testing and litter effects in the rabbit. <i>Behavioural Brain Research</i> , <b>2018</b> , 353, 236-241	3.4	2
68	Antenatal corticosteroids: a retrospective cohort study on timing, indications and neonatal outcome. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2018</b> , 97, 591-597	3.8	10
67	Assessing imprecision in Cochrane systematic reviews: a comparison of GRADE and Trial Sequential Analysis. <i>Systematic Reviews</i> , <b>2018</b> , 7, 110	3	60

66	Clonidine for painful procedures or conditions in infants. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	1
65	Pharmacological treatment for Continuous spike-wave during Slow Wave Sleep and Landau-Kleffner Syndrome. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	1
64	Stem cell-based interventions for the prevention of morbidity and mortality following hypoxic-ischaemic encephalopathy in newborn infants. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	2
63	Non-invasive respiratory support for the management of transient tachypnea of the newborn. <i>The Cochrane Library</i> , <b>2018</b> ,	5.2	78
62	Clonidine for sedation and analgesia for neonates receiving mechanical ventilation. <i>The Cochrane Library</i> , <b>2017</b> , 5, CD012468	5.2	12
61	Cerebellar Exposure to Cell-Free Hemoglobin Following Preterm Intraventricular Hemorrhage: Causal in Cerebellar Damage?. <i>Translational Stroke Research</i> , <b>2017</b> , 8, 461	7.8	24
60	Head midline position for preventing the occurrence or extension of germinal matrix-intraventricular hemorrhage in preterm infants. <i>The Cochrane Library</i> , <b>2017</b> , 7, CD012362	5.2	15
59	Sustained versus standard inflations during neonatal resuscitation to prevent mortality and improve respiratory outcomes. <i>The Cochrane Library</i> , <b>2017</b> , 7, CD004953	5.2	10
58	Pharmacological pain and sedation interventions for the prevention of intraventricular hemorrhage in preterm infants on assisted ventilation - an overview of systematic reviews. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	2
57	Antibiotics for the management of transient tachypnea of the newborn. <i>The Cochrane Library</i> , <b>2017</b> ,	5.2	78
56	Cardiopulmonary bypass in the newborn: effects of circulatory cell-free hemoglobin and hyperoxia evaluated in a novel rat pup model. <i>Intensive Care Medicine Experimental</i> , <b>2017</b> , 5, 45	3.7	2
55	DBS-LC-MS/MS assay for caffeine: validation and neonatal application. <i>Bioanalysis</i> , <b>2016</b> , 8, 1893-902	2.1	14
54	Epinephrine for transient tachypnea of the newborn. <i>The Cochrane Library</i> , <b>2016</b> , CD011877	5.2	13
53	Heparin for the treatment of thrombosis in neonates. <i>The Cochrane Library</i> , <b>2016</b> , 11, CD012185	5.2	10
52	Head midline position for preventing the occurrence or extension of germinal matrix-intraventricular hemorrhage in preterm infants <b>2016</b> ,		1
51	Frequency of endotracheal suctioning for the prevention of respiratory morbidity in ventilated newborns. <i>The Cochrane Library</i> , <b>2016</b> , 3, CD011493	5.2	7
50	Exosomes from human mesenchymal stem cells conduct aerobic metabolism in term and preterm newborn infants. <i>FASEB Journal</i> , <b>2016</b> , 30, 1416-24	0.9	42
49	Why do premature newborn infants display elevated blood adenosine levels?. <i>Medical Hypotheses</i> , <b>2016</b> , 90, 53-6	3.8	9

48	High Presence of Extracellular Hemoglobin in the Periventricular White Matter Following Preterm Intraventricular Hemorrhage. <i>Frontiers in Physiology</i> , <b>2016</b> , 7, 330	4.6	37
47	Needle aspiration versus intercostal tube drainage for pneumothorax in the newborn. <i>The Cochrane Library</i> , <b>2016</b> , CD011724	5.2	9
46	Salbutamol for transient tachypnea of the newborn. <i>The Cochrane Library</i> , <b>2016</b> , CD011878	5.2	13
45	Antithrombin for the prevention of intraventricular hemorrhage in very preterm infants. <i>The Cochrane Library</i> , <b>2016</b> , 3, CD011636	5.2	4
44	Clonidine for neonates receiving mechanical ventilation <b>2016</b> ,		78
43	Heparin for the treatment of thrombosis in preterm and term neonates <b>2016</b> ,		4
42	Heparin for the prevention of intraventricular haemorrhage in preterm infants. <i>The Cochrane Library</i> , <b>2016</b> , CD011718	5.2	5
41	Transcutaneous carbon dioxide monitoring for the prevention of neonatal morbidity and mortality. <i>The Cochrane Library</i> , <b>2016</b> , 2, CD011494	5.2	12
40	Heparin for the prevention of intraventricular hemorrhage in very preterm infants <b>2015</b> ,		1
39	Antithrombin for the prevention of intraventricular hemorrhage in very preterm infants <b>2015</b> ,		1
38	Sustained versus standard inflations during neonatal resuscitation to prevent mortality and improve respiratory outcomes. <i>Cochrane Database of Systematic Reviews</i> , <b>2015</b> , CD004953		10
37	Salbutamol for transient tachypnea of the newborn <b>2015</b> ,		2
36	Preterm Cord Blood Contains a Higher Proportion of Immature Hematopoietic Progenitors Compared to Term Samples. <i>PLoS ONE</i> , <b>2015</b> , 10, e0138680	3.7	18
35	A validated LC-MS/MS method for the quantification of piperacillin/tazobactam on dried blood spot. <i>Bioanalysis</i> , <b>2014</b> , 6, 2795-802	2.1	13
34	Oral and sublingual immunotherapy for egg allergy. <i>The Cochrane Library</i> , <b>2014</b> , CD010638	5.2	20
33	Vulnerability versus resilience to prenatal stress in male and female rats; implications from gene expression profiles in the hippocampus and frontal cortex. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, 1226-46	1.2	85
32	Reference values for urinary neutrophil gelatinase-associated lipocalin (NGAL) in pediatric age measured with a fully automated chemiluminescent platform. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2013</b> , 51, 1101-5	5.9	25
31	Saliva S100B in professional sportsmen: High levels at resting conditions and increased after vigorous physical activity. <i>Clinical Biochemistry</i> , <b>2011</b> , 44, 245-7	3.5	15

30	Cognition- and anxiety-related behavior, synaptophysin and MAP2 immunoreactivity in the adult rat treated with a single course of antenatal betamethasone. <i>Pediatric Research</i> , <b>2006</b> , 60, 50-4	3.2	11
29	High maternal blood S100B concentrations in pregnancies complicated by intrauterine growth restriction and intraventricular hemorrhage. <i>Clinical Chemistry</i> , <b>2006</b> , 52, 819-26	5.5	38
28	Urinary S100B protein concentrations are increased in intrauterine growth-retarded newborns. <i>Pediatrics</i> , <b>2006</b> , 118, e747-54	7.4	46
27	Systemic endotoxin administration results in increased S100B protein blood levels and periventricular brain white matter injury in the preterm fetal sheep. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2006</b> , 124, 15-22	2.4	25
26	Prenatal stress reduces S100B in the neonatal rat hippocampus. <i>NeuroReport</i> , <b>2006</b> , 17, 1077-80	1.7	20
25	Lowering the dose of antenatal steroids: the effects of a single course of betamethasone on somatic growth and brain cell proliferation in the rat. <i>American Journal of Obstetrics and Gynecology</i> , <b>2006</b> , 194, 1341-6	6.4	16
24	Prenatal restraint stress and long-term affective consequences. <i>Developmental Neuroscience</i> , <b>2005</b> , 27, 313-20	2.2	93
23	S100B protein in urine of preterm newborns with ominous outcome. <i>Pediatric Research</i> , <b>2005</b> , 58, 1170-4	3.2	41
22	A single course of antenatal betamethasone reduces neurotrophic factor S100B concentration in the hippocampus and serum in the neonatal rat. <i>Developmental Brain Research</i> , <b>2005</b> , 159, 113-8		15
21	S100B protein levels in saliva: correlation with gestational age in normal term and preterm newborns. <i>Clinical Biochemistry</i> , <b>2005</b> , 38, 229-33	3.5	35
20	Non protein bound iron concentrations in amniotic fluid. <i>Clinical Biochemistry</i> , <b>2005</b> , 38, 674-7	3.5	14
19	Increased S100B in cerebrospinal fluid of infants with bacterial meningitis: relationship to brain damage and routine cerebrospinal fluid findings. <i>Clinical Chemistry</i> , <b>2004</b> , 50, 941-4	5.5	28
18	Levels of S100B protein are higher in mature human milk than in colostrum and milk-formulae milks. <i>Clinical Nutrition</i> , <b>2004</b> , 23, 23-6	5.9	20
17	Cerebrospinal fluid activin a measurement in asphyxiated full-term newborns predicts hypoxic ischemic encephalopathy. <i>Clinical Chemistry</i> , <b>2004</b> , 50, 2386-9	5.5	43
16	Amniotic fluid S100B protein in mid-gestation and intrauterine fetal death. <i>Lancet, The</i> , <b>2004</b> , 364, 270-240		41
15	Urinary S100B protein measurements: A tool for the early identification of hypoxic-ischemic encephalopathy in asphyxiated full-term infants. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 131-6	1.4	79
14	92 Increased S100B Urinary Measurements at Birth May Predict Neonatal Death in Preterm Newborns. <i>Pediatric Research</i> , <b>2004</b> , 56, 479-479	3.2	
13	Maternal glucocorticoid supplementation and S100B protein concentrations in cord blood and urine of preterm infants. <i>Clinical Chemistry</i> , <b>2003</b> , 49, 1215-8	5.5	28

12	S100B protein concentrations in amniotic fluid are higher in monoamniotic than in diamniotic twins and singleton pregnancies. <i>Clinical Chemistry</i> , <b>2003</b> , 49, 997-9	5.5	12
11	Measurement of urinary S100B protein concentrations for the early identification of brain damage in asphyxiated full-term infants. <i>JAMA Pediatrics</i> , <b>2003</b> , 157, 1163-8		69
10	Amniotic fluid levels of S100B protein in normal and trisomy-21 fetuses. <i>Clinica Chimica Acta</i> , <b>2003</b> , 330, 131-3	6.2	18
9	Human milk contains S100B protein. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2003</b> , 1619, 209-12	4	24
8	Pediatric concentrations of S100B protein in blood: age- and sex-related changes. <i>Clinical Chemistry</i> , <b>2003</b> , 49, 967-70	5.5	82
7	S100B protein cord blood levels and development of fetal behavioral states: a study in normal and small-for-dates fetuses. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2002</b> , 11, 378-84	2	14
6	Maternal Nitric Oxide Supplementation Decreases Cord Blood S100B in Intrauterine Growth-retarded Fetuses. <i>Clinical Chemistry</i> , <b>2002</b> , 48, 647-650	5.5	23
5	Increased Urinary S100B Protein as an Early Indicator of Intraventricular Hemorrhage in Preterm Infants: Correlation with the Grade of Hemorrhage. <i>Clinical Chemistry</i> , <b>2001</b> , 47, 1836-1838	5.5	74
4	S100B Protein Concentrations in Amniotic Fluid Correlate with Gestational Age and with Cerebral Ultrasound Scanning Results in Healthy Fetuses. <i>Clinical Chemistry</i> , <b>2001</b> , 47, 954-956	5.5	36
3	S100B Protein Concentrations in Urine Are Correlated with Gestational Age in Healthy Preterm and Term Newborns. <i>Clinical Chemistry</i> , <b>2001</b> , 47, 1132-1133	5.5	45
2	Caffeine dosing regimens in preterm infants with or at risk for apnea of prematurity. <i>The Cochrane Library</i> ,	5.2	2
1	Development and Validation of a Mortality Prediction Model in Extremely Low Gestational Age Neonates. <i>Neonatology</i> , 1-10	4	