

John Fred Verzijlbergen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4682502/publications.pdf>

Version: 2024-02-01

30
papers

4,250
citations

516710

16
h-index

501196

28
g-index

30
all docs

30
docs citations

30
times ranked

5455
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluating F-18-PSMA-1007-PET in primary prostate cancer and comparing it to multi-parametric MRI and histopathology. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 423-430.	3.9	37
2	Renal sympathetic denervation in patients with vasospastic angina. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 2202-2209.	2.1	3
3	Bridging the Imaging Gap: PSMA PET/CT Has a High Impact on Treatment Planning in Prostate Cancer Patients with Biochemical Recurrence—A Narrative Review of the Literature. <i>Journal of Nuclear Medicine</i> , 2019, 60, 1394-1398.	5.0	25
4	¹⁸ F-fluorodeoxyglucose positron emission/computed tomography and computed tomography angiography in prosthetic heart valve endocarditis: from guidelines to clinical practice. <i>European Heart Journal</i> , 2018, 39, 3739-3749.	2.2	49
5	Saving costs in cancer patient management through molecular imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 2153-2157.	6.4	0
6	Optimizing labelling conditions of ²¹³ Bi-DOTATATE for preclinical applications of peptide receptor targeted alpha therapy. <i>EJNMMI Radiopharmacy and Chemistry</i> , 2017, 1, 9.	3.9	18
7	Review: Receptor Targeted Nuclear Imaging of Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2017, 18, 260.	4.1	27
8	Quality Visits: The EANM/EARL FDG-PET/CT Accreditation Programme. , 2017, , 415-427.		0
9	Isotopic Scintigraphy Coupled With Computed Tomography for the Investigation of Intrathecal Baclofen Device Malfunction. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 1595.	0.9	3
10	Nuclear medicine innovations help (drive) healthcare (benefits). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 173-175.	6.4	10
11	FDG PET/CT: EANM procedure guidelines for tumour imaging: version 2.0. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 328-354.	6.4	2,188
12	Cost-effectiveness of Adding FDG-PET or CT to the Diagnostic Work-up of Patients With Stage III Melanoma. <i>Annals of Surgery</i> , 2012, 255, 771-776.	4.2	45
13	Small field-of-view dedicated cardiac SPECT systems: impact of projection truncation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 528-536.	6.4	11
14	FDG PET and PET/CT: EANM procedure guidelines for tumour PET imaging: version 1.0. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 181-200.	6.4	1,147
15	¹⁸ F-FDG PET patterns and BAL cell profiles in pulmonary sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1181-1188.	6.4	35
16	Imaging of Fibrogenesis in Patients with Idiopathic Pulmonary Fibrosis with cis-4-[¹⁸ F]-Fluoro-L-Proline PET. <i>Molecular Imaging and Biology</i> , 2009, 11, 123-127.	2.6	19
17	¹⁸ F-FDG PET, genotype-corrected ACE and sIL-2R in newly diagnosed sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 1131-1137.	6.4	72
18	The Netherlands protocol for standardisation and quantification of FDG whole body PET studies in multi-centre trials. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2320-2333.	6.4	343

#	ARTICLE	IF	CITATIONS
19	Cardiac sarcoidosis: A challenge to measure disease activity. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 595-598.	2.1	2
20	A possible role of 18F-FDG positron-emission tomography scanning in the early detection of rituximab-induced pneumonitis in patients with non-Hodgkin's lymphoma. <i>Haematologica</i> , 2008, 93, 1267-1269.	3.5	24
21	CASE 2. Acquired Hypertrichosis: A Rare Paraneoplastic Syndrome in Various Cancers. <i>Journal of Clinical Oncology</i> , 2006, 24, 523-524.	1.6	16
22	Low molecular weight heparin (dalteparin) is equally effective as unfractionated heparin in reducing coagulation activity and perfusion abnormalities during the early treatment of pulmonary embolism. <i>Translational Research</i> , 2004, 144, 100-107.	2.3	13
23	Quantification of right-to-left shunt with 99mTc-labelled albumin macroaggregates and 100% oxygen in patients with hereditary haemorrhagic telangiectasia. <i>Clinical Science</i> , 2002, 102, 127.	4.3	9
24	Distribution of talc suspension during treatment of malignant pleural effusion with talc pleurodesis. <i>Lung Cancer</i> , 2002, 36, 77-81.	2.0	80
25	Incremental prognostic value of myocardial SPET with dual-isotope rest 201Tl/stress 99mTc-tetrofosmin. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 46-52.	6.4	16
26	Is quantitative analysis superior to visual analysis of planar thallium 201 myocardial exercise scintigraphy in the evaluation of coronary artery disease?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1990, 16, 697-704.	2.1	9
27	Quantitative thallium-201 scintigraphy after dipyridamole infusion combined with low level exercise in healthy volunteers. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1989, 15, 239-243.	2.1	2
28	Dipyridamole thallium testing: noncardiac side effects, cardiac effects, electrocardiographic changes and hemodynamic changes after dipyridamole infusion with and without exercise. <i>International Journal of Cardiology</i> , 1988, 20, 231-238.	1.7	33
29	A Comparative Study of Intravenous Digital Subtraction Angiography and Ventilation-Perfusion Scans in Suspected Pulmonary Embolism. <i>Chest</i> , 1987, 91, 837-843.	0.8	8
30	A patient with bilateral superior and inferior caval veins. <i>International Journal of Cardiology</i> , 1984, 5, 366-373.	1.7	6