

# Luca Pasina

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4682652/luca-pasina-publications-by-year.pdf>  
**Version:** 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112 papers	2,172 citations	25 h-index	42 g-index
115 ext. papers	2,550 ext. citations	3.4 avg, IF	4.67 L-index

#	Paper	IF	Citations
112	Anemia in nursing homes, proton pump inhibitors and prescribing cascade of antianemic drugs.. <i>European Geriatric Medicine</i> , <b>2022</b> , 1	3	0
111	Comparison between drug therapy-based comorbidity indices and the Charlson Comorbidity Index for the detection of severe multimorbidity in older subjects. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 33, 1929-1935	4.8	2
110	Drug-Drug Interactions and Prescription Appropriateness at Hospital Discharge: Experience with COVID-19 Patients. <i>Drugs and Aging</i> , <b>2021</b> , 38, 341-346	4.7	2
109	Use of preventive drugs during the last year of life in older adults with cancer or chronic progressive diseases. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 1057-1065	2.6	1
108	Anticholinergic load and delirium in end-of-life patients. <i>European Journal of Clinical Pharmacology</i> , <b>2021</b> , 77, 1419-1424	2.8	2
107	Hyperglycemia at admission, comorbidities, and in-hospital mortality in elderly patients hospitalized in internal medicine wards: data from the RePoSI Registry. <i>Acta Diabetologica</i> , <b>2021</b> , 58, 1225-1236	3.9	2
106	Laxative Agents in Nursing Homes: An Example of Prescribing Cascade. <i>Journal of the American Medical Directors Association</i> , <b>2021</b> , 22, 2559-2564	5.9	0
105	Inappropriate prescribing in intermediate care facilities. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 33, 1085-1088	4.8	3
104	What changed in the Italian internal medicine and geriatric wards during the lockdown. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 84, 97-100	3.9	
103	Pharmacist-driven medication recognition/ reconciliation in older medical patients. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 83, 39-44	3.9	3
102	The multifaceted spectrum of liver cirrhosis in older hospitalised patients: analysis of the REPOSI registry. <i>Age and Ageing</i> , <b>2021</b> , 50, 498-504	3	0
101	Initiation of Psycholeptic Medication During Hospitalization With Recommendation for Discontinuation After Discharge. <i>Journal of the American Medical Directors Association</i> , <b>2021</b> , 22, 96-100. <del>5.9</del>	5.9	0
100	Potentially Inappropriate Medications, Drug-Drug Interactions, and Anticholinergic Burden in Elderly Hospitalized Patients: Does an Association Exist with Post-Discharge Health Outcomes?. <i>Drugs and Aging</i> , <b>2020</b> , 37, 585-593	4.7	12
99	Views of medical practitioners about deprescribing in older adults: Findings from an Italian qualitative study. <i>Maturitas</i> , <b>2020</b> , 134, 29-33	5	5
98	Overuse of proton pump inhibitors in nursing homes: An Italian multicenter observational study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 461-466	2.6	5
97	Inappropriate medications among end-of-life patients living at home: an Italian observational study. <i>European Geriatric Medicine</i> , <b>2020</b> , 11, 505-510	3	4
96	Three-month mortality in permanently bedridden medical non-oncologic patients. The BECLAP study (permanently BEDridden, creatinine CLearance, albumin, previous hospital admissions study). <i>European Journal of Internal Medicine</i> , <b>2020</b> , 72, 60-66	3.9	4

95	Drug-Drug Interactions and Prescription Appropriateness in Patients with COVID-19: A Retrospective Analysis from a Reference Hospital in Northern Italy. <i>Drugs and Aging</i> , <b>2020</b> , 37, 925-933	4.7	12
94	Inappropriate use of antiplatelet agents for primary prevention in nursing homes: An Italian multicenter observational study. <i>Geriatrics and Gerontology International</i> , <b>2020</b> , 20, 828-832	2.9	0
93	Relation between anticholinergic burden and cognitive impairment: Results from the Monzino 80-plus population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2020</b> , 29, 1696-1702	2.6	2
92	Orthostatic hypotension among elderly patients in Italian internal medicine wards: an observational study. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 281-287	3.7	6
91	Drug prescriptions in nursing home residents: an Italian multicenter observational study. <i>European Journal of Clinical Pharmacology</i> , <b>2020</b> , 76, 1011-1019	2.8	16
90	Antibiotic use and associated factors in a large sample of hospitalised older people. <i>Journal of Global Antimicrobial Resistance</i> , <b>2019</b> , 19, 167-172	3.4	3
89	Hospital Care of Older Patients With COPD: Adherence to International Guidelines for Use of Inhaled Bronchodilators and Corticosteroids. <i>Journal of the American Medical Directors Association</i> , <b>2019</b> , 20, 1313-1317.e9	5.9	4
88	Need for Deprescribing in Hospital Elderly Patients Discharged with a Limited Life Expectancy: The REPOSI Study. <i>Medical Principles and Practice</i> , <b>2019</b> , 28, 501-508	2.1	4
87	Prevalence of Preventive and Symptomatic Drug Treatments in Hospice Care: An Italian Observational Study. <i>American Journal of Hospice and Palliative Medicine</i> , <b>2019</b> , 36, 216-221	2.6	7
86	Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 68, e7-e11	3.9	1
85	Drug-Induced Hyponatremia: NSAIDs, a Neglected Cause that Should Be Considered. <i>Journal of Frailty &amp; Aging, the</i> , <b>2019</b> , 8, 222-223	2.6	0
84	Anticoagulation in frail older people. <i>Journal of Geriatric Cardiology</i> , <b>2019</b> , 16, 844-846	1.7	4
83	Mortality rate and risk factors for gastrointestinal bleeding in elderly patients. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 61, 54-61	3.9	34
82	Relation Between Delirium and Anticholinergic Drug Burden in a Cohort of Hospitalized Older Patients: An Observational Study. <i>Drugs and Aging</i> , <b>2019</b> , 36, 85-91	4.7	27
81	Apparently trivial but serious mistakes: the underestimated risk of a QT prolongation. <i>Aging Clinical and Experimental Research</i> , <b>2018</b> , 30, 1247-1249	4.8	0
80	Risk factors for three-month mortality after discharge in a cohort of non-oncologic hospitalized elderly patients: Results from the REPOSI study. <i>Archives of Gerontology and Geriatrics</i> , <b>2018</b> , 74, 169-173	4.4	9
79	Screening for unknown atrial fibrillation in older people: a feasibility study in community pharmacies. <i>European Geriatric Medicine</i> , <b>2018</b> , 9, 113-115	3	1
78	Choice and Outcomes of Rate Control versus Rhythm Control in Elderly Patients with Atrial Fibrillation: A Report from the REPOSI Study. <i>Drugs and Aging</i> , <b>2018</b> , 35, 365-373	4.7	13

77	Implementation of the Frailty Index in hospitalized older patients: Results from the REPOSI register. <i>European Journal of Internal Medicine</i> , <b>2018</b> , 56, 11-18	3.9	11
76	Atrial Fibrillation: Possible Influences of Rate and Rhythm Control Strategy on Cognitive Performance. <i>Journal of the American Geriatrics Society</i> , <b>2018</b> , 66, 2178-2182	5.6	6
75	Polypharmacy in older people: lessons from 10 years of experience with the REPOSI register. <i>Internal and Emergency Medicine</i> , <b>2018</b> , 13, 1191-1200	3.7	32
74	Living alone as an independent predictor of prolonged length of hospital stay and non-home discharge in older patients. <i>European Journal of Internal Medicine</i> , <b>2018</b> , 57, 25-31	3.9	6
73	Seizure and tetany secondary to hypomagnesaemic hypoparathyroidism induced by a proton-pump inhibitor. <i>European Journal of Clinical Pharmacology</i> , <b>2017</b> , 73, 511-512	2.8	1
72	Prevalence of older in-patients at risk of clopidogrel resistance according to the STIB score. Results from REPOSI registry. <i>European Journal of Internal Medicine</i> , <b>2017</b> , 41, e17-e18	3.9	1
71	Antipsychotic prescription and mortality in hospitalized older persons. <i>Psychogeriatrics</i> , <b>2017</b> , 17, 397-405	5.8	6
70	Prevalence and Determinants of the Use of Lipid-Lowering Agents in a Population of Older Hospitalized Patients: the Findings from the REPOSI (REgistro POLiterapie Societ� Italiana di Medicina Interna) Study. <i>Drugs and Aging</i> , <b>2017</b> , 34, 311-319	4.7	7
69	Pattern of in-hospital changes in drug use in the older people from 2010 to 2016. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2017</b> , 26, 1534-1539	2.6	10
68	Appropriateness of antiplatelet therapy for primary and secondary cardio- and cerebrovascular prevention in acutely hospitalized older people. <i>British Journal of Clinical Pharmacology</i> , <b>2017</b> , 83, 2528-2540	3.8	14
67	Does rhythm or rate control strategy influence anticoagulant treatment in older patients with atrial fibrillation? Data from REPOSI. <i>European Journal of Internal Medicine</i> , <b>2017</b> , 44, e18-e19	3.9	4
66	Use of non-steroidal anti-inflammatory drugs and analgesics in a cohort of hospitalized elderly patients: Results from the REPOSI study. <i>European Journal of Internal Medicine</i> , <b>2017</b> , 38, e11-e12	3.9	1
65	Prognostic value of degree and types of anaemia on clinical outcomes for hospitalised older patients. <i>Archives of Gerontology and Geriatrics</i> , <b>2017</b> , 69, 21-30	4	7
64	A survey among hospital specialists and pharmacists about biosimilars. <i>European Journal of Internal Medicine</i> , <b>2016</b> , 35, e31-e33	3.9	12
63	Potentially Serious Drug-Drug Interactions in Older Patients Hospitalized for Acute Ischemic and Hemorrhagic Stroke. <i>European Neurology</i> , <b>2016</b> , 76, 161-166	2.1	11
62	Strategies to Improve Medication Adherence in Older Persons: Consensus Statement from the Senior Italia Federanziani Advisory Board. <i>Drugs and Aging</i> , <b>2016</b> , 33, 629-37	4.7	14
61	Adherence to antithrombotic therapy guidelines improves mortality among elderly patients with atrial fibrillation: insights from the REPOSI study. <i>Clinical Research in Cardiology</i> , <b>2016</b> , 105, 912-920	6.1	47
60	Biological agents and biosimilars: Essential information for the internist. <i>European Journal of Internal Medicine</i> , <b>2016</b> , 33, 28-35	3.9	11

59	Comparison of Health Care Resource Utilization by Immigrants Versus Native Elderly People. <i>Journal of Immigrant and Minority Health</i> , <b>2016</b> , 18, 1-7	2.2	11
58	Prevalence and Risk Factors Associated with Use of QT-Prolonging Drugs in Hospitalized Older People. <i>Drugs and Aging</i> , <b>2016</b> , 33, 53-61	4.7	21
57	A Multicomponent Intervention to Optimize Psychotropic Drug Prescription in Elderly Nursing Home Residents: An Italian Multicenter, Prospective, Pilot Study. <i>Drugs and Aging</i> , <b>2016</b> , 33, 143-9	4.7	17
56	Evidence-based and unlicensed indications for proton pump inhibitors and patients' preferences for discontinuation: a pilot study in a sample of Italian community pharmacies. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>2016</b> , 41, 220-3	2.2	11
55	Changes in clinical outcomes for community-dwelling older people exposed to incident chronic polypharmacy: a comparison between 2001 and 2009. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2016</b> , 25, 204-11	2.6	30
54	Why do patients have doubts about generic drugs in Italy?. <i>European Journal of Clinical Pharmacology</i> , <b>2016</b> , 1	2.8	2
53	Acute neurological symptoms secondary to hypomagnesemia induced by proton pump inhibitors: a case series. <i>European Journal of Clinical Pharmacology</i> , <b>2016</b> , 72, 641-3	2.8	9
52	Therapeutic Duplicates in a Cohort of Hospitalized Elderly Patients: Results from the REPOSI Study. <i>Drugs and Aging</i> , <b>2016</b> , 33, 647-54	4.7	2
51	E-learning in order to improve drug prescription for hospitalized older patients: a cluster-randomized controlled study. <i>British Journal of Clinical Pharmacology</i> , <b>2016</b> , 82, 53-63	3.8	25
50	Role of Community Pharmacies for the Detection of Potentially Inappropriate Xanthine Oxidase Inhibitor Prescriptions. <i>Drugs - Real World Outcomes</i> , <b>2015</b> , 2, 81-86	2.2	4
49	The stigma of low opioid prescription in the hospitalized multimorbid elderly in Italy. <i>Internal and Emergency Medicine</i> , <b>2015</b> , 10, 305-13	3.7	7
48	The value of software that provides clinically relevant information on drug interactions. <i>European Journal of Internal Medicine</i> , <b>2015</b> , 26, e52-3	3.9	7
47	Brain and kidney, victims of atrial microembolism in elderly hospitalized patients? Data from the REPOSI study. <i>European Journal of Internal Medicine</i> , <b>2015</b> , 26, 243-9	3.9	10
46	Adherence to antibiotic treatment guidelines and outcomes in the hospitalized elderly with different types of pneumonia. <i>European Journal of Internal Medicine</i> , <b>2015</b> , 26, 330-7	3.9	18
45	Prevalence of dementia in the oldest old: the Monzino 80-plus population based study. <i>Alzheimer's and Dementia</i> , <b>2015</b> , 11, 258-70.e3	1.2	44
44	Proton pump inhibitors and risk of hypomagnesemia. <i>European Journal of Internal Medicine</i> , <b>2015</b> , 26, e25-6	3.9	7
43	The drug prescription network: a system-level view of drug co-prescription in community-dwelling elderly people. <i>Rejuvenation Research</i> , <b>2015</b> , 18, 153-61	2.6	4
42	Role of community pharmacists in the detection of potentially inappropriate benzodiazepines prescriptions for insomnia. <i>International Journal of Clinical Pharmacy</i> , <b>2015</b> , 37, 1004-8	2.3	13

41	Gender difference in drug use in hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , <b>2015</b> , 26, 483-90	3.9	18
40	E-learning to improve the drug prescribing in the hospitalized elderly patients: the ELICADHE feasibility pilot study. <i>Aging Clinical and Experimental Research</i> , <b>2014</b> , 26, 435-43	4.8	8
39	Understanding adverse drug reactions in older adults through drug-drug interactions. <i>European Journal of Internal Medicine</i> , <b>2014</b> , 25, 843-6	3.9	60
38	Gout, allopurinol intake and clinical outcomes in the hospitalized multimorbid elderly. <i>European Journal of Internal Medicine</i> , <b>2014</b> , 25, 847-52	3.9	1
37	Prevalence of potentially inappropriate medications and risk of adverse clinical outcome in a cohort of hospitalized elderly patients: results from the REPOSI Study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>2014</b> , 39, 511-5	2.2	50
36	Inappropriate prescription of allopurinol and febuxostat and risk of adverse events in the elderly: results from the REPOSI registry. <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 1495-503	2.8	23
35	Heart failure and chronic kidney disease in a registry of internal medicine wards. <i>European Geriatric Medicine</i> , <b>2014</b> , 5, 307-313	3	0
34	Gender-differences in disease distribution and outcome in hospitalized elderly: data from the REPOSI study. <i>European Journal of Internal Medicine</i> , <b>2014</b> , 25, 617-23	3.9	62
33	Medication non-adherence among elderly patients newly discharged and receiving polypharmacy. <i>Drugs and Aging</i> , <b>2014</b> , 31, 283-9	4.7	127
32	Multimorbidity and polypharmacy in the elderly: lessons from REPOSI. <i>Internal and Emergency Medicine</i> , <b>2014</b> , 9, 723-34	3.7	95
31	Electrocardiographic monitoring for new prescriptions of quetiapine co-prescribed with acetylcholinesterase inhibitors or memantine from 2005 to 2009. A population study on community-dwelling older people in Italy. <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 1487-94	2.8	1
30	Changes in drug prescribing to Italian community-dwelling elderly people: the EPIFARM-Elderly Project 2000-2010. <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 437-43	2.8	38
29	Prognostic value of estimated glomerular filtration rate in hospitalized elderly patients. <i>Internal and Emergency Medicine</i> , <b>2014</b> , 9, 735-47	3.7	15
28	Geographical differences in the prevalence of chronic polypharmacy in older people: eleven years of the EPIFARM-Elderly Project. <i>European Journal of Clinical Pharmacology</i> , <b>2013</b> , 69, 1477-83	2.8	32
27	Association of anticholinergic burden with cognitive and functional status in a cohort of hospitalized elderly: comparison of the anticholinergic cognitive burden scale and anticholinergic risk scale: results from the REPOSI study. <i>Drugs and Aging</i> , <b>2013</b> , 30, 103-12	4.7	120
26	Prophylaxis of venous thromboembolism in elderly patients with multimorbidity. <i>Internal and Emergency Medicine</i> , <b>2013</b> , 8, 509-20	3.7	17
25	How pre-marketing data can be used for predicting the weight of drug interactions in clinical practice. <i>European Journal of Internal Medicine</i> , <b>2013</b> , 24, 217-21	3.9	1
24	Joint use of cardio-embolic and bleeding risk scores in elderly patients with atrial fibrillation. <i>European Journal of Internal Medicine</i> , <b>2013</b> , 24, 800-6	3.9	11



23	Risk factors for hospital readmission of elderly patients. <i>European Journal of Internal Medicine</i> , <b>2013</b> , 24, 45-51	3.9	58
22	Prevention of inappropriate prescribing in hospitalized older patients using a computerized prescription support system (INTERcheck(®)). <i>Drugs and Aging</i> , <b>2013</b> , 30, 821-8	4.7	55
21	Antipsychotics prescription and cerebrovascular events in Italian older persons. <i>Journal of Clinical Psychopharmacology</i> , <b>2013</b> , 33, 542-5	1.7	8
20	Comparison of disease clusters in two elderly populations hospitalized in 2008 and 2010. <i>Gerontology</i> , <b>2013</b> , 59, 307-15	5.5	11
19	Adverse clinical events and mortality during hospitalization and 3 months after discharge in cognitively impaired elderly patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2013</b> , 68, 419-25	6.4	22
18	Drug-drug interactions in a cohort of hospitalized elderly patients. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2013</b> , 22, 1054-60	2.6	41
17	A new generation of antipsychotics: pharmacology and clinical utility of cariprazine in schizophrenia. <i>Therapeutics and Clinical Risk Management</i> , <b>2013</b> , 9, 319-28	2.9	31
16	Changes in trend of antipsychotics prescription in patients treated with cholinesterase inhibitors after warnings from Italian Medicines Agency. Results from the EPIFARM-Elderly Project. <i>European Neuropsychopharmacology</i> , <b>2012</b> , 22, 569-77	1.2	21
15	Critical appraisal of lurasidone in the management of schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , <b>2012</b> , 8, 155-68	3.1	22
14	Prevalence and characteristics of antidepressant drug prescriptions in older Italian patients. <i>International Psychogeriatrics</i> , <b>2012</b> , 24, 606-13	3.4	10
13	Prevalence and appropriateness of drug prescriptions for peptic ulcer and gastro-esophageal reflux disease in a cohort of hospitalized elderly. <i>European Journal of Internal Medicine</i> , <b>2011</b> , 22, 205-10	3.9	70
12	Association between clusters of diseases and polypharmacy in hospitalized elderly patients: results from the REPOSI study. <i>European Journal of Internal Medicine</i> , <b>2011</b> , 22, 597-602	3.9	83
11	Polypharmacy, length of hospital stay, and in-hospital mortality among elderly patients in internal medicine wards. The REPOSI study. <i>European Journal of Clinical Pharmacology</i> , <b>2011</b> , 67, 507-19	2.8	208
10	Differences in outpatient antibiotic prescription in Italy's Lombardy region. <i>Infection</i> , <b>2011</b> , 39, 299-308	5.8	23
9	A Population-based study of dementia in the oldest old: the Monzino 80-plus study. <i>BMC Neurology</i> , <b>2011</b> , 11, 54	3.1	18
8	Drug utilization and polypharmacy in an Italian elderly population: the EPIFARM-elderly project. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2011</b> , 20, 488-96	2.6	44
7	Cholinesterase inhibitor use in Alzheimer's disease: the EPIFARM-Elderly Project. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2011</b> , 20, 497-505	2.6	18
6	In-hospital death according to dementia diagnosis in acutely ill elderly patients: the REPOSI study. <i>International Journal of Geriatric Psychiatry</i> , <b>2011</b> , 26, 930-6	3.9	26

5	Iposcialia: considerazioni eziopatogenetiche e meccanismi farmaco-indotti. <i>Dental Cadmos</i> , <b>2011</b> , 79, 629-644	2.3	
4	New atypical antipsychotics for schizophrenia: iloperidone. <i>Drug Design, Development and Therapy</i> , <b>2010</b> , 4, 33-48	4.4	31
3	Predicting the clinical relevance of drug interactions from pre-approval studies. <i>Drug Safety</i> , <b>2009</b> , 32, 1017-39	5.1	14
2	Use and misuse of antipsychotic drugs in patients with dementia in Alzheimer special care units. <i>International Clinical Psychopharmacology</i> , <b>2009</b> , 24, 97-104	2.2	19
1	Alzheimer special care units compared with traditional nursing home for dementia care: are there differences at admission and in clinical outcomes?. <i>Alzheimer Disease and Associated Disorders</i> , <b>2008</b> , 22, 352-61	2.5	26