

Yong-Xiang Wei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4683815/publications.pdf>

Version: 2024-02-01

28
papers

524
citations

840585

11
h-index

677027

22
g-index

28
all docs

28
docs citations

28
times ranked

897
citing authors

#	ARTICLE	IF	CITATIONS
1	Nocturnal Hypoxemia Due to Obstructive Sleep Apnea Is an Independent Predictor of Poor Prognosis After Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	67
2	Effect of continuous positive airway pressure on long-term cardiovascular outcomes in patients with coronary artery disease and obstructive sleep apnea: a systematic review and meta-analysis. <i>Respiratory Research</i> , 2018, 19, 61.	1.4	57
3	Clinical Phenotypes of Nasal Polyps and Comorbid Asthma Based on Cluster Analysis of Disease History. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 1297-1305.e1.	2.0	49
4	Olfactory and gustatory function in healthy adult Chinese subjects. <i>Otolaryngology - Head and Neck Surgery</i> , 2010, 143, 554-560.	1.1	43
5	Treatment of OSA Reduces the Risk of Repeat Revascularization After Percutaneous Coronary Intervention. <i>Chest</i> , 2015, 147, 708-718.	0.4	43
6	Chinese Society of Allergy and Chinese Society of Otorhinolaryngology-Head and Neck Surgery Guideline for Chronic Rhinosinusitis. <i>Allergy, Asthma and Immunology Research</i> , 2020, 12, 176.	1.1	42
7	Association of Obstructive Sleep Apnea With Cardiovascular Outcomes in Patients With Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2019, 8, e010826.	1.6	40
8	Intranasal trigeminal chemosensitivity in patients with postviral and post-traumatic olfactory dysfunction. <i>Acta Oto-Laryngologica</i> , 2012, 132, 974-980.	0.3	24
9	Evaluation of post-traumatic anosmia with MRI and chemosensory ERPs. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1945-1953.	0.8	21
10	Association between serum/plasma levels of adiponectin and obstructive sleep apnea hypopnea syndrome: a meta-analysis. <i>Lipids in Health and Disease</i> , 2019, 18, 30.	1.2	20
11	Obstructive sleep apnea increases the risk of cardiovascular damage: a systematic review and meta-analysis of imaging studies. <i>Systematic Reviews</i> , 2021, 10, 212.	2.5	16
12	TNFRSF11B: A potential plasma biomarker for diagnosis of obstructive sleep apnea. <i>Clinica Chimica Acta</i> , 2019, 490, 39-45.	0.5	13
13	Circulating ESM-1 levels are correlated with the presence of coronary artery disease in patients with obstructive sleep apnea. <i>Respiratory Research</i> , 2019, 20, 188.	1.4	11
14	Olfactory impairment and the risk of cognitive decline and dementia in older adults: a meta-analysis. <i>Brazilian Journal of Otorhinolaryngology</i> , 2021, 87, 94-102.	0.4	11
15	Evaluation of idiopathic olfactory loss with chemosensory event-related potentials and magnetic resonance imaging. <i>International Forum of Allergy and Rhinology</i> , 2018, 8, 1315-1322.	1.5	10
16	Effects of transplanting olfactory ensheathing cells on recovery of olfactory epithelium after olfactory nerve transection in rats. <i>Medical Science Monitor</i> , 2008, 14, BR198-204.	0.5	10
17	Examination of chemosensory functions in patients with dysosmia. <i>Medical Science Monitor</i> , 2012, 18, CR154-CR159.	0.5	7
18	The impact of obstructive apnea sleep syndrome on chemical function. <i>Sleep and Breathing</i> , 2020, 24, 1549-1555.	0.9	6

#	ARTICLE	IF	CITATIONS
19	Association between apnea-hypopnea index and coronary artery calcification: a systematic review and meta-analysis. <i>Annals of Medicine</i> , 2021, 53, 302-317.	1.5	6
20	Predictive significance of the questionnaire of olfactory disorders-negative statements for olfactory loss in patients with chronic rhinosinusitis. <i>European Archives of Oto-Rhino-Laryngology</i> , 0, .	0.8	6
21	Targeted sequencing analysis of the adiponectin gene identifies variants associated with obstructive sleep apnoea in Chinese Han population. <i>Medicine (United States)</i> , 2019, 98, e15219.	0.4	5
22	The association between circulating APRIL levels and severity of obstructive sleep apnea in Chinese adults. <i>Clinica Chimica Acta</i> , 2020, 508, 161-169.	0.5	4
23	Usefulness of Cathepsin S to Predict Risk for Obstructive Sleep Apnea among Patients with Type 2 Diabetes. <i>Disease Markers</i> , 2020, 2020, 1-8.	0.6	3
24	Olfactory dysfunction is associated with cognitive impairment in patients with obstructive sleep apnea: a cross-sectional study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 1979-1987.	0.8	3
25	Altered glucose metabolism of the olfactory-related cortices in anosmia patients with traumatic brain injury. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4813-4821.	0.8	2
26	Clinical significance of the cognition-related pathogenic proteins in plasma neuronal-derived exosomes among normal cognitive adults over 45 years old with olfactory dysfunction. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 3467-3476.	0.8	2
27	Patterns of Gray and White Matter Volume Alterations in Patients With Post-Traumatic Anosmia: A Voxel-Based Morphometry Study. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	2
28	Morphological evaluation using MRI of the olfactory filaments (fila) in a post-traumatic olfactory rat model. <i>World Journal of Otorhinolaryngology - Head and Neck Surgery</i> , 2018, 4, 50-56.	0.7	1