

Yong-Xiang Wei

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4683815/yong-xiang-wei-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 papers	308 citations	10 h-index	17 g-index
28 ext. papers	435 ext. citations	3.8 avg, IF	3.24 L-index

#	Paper	IF	Citations
26	Nocturnal Hypoxemia Due to Obstructive Sleep Apnea Is an Independent Predictor of Poor Prognosis After Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	47
25	Effect of continuous positive airway pressure on long-term cardiovascular outcomes in patients with coronary artery disease and obstructive sleep apnea: a systematic review and meta-analysis. <i>Respiratory Research</i> , 2018 , 19, 61	7.3	35
24	Olfactory and gustatory function in healthy adult Chinese subjects. <i>Otolaryngology - Head and Neck Surgery</i> , 2010 , 143, 554-60	5.5	34
23	Clinical Phenotypes of Nasal Polyps and Comorbid Asthma Based on Cluster Analysis of Disease History. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 1297-1305.e1	5.4	33
22	Treatment of OSA reduces the risk of repeat revascularization after percutaneous coronary intervention. <i>Chest</i> , 2015 , 147, 708-718	5.3	32
21	Intranasal trigeminal chemosensitivity in patients with postviral and post-traumatic olfactory dysfunction. <i>Acta Oto-Laryngologica</i> , 2012 , 132, 974-80	1.6	18
20	Association of Obstructive Sleep Apnea With Cardiovascular Outcomes in Patients With Acute Coronary Syndrome. <i>Journal of the American Heart Association</i> , 2019 , 8, e010826	6	18
19	Evaluation of post-traumatic anosmia with MRI and chemosensory ERPs. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 1945-53	3.5	16
18	Association between serum/plasma levels of adiponectin and obstructive sleep apnea hypopnea syndrome: a meta-analysis. <i>Lipids in Health and Disease</i> , 2019 , 18, 30	4.4	14
17	Chinese Society of Allergy and Chinese Society of Otorhinolaryngology-Head and Neck Surgery Guideline for Chronic Rhinosinusitis. <i>Allergy, Asthma and Immunology Research</i> , 2020 , 12, 176-237	5.3	12
16	TNFRSF11B: A potential plasma biomarker for diagnosis of obstructive sleep apnea. <i>Clinica Chimica Acta</i> , 2019 , 490, 39-45	6.2	8
15	Effects of transplanting olfactory ensheathing cells on recovery of olfactory epithelium after olfactory nerve transection in rats. <i>Medical Science Monitor</i> , 2008 , 14, BR198-204	3.2	7
14	Examination of chemosensory functions in patients with dysosmia. <i>Medical Science Monitor</i> , 2012 , 18, CR154-9	3.2	6
13	Evaluation of idiopathic olfactory loss with chemosensory event-related potentials and magnetic resonance imaging. <i>International Forum of Allergy and Rhinology</i> , 2018 , 8, 1315-1322	6.3	6
12	Circulating ESM-1 levels are correlated with the presence of coronary artery disease in patients with obstructive sleep apnea. <i>Respiratory Research</i> , 2019 , 20, 188	7.3	4
11	Targeted sequencing analysis of the adiponectin gene identifies variants associated with obstructive sleep apnoea in Chinese Han population. <i>Medicine (United States)</i> , 2019 , 98, e15219	1.8	4
10	The impact of obstructive apnea sleep syndrome on chemical function. <i>Sleep and Breathing</i> , 2020 , 24, 1549-1555	3.1	3

9	Olfactory impairment and the risk of cognitive decline and dementia in older adults: a meta-analysis. <i>Brazilian Journal of Otorhinolaryngology</i> , 2021 , 87, 94-102	1.6	3
8	Association between apnea-hypopnea index and coronary artery calcification: a systematic review and meta-analysis. <i>Annals of Medicine</i> , 2021 , 53, 302-317	1.5	3
7	The association between circulating APRIL levels and severity of obstructive sleep apnea in Chinese adults. <i>Clinica Chimica Acta</i> , 2020 , 508, 161-169	6.2	2
6	Altered glucose metabolism of the olfactory-related cortices in anosmia patients with traumatic brain injury. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 4813-4821	3.5	1
5	Obstructive sleep apnea increases the risk of cardiovascular damage: a systematic review and meta-analysis of imaging studies. <i>Systematic Reviews</i> , 2021 , 10, 212	3	1
4	Morphological evaluation using MRI of the olfactory filaments (fila) in a post-traumatic olfactory rat model. <i>World Journal of Otorhinolaryngology - Head and Neck Surgery</i> , 2018 , 4, 50-56	2.6	1
3	Olfactory dysfunction is associated with cognitive impairment in patients with obstructive sleep apnea: a cross-sectional study.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 279, 1979	3.5	0
2	Clinical significance of the cognition-related pathogenic proteins in plasma neuronal-derived exosomes among normal cognitive adults over 45 years old with olfactory dysfunction. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	0
1	Usefulness of Cathepsin S to Predict Risk for Obstructive Sleep Apnea among Patients with Type 2 Diabetes. <i>Disease Markers</i> , 2020 , 2020, 8819134	3.2	0