Preben B Mortensen

List of Publications by Citations

Source: https://exaly.com/author-pdf/4685041/preben-b-mortensen-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16,598 128 127 53 h-index g-index citations papers 8.2 20,236 139 7.71 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
127	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , 2014 , 511, 421-7	50.4	5249
126	Common variants conferring risk of schizophrenia. <i>Nature</i> , 2009 , 460, 744-7	50.4	1350
125	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013 , 45, 1150-9	36.3	1153
124	Schizophrenia. <i>Lancet, The</i> , 2016 , 388, 86-97	40	836
123	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
122	Autoimmune diseases and severe infections as risk factors for schizophrenia: a 30-year population-based register study. <i>American Journal of Psychiatry</i> , 2011 , 168, 1303-10	11.9	351
121	Stress in puberty unmasks latent neuropathological consequences of prenatal immune activation in mice. <i>Science</i> , 2013 , 339, 1095-9	33.3	342
120	Autoimmune diseases and severe infections as risk factors for mood disorders: a nationwide study. JAMA Psychiatry, 2013 , 70, 812-20	14.5	322
119	A comprehensive nationwide study of the incidence rate and lifetime risk for treated mental disorders. <i>JAMA Psychiatry</i> , 2014 , 71, 573-81	14.5	313
118	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017 , 174, 850-858	11.9	276
117	Neonatal vitamin D status and risk of schizophrenia: a population-based case-control study. <i>Archives of General Psychiatry</i> , 2010 , 67, 889-94		272
116	Full spectrum of psychiatric outcomes among offspring with parental history of mental disorder. <i>Archives of General Psychiatry</i> , 2010 , 67, 822-9		186
115	Polygenic Risk Score, Parental Socioeconomic Status, Family History of Psychiatric Disorders, and the Risk for Schizophrenia: A Danish Population-Based Study and Meta-analysis. <i>JAMA Psychiatry</i> , 2015 , 72, 635-41	14.5	177
114	Thimerosal and the occurrence of autism: negative ecological evidence from Danish population-based data. <i>Pediatrics</i> , 2003 , 112, 604-6	7.4	171
113	Depression as a prognostic factor for breast cancer mortality. <i>Psychosomatics</i> , 2003 , 44, 24-30	2.6	167
112	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011 , 20, 4076-81	5.6	162
111	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151

(1996-2004)

110	Marital and labor market status in the long run in schizophrenia. <i>Archives of General Psychiatry</i> , 2004 , 61, 28-33		150	
109	Autoimmune diseases and infections as risk factors for schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 2012 , 1262, 56-66	6.5	135	
108	An epigenetic clock for gestational age at birth based on blood methylation data. <i>Genome Biology</i> , 2016 , 17, 206	18.3	132	
107	Confirmation of synergy between urbanicity and familial liability in the causation of psychosis. <i>American Journal of Psychiatry</i> , 2004 , 161, 2312-4	11.9	130	
106	The epidemiologic evidence linking autoimmune diseases and psychosis. <i>Biological Psychiatry</i> , 2014 , 75, 300-6	7.9	123	
105	A nationwide study on the risk of autoimmune diseases in individuals with a personal or a family history of schizophrenia and related psychosis. <i>American Journal of Psychiatry</i> , 2014 , 171, 218-26	11.9	122	
104	Suicide and other causes of mortality after post-partum psychiatric admission. <i>British Journal of Psychiatry</i> , 1998 , 173, 209-11	5.4	122	
103	Exposure to prenatal and childhood infections and the risk of schizophrenia: suggestions from a study of sibship characteristics and influenza prevalence. <i>Archives of General Psychiatry</i> , 1999 , 56, 993-8		117	
102	Young males have a higher risk of developing schizophrenia: a Danish register study. <i>Psychological Medicine</i> , 2007 , 37, 479-84	6.9	93	
101	Antipsychotic polypharmacy and risk of death from natural causes in patients with schizophrenia: a population-based nested case-control study. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 103-8	4.6	93	
100	Congenital malformations, stillbirths, and infant deaths among children of women with schizophrenia. <i>Archives of General Psychiatry</i> , 2001 , 58, 674-9		92	
99	Risk for cancer in a cohort of patients hospitalized for schizophrenia in Denmark, 1969-1993. <i>Schizophrenia Research</i> , 2005 , 75, 315-24	3.6	91	
98	Risk factors in relation to an emergence of bipolar disorder: a systematic review. <i>Bipolar Disorders</i> , 2003 , 5, 231-42	3.8	89	
97	Depression and cancer risk: a register-based study of patients hospitalized with affective disorders, Denmark, 1969-1993. <i>American Journal of Epidemiology</i> , 2002 , 155, 1088-95	3.8	88	
96	A Nationwide Study in Denmark of the Association Between Treated Infections and the Subsequent Risk of Treated Mental Disorders in Children and Adolescents. <i>JAMA Psychiatry</i> , 2019 , 76, 271-279	14.5	85	
95	A Danish National Birth Cohort study of maternal HSV-2 antibodies as a risk factor for schizophrenia in their offspring. <i>Schizophrenia Research</i> , 2010 , 122, 257-63	3.6	84	
94	Hospital contacts with infection and risk of schizophrenia: a population-based cohort study with linkage of Danish national registers. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1526-32	1.3	80	
93	Relationship between in utero exposure to influenza epidemics and risk of schizophrenia in Denmark. <i>Biological Psychiatry</i> , 1996 , 40, 817-24	7.9	77	

92	Seasonal spring peaks of suicide in victims with and without prior history of hospitalization for mood disorders. <i>Journal of Affective Disorders</i> , 2010 , 121, 88-93	6.6	74
91	Association between Attention-Deficit Hyperactivity Disorder in childhood and schizophrenia later in adulthood. <i>European Psychiatry</i> , 2014 , 29, 259-63	6	71
90	National study of suicide in all people with a criminal justice history. <i>Archives of General Psychiatry</i> , 2011 , 68, 591-9		70
89	Genetic Variants Associated With Anxiety and Stress-Related Disorders: A Genome-Wide Association Study and Mouse-Model Study. <i>JAMA Psychiatry</i> , 2019 , 76, 924-932	14.5	64
88	Genetics of suicide attempts in individuals with and without mental disorders: a population-based genome-wide association study. <i>Molecular Psychiatry</i> , 2020 , 25, 2410-2421	15.1	63
87	Obsessive-compulsive disorder as a risk factor for schizophrenia: a nationwide study. <i>JAMA Psychiatry</i> , 2014 , 71, 1215-21	14.5	62
86	Genome-wide scans using archived neonatal dried blood spot samples. <i>BMC Genomics</i> , 2009 , 10, 297	4.5	60
85	Combined effects of physical illness and comorbid psychiatric disorder on risk of suicide in a national population study. <i>British Journal of Psychiatry</i> , 2014 , 204, 430-5	5.4	59
84	The utility of neonatal dried blood spots for the assessment of neonatal vitamin D status. <i>Paediatric and Perinatal Epidemiology</i> , 2010 , 24, 303-8	2.7	59
83	Robustness of genome-wide scanning using archived dried blood spot samples as a DNA source. <i>BMC Genetics</i> , 2011 , 12, 58	2.6	58
82	Prenatal stress and risk of asthma hospitalization in the offspring: a Swedish population-based study. <i>Psychosomatic Medicine</i> , 2012 , 74, 635-41	3.7	58
81	Predictors of psychiatric inpatient suicide: a national prospective register-based study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 144-51	4.6	58
8o	Mortality Among Persons With Obsessive-Compulsive Disorder in Denmark. <i>JAMA Psychiatry</i> , 2016 , 73, 268-274	14.5	57
79	Schizophrenia in patients with atopic disorders with particular emphasis on asthma: a Danish population-based study. <i>Schizophrenia Research</i> , 2012 , 138, 58-62	3.6	56
78	Increased mortality among people with anxiety disorders: total population study. <i>British Journal of Psychiatry</i> , 2016 , 209, 216-21	5.4	56
77	Secondary depression in severe anxiety disorders: a population-based cohort study in Denmark. <i>Lancet Psychiatry,the</i> , 2015 , 2, 515-23	23.3	55
76	Association between parental hospital-treated infection and the risk of schizophrenia in adolescence and early adulthood. <i>Schizophrenia Bulletin</i> , 2013 , 39, 230-7	1.3	53
75	Familial predisposition for psychiatric disorder: comparison of subjects treated for cannabis-induced psychosis and schizophrenia. <i>Archives of General Psychiatry</i> , 2008 , 65, 1269-74		53

(2016-2017)

Risk of Psychiatric Disorders Among Individuals With the 22q11.2 Deletion or Duplication: A Danish Nationwide, Register-Based Study. <i>JAMA Psychiatry</i> , 2017 , 74, 282-290	14.5	52
Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019 , 76, 516-525	14.5	51
Oxytocin-augmented labor and risk for autism in males. <i>Behavioural Brain Research</i> , 2015 , 284, 207-12	3.4	51
Cardiovascular drug use and mortality in patients with schizophrenia or bipolar disorder: a Danish population-based study. <i>Psychological Medicine</i> , 2014 , 44, 1625-37	6.9	51
Obsessive-Compulsive Disorder and Autism Spectrum Disorders: Longitudinal and Offspring Risk. <i>PLoS ONE</i> , 2015 , 10, e0141703	3.7	50
Association between short birth intervals and schizophrenia in the offspring. <i>Schizophrenia Research</i> , 2004 , 70, 49-56	3.6	50
The association between neonatal vitamin D status and risk of schizophrenia. <i>Scientific Reports</i> , 2018 , 8, 17692	4.9	49
Risk of affective disorders following prenatal exposure to severe life events: a Danish population-based cohort study. <i>Journal of Psychiatric Research</i> , 2011 , 45, 879-85	5.2	43
A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry,the</i> , 2020 , 7, 1032-1045	23.3	43
Support of association between BRD1 and both schizophrenia and bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 582-591	3.5	42
Pregnancy and the risk of autoimmune disease. <i>PLoS ONE</i> , 2011 , 6, e19658	3.7	39
Medical disorders among inpatients with autism in Denmark according to ICD-8: a nationwide register-based study. <i>Journal of Autism and Developmental Disorders</i> , 2002 , 32, 115-9	4.6	39
Parental death and bipolar disorder: a robust association was found in early maternal suicide. Journal of Affective Disorders, 2005 , 86, 151-9	6.6	39
Schizophrenia and the risk for breast cancer. <i>Schizophrenia Research</i> , 2003 , 62, 89-92	3.6	38
Association between prepartum maternal iron deficiency and offspring risk of schizophrenia: population-based cohort study with linkage of Danish national registers. <i>Schizophrenia Bulletin</i> , 2011 , 37, 982-7	1.3	37
Diagnosed Anxiety Disorders and the Risk of Subsequent Anorexia Nervosa: A Danish Population Register Study. <i>European Eating Disorders Review</i> , 2015 , 23, 524-30	5.3	36
Autism spectrum disorder in individuals with anorexia nervosa and in their first- and second-degree relatives: Danish nationwide register-based cohort-study. <i>British Journal of Psychiatry</i> , 2015 , 206, 401-7	5.4	36
Heterogeneity in 10-Year Course Trajectories of Moderate to Severe Major Depressive Disorder: A Danish National Register-Based Study. <i>JAMA Psychiatry</i> , 2016 , 73, 346-53	14.5	36
	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. <i>JAMA Psychiatry</i> , 2019, 76, 516-525 Oxytocin-augmented labor and risk for autism in males. <i>Behavioural Brain Research</i> , 2015, 284, 207-12 Cardiovascular drug use and mortality in patients with schizophrenia or bipolar disorder: a Danish population-based study. <i>Psychological Medicine</i> , 2014, 44, 1625-37 Obsessive-Compulsive Disorder and Autism Spectrum Disorders: Longitudinal and Offspring Risk. <i>PLoS ONE</i> , 2015, 10, e0141703 Association between short birth intervals and schizophrenia in the offspring. <i>Schizophrenia Research</i> , 2004, 70, 49-56 The association between neonatal vitamin D status and risk of schizophrenia. <i>Scientific Reports</i> , 2018, 8, 17692 Risk of affective disorders following prenatal exposure to severe life events: a Danish population-based cohort study. <i>Journal of Psychiatric Research</i> , 2011, 45, 879-85 A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , the, 2020, 7, 1032-1045 Support of association between BRD1 and both schizophrenia and bipolar affective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 1538, 582-591 Pregnancy and the risk of autoimmune disease. <i>PLoS ONE</i> , 2011, 6, e19658 Medical disorders among inpatients with autism in Denmark according to ICD-8: a nationwide register-based study. <i>Journal of Autism and Developmental Disorders</i> , 2002, 32, 115-9 Parental death and bipolar disorder: a robust association was found in early maternal suicide. <i>Journal of Affective Disorders</i> , 2005, 86, 151-9 Schizophrenia and the risk for breast cancer. <i>Schizophrenia Research</i> , 2003, 62, 89-92 Association between prepartum maternal iron deficiency and offspring risk of schizophrenia population-based cohort study with linkage of Danish national registers. <i>Schizophrenia Bulletin</i> , 2011, 37, 982-7 Diagnosed Anxiety Disorders and the Risk of	Association of Polygenic Liabilities for Major Depression, Bipolar Disorder, and Schizophrenia With Risk for Depression in the Danish Population. JAMA Psychiatry, 2019, 76, 516-525 14-5 Oxytocin-augmented labor and risk for autism in males. Behavioural Brain Research, 2015, 284, 207-12 3-4 Cardiovascular drug use and mortality in patients with schizophrenia or bipolar disorder: a Danish population-based study. Psychological Medicine, 2014, 44, 1625-37 Obsessive-Compulsive Disorder and Autism Spectrum Disorders: Longitudinal and Offspring Risk. PLOS ONE, 2015, 10, e0141703 Association between short birth intervals and schizophrenia in the offspring. Schizophrenia Research, 2004, 70, 49-56 The association between neonatal vitamin D status and risk of schizophrenia. Scientific Reports, 2018, 8, 17692 Risk of affective disorders following prenatal exposure to severe life events: a Danish population-based cohort study. Journal of Psychiatric Research, 2011, 45, 879-85 Alarge-scale genome-wide association study meta-analysis of cannabis use disorder. Lancet Psychiatry, the, 2020, 7, 1032-1045 Support of association between BRD1 and both schizophrenia and bipolar affective disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 582-591 Pregnancy and the risk of autoimmune disease. PLoS ONE, 2011, 6, e19658 3-7 Medical disorders among inpatients with autism in Denmark according to ICD-8: a nationwide register-based study. Journal of Autism and Developmental Disorders, 2002, 32, 115-9 Parental death and bipolar disorder: a robust association was found in early maternal suicide. Journal of Affective Disorders, 2005, 86, 151-9 Schizophrenia and the risk for breast cancer. Schizophrenia Research, 2003, 62, 89-92 3-6 Association between prepartum maternal iron deficiency and offspring risk of schizophrenia population-based cohort study with linkage of Danish national registers. Schizophrenia Bulletin, 2011, 37, 982-7 Diagnosed Anxiety Disorders and the Risk of Subseque

56	Risk of Being Subjected to Crime, Including Violent Crime, After Onset of Mental Illness: A Danish National Registry Study Using Police Data. <i>JAMA Psychiatry</i> , 2018 , 75, 689-696	14.5	35
55	Parental Infections Before, During, and After Pregnancy as Risk Factors for Mental Disorders in Childhood and Adolescence: A Nationwide Danish Study. <i>Biological Psychiatry</i> , 2019 , 85, 317-325	7.9	34
54	Childhood residential mobility, schizophrenia, and bipolar disorder: a population-based study in Denmark. <i>Schizophrenia Bulletin</i> , 2015 , 41, 346-54	1.3	33
53	Associations between HIV and schizophrenia and their effect on HIV treatment outcomes: a nationwide population-based cohort study in Denmark. <i>Lancet HIV,the</i> , 2015 , 2, e344-50	7.8	33
52	Psychiatric disorder as a first manifestation of cancer: a 10-year population-based study. <i>International Journal of Cancer</i> , 2009 , 124, 2917-22	7.5	33
51	Higher socio-economic status of parents may increase risk for bipolar disorder in the offspring. <i>Psychological Medicine</i> , 2004 , 34, 787-93	6.9	33
50	Cesarean section and rate of subsequent stillbirth, miscarriage, and ectopic pregnancy: a Danish register-based cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001670	11.6	32
49	Suicide risk in relation to air pollen counts: a study based on data from Danish registers. <i>BMJ Open</i> , 2013 , 3,	3	32
48	Suicide risk among violent and sexual criminal offenders. <i>Journal of Interpersonal Violence</i> , 2012 , 27, 34	05:24	31
47	Influence of Polygenic Risk Scores on the Association Between Infections and Schizophrenia. <i>Biological Psychiatry</i> , 2016 , 80, 609-16	7.9	31
46	Death by unnatural causes during childhood and early adulthood in offspring of psychiatric inpatients. <i>Archives of General Psychiatry</i> , 2007 , 64, 345-52		29
45	Modelling the contribution of family history and variation in single nucleotide polymorphisms to risk of schizophrenia: a Danish national birth cohort-based study. <i>Schizophrenia Research</i> , 2012 , 134, 24	6 ³ 52	28
44	Somatic diseases and conditions before the first diagnosis of schizophrenia: a nationwide population-based cohort study in more than 900 000 individuals. <i>Schizophrenia Bulletin</i> , 2015 , 41, 513-2	11.3	27
43	Population impact of familial and environmental risk factors for schizophrenia: a nationwide study. <i>Schizophrenia Research</i> , 2014 , 153, 214-9	3.6	26
42	Individual and combined effects of maternal anemia and prenatal infection on risk for schizophrenia in offspring. <i>Schizophrenia Research</i> , 2016 , 172, 35-40	3.6	26
41	An association study of suicide and candidate genes in the serotonergic system. <i>Journal of Affective Disorders</i> , 2013 , 148, 291-8	6.6	25
40	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019 , 86, 577-586	7.9	24
39	Exposure to air pollution during childhood and risk of developing schizophrenia: a national cohort study. <i>Lancet Planetary Health, The</i> , 2020 , 4, e64-e73	9.8	23

Predicting ADHD by Assessment of Rutter\lands/Indicators of Adversity in Infancy. PLoS ONE, 2016, 11, e0157352 22 38 Association of the polygenic risk score for schizophrenia with mortality and suicidal behavior - A 3.6 21 37 Danish population-based study. Schizophrenia Research, 2017, 184, 122-127 Risk of sudden infant death syndrome with parental mental illness. Archives of General Psychiatry, 36 21 2007, 64, 1323-30 The new asylums in the community: severely ill psychiatric patients living in psychiatric supported housing facilities. A Danish register-based study of prognostic factors, use of psychiatric services, 35 4.5 19 and mortality. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1251-61 Mortality risk among offspring of psychiatric inpatients: a population-based follow-up to early 34 11.9 19 adulthood. American Journal of Psychiatry, 2006, 163, 2170-7 Reduction of crime in first-onset psychosis: a secondary analysis of the OPUS randomized trial. 4.6 33 19 Journal of Clinical Psychiatry, 2013, 74, e439-44 Association of Specific Mental Disorders With Premature Mortality in the Danish Population Using 18 32 10.4 Alternative Measurement Methods. JAMA Network Open, 2020, 3, e206646 Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder 18 31 5.4 onset in adulthood. British Journal of Psychiatry, 2018, 213, 555-560 Does a Caesarean section increase the time to a second live birth? A register-based cohort study. 18 30 5.7 Human Reproduction, **2014**, 29, 2560-8 The importance of father Wage to schizophrenia risk. Molecular Psychiatry, 2014, 19, 530-1 18 29 15.1 The association between family history of mental disorders and general cognitive ability. 28 8.6 16 Translational Psychiatry, 2014, 4, e412 Investigation of the involvement of MIR185 and its target genes in the development of 16 27 4.5 schizophrenia. Journal of Psychiatry and Neuroscience, 2014, 39, 386-96 Influence of environmental factors in higher risk of sudden infant death syndrome linked with 26 16 parental mental illness. Archives of General Psychiatry, 2010, 67, 69-77 Mortality risk in a nationwide cohort of individuals with tic disorders and with tourette syndrome. 25 7 15 Movement Disorders, 2017, 32, 605-609 Inverse association between urbanicity and treatment resistance in schizophrenia. Schizophrenia 3.6 24 15 Research, 2016, 174, 150-155 Replication study and meta-analysis in European samples supports association of the 3p21.1 locus 23 7.9 15 with bipolar disorder. *Biological Psychiatry*, **2012**, 72, 645-50 Otitis media, antibiotics, and risk of autism spectrum disorder. Autism Research, 2018, 11, 1432-1440 22 5.1 15 Deliberate self-harm before psychiatric admission and risk of suicide: survival in a Danish national 21 14 cohort. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1481-9

20	Schizophrenia Spectrum Disorders in a Danish 22q11.2 Deletion Syndrome Cohort Compared to the Total Danish PopulationA Nationwide Register Study. <i>Schizophrenia Bulletin</i> , 2016 , 42, 824-31	1.3	12
19	Effects of paternal age and offspring cognitive ability in early adulthood on the risk of schizophrenia and related disorders. <i>Schizophrenia Research</i> , 2014 , 160, 131-5	3.6	10
18	Preconception Maternal Bereavement and Infant and Childhood Mortality: A Danish Population-Based Study. <i>Psychosomatic Medicine</i> , 2015 , 77, 863-9	3.7	9
17	Dual association of a TRKA polymorphism with schizophrenia. <i>Psychiatric Genetics</i> , 2011 , 21, 125-31	2.9	8
16	Preadmission use of SSRIs alone or in combination with NSAIDs and 30-day mortality after peptic ulcer bleeding. <i>Scandinavian Journal of Gastroenterology</i> , 2009 , 44, 1288-95	2.4	7
15	Interactive effects between hemizygous 15q13.3 microdeletion and peripubertal stress on adult behavioral functions. <i>Neuropsychopharmacology</i> , 2019 , 44, 703-710	8.7	7
14	Adolescent residential mobility, genetic liability and risk of schizophrenia, bipolar disorder and major depression. <i>British Journal of Psychiatry</i> , 2020 , 217, 390-396	5.4	6
13	Analysis of risk factors for schizophrenia with two different case definitions: a nationwide register-based external validation study. <i>Schizophrenia Research</i> , 2015 , 162, 74-8	3.6	6
12	Undiagnosed coeliac disease in a father does not influence birthweight and preterm birth. <i>Paediatric and Perinatal Epidemiology</i> , 2010 , 24, 363-9	2.7	6
11	Parental celiac disease and offspring sex ratio. <i>Epidemiology</i> , 2010 , 21, 913-4	3.1	6
10	Specific anxiety disorders and subsequent risk for bipolar disorder: a nationwide study. <i>World Psychiatry</i> , 2016 , 15, 187-8	14.4	5
9	Schizophrenia-associated mt-DNA SNPs exhibit highly variable haplogroup affiliation and nuclear ancestry: Bi-genomic dependence raises major concerns for link to disease. <i>PLoS ONE</i> , 2018 , 13, e02088	2387	5
8	Risk of schizophrenia spectrum and affective disorders associated with small for gestational age birth and height in adulthood. <i>Schizophrenia Research</i> , 2014 , 160, 230-2	3.6	3
7	Complex spatio-temporal distribution and genomic ancestry of mitochondrial DNA haplogroups in 24,216 Danes. <i>PLoS ONE</i> , 2018 , 13, e0208829	3.7	3
6	The Role of Infections and Autoimmune Diseases for Schizophrenia and Depression: Findings from Large-Scale Epidemiological Studies. <i>Current Topics in Neurotoxicity</i> , 2015 , 107-135		1
5	Differences in the genetic architecture of common and rare variants in childhood, persistent and late-diagnosed attention deficit hyperactivity disorder		1
4	Vascular Pathology and Trajectories of Late-Life Major Depressive Disorder in Secondary Psychiatric Care. <i>American Journal of Geriatric Psychiatry</i> , 2018 , 26, 386-395	6.5	
3	Having children with multiple partners is associated with reduced risk of malignant melanoma: an observation seeking a plausible explanation. <i>Clinical Epidemiology</i> , 2010 , 2, 229-33	5.9	

LIST OF PUBLICATIONS

Higher Offspring Mortality Risks with Maternal and Paternal Schizophrenia and other Severe Mental Disorders: Elevated Risks Persist beyond the Neonatal Period. *Canadian Journal of Psychiatry*, **2008**, 53, 868-868

4.8

Prevalence of disorders and epidemiological methods. *Current Opinion in Psychiatry*, **1998**, 11, 169-173 4.9